

BIBLIOGRAFÍA

- Albini, F. A. (1976). "Estimating wildfire behaviour and effects". *USDA For. Serv. Gen. Tech. Rep. INT-30*. Intermt. For. And Range Exp. Stn., Ogden.
- Albini F. A. (1981). "A model for the wind-blown flame from a line fire". *Combustion and Flame*, 43: 155-174.
- Albini F. A. (1982). "Response of Free-Burning Fires to Nonsteady Wind". *Combustion Science and Technology*, 29: 225 – 241.
- Albini F. A. (1985). "A model for fire spread in wildland fuels by radiation". *Combustion Science and Technology*, 42: 229 – 258.
- Albini F. A. (1986). "Wildland fire spread by radiation –a model including fuel cooling by natural convection". *Combustion Science and Technology*, 45: 101 – 113.
- Albini F. A., Stocks B. J. (1986). "Predicted and observed rates of spread of crown fires in immature jack pine". *Combustion Science and Technology*, 48: 65-76.
- Albright D., Meisner B. N. (1999). "Clasification of fire simulation systems". *Fire Management Notes*, 59(2): 5-12.
- Alexander M.E. (1982) "Calculating and interpreting forest fire intensities". *Canadian Journal of Botany*, 60: 349-357.
- Anderson H. E. (1968). "Fire spread and flame shape". *Fire Technology*, 4: 51-58.
- Anderson H. E. (1969). "Heat transfer and fire spread". *USDA Forest Service Research*, Paper INT-69.
- Anderson H. E., Catchpole E. A., de Mestre N. J., Parkes T. (1982). "Modelling the spread of grass fires". *Journal of Australian Mathematical Society (series B)*, 23: 451-466.
- Andrews P. L. (1986). "Behave: Fire behavior prediction and fuel modeling system - burn subsystem". Part 1. *USDA Forest Service Research*, Paper INT-194.
- Arnaldos J., Navalón X., Pastor E., Planas E., Zárate L. (2001). "*Manual d'enginyeria per a la prevenció d'incendis forestals*". Centre d'Estudis del Risc Tecnològic. E.T.S.E.I.B. - U.P.C., Barcelona.
- Bagster D. F., PitbladoR. M. (1989). "Thermal Hazards in the Process Industry". *Chemical Engineering Progress*, 69 – 75.
- Bender E. A. (1978). "*An introduction to mathematical modelling*". John Wiley & Sons, Inc. Nueva York.
- Bellemare L. (2000). "*Un modèle multiphasique de prédition du comportement d'un feu de végétation*". Tesis Doctoral. Universidad de Provence Aix-Marseille I.

- Bellomo Nicola, Preziosi Luigi (1995). “*Modelling Mathematical Methods and Scientific Computation*”. CRC Press., Florida.
- Brodkey R.S., Hershey H.C. (1988). “*Transport phenomena. A unified approach*”. McGraw-Hill, Nueva York.
- Burrows N. D., Smith R. H., Robinson A. D. (1988). “*Prescribed burning slash fuels in Pinus radiata plantations in Western Australia*”. Western Australia Departament of Conservation and Land Management. Perth. Technical Report 20.
- Burrows N. D. (2001). “Flame residence times and rates of weight loss of eucalypt forest fuel particles”. *International Journal of Wildland Fire*, 10: 137 – 143.
- Butler B. W., Cohen J. D. (1998). “Firefighter Safety Zones: A Theoretical Model Based on Radiative Heating”. *International Journal Wildland Fire*, 8(2): 73-77.
- Butler B. W., Cohen J. D. (2000). “Field verification of a firefighter safety zone model”. *Proceedings of the 2000 International Wildfire Safety Summit*, 54-61.
- Butler B. W. (2003). “Field Measurements of radiant energy transfer in full scale wind driven crown fires”. The 6th ASME-JSME Thermal Engineering Joint Conference
- Byram G.M. (1966). “*An experimental study of model fires*”. Final report. Project fire model OCD-PS-65-40, Asheville NC.
- Byram, G.M. (1959). “*Combustion of forest fuels*”. A Forest fire control and use, K.P Davis.(ed.). McGraw-Hill, Nueva York.
- Casal J., Montiel H., Planas E., Vilchez J.A. (1999). “*Análisis de riesgo en instalaciones industriales*”. Edicions UPC, Barcelona.
- Catchpole T., de Mestre N. (1986). “Physical models for a spreading line fire”. *Australian Forestry*, 49(2): 102–111.
- CCPS (1992). “Hazard evaluation procedures”. American Institute of Chemical Engineers, New York.
- Cekirge H. M. (1978). “Propagation of fire fronts in forests”. *Computer and Mathematics with Applications*, 4: 325-332.
- Chandler G., Chesney, P., Thomas, P., Trabaud, L., Williams, D. (1983). “*Fire in forestry: forest fire behavior and effects*”. Wiley Interscience Publication, Nueva York.
- Cheney N. P. (1990). “Quantifying bushfires”. *Journal Mathl. Comput. Modelling*, 13(12): 9-15.
- Chatris J.M. (2001). “*Velocitat de combustió i distribució de temperatures en incendis de bassals d'hidrocarburs*”. Tesis doctoral. Universidad Politécnica de Cataluña.

- Chatris J. M., Quintela J., Folch J., Peral M., Vílchez J. A., Planas E., Arnaldos J., Casal J. (2001). "Medición y monitorización de la temperatura y velocidad de combustión en incendios de hidrocarburos". *Automática e instrumentación*, 316: 70-74.
- Cohen J. D. (2000). "Preventing disaster: home ignitability in the wildland-urban interface". *Journal of Forestry*, 98(3):15-21.
- Cohen J. D. (2000). "Field verification of a firefighter safety zone model". *Proceeding of the 2000 International Wildfire Safety Summit*, 54-61.
- Cowley L. T., Johnson A. D. (1991). "Oil and gas fires: Characteristics and impact". Shell Research Limited FL1, Chester.
- Cox G. (1995). "Combustión Fundamentals of Fire". Academic Press. Londres.
- Crocker-WP; Napier-DH (1986). "Thermal Radiation Hazards of Liquid Pool Fires and Tank Fires". Institution-of-Chemical-Engineers-Symposium-Series. n 97. Pub. by Inst. of Chemical Engineers, 159-184.
- De Mestre N. J., Catchpole E. A., Anderson D. H., Rothermel R. C. (1989). "Uniform propagation of a planar fire front without wind". *Combustion Science and Technology*, 65: 231-244.
- Deeming J.E.; Burgan, R.E.; Cohen, J.D. (1977). "The National Fire Danger Rating System". *USDA For. Serv. Gen. Tech. Rep. INT-39*. Interm. For. And Range Exp. Stn. Ogden.
- Drysdale D. (1985). "An introduction to fire dynamics". John Wiley & Sons.
- Dunkle R.V. (1963). "Configuration factors for radiant heat-transfer calculations involving people". *Journal of Heat Transfer*, 85(1): 71-76.
- Dupuy Jean-Luc (1997). "Mieux comprendre et prédire la propagation des feux de forêts: expérimentation, test et proposition de modèles". Tesis Doctoral. Université Claude Bernard – Lyon I.
- Dupuy J. L., Larini M. (1997). "Fire spread through a porous forest fuel bed: A radiative and convective model including fire-induced flow effects". *International Journal of Wildland Fire*, 9(3): 155-172.
- Dupuy J. L. (2000). "Testing two radiative physical models for fire spread through porous forest fuel beds". *Combustion Science and Technology*, 155: 149-180.
- Eisenberg N. A., Lynch C. J., Breeding R. J. (1975). "Vulnerability Model. A symulation system for assessing damage resulting from marine spills". NTIS AD-A015-245. Springfield, VA.
- Emmons H. (1964). "Fire in the forest". *Fire Research Abstracts and Reviews*, 5:163-178.

European Commission (2003). “*Forest Fires in Europe - 2002 fire campaign*”. San-Miguel-Ayanz, J., Barbosa, P., Libertà, G., Schmuck, G., E. Schulte (ed.). Official Publication of the European Communities, SPI.03.83.EN. Página web, URL <<http://natural-hazards.jrc.it/documents/fires/2003-publications/bulletin2002-wcover.pdf>>. [Consulta el 1 de Diciembre de 2003].

Ferragut L., Asensio M. I., Montenegro R., Plaza A., Winter G., Seron F. J. (1996). “A model for fire simulation in landscapes”. *Computational Fluid Dynamics*, 111-116.

Finney M.A., Martin R.E. (1992). “Calibration and field testing of passive flame height sensors”. *International Journal of Wildland Fire*, 2(3): 115-122.

Flir Systems AB (2001). “*ThermCAM Researcher 2001*”. Operating Manual. FLIR Publication.

Fogarty L. G. (1996). “*Two rural/urban interface fires in the Wellington suburb of Karori: assessment of associated burning conditions and fire control strategies*”. FRI Bulletin No. 197. Forest and Rural Fire Scientific and Technical Series. Wellington.

Fons W.L. (1940). “*Forest fuels*”. Progress report No. 6. California Forest and Range Experiment Station.

Fons W.L. (1946). “Analysis of fire spread in light forest fuels”. *Journal of Agricultural Research*, 72: 93-121.

Fons W.L. (1962). “Project Fire Model. Summary progress”. Report II. *USDA For. Serv., Southeast. For. Exp. Stn., South. For. Fire Lab.*, Macon.

Forestry Canada Fire Danger Group (1992). “*Development and structure of the Canadian fire behavior prediction system*”. Information Rep. ST-X-3 (Forestry Canada).

Frandsen W. H. (1971). “Fire spread through porous fuels from the conservation of energy”. *Combustion and Flame*, 16: 9-16.

Frandsen W. H. (1987). “The influence of moisture and mineral soil on the combustion limits of smoldering forest duff”. *Canadian Journal of Forest Research*, 17: 1540-1544.

Fujii N., Hasegawa J., Pallop L. Sakawa Y. (1980). “A nonstationary model of firespread”. *Applied Mathematics and Modelling*, 4: 176-180.

GRAM - GRAF (2001). “*Curs Simulació i anàlisi del foc forestal per ordinador i importància del comportament del foc en el medi*”. Grup de Recerca Ambiental Mediterrània. Universitat de Barcelona, Barcelona.

Green D. G. (1983). “Shapes of simulated fires in discrete fuels”. *Ecol. Modelling*, 20: 21-32.

Grishin A. M., Gruzin A. D., Zverev V. G. (1983). “Mathematical modelling of the spreading of high-level forest fires”. *Sov. Phys. Dokl.*, 28: 328-330.

- Grishin A. M. (1984). "Steady -state propagation of the front of a high-level forest fire". *Sov. Phys. Dokl.*, 29: 917-919.
- Grishin A. M. (1985). "Study of the structure and limits of the propagation of the front of an up stream forest fire". Tomsk State University, 21(1): 11-21.
- Guelzim A., Souil J. M., Vantelon J. P. (1993). "Suitable configuration factors for radiation calculation concerning tilted flames". *Journal of Heat Transfer*, 115(2): 489-492.
- Hankinson G. (1986). "A method for calculating the configuration factor between a flame and a receiving target for a wide range of flame geometries relevant to large scale fires". Fire safety science - Proceedings of the first international symposium. Hemisphere Publishing Corporation, Nueva York.
- Hollands K.G.T. (1995). "On the superposition rule for configuration factors," *Journal of Heat Transfer*. 117(1): 241-245.
- Hottel H. C., Williams G. C., Steward F. R. (1965). "The modelling of firespread through a fuel bed". 10th Symposium (International) on Combustion. The Combustion Institute, 997-1007. Pittsburgh.
- Hottel H. C., Sarofim A. F. (1967). "Radiative transfer". McGraw-Hill, Nueva York.
- Hottel H. C., Williams G. C., Kwentus G. K. (1971). "Fuel preheating in free-burning fires". 13th Symposium (international) on Combustion. The Combustion Institute, Pittsburgh, 963-970.
- Howell J. R. (2001). *A Catalog of Radiation Heat Transfer. Configuration Factors*. Department of Mechanical Engineering. University of Texas, Austin. Página web, URL <<http://www.me.utexas.edu/~howell/index.html>>. [Consulta Octubre de 2003].
- Incropora F.P., De Witt D. P. (1999). "Fundamentos de transferencia de calor" 4^a edición. Ed. Prentice Hall, México.
- Johnson V. J. (1982). "The dilemma of flame length and intensity". *Fire Management Notes*, 3 - 7.
- Konev E. V., Sukhinin A.I. (1977). "The analysis of flame spread through forest fuel". *Combustion and Flame*, 28: 217-223.
- Kay D. (1994). "Thermal radiation heat transfer from flames to receiving targets". Report AEA/CS/HSE R1006/R. Atomic Energy Authority – Health Safety Executive, Risley.
- Larini M., Giroud F., Porterie B., Loraud J. C. (1997). "A multiphase formulation for fire propagation in heterogeneous combustible media". *International Journal of Heat and Mass Transfer*, 41: 881-897.
- Leicester R. H. (1985). "Building technology to resist fire, flood, and drought. Natural disasters in Australia". *Aust. Acad. Tech. Sci.*, Parkville, Victoria, 221-236.

- Lilley G. D. (2000). "Minimum safe distance from pool fires". *Journal of Propulsion and Power*, 4(16): 649-652).
- McArthur A. G. (1962). "Control burning in eucalypt forests". *Aust. For. Timber Bureau*, n° 80. Canberra.
- McArthur A. G. (1966). "Weather and grassland fire behaviour". *Aust. For. and Timber Bureau Leaflet*, No. 100.
- McArthur A. G., Cheney N.P. (1967). "Fire behavior in eucalypt forests". *Ed. Aust. For. Timber Bureau*, n° 107, Canberra.
- McArthur, A. G. (1968). "*The effect of time on fire behavior and fire suppression problems*". South Aust. Emergency Fire Serv. Adelaide, South Australia. E.F.S. Manual, 3-6, 8: 10-13.
- McGuire J. H. (1953). "*Heat Transfer by Radiation*". Fire Research Special Report No. 2. Her Majestii's Stationery Office, Londres.
- Meiers S. J. (1998). "*Calculating the radiative impact of flames on three dimensional surfaces*". 17th International Conference on Offshore Mechanics and Arctic Engineering, OMAE98-1442, ASME.
- Merrill D. F., Alexander M. E. (1987). "*Glossary of forest fire management terms*". 4^a ed., Natl. Res. Counc. Can., Comm. For. Fire Manage. Ottawa.
- Morandini F., Santoni P. A., Balbi J. H. (2001). "The contribution of radiant heat transfer to laboratory – scale fire spread under the influences of wind and slope". *Fire Safety Journal*, 36: 519-543.
- Morandini F., Santoni P. A., Balbi J. H. (2001). "Fire front width effects on fire spread across a laboratory scale sloping fuel bed". *Combustion Science and Technology*, 166: 67–90.
- Morandini F. (2000). "*Modélisation semi-physique de la propagation d'un feu de végétation: contribution du rayonnement en présence de pente et de vent*". Tesis Doctoral, Université de Corse – Pascal Paoli.
- Mudan S. Krishna, Croce P. A, (1990)."Fire hazard calculations for large open hydrocarbon fires". *The SFPE handbook of fire protection engineering. Published by the national fire protection association*, 2-45 – 2-87.
- Nelson R. M. Jr. (1980). "Flame characteristics for fires in southern fuels". *USDA For. Serv., Southeast. For. Exp. Stn. Asheville, North Caroline. Res. Pap. SE-205*.
- Nelson R. M. Jr., Adkins, C.W. (1986). "Flame characteristics of wind-driven surface fires". *Canadian Journal of Forest Research*, 16: 1293-1300.
- Nelson R. M. Jr., Adkins, C.W. (1988). "A dimensionless correlation for the spread of wind-driven fires". *Canadian Journal of Forest Research*, 18: 391-397.

- Noble I. R., Bary G. A. V., Gill A. M. (1980). "McArthur's fire-danger meters expressed as equations". *Australian Journal of Ecology*, 5: 201-203.
- Ozisik M. N. (1985). "*Heat Transfer. A Basic Approach*". McGraw-Hill. Singapore.
- Packham D., Pompe A. (1971). "Radiation temperatures of forest fires". *Australian Forest Research*, 5(3):1-8.
- Pagni P. J., Peterson T. G. (1973). "Flame spread through porous fuels". 14th Symposium (International) on Combustion. The Combustion Institute, 1099-1107. Pittsburgh.
- Pastor E. (2004). "*Contribuciò a l'estudi dels efectes dels retardants en l'extinció de incendis forestals*". Tesis doctoral. Universidad Politécnica de Cataluña.
- Pastor E., Rigueiro A., Zárate L., Giménez A., Arnaldos J., Planas E. (2002). "Experimental methodology for characterizing flame emissivity of small scale forest fires using infrared thermography techniques". *Forest Fire Research & Wildland Fire Safety*, Viegas (ed.). Millpress, Rotterdam.
- Pastor E., Zárate L. Planas E., Arnaldos J. (2003). "Mathematical models and calculation systems for the study of wildland fire behaviour". *Progress in Energy and Combustion Science*, 29: 139-153.
- Pérez Y. (2003). "*Posada a punt d'un sistema per a l'estudi de l'eficacia dels productes retardants a llarg termini en incendis forestals*". Proyecto Final de Carrera. Universidad Politécnica de Cataluña.
- Planas E. (1988). "*Incendis d'hidrocarburs. Efectes sobre equips de procés*". Tesis Doctoral. Universidad Politécnica de Cataluña.
- Planas E., Chatis J., López Carlos, Arnaldos J. (2003). "Determination of flame emissivity in hydrocarbon pool fires using infrared thermography". *Fire Technology*, 39: 261 – 273.
- Porterie B., Morvan D., Larini M., Loraud J. C. (1998). "Wildfire propagation: A two-dimensional multiphase approach". *Combustion, Explosion and Shock Waves*, 34(2): 139-150.
- Porterie B., Morvan D., Loraud J. C. , Larini M. (1998). "*A multiphase model for predicting line fire propagation*". III International Conference on Forest Fire Research - 14th Conference on Fire and Forest Meteorology (I), 343-360. Coimbra.
- Pyne S. J., Andrews P. L., Laven, R. D. (1996). "*Introduction to wildland fire*". 2nd Edition. John Wiley & Sons Ltd., Nueva York.
- Rodríguez T. D. A. (1996). "*Incendios Forestales*". Universidad Autónoma de Chapingo. Chapingo.
- Rothermel R.C., Anderson H. E. (1966). "Fire spread characteristics determined in the laboratory". *USDA Forest Service Research*, Paper INT-30.

- Rothermel R.C. (1972). "A mathematical model for predicting fire spread in wildland fuels". *USDA Forest Service Research*, Paper INT-115.
- Rothermel R.C., Deeming J. E. (1983). "Measuring and interpreting fire behavior for correlation with fire effects". *USDA Forest Service Research*, Technical Report INT-93.
- Rothermel R.C. (1983). "How to predict the spread and intensity of forest and range fires". *USDA Forest Service Research*, Paper INT-143.
- Rothermel R.C. (1991). "Predicting behavior and size of crown fires in the Northern Rocky Mountains". *USDA Forest Service Research*, Paper INT-438.
- Santoni P. A. (1996). "*Propagation de feux de forêt: Modelisation dynamique et résolution numérique, validation sur des feux de litière*". Tesis Doctoral. Université de Corse.
- Santoni P. A., Balbi J. H., Dupuy J. L. (1996). "Dinamic modelling of upslope fire growth". *International Journal of Wildland Fire*, 9(4): 285-292.
- Simeoni A., Santoni P. A., Larini M., Balbi J. H. (2001). "Proposal for theoretical improvement of semi-physical forest fire spread models thanks to a multiphase approach: application to a fire spread model across a fuel bed". *Combustion Science and Technology*, 162: 59-84.
- Simeoni A., Santoni P. A., Larini M., Balbi J. H. (2001). "On the wind advection influence on the fire spread across a fuel bed: modelling by a semi-physical approach and testing with experiments". *Fire Safety Journal*, 36: 491-513.
- Simeoni A., Santoni P. A., Balbi J. H. (2002). "A strategy to elaborate forest fire spread models for management tools including a computer time-saving algorithm". *International Journal of Modelling and Simulation*, 22(4): 1-12.
- Stauffer D. (1985). "*Introduction to percolation theory*". Taylor and Francis. Londres.
- Satyanarayana K., Borah M., Rao P.G. (1991). "Prediction of thermal hazards from fireballs". *Journal of Loss Prevention in the Process Industries*, 4: 215-230.
- Scanpower (1992). "*Handbook for fire calculations and fire risk assessment in the process industry*". Ed. SINTWT-NBL, VBH-Trykk, Lillestrom.
- Scott J.H. (1999). "Nexus: A system for assessing crown fire hazard". *Fire Management Notes*, 59(2): 20-24.
- Siegel R, Howell J. R. (1992). "*Thermal Radiation heat transfer*". Taylor & Francis, Washington, D. C.
- Simard A. J., Blank R. W., Hobrla S. L. (1989). "Measuring and interpreting flame height in wildland fires". *Fire Technology*, 25: 114-133.
- Sparrow E. M., Cess R. D. (1978). "*Radiation heat transfer*". McGraw-Hill, Washington.

- SPFE (1988). “*Handbook of fire protection engineering*”. P.J. Di Nenno (ed.). Society of Fire Protection Engineers. Quincy.
- Sullivan A.L., Ellis P. F., Knight I. K. (2003). “A review of radiant heat flux models used in bushfire applications”. *International Journal of Wildland Fire*, 12: 101-110.
- Tassios S., Packham D. (1964). National Center for Rural Fire Research. Technical Paper No. 1 . Canberra. 3 p.
- Taylor G. I. (1961). “*Fire under influence of natural convection*”. International Symposium on the use of models in fire research, W. G. Berl. (ed.). Ntl. Acad. Sci. –Nat. Res. Couc. Publ.
- Telisin H.P. (1974). “*Flame radiation as a mechanism of fire spread in forests*”. John Wiley, Nueva York, 441-449.
- Thomas P.H. (1963). “*The size of flames from natural fires*”. Proceedings of the ninth symposium on combustion. Academic Press. Inc., 844 - 859.
- Thomas P. H. (1967). “Some aspects of the growth and spread of fire in the open”. *Forestry*, 40: 139-164.
- TNO (1997). “*Methods for the calculation of the physical effects – due to releases of hazardous materials (liquids and gases)*”. (Yellow Book), 3^a edición. Van den Bosch C. J. H., Weterings R.A.P.M. (ed.). Committee for the Prevention of Disasters. La Haya.
- Trabaud, L. (1992). “*Les feux de forêts*”. Editions France – Selection. Aubervilliers.
- UNECE Timber Committee, FAO European Forestry Commission (2002). “*Forest Fire Statistics*”. ECE/TIM/BULL/2002/4, Suiza. Página web, URL <<http://www.unece.org/trade/timber/ff-stats.html>>. [Consulta el 3 de Diciembre de 2003].
- Van Wagner C. E. (1967). “Calculations on forest fire spread by flame radiation”. *Canadian Dept. of Forestry*, Report No. 1185.
- Van Wagner C. E. (1968). “Fire behavior mechanisms in a red pine plantation: field and laboratory evidence”. *Can. Dep. For. Rural Develop., For. Branch*, nº 1129. Ottawa.
- Vaz G. C., André J. C. S., Viegas D. X. (2002). “*Modelling the spread of a straight fire front through a horizontal porous fuel bed without wind*”. Forest Fire Research & Wildland Fire Safety, Viegas (ed.). Rotterdam.
- Viegas D. X. (1998). “Forest fire propagation”. *Phil. Trans. R. Soc. Lond. A.*, 356: 2907-2928.
- Viegas D. X., Ribeiro P. R., Maricato L. (1998). “An empirical model for the spread of a fireline inclined in relation to the slope gradient or to wind direction”. *III International Conf. on Forest Fire Research -14th Conference on Fire and Forest Meteorology (I)*, p. 325 – 342. ADAI. Coimbra.

Viegas D. X., Varela V. G. M., Borges C.P. (1994). "On the evolution of a linear fire front in a slope". *Proc. 2nd Int. Conf. Forest Fire Research (I)*, p. 301 – 318. (ed.). D. X. Viegas. Coimbra.

Weber R. O. (1989). "Analytical models for fire spread due to radiation". *Combustion and Flame*, 78: 398-408.

Weber R. O. (1989). "Thermal theory for determining the burning velocity of a laminar flame, using the inflection point in the temperature profile". *Combustion Science and Technology*, 64: 135-139.

Weber R. O. (1991). "Modelling fire spread through fuel beds". *Progress Energy Combustion Science*, 17: 67-82.

Welty J. R., Wilson R. E. y Wicks C. E.(1976). "Fundamentals of Momentum, Heat and Mass Transfer". John Wiley and Sons, Nueva York.

Wilson R. A. Jr. (1982). "A reexamination of fire spread in free-burning porous fuel beds". *USDA Forest Service Research Paper INT – 289*.

Wilson R. A. Jr. (1980). "Reformulation of forest fire spread equations in SI units". *USDA Forest Service Research Note INT – 292*.

Wolliscroft M. J. (1968). "A report on forest fire fieldwork (New Forest, Mar. 1966)". Joint Fire Research Organization, Fire Research Note No. 693.

Wolliscroft M. J. (1969). "Notes on forest fire fieldwork (New Forest, 1967)". Joint Fire Research Organization, Fire Reserach Note No. 740.

Wolliscroft M. J. (1969). "A report on forest fire fieldwork (New Forest, Mar. 1968)". Joint Fire Research Organization, Fire Research Note No. 744.