

II. TABLE OF CONTENTS

	<u>Page</u>
I. SUMMARY (Catalan/Spanish/English)	
II. TABLE OF CONTENTS	1
III. LIST OF TABLES	9
IV. LIST OF FIGURES	13
V. ABBREVIATIONS	17
CHAPTER 1. RISK ANALYSIS OF MYCOTOXINS WITH PARTICULAR EMPHASIS IN OCHRATOXIN A	
1.1. RISK ASSESSMENT	22
1.1.1. Hazard identification	22
1.1.2. Hazard characterization	22
1.1.3. Exposure assessment	23
1.1.4. Risk characterization	23
1.2. RISK MANAGEMENT	24
1.3. RISK COMMUNICATION	27
1.4. REFERENCES	29
CHAPTER 2. BACKGROUND AND OBJECTIVES	31
CHAPTER 3. WORK PLAN	35
CHAPTER 4. THESIS STRUCTURE	37
CHAPTER 5. MYCOTOXINS. OCHRATOXIN A	
5.1. MYCOTOXINS	39
5.2. OCHRATOXINS	40
5.3. OCHRATOXIN A (OTA)	42

5.3.1. Chemical and physical properties	42
5.3.2. Stability of OTA	42
5.3.3. Toxicology of OTA	42
5.3.3.1. Carcinogenesis	44
5.3.3.2. Mutagenesis/ Genotoxicity	45
5.3.3.3. Teratogenesis	45
5.3.3.4. Immunosuppression	47
5.3.3.5. Action on different enzymes	47
5.3.3.6. Lipid peroxidation and mitochondrial damage	47
5.3.3.7. Apoptosis	47
5.3.4. Synergistic effects with other mycotoxins	47
5.3.5. Half-life	48
5.3.6. OTA presence in food	49
5.3.7. Human exposure	50
5.3.7.1. OTA levels in human fluids and tissues	51
5.3.7.2. OTA levels in contaminated food	53
5.3.7.3. OTA levels in air	54
5.4. DECONTAMINATION OF MYCOTOXINS	54
5.4.1. Decontamination of OTA	56
5.5. REFERENCES	58

CHAPTER 6. GRAPES, WINE AND OTHER DERIVATIVES. OTA CONTENT

6.1. WORLD-WIDE PRODUCTION OF GRAPES, WINE AND OTHER GRAPE-DERIVATIVES	73
6.1.1. World-wide surface of vineyard	76
6.1.2. World-wide grape production	78
6.1.2.1. Total grape production	78
6.1.2.2. Table grape production	79

6.1.3. World-wide grape consumption	81
6.1.4. World-wide wine production	82
6.1.5. World-wide wine consumption	84
6.1.6. World-wide dried grape production	85
6.1.7. World-wide dried grape consumption	87
6.2. SPANISH PRODUCTION OF GRAPES, WINE AND OTHER GRAPE-DERIVATIVES	89
6.2.1. Extension of Spanish vineyard	89
6.2.2. Spanish table grape production	91
6.2.3. Spanish wine production	91
6.2.4. Spanish wine Designations of Origin	94
6.3. OTA CONTENT IN DIFFERENT GRAPE-DERIVATIVES	97
6.3.1. OTA in grapes, grape juices and musts	97
6.3.2. OTA in dried vine fruits	98
6.3.3. OTA in vinegar	100
6.3.4. OTA in wine	100
6.3.4.1. Analytical determination of OTA in wines	101
6.3.4.2. Review: OTA in wines, musts and grape juices: occurrence, regulations and methods of analysis. <i>Food Sci. Tech. Int.</i> 8, 325-335 (2002)	103
6.4. SURVEY OF OTA IN SPANISH WINES	125
6.4.1. Characteristics of the Designations of Origin surveyed	127
6.4.1.1. D.O. Conca de Barberà	128
6.4.1.2. D.O. Costers del Segre	129
6.4.1.3. D.O. Penedés	130
6.4.1.4. D.O. Rioja	131
6.4.1.5. D.O. Utiel-Requena	132
6.4.2. Types of wine	134
6.4.3. OTA in wines, musts and grape juices from Spain. <i>J. Sci. Food Agric.</i> 84, 591-594 (2004)	135

6.5. OTA DECONTAMINATION OF WINES	145
6.5.1. Physical methods	145
6.5.1. Chemical methods	145
6.5.2. Biological methods	146
6.6. REGULATIONS	146
6.7. REFERENCES	149

CHAPTER 7. ORIGIN OF OTA

7.1. METHODS FOR FUNGAL ENUMERATION, ISOLATION AND IDENTIFICATION	155
7.1.1. Sampling	155
7.1.2. Enumeration techniques	155
7.1.3. Isolation techniques	156
7.1.4. Incubation conditions	156
7.1.5. Identification and classification	157
7.1.6. Pictures of some common genera of moulds	158
7.2. MEDIA COMPOSITION AND PREPARATION	161
7.2.1. General enumeration media	161
7.2.2. Selective media	162
7.2.3. Water activity adjustments	162
7.3. MYCOTOXIGENIC FUNGI	164
7.4. OTA-PRODUCING SPECIES	164
7.4.1. <i>Penicillium verrucosum</i>	169
7.4.2. <i>Aspergillus ochraceus</i>	169
7.4.3. <i>Aspergillus section Nigri</i>	172
7.4.3.1. Taxonomy of black aspergilli	172
7.4.3.2. Toxicology of black aspergilli other than OTA production	175
7.4.3.3. Black aspergilli in food	176

7.5. SAMPLING DESIGN OF THE STUDIES OF GRAPE MYCOFLORA	177
7.5.1. Geography	177
7.5.2. Varieties	178
7.5.3. Period	179
7.5.4. Sampling protocol	179
7.5.5. Fungal screening for OTA production	180
7.6. INFLUENCE OF FARMING METHODS	182
7.6.1. Questionnaires	182
7.7. INFLUENCE OF CLIMATE AND METEOROLOGICAL CONDITIONS	182
7.7.1. Climate of Spain	182
7.7.1.1. Temperature	183
7.7.1.2. Rainfall	184
7.7.1.3. Other parameters	185
7.8. OCCURRENCE OF OCHRATOXIGENIC FUNGI AND OTA IN SPANISH WINE GRAPES	186
7.8.1. Results of 2001. Occurrence of OTA and toxigenic potential of fungal isolates from Spanish grapes. <i>J. Sci. Food Agric.</i> 84 , 541-546 (2004)	186
7.8.2. Results of 2002 and 2003. OTA-producing fungi in Spanish wine grapes and their relationship with meteorological conditions. <i>Eur. J. Plant Pathol.</i> (in press)	201
7.8.3. Review of 2001-03. Mycobiota and OTA-producing fungi from Spanish wine grapes. <i>Int. J. Food Microbiol.</i> (in press)	215
7.8.4. Results of 2004.	231
7.9. REFERENCES	233

CHAPTER 8. ECOPHYSIOLOGY OF OCHRATOXIGENIC MOULDS

8.1. FACTORS INFLUENCING GROWTH AND MYCOTOXIN PRODUCTION	243
8.1.1. Environmental factors	244
8.8.1.1. Temperature	244
8.8.1.2. Water availability	245

8.8.1.3. Hydrogen ion concentration (pH)	246
8.8.1.4. Light	246
8.8.1.5. Availability of oxygen	247
8.1.2. Biological factors	247
8.1.2.1. Competing mycoflora	247
8.1.2.2. Strain variability	248
8.1.2.3. Inoculum	248
8.1.2.4. Insects and other vectors	248
8.1.3. Chemical factors	249
8.1.3.1. Nutritional factors	249
8.1.3.2. Antifungal agents	250
8.2. METHODS FOR MEASURING FUNGAL GROWTH	250
8.2.1. Direct methods	251
8.2.1.1. Growth of hyphal extension	251
8.2.1.2. Measure of fungal biomass	251
8.2.2. Indirect methods	251
8.2.2.1. Ergosterol	251
8.2.2.2. Impedimetry and conductimetry	252
8.2.2.3. Adenosine triphosphate (ATP)	252
8.2.2.4. Pectinesterase	252
8.2.2.5. Fungal volatiles	252
8.2.2.6. Immunological techniques	253
8.2.2.7. Molecular methods	253
8.3. METHODS FOR THE ANALYSIS OF MYCOTOXINS	253
8.4. ECOPHYSIOLOGICAL PARAMETERS INFLUENCING OCHRA-TOXIGENIC FUNGI	254
8.4.1. Effects on <i>A. ochraceus</i> and <i>P. verrucosum</i>	254
8.4.2. Effect on black aspergilli	255
8.4.2.1. Effect of water activity and temperature	260
▪ Influence of water activity and temperature on growth of	

<p>isolates of <i>Aspergillus</i> section <i>Nigri</i> obtained from grapes. <i>Int. J. Food Microbiol.</i> 96, 19-27 (2004).</p> <ul style="list-style-type: none"> ▪ <i>Aspergillus carbonarius</i> growth and OTA production on a synthetic grape medium in relation to environmental factors. <i>J. Appl. Microbiol.</i> 98, 839-844 (2005). ▪ Water relations of germination, growth and OTA production by European isolates of <i>Aspergillus carbonarius</i> from wine and table grapes. <i>Int. J. Food Microbiol.</i> (submitted). ▪ Skin damage, high temperature and relative humidity as detrimental factors for <i>Aspergillus carbonarius</i> infection and OTA production in grapes. <i>Food Contr.</i> (submitted). 	
8.4.2.2. Kinetics of OTA production	319
<ul style="list-style-type: none"> ▪ Incubation time and water activity effects on OTA production by <i>Aspergillus</i> section <i>Nigri</i> strains isolated from grapes. <i>Lett. Appl. Microbiol.</i> 38, 72-77 (2004). ▪ Kinetics of ochratoxin A production and accumulation by <i>Aspergillus carbonarius</i> on synthetic grape medium at different temperature levels. <i>J. Food Sci.</i> (submitted). 	
8.4.2.3. Effect of photoperiod and day night temperature	345
<ul style="list-style-type: none"> ▪ Effect of photoperiod and day-night temperatures simulating field conditions on growth and ochratoxin A production of <i>Aspergillus carbonarius</i> strains isolated from grapes. <i>Food Microbiol.</i> (in press). 	
8.4.2.4. Effect of fungicides	359
<ul style="list-style-type: none"> ▪ Impact of fungicides on <i>Aspergillus carbonarius</i> growth and ochratoxin A production on synthetic grape-like medium and on grapes. <i>Food Addit. Contam.</i> (submitted). ▪ Effect of chemical treatments on ochratoxigenic fungi and common mycobiota of grapes (<i>Vitis vinifera</i>). <i>J. Food Prot.</i> (submitted). 	
8.5. MONITORING OF GRAPE INFECTION USING TRANSGENIC GREEN FLUORESCENCE PROTEIN (GFP) STRAINS OF <i>A. carbonarius</i>	
8.5. MONITORING OF GRAPE INFECTION USING TRANSGENIC GREEN FLUORESCENCE PROTEIN (GFP) STRAINS OF <i>A. carbonarius</i>	393
<ul style="list-style-type: none"> ▪ Visualisation of grape (<i>Vitis vinifera</i>) infection using transgenic green fluorescence protein (GFP) strains of <i>A. carbonarius</i>. <i>FEMS Microbiol. Lett.</i> (submitted). 	
8.6. REFERENCES	413

CHAPTER 9. DISCUSSION

9.1. OTA IN WINES, MUSTS AND GRAPE JUICES: OCCURRENCE, AND METHODS OF ANALYSIS	419
9.2. OTA IN WINES, MUSTS AND GRAPE JUICES FROM SPAIN	421
9.3. ORIGIN OF OTA	424
9.3.1. Mycobiota of grapes	424
9.3.2. Black aspergilli distribution and OTA production	431
9.3.3. OTA in musts	436
9.3.4. Parameters influencing black aspergilli occurrence and OTA content	436
9.4. ECOPHYSIOLOGICAL PARAMETERS INFLUENCING OCHRA-TOXIGENIC FUNGI	438
9.4.1. Growth of black aspergilli	438
9.4.2. OTA production of black aspergilli	443
9.5. PREVENTION AND CONTROL OF OTA	447
9.6. REFERENCES	450

CHAPTER 10. CONCLUSIONS (English/Spanish)	457
--	-----

CHAPTER 11. FUTURE RESEARCH	461
------------------------------------	-----

CHAPTER 12. APPENDICES

12.1. APPENDIX 1. FIELD QUESTIONNAIRE	463
12.2. APPENDIX 2. ORIGIN OF THE STRAINS	467
12.3. APPENDIX 3. PRIMERA APROXIMACIÓN AL CONTROL DE LA OTA EN VINOS. ESTUDIOS MICOLÓGICOS (Spanish)	469

VI. ACKNOWLEDGEMENTS	493
-----------------------------	-----