

BIBLIOGRAFÍA GENERAL

Abramovitz, J. and Matton, A. (1999) *Paper cuts: recovering the paper landscape. WorldWatch paper.*

Ala-Kaila, K., Salmela, M. and Alén, R. (2005) Experiences on estimating pulp yield and reaction selectivity in industrial oxygen-alkali delignification processes through dissolved material analysis. *2005 International Pulp Bleaching Conference* pp. 68-73.

Aleksandrova, G., Medvedeva, S., Sinitsyn, A. and Okunev, O. (2000) Changes in the structural components of hardwood kraft pulp in the course of biobleaching by xylanases. *Prikladnaya Biokhimiya i Mikrobiologiya* 36, 287-292.

Alsamora, A. (2007) Estudio y puesta a punto de una instalación de ozono de laboratorio para la decoloración de efluentes y blanqueo de pastas para papel. Proyecto Final de Carrera. ETSEIAT. Universitat Politècnica de Catalunya.

Amann, M. (1997) The LignoZym(R) process coming closer to the mill. *I SWPC - 9th International Symposium on Wood and Pulp Chemistry - Oral Presentations* F41-F45.

Amann, M., Candussio, A., Müller, R. and Frey, V. (2000) In situ generation of mediator - a new concept for laccase-catalyzed delignification of kraft pulp. *2000 TAPPI Pulp Process and Product Quality Conference.*

Annergren, G.E. (1996) *Pulp bleaching. Principles and practice. Chapter VII-3: Strength properties and characteristics of bleached chemical and (Chemi) mechanical pulps.* ed. Dence and Reeve pp. 717-748. Tappi Press.

Atchinson, J.E. (1998) *Update on global use of non-wood plant fibers and some prospects for their greater use in the United States.* pp. 1-3.

Bajpai, P. (1999) Application of enzymes in the pulp and paper industry. *Biotechnology Progress* 15, 147-157.

Bajpai,P. and Bajpai,P.K. (1998) *Biotechnology in the pulp and paper industry*. Leatherhead, Sussex, UK: Pira International.

Balakshin,M., Chen,C.-L., Gratzl,J., Kirkman,A. and Jakob,H. (2000) Kinetic studies on oxidation of veratryl alcohol by Laccase-Mediator System. Part 2. The kinetics of dioxygen uptake. *Holzsforschung* 54, 171-175.

Balakshin,M., Chen,C.-L., Gratzl,J., Kirkman,A. and Jakob,H. (1999) Biobleaching of pulp with dioxygen in the laccase-mediator system. Part 1. Kinetics of delignification. *Holzsforschung* 54, 390-396.

Balakshin,M., Chen,C.-L., Gratzl,J., Kirkman,A. and Jakob,H. (2000) Kinetic studies on oxidation of veratryl alcohol by laccase-mediator system. Part 1. Effects of mediator concentration. *Holzsforschung* 54, 165-170.

Balakshin,M., Chen,C.-L., Gratzl,J., Kirkman,A. and Jakob,H. (2001) Biobleaching of pulp with dioxygen in laccase-mediator system - effect of variables on the reaction kinetics. *Journal of Molecular Catalysis B: Enzymatic* 16, 205-215.

Barascud,M.C., Jacquart,J.C., Nivelon,S. and Pichon,M. (1995) Objectif zero rejet. *Revue ATIP* 49, 88-92.

Beg,Q.K., Kapoor,M., Mahajan,L. and Hoondal,G.S. (2001) Microbial xylanases and their industrial applications: a review. *Applied Microbiology Biotechnology* 56, 326-338.

Beg,Q.K., Bhushan,B., Kapoor,M. and Hoondal,G.S. (2000) Enhanced production of a thermostable xylanase from *Streptomyces* sp. QG-11-3 and its application in biobleaching of eucalyptus kraft pulp. *Enzyme and Microbial Technology* 27, 459-466.

Berlin,A., Balakshin,M., Gilkes,N., Kadla,J., Maximenko,V., Kubo,S. and Saddler,J. (2006) Inhibition of cellulase, xylanase and [beta]-glucosidase activities by softwood lignin preparations. *Journal of Biotechnology* 125, 198-209.

Bouchard,J., Morelli,E. and Berry,R.M. (2000) Gas-phase addition of solvent to ozone bleaching of kraft pulp. *Journal of Pulp and Paper Science* 26, 30-35.

Bourbonnais,R. and Paice,M. (1995) Enzymatic delignification of kraft pulp using laccase and a mediator. *Tappi Journal* 5, 199-204.

Bourbonnais,R., Paice,M.G., Freiermuth,B., Bodie,E. and Borneman,S. (1997) Reactivities of various mediators and laccases with kraft pulp and lignin model compounds. *Applied and Environmental Microbiology* 63, 4627-4632.

Buchert,J., Teleman,A., Harjunpaa,V., Tenkanen,M., Viikari,L. and Vuorinen,T. (1995) Effect of cooking and bleaching on the structure of xylan conventional pine kraft pulp. *Tappi Journal* 78, 125-130.

Buchert,J., Tenkanen,M., Kantelinen,A. and Viikari,L. (1994) Application of xylanases in the pulp and paper industry. *Bioresource Technology* 50, 65-72.

Call,H.P. and Mücke,I. (1997) History, overview and applications of mediated lignolytic systems, especially laccase-mediator systems (LignozymR-process). *Journal of Biotechnology* 53, 163-202.

Camarero,S., García,O., Vidal,T., Colom,J., del Río,J.C. and Gutiérrez,A. (2002) Flax pulp bleaching and residual lignin modification by laccase-mediator systems. *Biotechnology in the Pulp and Paper Industry* 21, 213-221.

Camarero,S., García,O., Vidal,T., Colom,J., del Río,J.C., Gutiérrez,A., Gras,J.M., Monje,R., Martínez,M.J. and Martínez,A.T. (2004) Efficient bleaching of non-wood high-quality paper pulp using laccase-mediator system. *Enzyme and Microbial Technology* 35, 113-120.

Camarero,S., Ibarra,D., Martinez,A.T., Romero,J., Gutierrez,A. and Del Rio,J.C. (2007) Paper pulp delignification using laccase and natural mediators. *Enzyme and Microbial Technology* 40, 1264-1271.

Cañas,A., Alcalde,M., Plou,F., Martínez,M.J., Martínez,A.T. and Camarero,S. (2007) Transformation of polycyclic aromatics hydrocarbons by laccase is strongly enhanced by phenolic compounds present in soil. *Environmental Science and Technology* 41, 2964-2971.

Cates,D.H., Eggert,C., Ynag,J.L. and Eriksson,K.-E.L. (1995) Comparison of effluents from TCF and ECF bleaching of kraft pulps. *Tappi Journal* 78, 93-98.

Chai,X.-S., Zhu,J.E. and Li,J. (2001) A simple and rapid method to determine hexenuronic acid groups in chemical pulps. *Journal of Pulp and Paper Science* 27, 165-170.

Chakar,F.S. and Ragauskas,A. (2000) The kismet of residual lignins during LMS delignification of high-kappa kraft pulps. *Holzforschung* 54, 647-653.

Chakar,F.S. and Ragauskas,A.J. (2000) The effects of oxidative alkaline extraction stages after laccase-HBT and laccase-NHAA treatments - an NMR study of residual lignins. *Journal of Wood Chemistry and Technology* 20, 169-184.

Clarke,J.H., Rixon,J.E., Ciruela,A. and Gilbert,H.J. (1997) Family-10 and Family-11 xylanases differ in their capacity to enhance the bleachability of hardwood and softwood paper pulps. *Applied Microbiology Biotechnology* 48, 177-183.

Colodette,J. L., Gomes,C., Rabelo,M. and Eiras,K. (2005) Progress in eucalyptus kraft pulp bleaching. *2nd Internacional Colloquium on Eucalyptus Pulp*. pp. 1-18.

Colom,J., García,O., Camarero,S., Fillat,U., Martínez,A.T., Roncero,M.B., Torres, A. L., Martínez, M. J., Gras, J. M. and Vidal, T. (2005) Application of enzymes in the bleaching processes of high quality pulps. *COST E-23 Action on: Biotechnology for Pulp and Paper Industry.2005 Conference for Biotechnology for Pulp and Paper Manufacture: From Tailor-Made Biocatalysts to Mill Application* pp. 49-50.

Correia,E., Treves,B.J. and Snook,R. (2004) Water toxicity monitoring using *Vibrio fischeri*: a method free of interferences from colour and turbidity. *Journal of Environmental Monitoring* 6, 97-102.

Crestini,C. and Argyropoulos,D.S. (2001) On the role of 1-hydroxybenzotriazole as mediator in laccase oxidation of residual kraft lignin. *ACS Symposium Series* 785, 373-390.

Croon,I. (1995) After recycling: What's next? *Papermaker* 25-26.

d'Acunzo,F. and Galli,C. (2003) First evidence of catalytic mediation by phenolic compounds in the laccase-induced oxidation of lignin models. *European Journal of Biochemistry* 270, 3634-3640.

Da Silva,M.R., de Brito,A.C.H. and Colodette,J.L. (1997) A seqüencia de branqueamento ideal para um processo em circuito fechado. *O Papel* 3, 35-45.

de Jong,E., van Roekel,G.J., Snijder,M.H.B. and Zhang,Y. (1999) Towards industrial applications of bast fibre pulps. *Pulp and Paper Canada* 100, 19-22.

de la Rosa, A. (2003) Utilización papelera de fibras no madereras (Kenaf y Miscanthus sinensis). Estudio de secuencias de blanqueo ECF y TCF. Terrassa, España: Tesis doctoral. Departament d' Enginyeria Tèxtil i Paperera. Universitat Politècnica de Catalunya.

del Río, J.C., Gutiérrez, A., Rodríguez, I.M., Ibarra, D. and Martínez, A.T. (2007) Composition of non-woody plant lignins and cinnamic acids by Py-GC/MS, Py/TMAH and FT-IR. *Journal of Analytical and Applied Pyrolysis* 79, 39-46.

del Río, J. C., Gutiérrez, S., Camarero, S. and Martínez, A. T. (2001) Lignin and hemicellulose analysis during manufacturing of high-quality flax and kenaf alkaline pulps. *11th International Symposium on Wood and Pulping Chemistry* pp. 523-526.

Dence, C. and Reeve, D. (1996) *Pulp bleaching. Principles and practice*. Ed. TAPPI Atlanta.

Dhillon, A., Gupta, J.K., Jauhari, B.M. and Khanna, S. (2000) A cellulase-poor, thermostable, alkali-tolerant xylanase produced by *Bacillus circulans* AB 16 grown on rice straw and its application in biobleaching of eucalyptus pulp. *Bioresource Technology* 73, 273-277.

Elegir, G., Sykes, M. and Jeffries, W. (1995) Differential and synergistic action of *Streptomyces* endoxylanases in prebleaching of kraft pulps. *Enzyme and Microbial Technology* 17, 954-959.

Elsander, A., Ek, M. and Gellersted, G. (2000) Oxalic acid formation during ECF and TCF bleaching of kraft pulp. *Tappi Journal* 82, 73-77.

Eriksson, K.-E. (2000) An overview of biotechnology in the pulp and paper industry. *Pulping/Process and Product Quality Conference*.

Evans, R. and Wallis, A.F.A. (1987) Comparison of cellulose molecular weights determined by high performance size exclusion chromatography and viscometry. *4th International Symposium Wood Chemistry* pp. 201-205. Paris, France.

Fabbrini, M., Galli, C. and Gentili, P. (2002) Radical or electron-transfer mechanism of oxidation with some laccase/mediator systems. *Journal of Molecular Catalysis B: Enzymatic* 18, 169-171.

Fillat, A., Colom, J. and Vidal, T. (2007) Exploring enzyme stability during delignification of flax pulp by laccase and natural mediators. *10th International Congress on Biotechnology in the Pulp and Paper Industry. Integrating biology with processes*. pp. 86.

Freudenreich, J., Amann, M., Fritz-Langhals, E. and Stohrer, J. (1998) Understanding the lignozym-process. *International Pulp Bleaching Conference* pp. 71-76.

García Hortal, J.A. (2007) *Fibras papeleras*. Barcelona: Edicions UPC.

García, J.A. and Vidal, T., Colom, J.F. (1984) Blanqueo de pastas en la industria papelera. Ed. Publicaciones de la Universidad Politécnica de Cataluña Terrassa.

García, O. (2003) Utilización de fibras de lino en la fabricación de papel. Nuevas secuencias de blanqueo y aplicación a sistemas enzimáticos. Terrassa, España: Tesis doctoral. Departamento de Ingeniería Textil y Papelera, Universidad Politécnica de Cataluña.

García, O., Camarero, S., Colom, J.F., Martínez, A.T., Martínez, M.J., Monje, R. and Vidal, T. (2003) Optimization of a Laccase-Mediator stage for TCF bleaching of flax pulp. *Holzforschung* 57, 513-519.

Garg, A.P., McCarthy, A.J. and Roberts, J.C. (1996) Biobleaching effect of *Streptomyces thermoviolaceus* xylanase preparations on birchwood kraft pulp. *Enzyme and Microbial Technology* 18, 261-267.

Garg, A.P., McCarthy, A.J. and Roberts, J.C. (1996) Biobleaching effect of *Streptomyces thermoviolaceus* xylanase preparations on birchwood kraft pulp. *Enzyme and Microbial Technology* 18, 261-267.

Gellersted, G. and Li, J. (1996) An HPLC method for the quantitative determination of hexenuronic acid groups in chemical pulps. *Carbohydrate Research* 294, 41-51.

Geng, X., Li, K. and Xu, F. (2004) Investigation of hydroxamic acids as laccase-mediators for pulp bleaching. *Applied Microbiology and Biotechnology* 64, 493-496.

Giovanozzi-Sermanni, G. (1997) Enzymatic pretreatments of nonwoody plants for pulp and paper production. *Tappi Journal* 6, 139-144.

Grant, R. (1992) Enzymes reveal plenty more potential. *Pulp and Paper International* 34, 75-76.

Gutiérrez, A., del Río, J.C., Gonzalez-Vila, F.J. and Martín, F. (1998) Analysis of lipophilic extractives from wood and pitch deposits by solid-phase extraction and gas chromatography. *Journal of Chromatography* 823, 449-455.

Gutiérrez, A., del Río, J.C., Ibarra, D., Rencoret, J., Romero, J., Speranza, M., Camarero, S., Martínez, M.J. and Martínez, A. (2006) Enzymatic removal of free and

conjugated sterols forming pitch deposits in environmentally sound bleaching of eucalypt paper pulp. *Environmental Science and Technology* 40, 3416-3422.

Gutiérrez,A., Del Río,J.C., Rencoret,J., Ibarra,D. and Martínez,A.T. (2006) Main lipophilic extractives in different paper pulp types can be removed using the laccase-mediator system. *Applied Microbiology and Biotechnology* 72, 845-851.

Gutiérrez,A., Rencoret,J., Ibarra,D., Molina,S., Camarero,S., Romero,J., Del Río,J.C. and Martínez,A.T. (2007) Removal of lipophilic extractives from paper pulp by laccase and lignin-derived phenols as natural mediators. *Environmental Science and Technology* 41, 4124-4129.

Herpöel,I., Jeller,H., Fang,G., Petit-Conil,M., Bourbonnais,R., Robert,J.L., Asther,M. and Sigoillot,J.C. (2002) Efficient enzymatic delignification of wheat straw pulp by a sequential xylanase-laccase mediator treatment. *Journal of Pulp and Paper Science* 28, 67-71.

Ibarra,D., Camarero,S., Romero,J., Martínez,M.J. and Martínez, A.T. (2005) Biobleaching of eucalypt kraft pulp: Effect of including the laccase-mediator treatment at different stages of a totally chlorine-free industrial sequence. *COST Action E-23: "Biotechnology for Pulp and Paper Manufacture: From Tailor-Made Biocatalysts to Mill Application"*.

Ibarra,D., Chávez,M.I., Rencoret,J., del Río,J.C., Gutiérrez,A., Romero,J., Camarero,S., Martínez,M.J., Jiménez-Barbero,J. and Martínez,A.T. (2007) Lignin modification during *Eucalyptus globulus* kraft pulping followed by totally chlorine-free bleaching: a two-dimensional nuclear magnetic resonance, fourier transform infrared, and pyrolysis-gas chromatography/mass spectrometry study. *Journal of Agriculture and Food Chemistry* 55, 3477-3490.

Ibarra,D. (2006) Tecnologías limpias para el blanqueo libre de cloro de pastas de papel: modificación enzimática de la lignina residual. Madrid: Universitat Complutense de Madrid. Facultad de Farmacia.

Ibarra,D., Camarero,S., Romero,J., Martínez,M.J. and Martínez,A.T. (2006) Integrating laccase - mediator treatment into an industrial-type sequence for totally chlorine-free bleaching of eucalypt kraft pulp. *Journal of Chemical Technology and Biotechnology* 81, 1159-1165.

Ibarra,D., Chavez,M.I., Rencoret,J., Del Rio,J.C., Gutiérrez,A., Romero,J., Camarero,S., Martínez,M.J., Jiménez-Barbero,J. and Martínez,A.T. (2007) Structural modification of eucalypt pulp lignin in a totally chlorine-free bleaching sequence including a laccase-mediator stage. *Holzforschung* 61, 634-646.

Ibarra,D., Romero,J., Martínez,M.J., Martínez,A.T. and Camarero,S. (2006) Exploring the enzymatic parameters for optimal delignification of eucalypt pulp by laccase-mediator. *Enzyme and Microbial Technology* 39, 1319-1327.

Jakson,M. (2000) *The process of technological innovation as it applies to nonwoodfiber utilization in pulp and paper*.

Jean,P., Hamilton,J. and Senior,D.J. (1994) Mill trial experiences with xylanase: AOX and chemical reductions. *Pulp and Paper Canada* 95, 126-128.

Jeffries,T.W., Davis,M., Rosin,B. and Landucci,L. (1999) Mechanisms for kappa reduction and color removal by xylanases. *7th International Conference on Biotechnology in the Pulp and Paper Industry* pp. 41-43.

Jeyasingam,J. T. (1998) *Practical experience on paper making with non wood fibers*. pp. 767-774.

Jeyasingam,J. T. (2000) *Overview of selected non wood fibers for paper making*.

Jiang,Z.-H., Bouchard,J. and Berry,R. (2006) Evidence for the formation of lignin-hexenuronic acid-xylan complexes during modified kraft pulping. *Holzforschung* 60, 137-142.

Jiang,Z.-H. and Van Lierop,B. (2000) Hexenuronic acids groups in pulping and bleaching chemistry. *Tappi Journal* 83, 167-175.

Johannes,C. and Majcherczyk,A. (2000) Natural mediator in the oxidation of polycyclic aromatic hydrocarbons by laccase mediator systems. *Applied and Environmental Microbiology* 66, 524-528.

Johansson,E.E., Lind,J. and Ljunggren,S. (2000) Aspects of the chemistry of cellulose degradation and the effect of ethylene glycol during ozone delignification of kraft pulps. *Journal of Pulp and Paper Science* 26, 239-244.

Johansson,N.G. and Clark,F.M. (1995) Developing technologies open door to future closure of bleach plant. *Pulp and Paper* 69, 71-75.

Kaya,F., Heitmann,J.A. and Joyce,T.W. (2000) Influence of lignin and its degradation products on enzymatic hydrolysis of xylan. *Journal of Biotechnology* 80, 241-247.

Kenealy,W.R. and Jeffries,T. W. (2003) *Enzyme processes for pulp and paper: A review of recent developments. In Wood deterioration and preservation: Advances in our changing world* ed. Goodell,B., Nicholas,D.D. and Schultz,T.P. pp. 210-239. San Diego: American Chemical Society.

Khandeparkar,R. and Bhosle,N.B. (2007) Application of thermoalkalophilic xylanase from *Arthrobacter* sp. MTCC 5214 in biobleaching of kraft pulp. *Bioresource Technology* 98, 897-903.

Kim,D.-H. and Paik,K.-H. (2000) Effect of xylanase pre- and post-treatment on oxygen bleaching of oak kraft pulp. *Journal of Industrial Engineering Chemistry* 6, 194-200.

Kirk,K. and Cullen, D. (1998) *Enzymology and molecular genetics of wood degradation by white rot fungi*. In *Environmental friendly technologies for pulp and paper industry*. pp. 273-307. Wiley, New york.

Kulkarni,N. and Rao,M. (1996) Application of xylanase from alkaliphilic thermophilic *Bacillus* sp. NCIM 59 in biobleaching of bagasse pulp. *Journal of Biotechnology* 51, 167-173.

Lachenal,D. and Nguyen,K.L. (1994) TCF bleaching-which sequence to choose? *Revue ATIP* 2, 49-56.

León,J. (2002) Estudio de la instalación de ozono. Departament d'Enginyeria Tèxtil i Paperera, Universitat Politècnica de Catalunya.

Li,K., Azadi,P., Collins,R., Tolan,J., Kim,J.S. and Eriksson,K.-L. (2000) Relationships between activities of xylanases and xylan structures. *Enzyme and Microbial Technology* 27, 89-94.

Li,K., Helm,R.F. and Eriksson,K.-E. (1998) Mechanistic studies of the oxidation of a non-phenolic lignin model compound by the laccase/1-hydroxybenzotriazole redox system. *Biotechnology and Applied Biochemistry* 27, 239-243.

Li,K., Xu,F. and Eriksson,K.-E. (1999) Comparison of fungal laccases and redox mediators in oxidation of a nonphenolic lignin model compound. *Applied and Environmental Microbiology* 65, 2654-2660.

Lindholm,C.A. (1990) Effect of pulp consistency and pH in ozone bleaching. Part 6. Strength properties. *Nordic Pulp and Paper Research Journal* 1, 27.

Longue,D., Colodette, J. L. and Gomide, J. L. (2005) Uma nova técnica para avaliação da perda de rendimento em plantas de branqueamento modernas. *2o Colóquio Internacional sobre Celulosa de Eucalipto*. pp. 255-256.

MacEachern,D., Thibault,L.C. and Hart,P.W. (2006) Effect of pH control on xylanase performance in kraft pulp bleaching. *2005 TAPPI Engineering, Pulping, Environmental Conference*, pp. 15. Philadelphia, TAPPI Press, Norcross, GA 30092, United States.

Manji,A.H. (2005) Utilização prolongada da enzima xilanase para melhoramento do branqueamento de polpa kraft de conífera. *O Papel* 66, 94-101.

Manji,A. (2005) Xylanase lowers chemical load, boosts brightness of kraft pulp. *Pulp and Paper* 79, 44-49.

Manji,A.H. (2006) Extended usage of xylanase enzyme to enhance the bleaching of softwood kraft pulp. *Tappi Journal* 5, 23-26.

Martín, E. (1999) Diseño y mejora del control y calibración de un sistema automatizado de generación de ozono aplicado al blanqueo de pasta de papel. Departament d'Enginyeria Tèxtil i Paperera, Universitat Politècnica de Catalunya.

Martínez,A.T., Camarero,S. and Ruiz-Dueñas,F.J. (2000) Studies on microbial and enzymatic applications in paper pulp manufacturing from non-woody plants based on white-rot fungi from the genus *Pleurotus*. *Pulping/Process and Product Quality Conference*.

Martínez,J. (1994) Tratamiento con ozono de una pasta kraft de frondosas predesignificada con oxígeno. Automatización y puesta a punto de un sistema compuesto por: un generador de ozono, analizador de ozono y sistema de adquisición de datos y su tratamiento. Departament d'Enginyeria Tèxtil i Paperera, Universitat Politècnica de Catalunya.

Martínez,J.A. (1995) Estudio de las variables de la etapa de blanqueo con ozono y su control. Departament d'Enginyeria Tèxtil i Paperera, Universitat Politècnica de Catalunya.

Mayer,A.M. and Staples,R.C. (2002) Laccase: new functions for an old enzyme. *Phytochemistry* 60, 551-565.

McGovern,J.N., Coffelt,A.M., Hurter,N.K., Ahuja,N.K. and Weidemann,A. (1987) *Pulp and paper manufacture. Vol. 3. Secondary fibers and non-wood pulping. IX: Other fibers*. Joint Textbook Committee of the paper Industry.

Montgomery,D.C. (2005) *Design and analysis of experiments*. New York: John Wiley & Sons.

Moore,G. (1996) *Nonwood fibre applications in papermaking. A literature review*. Surrey, UK.

Nelson,P., Chin,C., Viikari,L. and Tenkanen,M. (1998) The use of a laccase mediator stage in bleaching eucalypt kraft pulps. *Appita Journal* 51, 451-455.

Ninawe,S. and Kuhad,R.C. (2006) Bleaching of wheat straw-rich soda pulp with xylanase from a thermoalkalophilic *Streptomyces cyaneus* SN32. *Bioresource Technology* 97, 2291-2295.

Oliva,A. (2005) Estudio y reinstalación del equipo de ozonización. Departament d'Enginyeria Tèxtil i Paperera, Universitat Politècnica de Catalunya.

Oudia,A., Simoes,R., Queiroz,J. and Ragauskas,A. (2004) Studies on the effect of laccase mediator biodelignification of *Eucalyptus globulus* Kraft pulp. *Congreso Iberoamericano de Investigación en Celulosa y Papel*.

Paice,M., Bourbonnais,R., Renaud,S. and Labonte,S. (2002) *Pilot plant bleaching trials with laccase and mediator*. Elsevier.

Paice,M., Renaud,S., Bourbonnais,R., Labonté,S. and Berry,R. (2004) The effect of xylanase on kraft pulp bleaching yield. *Journal of Pulp and Paper Science* 30, 241-245.

Paice,M.G., Bourbonnais,R., Reid,I.D., Archibald,F.S. and Jurasek,L. (1995) Oxidative bleaching enzymes: a review. *Journal of Pulp and Paper Science* 21, 280-284.

Paice,M., Renaud,S., Bourbonnais,R., Labonte,S. and Berry,R. (2005) Specificity of kraft pulp bleaching with xylanase - A key factor in cost benefit analysis. *2005 TAPPI Engineering, Pulping, Environmental Conference*, pp. 12.

Parham,R.A. (1983) *Pulp and Paper Manufacture. Vol. 1. Properties of fibrous raw materials and their preparation for pulping. VI Ultrastructure and Chemistry*. ed. Kocurek,M.J. and Stevens,C.F.B. pp. 35-45.

- Peña, D. (2002) *Regresión y diseño de experimentos*. Alianza Editorial.
- Pepió, M. and Polo, C. (2005) Diseño de experimentos y optimización de procesos. Apuntes de la asignatura. LESTAD. ETSEIAT-UPC.
- Pérez, J., Muñoz-Dorado, J., de la Rubia, T. and Martínez, J. (2002) Biodegradation and biological treatments of cellulose, hemicellulose and lignin: an overview. *Int. Microbiol.* 5, 53-63.
- Popovici, C., Messier, M., Thibault, L. and Charron, D. (2004) Multiples avantages du xylanase dans une usine nexfor papiers frader de pâte fraite de feuillus, à Thurso, Québec. *Pulp and Paper Canada* 105, 72-75.
- Popovici, C. and Tolan, J. (2002) Novel xylanase treatments to enhance the bleaching of kraft pulp. *2002 TAPPI Fall Technical Conference and Trade Fair*.
- Poppius-Levlin, K., Wang, W., Tamminen, T., Hortling, B., Viikari, L. and Niku-Paavola, M.L. (1999) Effects of laccase/HBT treatment on pulp and lignin structures. *Journal of Pulp and Paper Science* 25, 90-94.
- Potthast, A., Rosenau, T. and Fischer, K. (2001) Oxidation of benzyl alcohols by the laccase-mediator system (LMS) - A comprehensive kinetic description. *Holzforschung* 55, 47-56.
- Raghukumar, C., Muraleedharan, U., Gaud, V.R. and Mishra, R. (2004) Xylanases of marine fungi of potential use for biobleaching of paper pulp. *Journal of Industrial Microbiology and Biotechnology* 31, 433-441.
- Robles, Y.A.M., Bem, E.C., Turner, O. and Ishii, E. (2006) Avaliação em escala laboratorial da inserção da tecnologia enzimática na sequência de branqueamento ECF. *39º Pulp and Paper International Congress and Exhibition ABTCP-TAPPI*.
- Rochefort, D., Leech, D. and Bourbonnais, R. (2004) Electron transfer mediator systems for bleaching of paper pulp. *Green Chemistry* 6, 14-24.
- Roncero, B. (2001) Obtención de una secuencia "TCF" con la aplicación de ozono y enzimas, para el blanqueo de pastas madereras y de origen agrícola. Optimización de la etapa Z. Análisis de los efectos en la fibra celulósica y sus componentes. Terrassa, España: Tesis doctoral. Departamento de Ingeniería Textil y Papelera, Universidad Politécnica de Cataluña.

Roncero,B., Torres,A.L., Colom,J. and Vidal,T. (2003) Effect of xylanase on ozone bleaching kinetics and properties of Eucalyptus kraft pulp. *Journal of Chemical Technology and Biotechnology* 78, 1023-1031.

Roncero,B., Torres,A.L., Colom,J. and Vidal,T. (2003) TCF bleaching of wheat straw pulp using ozone and xylanase. Part A: paper quality assesment. *Bioresource Technology* 87, 305-314.

Roncero,B., Vidal,T., Torres,A.L. and Colom,J. (1996) Use of xylanase in the totally chlorine-free bleaching of eucalyptus kraft pulp. *Enzymes for Pulp and Paper Processing* pp. 219-227.

Roncero,B., Colom,J.F. and Vidal,T. (2002) Application of post-treatments to the ozone bleaching in an Eucalyptus kraft pulp. Increasing the selectivity. Part A. *Appita Journal* 55, 305-309.

Roncero,M.B., Colom,J.F. and Vidal,T. (2003) Why oxalic acid protects cellulose during ozone treatments? *Carbohydrate Polymers* 52, 411-422.

Roncero,M.B., Colom,J. and Vidal,T. (2003) Influencia de los tratamientos enzimáticos con xilanasas en la composición de hidratos de carbono de pastas para papel. *Afinidad* 60, 8-15.

Roncero,M.B., Colom,J.F. and Vidal,T. (2003) Cellulose protection during ozone treatmetns of oxygen delignified eucalyptus kraft pulp. *Carbohydrate Polymers* 51, 254.

Roncero,M.B., Torres,A.L., Colom,J. and Vidal,T. (2000) Effects of xylanase treatment on fibre morphology in totally chlorine free bleaching (TCF) of Eucalyptus pulp. *Process Biochemistry* 36, 45-50.

Roncero,M.B., Torres,A.L., Colom,J. and Vidal,T. (2005) The effect of xylanase on the lignocellulosic components during the bleaching of wood pulps. *Bioresource Technology* 96, 21-30.

Rööst,C. and Jönsson,T. (2001) Total organic carbon, TOC, as a tool to estimate pulp yield in the bleach plant. *Nordic Pulp and Paper Research Journal* 16, 261-265.

Rydholm,S.A. (1967) *Pulping processes. Part. 1. Wood. Fiber morphology.* Interscience Publishers, John Wiley & Sons.

Sealey, J. and Ragauskas, A.J. (1998) Investigation of laccase/N-hydroxybenzotriazole delignification of Kraft pulp. *Journal of Wood Chemistry and Technology* 18, 403-416.

Senior, D.J. and Hamilton, J. (1992) Use of xylanases to decrease the formation of AOX in kraft pulp bleaching. *Journal of Pulp and Paper Science* 18, J165-J169.

Senior, D.J., Mayers, P.R., Breuil, C. and Saddler, J.N. (1990) The interaction of xylanase with pulps: non-selective adsorption and inactivation of xylanase. *Biotechnology in Pulp and Paper Manufacture* 169-182.

Sevastyanova, O., Li, J. and Gellersted, G. (2006) Influence of various oxidizable structures on the brightness stability of fully bleached chemical pulps. *Nordic Pulp and Paper Research Journal* 21, 49-53.

Sigoillot, C., Camarero, S., Vidal, T., Record, E., Asther, M., Perez-Boada, M., Martinez, M.J., Sigoillot, J.C., Asther, M., Colom, J.F. and Martínez, A.T. (2005) Comparison of different fungal enzymes for bleaching high-quality paper pulps. *Journal of Biotechnology* 115, 333-343.

Siles, F.J., Torres, A.L., Colom, J. and Vidal, T. (1996) Blanqueo biológico de pasta fraft de frondosas. *Afinidad* 53, 92-102.

Sjöström, E. (1993) *Wood chemistry. Fundamentals and applications*. San Diego: Academic Press Inc.

Teixeira Duarte, M.C., Cristina da Silva, E., Menezes de, B.G., Nunes Ponezi, A., Princi Portugal, E., Roberto Vicente, J. and Davanzo, E. (2003) Xylan-hydrolyzing enzyme system from *Bacillus pumilus* CBMAI 0008 and its effects on *Eucalyptus grandis* kraft pulp. *Bioresource Technology* 88, 9-15.

Teleman, A., Harjunpaa, V., Tenkanen, M., Buchert, J., Hausalo, T., Drakenberg, T. and Vuorinen, T. (1995) Characterization of 4-deoxy-beta-L-theo-hex-4-enopyranosyluronic acid attached to xylan in pine kraft pulp and pulping liquor by H-1 and C-13 NMR-spectroscopy. *Carbohydrate Research* 272, 55-71.

Tolan, J. and Foody, B. (1997) *Method for the use of enzymes in bleaching paper pulp*. Patent 317828. USA.

Tolan, J. and Thibault, L. (2000) Mill scale implementation of enzymes in pulp bleaching. *2000 TAPPI Pulping Process and Product Quality Conference (CD)*.

Tolan, J. and Thibault, L. (1997) Decreasing ECF bleaching costs with enzymes in a mill with oxygen delignification. *Pulp and Paper Canada* 98, 147-150.

Tolan, J.S. and Collins, J. (2004) Use of xylanase in the production of bleached, unrefined pulp at Marathon Pulp Inc. *Pulp and Paper Canada* 105, 44-46.

Torres, A. L., Blanco, A., Pastor F.I.J., Colom, F.J., Roncero, B. and Vidal, T. (1997) The use of a novel enzyme "Xylanase A" in the ECF bleaching of eucalyptus oxygen delignified kraft pulps. *9th Internacional Symposium on Wood and Pulping chemistry*. pp. 114-1-114-4.

Torres, A.L., Roncero, M.B., Colom, J., Pastor, F.I.J., Blanco, A. and Vidal, T. (2000) Effect of a novel enzyme on fibre morphology during ECF bleaching of oxygen delignified eucalyptus kraft pulps. *Bioresource Technology* 74, 135-140.

Valls, C., Gallardo, O., Pastor, F.I.J., Torres, A.L., Díaz, P. and Roncero, B. (2006) Aplicación de nuevas xilanasas en los procesos de blanqueo ECF de pastas de eucalipto. *CIADICYP. Congreso Iberoamericano de Investigación en Celulosa y Papel 2006*. pp. 6.4-1-6.4-6.

Valls, C., Pastor, F.I.J. and Roncero, B. (2005) Elimination of hexenuronic acid by xylanases in ECF bleaching of industrial Eucalyptus kraft pulps. *2005 International Pulp Bleaching Conference ed. STFI and SPCI* pp. 230-232.

Van der Brught, T., Tolan, J. and Thibault, L. (2002) US Kraft mills lead in xylanase implementation. *2002 TAPPI Fall Technical Conference and Trade Fair*.

Ventorim, G., Eiras, M.M. and Colodette, J.L. (2004) Alternativas para aumentar la eficiencia del blanqueo ECF en pulpa kraft de eucalipto. *Celulosa y Papel* 20, 8-15.

Vicuña, R., Escobar, F., Osses, M. and Jara, A. (1997) Bleaching of eucalyptus kraft pulp with commercial xylanases. *Biotechnology Letters* 19, 575-578.

Vidal, T., Torres, A.L., Colom, F.J. and Siles, F.J. (1997) Xylanase bleaching of Eucalyptus kraft pulp - an economical ECF process. *Appita Journal* 50, 144-148.

Viikari, L. (2000) Enzymes in the pulp and paper industry. *TAPPI Pulping Process and product Quality Conference. CD*.

Viikari, L., Ranua, M., Sundquist, J. and Linko, M. (1986) Bleaching with enzymes. *3 th International Conference on Biotechnology in the Pulp and Paper Industry* pp. 67-69.

Vuorinen,T., Teleman,A., Fagerström,P., Buchert,J. and Tenkanen,M. (1996) Selective hydrolysis of hexuronic acid groups and its application in ECF and TCF bleaching of kraft pulps. *International Pulp Bleaching Conference* pp. 43-51.

Wong,K., De Jong,E., Saddler,J.N. and Allison,R.W. (1997) Mechanisms of xylanase aided bleaching of kraft pulp. Part 2: Target substrates. *Appita Journal* 50, 509-518.

Wong,K. and Mansfield,S.D. (1999) Enzymatic processing for pulp and paper manufacture - a review. *Appita Journal* 52, 409-418.

Wong,K.K.Y., Allison,R.W. and Spehr,S. (2001) Effects of alkali and oxygen extractions of kraft kulp on xylanase-aided bleaching. *Journal of Pulp and paper Science* 27, 229-234.

Wong,K.K.Y., Anderson,R. and Kibblewhite,P. (1999) Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps. *Enzyme and Microbial Technology* 25, 125-131.

Xu,F., Kulys,J.J., Duke,K., Li,K., Krikstopaitis,K., Deussen,H.-J.W., Abbate,E., Galinyte,V. and Scheneider,P. (2000) Redox chemistry in laccase-catalyzed oxidation of N-hydroxy compounds. *Applied and Environmental Microbiology* 66, -2052.

Yee,E. and Tolan,J. (1997) Three years experience running enzymes continuously to enhance bleaching at Weyerhaeuser Prince Albert. *Pulp & Paper Canada* 98, 42-49.

Zhang,X.-Z., Ni,Y. and Van Heiningen,A. (2000) Kinetics of cellulose degradation during ozone bleaching. *Journal of Pulp and Paper Science* 26, 335-340.

Zhao,J., Li,X. and Qu,Y. (2006) Application of enzymes in producing bleached pulp from wheat straw. *Bioresource Technology* 97, 1470-1476.

Zhao,J., Li,X., Qu,Y. and Gao,P. (2002) Xylanase pretreatment leads to enhanced soda pulping of wheat straw. *Enzyme and Microbial Technology* 30, 734-740.