

References

- Athanari, T. and Y. Dodge (1980). *Mathematical Programming in Statistics*. New York: Wiley.
- Ayer, M., H. Brunk, G. Ewing, W. Reid, and E. Silverman (1954). An empirical distribution function for sampling with incomplete information. *The Annals of Statistics* 26, 641–47.
- Barnett, V. (1966). Evaluation of the maximum-likelihood estimator where the likelihood equation has multiple roots. *Biometrika* 53, 151–65.
- Bebchuk, J. and R. Betensky (2002). Local likelihood analysis of the latency distribution with interval censored intermediate events. *Statistics in Medicine* 21, 3475–91.
- Betensky, R. (2000). On nonidentifiability and noninformative censoring for current status data. *Biometrika* 87(1), 218–21.
- Betensky, R., J. Lindsey, L. Ryan, and M. Wand (2002). A local likelihood proportional hazards model for interval censored data. *Statistics in Medicine* 21, 263–75.
- Brookmeyer, R. and M. Gail (1994). *AIDS Epidemiology. A Quantitative Approach*. New York · Oxford: Oxford University Press.
- Brookmeyer, R. and T. Quinn (1995). Estimation of current Human Immunodeficiency Virus incidence rates from cross-sectional survey using early diagnostic tests. *American Journal of Epidemiology* 141(2), 166–72.
- Centers for Disease Control (1987). Revision of the CDC surveillance case definition for Acquired Immunodeficiency Syndrome. *MMWR* 36, 1–15S.
- Centers for Disease Control (1992). Revised classification system for HIV infection and expanded surveillance case definition for AIDS among adolescents and adults. *MMWR* 43 (RR-17).
- Collett, D. (1994). *Modeling Survival Data in Medical Research*. Text in Statistical Sciences. London: Chapman & Hall.
- Commenges, D. (1999). Multi-state models in epidemiology. *Lifetime Data Analysis* 5(4), 315–27. Dedicated to Sir David Cox on the occasion of his 75th birthday (Bordeaux, 1999).
- Commenges, D. (2003). Likelihood for interval-censored observations from multi-state models. *Statistics and Operations Research Transactions* 27(1), 1–11.

- Conn, A., N. Gould, and P. Toint (1992). *LANCELOT. A Fortran Package for Large-Scale Nonlinear Optimization*. Berlin: Springer-Verlag.
- Cox, D. (1972). Regression models and life-tables. *Journal of the Royal Statistical Society, Series B* 34(2), 187–220.
- Cox, D. and D. Hinkley (1974). *Theoretical Statistics*. London: Chapman & Hall.
- De Gruttola, V. and S. Lagakos (1989). Analysis of doubly-censored survival data, with application to AIDS. *Biometrics* 45(1), 1–11.
- Dolan, E., R. Fourer, J. Moré, and T. Munson (2002, February). The NEOS server for optimization version 4 and beyond. Preprint ANL/MCS-P947-0202, Argonne National Laboratory.
- Dolan, E. and T. Munson (2001, July). *The Kestrel Interface to the NEOS Server*. Argonne, USA: Electrical and Computer Engineering Department, Northwestern University.
- Efron, B. (1967). The two sample problem with censored data. In *Proceedings of Fifth Berkeley Symposium on Mathematical Statistics and Probability*, pp. 831–53. University of California Press.
- Falqués, M., K. Langohr, G. Gómez, P. Olalla, J. Jansà, and J. Caylà (1999). Supervivencia en pacientes con tuberculosis infectados por vih. estudios de los fallecimientos en los primeros nueve meses. *Revista Española de Salud Pública* 73, 549–62.
- Fay, M. P. (1996). Rank invariant tests for interval censored data under the grouped continuous model. *Biometrics* 52, 811–22.
- Ferris, M., M. Mesnier, and J. Moré (2000). NEOS and Condor: Solving optimization problems over the internet. *ACM Transactions on Mathematical Software* 26(1), 1–18.
- Finkelstein, D. (1986). A proportional hazards model for interval-censored failure time data. *Biometrics* 42, 845–54.
- Fourer, R., D. Gay, and B. Kernighan (2003). *AMPL. A Modeling Language For Mathematical Programming* (2nd ed.). Pacific Grove, California: Thomson–Brooks/Cole.
- Frankel, P. and J. Longmate (2002). Parametric models for accelerated and long-term survival: a comment on proportional hazards. *Statistics in Medicine* 21, 3279–89.
- Frydman, H. (1994). A note on nonparametric estimation of the distribution function from interval-censored and truncated observations. *Journal of the Royal Statistical Society, Series B* 56, 71–74.
- Gan, L. and J. Jiang (1999). A test for global maximization. *Journal of the American Statistical Association* 94(447), 847–54.
- Garitta, L., G. Gómez, G. Hough, K. Langohr, and C. Serrat (2003). *Estadística de Supervivencia Aplicada a la Vida Útil Sensorial de Alimentos. Tutorial introductorio y cálculos a realizar utilizando S-Plus*. Madrid: Programa Iberoamericano de Ciencia y Tecnología para el Desarrollo (CYTED).

- Gentleman, R. and C. Geyer (1994). Maximum likelihood for interval censored data: Consistency and computation. *Biometrika* 81(3), 618–23.
- Geskus, R. (2001). Methods for estimating the aids incubation time distribution when date of seroconversion is censored. *Statistics in Medicine* 20, 795–812.
- Gill, P., W. Murray, and M. Saunders (1999, February). *User's Guide for SNOPT 5.3: A FORTRAN Package for large-scale nonlinear programming*. San Diego: Department of Mathematics, University of California.
- Goetghebeur, E. and L. Ryan (2000). Semiparametric regression analysis of interval-censored data. *Biometrics* 56, 1139–44.
- Goggins, W. B. and D. M. Finkelstein (2000). A proportional hazards model for multivariate interval-censored failure time data. *Biometrics* 56(3), 940–43.
- Goggins, W. B., D. M. Finkelstein, and A. Zalavsky (1999). Applying the Cox proportional hazards model for analysis of latency data with interval censoring. *Statistics in Medicine* 18, 2737–47.
- Gómez, G. (2004). *Análisis de Supervivencia*. Barcelona: Ahlens, S.L.
- Gómez, G. and M. Calle (1999). Nonparametric estimation with doubly censored data. *Journal of Applied Statistics* 26(1), 45–49.
- Gómez, G., A. Espinal, and S. Lagakos (2003). Inference for a linear regression model with an interval censored covariate. *Statistics in Medicine* 22, 409–25.
- Gómez, G. and S. Lagakos (1994). Estimation of the infection time and latency distribution of AIDS with doubly censored data. *Biometrics* 50, 204–12.
- Gómez, G. and C. Serrat (1999). Survival studies with nonobserved data. Difficulties inherent in the parametric approach. *Qüestió* 23(2), 365–92.
- Gouriéroux, C. and A. Monfort (1993). Pseudo-likelihood methods. In *Econometrics*, Volume 11 of *Handbook of Statist.*, pp. 335–62. Amsterdam: North-Holland.
- Groeneboom, P. (1991, July). Nonparametric maximum likelihood estimators for interval censoring and deconvolution. Technical Report 378, Department of Statistics, Stanford University, Stanford, California.
- Heck, A. (2003). *Introduction to Maple* (3rd ed.). Springer-Verlag.
- Heitjan, D. (1993). Ignorability and coarse data: Some biometrical examples. *Biometrics* 49, 1099–1109.
- Hoffmann, C. and B. Kamps (2003). *HIV.Net 2003*. Wuppertal: Steinhäuser Verlag.
- Hosmer, D. and S. Lemeshow (1989). *Applied Logistic Regression*. John Wiley & Sons.
- Hougaard, P. (1999). Fundamentals of survival data. *Biometrics* 55, 13–22.

- Hough, G., K. Langohr, G. Gómez, and A. Curia (2003). Survival analysis applied to sensory shelf life of foods. *Journal of Food Science* 68(1), 359–63.
- Huang, J. and J. Wellner (1995). Asymptotic normality of the NPMLE of linear functionals for interval censored data, case 1. *Statistica Neerlandica* 49(2), 153–63.
- Huang, J. and J. Wellner (1998). Interval censored survival data: A review of recent progress. In *Proceedings of First Seattle Symposium in Biostatistics: Survival Analysis*, pp. 123–69. Springer.
- Hutton, J. and P. Monaghan (2002). Choice of parametric accelerated life and proportional hazards model for survival data: asymptotic results. *Lifetime Data Analysis* 8, 375–93.
- Joly, P. and D. Commenges (1999). A penalized likelihood approach for a progressive three-state model with censored and truncated data: Application to aids. *Biometrics* 55, 887–90.
- Kaplan, E. and P. Meier (1958). Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association* 53, 457–81.
- Klein, J. and M. Moeschberger (1997). *Survival Analysis*. New York: Springer.
- Kočvara, M. and M. Stingl (2003). PENNON a code for convex nonlinear and semidefinite programming. *Optimization methods and Software* 18(3), 317–33.
- Lam, L. (1997). The analysis of doubly censored survival data. An application to data collected from the Amsterdam cohort studies on HIV infection and AIDS. Technical Report WBBM Report Series 36, Delft University of Technology, Delft, The Netherlands.
- Langohr, K., G. Gómez, and R. Muga (2004). A parametric survival model with an interval-censored covariate. *Statistics in Medicine*. In press.
- Leung, K., R. Elashoff, and A. Afifi (1997). Censoring issues in survival analysis. *Annual Review of Public Health* 18, 83–104.
- Lin, D., D. Oakes, and Z. Ying (1998). Additive hazards regression with current status data. *Biometrika* 85(2), 289–98.
- Lindsey, J. (1996). *Parametric Statistical Inference*. Oxford Science Publications. Oxford: Clarendon Press.
- Lindsey, J. (1998). A study of interval censoring in parametric regression models. *Lifetime Data Analysis* 4, 329–54.
- Lindsey, J. and L. Ryan (1998). Tutorials in biostatistics: Methods for interval-censored data. *Statistics in Medicine* 17, 219–38.
- Mathsoft (1999). *S-PLUS 2000 Guide to Statistics, Volume 2*. Seattle: Data Analysis Products Division, MathSoft.
- Moré, J. and S. Wright (1993). *Optimization Software Guide*. Frontiers in Applied Mathematics. Philadelphia: Society for UIndustrial and Applied Mathematics.

- Murphy, S. and A. van der Vaart (2000). On profile likelihood. *Journal of the American Statistical Association* 95(450), 449–65.
- Murphy, S., A. van der Vaart, and J. Wellner (1999). Current status regression. *Mathematical Methods of Statistics* 8(3), 407–25.
- Murtagh, B. and M. Saunders (1978). Large-scale linearly constrained optimization. *Mathematical Programming* 14, 41–72.
- Murtagh, B. and M. Saunders (1982). A projected lagrangian algorithm and its implementation for sparse nonlinear constraints. *Mathematical Programming Study* 16, 84–117.
- Nardi, A. and M. Schemper (2003). Comparing cox and parametric models in clinical studies. *Statistics in Medicine* 22, 3597–3610.
- Ng, M. P. (2002). A modification of Peto’s nonparametric estimation of survival curves for interval-censored data. *Biometrics* 58, 439–42.
- Nocedal, J. and S. J. Wright (1999). *Numerical optimization*. Springer Series in Operations Research. New York: Springer-Verlag.
- Oller, R., G. Gómez, and M. Calle (2004). Likelihood inferences with interval-censored data. *Canadian Journal of Statistics*. In press.
- Pan, W. (2000a). A multiple imputation approach to Cox regression with interval-censored data. *Biometrics* 56, 199–203.
- Pan, W. (2000b). A multiple imputation approach to regression analysis for doubly censored data with application to AIDS studies. *Biometrics* 56, 1245–50.
- Pan, W. and R. Chappell (1998). Estimating survival curves with left-truncated and interval-censored data under monotone hazards. *Biometrics* 54, 1053–60.
- Pan, W. and R. Chappell (1999). A note on inconsistency of the distribution function from left truncated and case 1 interval censored data. *Lifetime Data Analysis* 5, 281–91.
- Park, Y. and L. Wei (2003). Estimating the subject-specific functions under the accelerated failure time model. *Biometrika* 90(3), 717–23.
- Peto, R. (1973). Experimental survival curves for interval-censored data. *Journal of the Royal Statistical Society, Series C* 22, 86–91.
- Pewsey, A. (2000). Problems of inference for Azzalini’s skew-normal distribution. *Journal of Applied Statistics* 27(7), 859–70.
- Pérez-Hoyos, S., J. del Amo, R. Muga, J. del Romero, P. García de Olalla, R. Guerrero, I. Hernández-Aguado, and GEMES (2003). Effectiveness of highly active antiretroviral therapy in Spanish cohorts of HIV seroconvertors: differences by transmission category. *AIDS* 17, 353–59.

- Robins, J. and Y. Ritov (1997). Toward a curse of dimensionality appropriate (CODA) asymptotic theory for semi-parametric models. *Statistics in Medicine* 16, 285–319.
- Rubin, D. (1987). *Multiple Imputation for Nonresponse in Surveys*. New York: Wiley.
- Schervish, M. (1995). *Theory of Statistics*. New York: Springer.
- Sepkowitz, K. and J. Raffalli (1994). Tuberculosis at the end of the twentieth century. *European Journal of Clinical Microbiology and Infectious Diseases* 13(11), 902–7.
- Shiboski, S. (1998). Generalized additive models for current status data. *Lifetime Data Analysis* 4, 29–50.
- Staniswalis, J. and P. Thall (2001). An explanation of generalized profile likelihoods. *Statistics and Computing* 11, 293–98.
- Sun, J., Q. Liao, and M. Pagano (1999). Regression analysis of doubly censored failure time data with applications to AIDS studies. *Biometrics* 55, 909–14.
- Topp, R. and G. Gómez (2004). Residual analysis in linear regression models with an interval-censored covariate. *Statistics in Medicine*. In press.
- Turnbull, B. (1974). Nonparametric estimation of a survivorship function with doubly censored data. *Journal of the American Statistical Association* 69, 169–73.
- Turnbull, B. (1976). The empirical distribution function with arbitrarily grouped, censored and truncated data. *Journal of the Royal Statistical Society, Series B* 38, 290–95.
- UNAIDS (2002). Report on the global HIV/AIDS epidemic.
- Vaisey-Genser, M., L. Malcomson, R. Przybylski, N. Eskin, and L. Armstrong (1994). Consumer acceptance of canola oils during temperature-accelerated storage. *Food Quality and Preference* 5(4), 237–43.
- van der Laan, M. (1998). Identity for the NPMLE in censored data models. *Lifetime Data Analysis* 4, 83–102.
- van der Laan, M., N. Jewell, and D. Peterson (1997). Efficient estimation of the lifetime and disease onset distribution. *Biometrika* 84(3), 539–54.
- van der Laan, M. J., P. Bickel, and N. Jewell (1997). Singly and doubly censored current status data: Estimation, asymptotics and regression. *Scandinavian Journal of Statistics* 24, 289–307.
- Vanderbrei, R. (2000, October). *LOQO User's Manual – Version 4.05*. Princetown University, New Jersey.
- Ying, Z., L. Wei, and J. Lin (1992). Prediction of survival probability based on a linear regression model. *Biometrika* 79(1), 205–9.
- Yu, Q., A. Schick, L. Li, and G. Wong (1998). Asymptotic properties of the GMLE with case 2 interval-censored data. *Statistics & Probability Letters* 37, 223–28.