



## **8. BIBLIOGRAFÍA**

---

- AIELLO, R., COLLELA, C. y SERSALE, R. (1971). Zeolite Formation from Synthetic and Natural Glasses. *Adv. Chem. Ser.*, 101, 51-62.
- ALASTUEY, A., GARCÍA-SÁNCHEZ, A., LÓPEZ, F. y QUEROL, X. (1999). Evolution the Pyrite Mud Weathering and Mobility of Heavy Metals in the Guadiamar Valley after the Aznalcóllar Spill, South-West Spain. *The Science of the Total Environment*, 242, 41-56.
- ALEXANDER, G.B. (1957). The Effect of Particle on the Solubility of Amorphous Silica in Water. *J. Phys. Chem.*, 61, 1563-1564.
- ALEXANDER, L.E. y KLUG, N.P. (1964). *X-Ray Diffraction Procedures for Polycrystalline and Amorphous Materials*. John Wiley and Sons, Inc. 382p.
- ÁLVAREZ, E. (2001). *Sorción de metales pesados por minerales. Aplicación a la depuración de aguas residuales y a la rehabilitación de suelos contaminados*. Tesis doctoral. Universidad de Salamanca.
- ÁLVAREZ, R. y SPARKS, D.L. (1985). Polymerization of Silicate Anions in Solutions at Low Concentrations. *Nature* 318, 649-651.
- ALVARO, M., FACEY, G.A., GARCÍA, H., GARCÍA, S. y SCAIANO, J. C. (1996). Intrazeolite Photochemistry 16. Fluorescence of Methyl Viologen Adsorbed within Medium and Large Pore Zeolites. *J. Phys. Chem.*, 100, 18173-18176.
- ANDERSON, M. y JACKSON, G. (1983). The Beneficiation of Power Station Coal Ash and its Use in Heavy Clayware Ceramics. *British Ceramic Trans. Journal*, 82, 34-42.
- ANDERSON, M, ELLIOTT, M. y HICKSON, C. (2001). Factory Scale Proving Trials Using Combined Mixtures of Three By-Product Wastes (Including Incinerated Sewage Sludge Ash) in Clay Buildings Bricks. *International Workshop on Novel Products from Combustion Residues: Opportunities and Limitations*. Morella (Spain) 7th June, 325-334.
- ASTM C 618-92a. (1994). Standard Specification for fly ash and raw or Calcinated Natural Pozzolan for use as Mineral Admixture in Portland Cement Concrete. *American Society for Testing and Materials, Annual book of ASTM Standards*, Vol 04.02, Pennsylvania.
- BARBIERI, L., MANFREDINI, T., QUERALT, I., RINCON, J.M. y ROMERO, M. (1997). Vitrification of Fly Ash from Thermal Power Stations. *Glass Technology*, 38, 165-170.
- BARRER, R.M. (1982). *Hydrothermal Chemistry of zeolites*. Academic Press, London. 360p.
- BENNER, S.G., D.W. BLOWES, W.D. GOULD, R.B. HERBERT JR., y PTACEK, C.J. (1999). A new approach to treatment of acid mine drainage. *Environmental Science and Technology*, 33, 2793-2799.

- BERGK, K.H., PORSCH, M. y DREWS, J. (1987). Conversion of solid primary and recycled raw materials to zeolite-containing products. Part VI. Continuous manufacture of zeolite A-containing products. *J Chem Tech. Leipzig*, 39, 308-310.
- BERKGAUT, V. y SINGER, A. (1996). High Capacity Cation Exchanger by Hydrothermal Zeolitization of Coal Fly Ash. *Applied Clay Science*, 10, 369-378.
- BEKKUM, H. V., FLANIGEN, E.M. y JANSEN, J.C. (1991). *Introduction to Zeolite Science and Practice*, Elsevier, Amsterdam. 754p.
- BERGERO, D., BOCCIGNONE, M., DI-NATALE, F., FORNERIS, G., PALMEGIANO, G.B., ROAGNA, L. y SICURO, B. (1995). *Aquac. and Fish. Manag.*, 25, 813-821.
- BOLT, N. (1985). Aluminiumwinning uit vliegas. KEMA-report 85-5268, The Netherlands.
- BRECK, D.W. (1974). Zeolite Molecular Sieves. John Wiley & Sons, New York. 771p.
- BUTTER, S.A y KUZNICKI, S.M. (1986). *Synthesis of Maximum Aluminium X zeolites*. Patente U.S.A. nº 4.606.899.
- CABRERA, F., CLEMENTE, L., DÍAZ, E., LÓPEZ, R. y MURILLO, J.M. (1999). Heavy Metal pollution of Soils Affected by the Guadiamar Toxic Flood. *The Science of the Total Environment*, 242, 117-130.
- CAMA, J., QUEROL, X., AYORA, C., SANZ, E. y GANOR, J. (2001a). Dissolution of synthetic zeolites at low temperature-preliminary results. Proceedings of the tenth international symposium on water-rock interaction WRI-10/Villasimius/Italy/10-15 July 2001. Edited by Rosa Cidu; Volume 1, 247-250.
- CAMA, J., QUEROL, X., SANZ, E. y GANOR, J. (2001b). pH effect on synthetic zeolite dissolution under acidic conditions. Berichte der Deutschen Mineralogischen Gesellschaft, Beiheft zu *European Journal of Mineralogy*, 13, 33.
- CATÀLEG DE RESIDUS DE CATALUNYA (2001). Junta de residus, Generalitat de Catalunya. <http://www.junres.es/cgi-junres/cgi-bin/jr-detall.asp>.
- CATALFAMO, P.; PATANE, G.; PRIMERANO, P.; DI PASQUALE, S. AND CORIGLIANO, F. (1994). *Mat. Eng.*, 5, 159-166.
- CAZORLA-AMOROS, D., ALCAÑIZ-MONJE, J. y LINARES-SOLANO, A. (1996). Characterization of Activated Carbons Fibers by CO<sub>2</sub> Adsorption. *Langmuir*, 12, 2820-2824.
- CAZORLA-AMOROS, D., ALCAÑIZ-MONJE, J., DE LA CASA-LILLO y LINARES-SOLANO, A. (1998). CO<sub>2</sub> as an Adsorptive to Characterise Carbon Molecular Sieves and Activated Carbons. *Langmuir*, 14, 4589-4596.
- CHEN, N.Y. y DEGNAN, T.F. (1988). Industrial Catalytic Application of Zeolites. *Chem. Eng. Prog.*, 84, 32-41.

- CHUNG, F. H. (1974a). Quantitative Interpretation of X-Ray diffraction patterns of Mixture III: Simultaneous Determination of a Set of Reference Intensities. *J. Applied Crystallography*, 7, 17-19.
- CHUNG, F. H. (1974b). Quantitative Interpretation of X-Ray diffraction patterns of Mixture I & II: Matrix Flushing Method for Quantitative Multicomponent Analysis. *J. Applied Crystallography*, 7, 519-531.
- COSTA, E., GUTIÉRREZ M.L. y UGUINA, M.A. (1980). Síntesis de Tamices Moleculares II. Zeolitas X y Y de Sodio. Influencia de distintas variables. *An. Quím.*, 76, 276-281.
- CRONSTEDT, A.F. (1756): Ron och beskrifning om en obekant bärgr art, som kallas zeolites. Kongl. Vetenskaps Acad. *Handl. Stockholm* 17, 120-123.
- DAGAONKAR, A.V., CHINCHOLIKAR, A.P. Y GOYAL, P. (1996). Aardelite Technology for Fly Ash Utilisation. In C V J Varma (ed.) (*Proceedings of Seminar on Fly ash Utilization*), New Delhi, India, 26-27, March, 59-67.
- DAVINI, P. (1995). Investigation of flue gas desulfurization by fly ash and calcium hidroxide mixtures. *Resources, Conservation and Recycling*, 15, 193-201.
- DAVIS, M.E. (1991). Zeolites and Molecular Sieves – Not Just Ordinary Catalysis. *Ind. Eng. Chem. Res.* 30, 1675-1683.
- Decret 1/1997, de 7 de gener, sobre la disposició del rebuig dels residus en dipòsits controlats (DOG 2307). <http://www.gencat.es/mediamb/lleis/residus/eresidus.htm>.
- Decret 93/1999, de 6 d'abril, sobre procediments de gestió de residus (DOG 2865). <http://www.gencat.es/mediamb/lleis/residus/eresidus.htm>.
- DEROUANE, E.G., LEMOS, F., NACCACHE, C. Y RIBEIRO, F.R. (1991). Zeolite Microporous Solids: Synthesis, Structure, and Reactivity. Proc. of ASI, Sintra-Estoril (Portugal) , NATO ASI SERIES, 643p.
- DIN 38414-S4. (1984). German standard procedure for water, wastewater and sediment testing Group-S (Sludge and Sediment). Determination of leachability (S4). Institut für Normung. Berlin.
- DOMÈNECH C. (2001). *Meteorització del llot pirític que resta en els sòls afectats pel trencament de la bassa minera d'Aznalcóllar*. Tesis doctoral. Consejo Superior de Investigaciones Científicas y Universitat Politècnica de Catalunya.
- DUBININ, M. M. (1960). The Potential Theory of Adsorption of Gases and Vapors for Adsorbents with Energetically Nonuniform Surfaces. *Chem. Rev.*, 60, 235-241.
- DUBININ, M.M. (1966). Porous Structure and Adsorption Properties on Active Carbon. In: *Chemistry and Physics of Carbon*. Walker P.L. ed. (N.Y. Jr ED.), pp. 51-120.
- DYER, A. (1988). *An Introduction to Zeolite Molecular Sieves*, John Wiley & Sons Ltd., Chichester, Great Britain, pp 1-3.
- DZOMBAK, D.A. y MOREL, F.M.M. (1990). *Surface Complexation Modeling: Hydrous ferric oxide*. John Wiley and Sons: New York, 345p.

- ECOBA (European Association for Use of the By-Products of Coal-Fired Power-Stations, 2001). <http://www.ecoba.com>
- EN 450-1. EUROPEAN STANDARD Fly ash for concrete - Definition, specifications and conformity criteria. CEN/TC104/WG4 – Doc. 105/2000 (revised 28 th December, 2000). <http://www.acaa-usa.org/EN450.PDF>
- FERNÁNDEZ-PERREIRA, C., LUNA, Y., VALLE, J y QUEROL; X. (2002). Zeolitisation of Pulverised Coal Fly Ash. Utilisation of the Resulting Material as Inmobilizing Agent of Metallurgical Waste. *The Journal of Chemical Technology and Biotechnology*, 77, 305-310.
- FLEISCHER, M. y MANDARINO, J.A. (1991). *Glossary of Mineral Species 1991*, 6th Ed.; The Mineralogical Record Inc., Tucson, 256p.
- FLY ASH RESOURCE CENTER. (2001).  
<http://www.geocities.com/CapeCanaveral/Launchpad/2095/flyash.html>.
- FONT, O. (2001). *Presencia, Distribució i Extracció d'elements d'interès Econòmic d'una Central GICC*. Máster Experimental, Facultat de Geologia, Universitat de Barcelona, 61p.
- FOURIER, R.O. y ROWE, J.J. (1983). A Method of Calculating Quartz Solubilities in Aqueous Sodium Chloride Solutions. *Geochim. Cosmochim. Acta*, 47, 579-586.
- FRAAY, A.L.A. (1990). *Fly Ash a Pozzolan in Concrete*. Tesis de Doctoral. Technical University of Delft. Faculty of Civil Engineering.
- GALINDO, J., ELIAS, A., PIEDRA, R. y LEZCANO, O. (1990). *Cuban J. Agric. Sci.*, 24, 187-194.
- GARCÍA-COLINA, F. (1999). *Procesos industriales de acondicionamiento de caolín para su utilización como materia prima en la síntesis de zeolita X*. Tesis Doctoral. Departamento de Ingeniería Química y Metalúrgica. Universitat de Barcelona.
- GARCÍA-MARTÍNEZ J. (2000). *Síntesis y caracterización de zeolitas y materiales compuestos zeolita/carbón. Aplicaciones para la eliminación de SO<sub>2</sub>*. Tesis Doctoral. Departamento de Química Inorgánica. Universidad Alicante.
- GARCÍA-SÁNCHEZ, A., ALASTUEY, A. y QUEROL, X. (1999). Heavy Metals Adsorption by Diferent Minerals: Aplications to the Remediation of Polluted Soils. *The Science of the Total Environment*, 242, 179-188.
- GATES, B.C. (1992). *Catalytic Chemistry*. John Wiley & Sons, Inc., New York, 310p.
- GEBLER S.H. y KLIETZER P. (1986). Effect of Fly Ash on Physical Properties of Concrete. *Fly Ash, Silica Fume, Slag and Natural Pozzolans in Concrete*. Proceedings 2<sup>th</sup> International Conference. Madrid, Spain, 1-50.
- GHOSH, T. (1997). Fly Ash as Land Fill & Structural Fill Material within the Metropolitan Area of Calcutta. *International Ash Symposium*, Lexington, Kentucky, 212-220.
- GOÑI, S., LORENZO, P. y HERNÁNDEZ, M.S. (1997). The role of the fly aluminous component on the durability of the portland fly ash pastes in sulfated medium. Part i-

- characterization of the solid phase, *4th CANMET* (aci international conference on durability of concrete). Sidney, Australia.
- GREGG, S.J. y SING, K.S.W. (1982). *Adsorption, Surface Area and Porosity*, 2nd ed.: London, Academic Press., 303 p.
  - GREENWOOD, N.N. Y EARNSHAW, A. (1986). *Chemistry of the Elements*. Oxford Pergamon Press, 1542p.
  - GRIMALT, J.O., FERRER, M. y MACPHERSON, E. (1999). The Mine Tailing Accident in Aznalcóllar. *The Science of the Total Environment*, 242, 3-12.
  - HARVEY, R.B., KUBENA, L.F., ELISSALDE, M.H. y PHILLIPS, T.D. (1993). *Avian Diseases*, 37, 67-73.
  - HELMUTH, R.A. (1986). Water-Reducing Properties of Fly Ash in Cement Pastes, Mortars, and Concretes: Causes and Test Methods. *Fly Ash, Silica Fume, Slag and Natural Pozzolans in Concrete. Proceedings 2<sup>th</sup> International Conference*. Madrid, Spain, 723-740.
  - HEMMINGS R.T y EDWIN E.B. (1985). Speciation in size and density fractionated fly ash. In: Fly ash and coal conversion by-products: characterisation, utilisation and disposal, vol. II. *Materials Research Society Symposia Proceedings*, vol.65, 91-104.
  - van der HOEK, E.E. y COMANS, R.N.J. (1994). Speciation of As and Se during leaching of fly ash. In: Goumans JJM, Van der Sloot HA, Aalbers ThG (Eds). *Environmental Aspects of Construction with Waste Materials*. Elsevier Science, New York.
  - HOLDEIRICH, W. y GALLEI, E. (1984). Industrial Use in Petrochemical Processes. *Chem. Ing. Tech.*, 56, 908-915.
  - HÖLLER, H y WIRSCHING, U. (1985). Zeolites formation from fly ash. *Fortschr. Miner.*, 63, 21-43.
  - HOLLMAN, G.G., STEENBRUGGEN, G. y JANSSEN-JURKOVICOVA, M. (1999). A Two-Step Process For the Synthesis of Zeolites From Coal Fly Ash. *Fuel*, 78, 1225-1230.
  - HOSSAIN, S. y ALMEIDA, M.J.M. (1994). *Arquivo Brasileiro de Medicina Veterinaria e Zootecnia*, 46, 665-674.
  - HURD, D.C. y BIRDWHISTELL, S. (1983). On Producing a More General Model for Biogenic Silica Dissolution. *Am. J. Sci.*, 283, 1-28.
  - IDORN, GM. (1982). International Aspects of development of the Uses of Fly Ash in Cement. Paper N6.1: *Materials Research Society*: Boston, Nov 16p.
  - ILER, R.K. (1979). *The Chemistry of Silica: Solubility, Polimerization, Colloid and Surface Properties, and Biochemistry*. John Wiley & Sons, Inc. New York, 866p.
  - ISRIC International Soil Reference and Information Centre. (1995). Procedures for soil analysis. Technical paper 9., FAO-UN, 9.1-9.13.

- JUAN, R., HERNÁNDEZ, S., QUEROL, X., ANDRÉS, J.M. y MORENO, N. (2002). Zeolitic material synthesised from fly ash: use as cationic exchanger. *J. Chem. Tech. and Biotech.*, 77, 299-304.
- KALWA, M. y ROPSKA, H. (1979). Polish Patent No 98512.
- KATO, Y., KAKIMOTO, K., OGAWA, H. y TOMARI, M. (1986). Application of Hydrothermally Crystallized Coal Ash for Wastewater Treatment. *Kogyo Yosui*, 338, 37-45.
- KIRK, R.E. y OTHMER, D.F. (1991). *Encyclopedia of Chemical Technology*. 4<sup>a</sup> ed. John Wiley & Sons, Inc., New York, 2240p.
- KLUG, P.H. y ALEXANDER, E.L. (1974). *X-ray diffraction procedures for polycrystalline and amorphous materials*. 966p.
- KOKUBU, M. (1969). Fly Ash and Fly Ash Cement. In Proceedings of the *Fifth International Symposium on the Chemistry of Cement*. Tokyo: Japan, 113p.
- KOLOUSEK, D., SEIDL, V., PROCHAZKOVA, E., OBSASNIKOVA, J., KUBELKOVA, L. y SVETLIK, I. (1993). Ecological Utilization of Power-Plant Fly Ashes by Their Alteration to Phillipsite: Hydrothermal Alteration, Application. *Acta Universitatis Carolinae Geologica*, 1-2, 167-178.
- LAROSA, J.L., KWAN, S. y GRUTZECK, M.W. (1992). Zeolite Formation in Class F Fly Ash Blended Cement Pastes. *J. Am. Ceram. Soc.*, 75, 1574-1580.
- LIN, C.F. y HIS, H.C. (1995). Resource Recovery of Waste Fly Ash: Synthesis of Zeolite-like Materials. *Environ. Sci. Technol.*, 29, 1109-1117.
- LINARES-SOLANO, A., SALINAS-MARTÍNEZ, C., ALCAÑIZ-MONJE, J. y CAZORLA-AMOROS, D. (1998). *Further Advances in the Characterisation of Microporous Carbons by Physical adsorption of Gases*. Tanso, 185p.
- LUXÁN M.P., SÁNCHEZ DE ROJAS M.I. y SORIA F. (1986). Characterisation and reactivity of Spanish fly ashes. 2<sup>nd</sup> Int. Conference on the Use of fly ash, silica fume, slag and natural puzzolans in Concrete, 8.
- MACKENZIE, F.T. y GEES. R. (1971). Quartz: Synthesis at Earth Surface Conditions. *Science* 173, 533-535.
- MAGGTORE, R. (1985). Zeolites, Uses and Perspectives. *Chim Ind.* 67, 349-359.
- MAGOLATI, A. (1991). *Processes for Zeolite Production*. Patente Europea nº 451.112.
- MANNING, B.A., y GOLDBERG, S. (1997). Adsorption and Stability of Arsenic(III) at the Clay Mineral Water Interface. *Environ. Sci. Technol.*, 31, 2005-2011.
- MANZANO, M., AYORA, C., DOMÈNECH, C., NAVARRETE, P., TURRERO, M.J. y GARRALÓN, A. (1999). The Impact of the Aznalcóllar Mine Tailing Spill on Groundwater. *The Science of the Total Environment*, 242, 189-210.
- MANZ, O.E. (1997a). Worldwide Production of Coal Ash and Utilization in Concrete and Other Products. *Fuel*, 76, 691-696.

- MANZ, O.E. (1997b). Current research activities in the USA and state of the art about the use of fly ash in concrete. *International Ash Symposium*, Lexington, Kentucky. 326-332.
- MASON, B. (1952). *Principles of Geochemistry*. John Wiley & Sons. New York, 276p.
- MATEOS, M. (1965). Estudios sobre la estabilización de suelos con cal y cenizas volantes. Boletín, *Sociedad Española de Mecánica del Suelo*, 16-37.
- MATEOS, M. (1994). Utilización de residuos industriales en la construcción de carreteras. XX Semana de la Carretera, *Asociación Española de la Carretera*.
- MEIER, W.M. (1968). Zeolite Structures. *Molecular Sieves*, Soc. Chem. Ind., London, 10-27.
- MEIER, W.M. y OLSON, D.H. (1992). *Atlas of Zeolite Structure Types*. 3<sup>rd</sup> edition Butterworths, London. (<http://www.iza-structure.org>).
- MILTON, R.M. (1959). Molecular-Sieve Adsorbents. Patentes U.S.A. nº 2.882.243 y nº 2.882.244.
- MOLLAH, M.Y.A., COCKE, D.L., PROMREUK, S.y SCHENNACH, R. (1999). Cristobalite formation from thermal treatment of Texas lignite fly ash. *Fuel*, 78, 1277-1282.
- MONDRAGÓN, F., RINCÓN, F., SIERRA, L., ESCOBAR, C., RAMÍREZ, J. y FERNÁNDEZ, J. (1990). New perspectives for coal ash utilization: synthesis of zeolitic materials. *Fuel*, 69, 263-266.
- MORENO, N., QUEROL, X., AYORA, C., FERNÁNDEZ-PEREIRA, C. y JANSSEN-JURKONICOVA, M. (2001a). Utilisation of Zeolites Synthesized from Coal Fly Ash for the Purification of Acid Mine Waters. *Environmental Science and Technology*, 35, 3526-3534.
- MORENO, N., QUEROL, X., AYORA, C., ALASTUEY, A., FERNÁNDEZ-PEREIRA, C. y JANSSEN-JURKONICOVA, M. (2001b). Potential Environmental Applications of Pure Zeolitic Material Synthesized from Fly Ash. *Journal of Environmental Engineering*, 127, 994-1002.
- MOREY, G.W., FOURNIER, R.O. y ROWE, J.J. (1962). The Solubility of Quartz in Water in the Temperature Interval from 25 to 300 °C. *Geochim. Cosmochim. Acta* 22, 1029-1043.
- Norma NLT-176/74. [http://www.carreteros.org/pg3/articulos/5/iv/a\\_540a.htm](http://www.carreteros.org/pg3/articulos/5/iv/a_540a.htm)
- OLVER, M.D. (1989). *Br. Poult. Sci.*, 30, 115-122.
- PALANQUES, A., PUIG, P., GUILLÉN, J., QUEROL, X. y ALASTUEY, A. (1999). Zinc Contamination in the Bottom and Suspended Sediments of the Guadalquivir Estuary after the Aznalcóllar Spill (south-western Spain). Control of Hydrodynamic Proceses. *The Science of the Total Environment*, 242, 211-220.
- PARK, M. y CHOI, J. (1995). Synthesis of Phillipsite From Fly Ash. *Clay Sci.*, 9, 219-229.

- PARK, M., CHOI, C.L., LIM, W.T., KIM, M.C., CHOI, J. y HEO, N. H. (2000a). Molten-salt method for the synthesis of zeolitic materials. I. Zeolite formation in alkaline molten-salt system, *Microporous and Mesoporous Materials* 37, 81-89.
- PARK, M., CHOI, C.L., LIM, W.T., KIM, M.C., CHOI, J. y HEO, N. H. (2000b). Molten-salt method for the synthesis of zeolitic materials. II. Characterization of zeolitic materials, *Microporous and Mesoporous Materials* 37, 91-98.
- PARKHURST, D.L. (1995). User's guide to PHREEQC--A computer program for speciation, reaction-path, advective-transport, and inverse geochemical calculations: U.S. Geological Survey Water-Resources Investigations Report, 95, 4227-4470.
- PARKS, G.A. (1984). Surface and Internal Free Energies of Quartz. *J. Geophys. Res.* 89, 3997-4008.
- PICKLES, C.A., MCLEAN, A., ALCOCK, C.B. y NIKOLIC, R.N. (1990). Plasma recovery of metal values from fly ash. *Can. Metal. Quart.*, 29, 193-200.
- PIETERSEN, H.S. (1993). *Reactivity of fly ash and slag in cement*. Thesis Technical University Delft, 271p.
- POND, W.G., YEN, J.T. y VAREL, V.H. (1988). *Nutr. Reports Int.*, 37, 795-804.
- PUPPE, L. (1986). Zeolites – Properties and Technical Applications. *Chem. Unserer Zeit*. 20, 117-127.
- QUERALT, I., QUEROL, X., LÓPEZ-SOLER, A. y PLANAS, F. (1997). Use of coal fly ash for Ceramics: a case study for a large Spanish power station. *Fuel*, 76, 787-791.
- QUEROL, X., FERNÁNDEZ, TURIEL, J.L., LÓPEZ SOLER, A. (1994). The behaviour of Mineral Matter during Combustion of Spanish Subbituminous and Brown Coals. *Mineralogical Magazine*, 58, 119-133.
- QUEROL, X., PLANAS, F., ALASTUEY, A., FERNÁNDEZ-TURIEL, J.L. y LÓPEZ-SOLER, A. (1995a). Synthesis of Industrial Minerals From Fly Ash. *Coal Science Series*, 24, 1979-1982.
- QUEROL X., WHATELEY M.K.G., FERNANDEZ-TURIEL J.L.y TUNCALI E. (1995b). Geological controls on the mineralogy and geochemistry of the Beypazari lignite, Central Anatolia, Turkey. *Int. J. Coal Geology*, 33, 255-271.
- QUEROL, X., PLANAS, F. ALASTUEY, A. y LÓPEZ-SOLER, A. (1997a). Synthesis of Na-zeolites from Fly Ash. *Fuel*, 76, 793-799.
- QUEROL, X., ALASTUEY, A., LÓPEZ-SOLER, A., PLANAS, F., ANDRÉS, J.M., JUAN, R., FERRER, P. y RUIZ, C.R. (1997b). A fast method for recycling fly ash: Microwave -assisted zeolite synthesis. *Environ. Sci. Technol.*, 31, 2527-2533.
- QUEROL, X., ALASTUEY, A., LOPEZ-SOLER, A., PLANAS, F., MESAS, A., ORTIZ, L.; ALZAGA, R., BAYONA, J.M. y DE LA ROSA, J. (1999a). Physico-chemical Characterisation of Atmospheric Aerosols in a Rural Area Affected by the Aznalcóllar Toxic Spill, South-West Spain During the Soil Reclamation Activities. *The Science of the Total Environment*, 242, 89-104.

- QUEROL, X., PLANAS, F., UMAÑA, J., ALASTUEY, A., ANDRÉS, JM., JUAN, R. y LÓPEZ-SOLER, A. (1999b). Industrial Applications of Coal Combustion Wastes: Zeolite Synthesis and Ceramic Utilisation. *European Coal and Steel Community Contract 7220/ED/079*. Final report., 176 p.
- QUEROL, X., UMAÑA, J.C., PLANAS, F., ALASTUEY, A., LOPEZ-SOLER, A., MEDINACELI, A., VALERO, A., DOMINGO, M.J. y GARCIA-ROJO, E. (2001a). Synthesis of Na Zeolites From Fly Ash in a Pilot Plant Scale. Examples of Potential Environmental Applications. *Fuel*, 80, 857-865.
- QUEROL, X., UMAÑA, J.C., ALASTUEY, A., AYORA, C., LOPEZ-SOLER, A. y PLANAS, F. (2001b). Extraction of soluble major and trace elements from fly ash in open and closed leaching systems. *Fuel*, 80, 801-813.
- QUEROL, X., MORENO, N., UMAÑA, J., JUAN, R., HERNÁNDEZ, S., FERNÁNDEZ-PEREIRA, C., AYORA, C., JANSSEN, M., GARCÍA-MARTÍNEZ, J., LINARES-SOLANO, A. y CAZORLA-AMOROS, D. (2002). Application of zeolitic material synthesised from fly ash to the decontamination of waste water and flue gas. *The Journal of Chemical Technology and Biotechnology*, 77, 292-298.
- RAMIREZ DE DIEGO, C. (1991). Características y Propiedades de Cenizas Volantes, alternativas para su uso. *Memoria, CSIC-UB*, 130p.
- REYNOLDS, K., KRUGER, R. y RETHMAN, N. (1999). The Manufacture and Evaluation of an Artificial Soil (Slash) Prepared From Fly Ash and Sewage Sludge. *International Ash Symposium*, Lexington, Kentucky, 378-385.
- RICE, C.A., BREIT, G.N., AFFOLTER, R.H., BULLOCK, J. y MOTOOKA J. (1997). Geochemical Analysis and Modeling of Coal Combustion Waste Leachate. *International Ash Symposium*, Lexington, Kentucky, 231-238.
- RIMSTIDT, J.D. y BARNES, H.L. (1980). The Kinetics of Silica-Water Reactions. *Geochim. Cosmochim. Acta* 44, 1683-1699.
- RIMSTIDT, J.D. y COLE, D.R. (1983). Geothermal Mineralization I: The mechanism of formation of the Beowawe, Nevada, siliceous sinter deposit. *Am. J. Sci.* 283, 861-875.
- ROBIE, R.A. HEMINGWAY, B.S. y FISHER, J.S. (1978). Thermodynamic Properties of Minerals and Related Substances at 298.15 °K and 1 Bar (105 Pascals) Pressure and at Higher Temperatures, U.S. Geological Survey, Washington D.C. 456p.
- ROUQUEROL, J., RODRIGUEZ-REINOSO, F., SING, K.S.W. y UNGER, K.K. (1994). Characterization of Porous Solids III. *Studies in Surface Science and Catalysis*, 87, 725-734.
- SÁEZ, C. (1999). Revalorization of Alkaline Etching Wastes of an Aluminium Anodising Plant By Zeolite Synthesis. Graduation Project, Universitat de Barcelona-Delft University of Technology, 128p.

- SAYLAK, D., VISWANATHAN, R. y ESTAKHRI, C. (1997). Stabilization of Subgrade Soils Using Fly Ash. *International Ash Symposium*, Lexington, Kentucky, 204-211.
- SCOTT, J. (1980). *Zeolite Technology and Applications: Recent Advances*. Noyes Data Corp., Park Ridge, NJ USA.
- SCOTT K.M. (1987). Solid solution in, and classification of, gossan-derived members of the alunite-jarosite family, northwest Queensland, Australia. *American Mineralogist* 72, 178-187.
- SHIGEMOTO, N., SHIRAKAMI, S., HIRANO, S. y HAYASHI, H. (1992). Preparation and Characterisation of Zeolites From Coal Ash. *Nippon Kagaku Kaishi*, 5, 484-492.
- SHIH, W.H., CHANG, H.L. y SHEN, Z. (1995). Conversion of Class F Fly Ash to Zeolite. *Proc., Mater. Res. Soc. Symp., Advances in Porous Materials*, 371, 39-44.
- SIMÓN, M., ORTIZ, I., GARCÍA, I., FERNÁNDEZ, E., FERNÁNDEZ, J., DORRONSORO, C. y AGUILAR, J. (1999). Pollution of Soils by the Toxic Spill Heavy of a Pyrite Mine. *The Science of the Total Environment*, 242, 105-116.
- SING, K.S.W., EVERETT, D.H., HAUL, R.A.W., MOSCOU, L., PIEROTTI, R.A., ROUQUEROL, J. y SIEMIENIEWSKA, T. (1985). Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity. *Pure Appl. Chem.*, 57, 603-619.
- SINGER, A. y BERKGAUT, V. (1995). Cation Exchange Properties of Hidrothermally Treated Coal Fly Ash. *Environ. Sci. Technol.*, 29, 1748-1753.
- SMITH, I. (1987). Trace Elements from Coal Combustion: Emissions. *IEACR/01.IEA Coal Research*, 87.
- SOVA, Z., POHUNKOVA, H., REISNEROVA, H., SLAMOVA, A. y HAISL, K. (1991). *Act. Vet. BRNO* 60, 31-40.
- SRINIVASAN, A. y GRUTZECK, M.W. (1999). The Adsorption of SO<sub>2</sub> by Zeolites Synthesized from Fly Ash. *Environ. Sci. Technol.*, 33, 1464-1469.
- STÖBER, W. (1967). Formation of Silicic in aqueous suspensions of different silica modifications. In: Equilibrium Concepsts in Natural Water Systems. *Adv. Chem. Series*, Am. Chem. Soc., Washington, D.C, 67, 161-181.
- STOCH, L., KORDEK, M. y NADACHOWSKI, F. (1986). Processing of Some Non-Conventional Ceramic Raw Materials and By-Products. *Ceramics International*, 12, 4, 213-220.
- TAIT, J. y AULT, L. (1992). Development of analytical procedures for the determination of major and trace elements in geological materials by ICP-ES. Analytical Geochemistry Series, Technical Report WI/92/8. *British Geological Survey*, 72 p.
- TOMASEVIC-CANOVIC, M., DUMIC, M., VUKICEVIC, O., RADOSEVIC, P., RAJIC, I. y PALIC, T. (1995). *Act. Vet. (Belgrade)*, 44, 309-318.

- TRIMM, D.L. (1990). Catalysis in Petroleum Refining. *International Conference on Catalysis in Petroleum Refining*. Elsevier, Amsterdam.
- TURRO, N.J., HAN, N., LEI, X.G., FEHLNER, J.R. y ABRAMS, L. (1995). Mechanism of Dichlorination of n-Dodecane and Chlorination of 1-Chlorododecane Adsorbed on ZSM-5 Zeolite Molecular Sieves. A Supramolecular Structural Interpretation. *J. Am. Chem. Soc.*, 117, 4881-4893.
- UMAÑA, J.C. (2002). *Síntesis de zeolitas a partir de cenizas volantes de centrales termoeléctricas de carbón*. Tesis Doctoral. Consejo Superior de Investigaciones Científicas (CSIC) y Departament d'Enginyeria Minera i Recursos Naturals. Universitat Politècnica de Catalunya (UPC).
- UNE 83.200/84 y 83.415/87. Normas sobre las especificaciones que deben cumplir las cenizas volantes como aditivo al hormigón.  
<http://www.procuno.pta.es/images/ANEJO8.html>
- UNE 83.275/87. Norma sobre el correcto etiquetaje del aditivo.  
<http://www.procuno.pta.es/images/ANEJO8.html>
- VADILLO, L., LOPEZ, C., GONZALEZ, J., GONZALEZ, A., NAVARRO, E., y VAZQUEZ, A. (1995). *Manual de Reutilización de Residuos de la industria minera, siderometalúrgica y termoeléctrica*. Instituto Tecnológico Geominero de España, Madrid. 308p.
- VAN LIER, J. A., BRUYN, P. L. De, y OVERBEEK, J. T. G., (1960). The Solubility of Quartz. *Journal of Physical Chemistry*, 64, 1675-1682.
- WARD, T.L., WATKINS, K.L. y SOUTHERN, L.L. (1990). *Poult. Sci.*, 69, 276-280.
- WASAY, S.A. (1992). Leaching behaviour of trace toxic metals from fly ash, their seepage control to groundwater and utilisation of fly ash. *Journal of Environmental Science and Health* 27, 25-39.
- WATKINS, K.L. y SOUTHERN, L.L. (1992). *Poult. Sci.*, 71, 1048-1058.
- WILLEY, J.D. (1975). Reactions Which Remove Dissolved Alumina From Seawater. *Mar. Chem.* 3, 227-240.
- WILLIAMS, L.A., PARKS, G.A. y CRERAR, D.A. (1985). Silica diagenesis I. Solubility controls. *J.Sed Petrology* 55, 301-311.
- WILLIAMS, L.A. y CRERAR, D.A. (1985). Silica diagenesis II. General Mechanisms. *J.Sed Petrology* 55, 312-321.
- YOUNGER, P. L., (1997). The longevity of minewater pollution: a basis for decision-making. *Science of the Total Environment*, 194/195, 457-466.