

## **BIBLIOGRAFÍA**



## **BIBLIOGRAFÍA**

Aalbers TG, Houtman JPW, Makkink B. Trace-element concentrations in human autopsy tissue. *Clin Chem* 1987; 33: 2057-2064.

Adachi S, Takemoto K, Ohshima S et al. Metal concentrations in lung tissue of subjects suffering from lung cancer. *Int Arch Occup Environ Health* 1991; 63: 193-197.

Aguilar-Madrid G, Piacitelli G, Juárez-Pérez C. Exposición ocupacional a plomo inorgánico en una imprenta de la Ciudad de México. *Salud Pública Mex* 1999; 41: 42-54.

Al-Saleh IA, Al-Doush I. Sequential multielement analysis of Cd, Cr, Ni, and Pb in human tissues by Inductively Coupled Plasma Spectrometry. *Bull Environ Contam Toxicol* 1996; 57: 511-516.

American Academy of Pediatrics, Committees on Environmental Hazards and Accidental and Poison Prevention. Statement on childhood lead poisoning. *Pediatrics* 1993; 92(1): 176-183.

Antonowicz J, Andrzejak R, Kochel B. PARA, ACE, MAO, FEP levels and interactions in humans exposed chronically to heavy metals. En: *Metal Ions and Biology in Medicine*; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp 648-650.

ATSDR (Agency for Toxic Substances and Disease Registry). The nature and extent of lead poisoning in the United States: A Report to Congress. U.S., Department of Health and Human Services. 1998. Atlanta.

## **BIBLIOGRAFÍA**

ATSDR (Agency for Toxic Substances and Disease Registry). Toxicological profile for mercury. U.S. Department of Health and Human Service. 1990. Atlanta.

ATSDR (Agency for Toxic Substances and Disease Registry). Toxicological profile for vanadium. U.S. Department of Health and Human Service. 1992. Atlanta.

ATSDR (Agency for Toxic Substances and Disease Registry). Public Health Assessment Guidance Manual. U.S. Department of Health and Human Service. 1992. Atlanta.

ATSDR (Agency for Toxic Substances and Disease Registry). Toxicological profile for cadmium. U.S. Department of Health and Human Service. 1993. Atlanta.

ATSDR (Agency for Toxic Substances and Disease Registry). Toxicological profile for lead. U.S. Department of Health and Human Services. 1993. Atlanta.

Aubà J, Serrano M, Frutos D. Rendimiento de las pruebas de laboratorio en la detección de bebedores excesivos en el medio laboral. *Med Clin* 1993; 100: 5-8.

Aufderheide A, Wittmers L. Selected aspects of the spatial distribution of lead in bone. *NeuroToxicology* 1992; 13: 809-820.

Aumente MD, Panadero MD, Francisco MT, et al. Contaminación por aluminio de las soluciones de nutrición parenteral pediátrica. *Nutr Hosp* 1993; 8: 433-440.

## **BIBLIOGRAFÍA**

---

Azparren JE, Cesar Aragón A. Determinación de As en intoxicación subaguda y crónica. XIII Jornadas Españolas de Medicina Forense. 1987.

Ballester F, Tenías JM, Pérez-Hoyos S. Efectos de la contaminación atmosférica sobre la salud: una introducción. Rev Esp Salud Pública 1999. Marzo-Abril.

Ballesteros S, Ramón MF. Intoxicaciones domésticas por cosméticos. JANO 1996; 50: 1986-1989.

Baranowski J. Pb, Cd, Zn and Cu concentrations in human neonatal bones and livers measured by pulse differential polarography. En: Metal Ions and Biology in Medicine; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp. 569-570.

Bargagli R, Cateni D, Nelli L, et al. Environmental impact of trace element emissions from geothermal power plants. Arch Environ Contam Toxicol 1997; 33: 172-181.

Barman SC, Bhargava SK. Accumulation of heavy metales in soil and plants in industrially polluteds fields. Ecological I Environm Imp Ass 1997; 289-314.

Barregard L, Svalander C, Schütz A. Cadmium, mercury, and lead in kidney cortex of the general swedish population: a study of biopsies from living kidney donors. Environ Health Perspect 1999; 197: 867-871.

Behne D, Hammel C, Pfeifer H, et al. Speciation of selenium in the mammalian organism. Analyst 1998; 123: 871-873.

## **BIBLIOGRAFÍA**

Berkowitz GS, Moline JM, Todd AC. Methodological issues related to studies of lead mobilization during menopause. *Salud Publica Mex* 1999; 41: 88-92.

Biegalski S, Landsberger S, Hoff R. Source-receptor modeling using trace metals in aerosols collected at three rural canadian great lakes sampling stations. *J Air & Waste Manage Assoc* 1998; 48: 227-237.

Blanco AL, Alonso A, Jiménez O. Estudio de los niveles de plomo, cadmio, cinc y arsénic, en aguas de la provincia de Salamanca. *Rev Esp Salud Pública* 1998. Enero-Febrero.

Blanusa M, Kralj Z, Bunarevic A. Interaction of cadmium, zinc and copper in relation to smoking habit, age and histopathological finding in human kidney cortex. *Arch Toxicol* 1985; 58: 115-117.

Bona M-A, Castellano M, Plaza L. Determination of heavy metals in human liver. *Hum Exp Toxicol* 1992; 11: 311-314.

Bremner I, Beattie JH. Metallothionein and the trace minerals. *Annu Rev Nutr* 1990; 10: 63-83.

Buchman A, Keen C, Commisso J. The Effect of a marathon run on plasma and urine mineral and metal concentrations. *Am J Clin Nutr* 1998; 17: 124-127.

Casas J, López J P. Patrón de consumo juvenil de alcohol y problemas asociados. *Med Clin* 1996; 107: 544-548.

Chang LW and Cockerham L. Basic environmental toxicology. CRC Press, Florida 1994.

## **BIBLIOGRAFÍA**

Chiba M, Iyengar V, Greenberg RR. Determination of tin in biological materials by atomic absorption spectrophotometry and neutron activation analysis. *Sci Total Environ* 1994; 148: 39-44.

Chimenos E. Medicina bucal y toxicología: reacciones adversas a los metales. *JANO* 1998; 54: 108-116.

Cole P, Green L, Lash T L. Lifestyle determinants of cancer among danish mastic asphalt workers. *Regulatory Toxicol Pharm* 1999; 30: 1-8.

Concha G, Vogler G, Lezcano D. Exposure to inorganic arsenic metabolites during early human development. *Toxicol Sci* 1998; 44: 185-190.

Cornelis R, Borguet F, De Kimpe J. Trace elements in medicine. *Analytica Chimica Acta* 1993; 283: 183-189.

Cousins RJ. Absorption, transport, and hepatic metabolism of copper and zinc: special reference to metallothionein and ceruloplasmin. *Physiological Reviews* 1985; 65: 238-309.

Culebras A. The Environment and mental health: A guide for clinicians. *N Engl J Med* 1999; 340: 1051.

Delves H T, Gompertz D. Blood lead concentrations in United Kingdom have fallen substantially since 1984. *BMJ* 1996; 313: 883-884.

De Miguel E, Llamas JF, Chacón E. et al. Origin and patterns of distribution of trace elements in street dust: unleaded petrol and urban lead. *Atmospheric Environment* 1997; 31: 2733-2740.

## **BIBLIOGRAFÍA**

Diaz-Barriga F. Los residuos peligrosos en México. Evaluación del riesgo para la salud. *Salud Pública Mex* 1996; 38: 280-291.

Dina Van Renterghem, Cornelis R, Vanholder R. Radiochemical determination of twelve trace elements in human blood serum. *Analytica Chimica Acta* 1992; 257: 1-5.

Domingo JL, Gomez M, Sanchez DJ. Toxicology of vanadium compounds in diabetic rats: The action of chelating agents on vanadium accumulation. *Mol Cell Biochem* 1995; 153: 233-240.

Drasch G, Gath HJ, Heissler E, et al. Silver concentrations in human tissues. their dependence on dental amalgam and other factors. *J Trace Elem Med Biol* 1995; 9: 82-87.

Drasch G, Wanghofer E, Roider G. Correlation of mercury and selenium in the human kidney. *J Trace Elem Med Biol* 1996; 10: 251-254.

Drasch G, Wanghofer E, Roider G. Are blood, urine, hair, and muscle valid biomonitors for the internal burden of men with the heavy metals mercury, lead and cadmium? *Trace Elem Electr* 1997; 14: 116-123.

Elinder C G, Kjellström T, Fiberg L. Cadmium in kidney cortex, liver, and pancreas from swedish autopsies. *Arch Environ Health* 1976; 31: 292-300.

Elinder C G, Piscator M, Linnman L. Cadmium and zinc relationships in kidney cortex, liver, and pancreas. *Environ Res* 1977; 13: 432-440.



## **BIBLIOGRAFÍA**

Favier M, Hininger I. Oligoéléments: zinc, cuivre, sélénium, chrome. Conséquences d'une carence, d'un excès en oligoéléments et intérêt d'une supplémentation systématique. *J Gynecol Obstet Biol Reprod* 1997; 26: 109-114.

Feenstra O, Pridnig G, Drasch G. Association of blood cadmium levels to cigarette smoking in an environmentally cadmium-exposed population. En: *Metal Ions in Biology and Medicine*; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp 517-518.

Fent K. Ecotoxicology of organotin compounds. *Critical Rev Toxicol* 1996; 26: 1-117.

Fleming CR. Trace element metabolism in adult patients requiring total parenteral nutrition. *Am J Clin Nutr* 1988; 49: 573-579.

Forbes A, Jawhari A. Manganese toxicity and parenteral nutrition. *Lancet* 1996; 347: 1774.

Fortoul TI, Saldívar L, Tovar A. et al. Metales in lung tissue from autopsy cases in Mexico city residents: comparison of cases from 1950s and the 1980s. *Environ Health Perspect* 1996; 104: 630-2.

Franco-Vega L, Alvear G, Meza-Camacho C. La cerámica vidriada como factor de riesgo de exposición al plomo. *Salud Publica Mex* 1994;36: 148-153.

Fredriksson A, Shröder N, Eriksson P. Neonatal iron exposure induces neurobehavioural dysfunctions in adult mice. *Toxicology and Applied Pharmacology* 1999; 159: 25-30.

## **BIBLIOGRAFÍA**

Gallagher R E. Arsenic- new life for an old potion. N Engl J Med 1998; 339: 1389-1391.

García Ariño C. Síntesis diagnóstica de las enfermedades profesionales producidas por metales, productos químicos y agentes vivos. Ed MAPFRE. 1996.

Garrido-Lestache R. Análisis toxicológico durante la autopsia. XIII Jornadas Españolas de Medicina Forense. 1987.

Garzon P, Eisenberg M. Variation in the mineral content of commercially available bottled waters: Implications for Health and Disease. Am J Med 1995; 105: 125-130.

Gascó P. Alcohol y Tráfico. Instituto Nacional de Toxicología. 1994. Ministerio de Justicia.

Georgiou Z, Santas R, Flessuras I, et al. Blood cadmium concentrations in professionally exposed adults. En: Metal Ions in Biology and Medicine; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp. 602-604.

Gerhardsson L, Englyst V, Lundström N-G. Lead in tissues of diseased lead smelter workers. J Trace Elements Med Biol 1995; 9: 136-143.

Gerhardsson L, Nordberg G F. Lung cancer in smelter workers- interactions of metals as indicated by tissue levels. Scand J Work Environ Health 1993; 19 suppl 1: 90-94.

Gisbert JA. Medicina legal y toxicología. Ed Masson, Barcelona, 1998.

## **BIBLIOGRAFÍA**

---

González MM.. Elementos traza en biopatología y neuropsicología. Ed MAPFRE Madrid, 1996.

González M, Banderas JA, Raya C, et al. Cuantificación de plomo, cadmio y cromo mediante sialoquímica. *Salud Publica Mex* 1997; 39: 179-186.

González-Reimers E, Martínez-Riera A, Santolaria-Fernandea F. Relative and combined effects of ethanol and protein deficiency on zinc, iron, copper, and manganese contents in different organs and urinary and fecal excretion. *Alcohol* 1998; 16: 7-12.

Gottlieb S. Sustained fall in UK blood lead levels reported. *BMJ* 1998; 317: 99.

Gottschalk LA, Rebello T, Buchsbaum MS, et al. Abnormalities in hair trace elements as indicators of aberrant behavior. *Comprehensive Psychiatry* 1991; 32: 229-237.

Goyer RA. Toxic effects of metals. En: Klaassen CD (ed) *Casarett and Doull's Toxicology. The Basic Science of Poisons*. McGrawHill, New York, 1996.

Grandjean P, Weihe P. A new era of mercury hazards. *Environ Res* 1998; 77: 67.

Haber LT, Allen B, Kimmel CA. Non-cancer risk assessment for nickel compounds: issues associated with dose-response modeling of inhalation and oral exposures. *Toxicol Sci* 1998; 43: 213-219.

Hamilton A., Reznikoff P, Burham G. Tetraetilo de Plomo. *Salud Publica Mex* 1993; 35, nº 5.

## **BIBLIOGRAFÍA**

---

Harrison. Principios de medicina interna. Ed McGraw-Hill, Madrid, 1990.

Hidalgo E, Repetto FE. Difusión y distribución posmortem de Tóxicos. Estudio experimental. Cuad Med For 1998; 11: 11-30.

Honda R, Tsuritani I, Ishizaki M. Zinc and copper levels in ribs of cadmium-exposed persons with special reference to osteomalacia. Environ Res 1997; 75: 41-48.

Honda R, Nogawa K. Cadmium, zinc and copper relationships in kidney and liver of humans exposed to environmental cadmium. Arch Toxicol 1987; 59: 437-442.

Ibañez N, Montoro R. Trace element food toxicology: an old and ever-growing discipline. Critical reviews in Food Science and Nutrition 1996; 36: 299-320.

Iyengar G V. Reference values for the concentrations of As, Cd, Co, Cr, Cu, Fe, I, Hg, Mn, Mo, Ni, Pb, Se, and Zn in selected human tissues and body fluids. Biol Trace Elem Res 1987; 12: 263-295.

Jamett A, Santander M, Peña L, et al. Trace elements in the hair of workers of a copper mine and children living in the vicinity. J Radioanal Nucl Chem Letters 1991; 155 (6) 283-389.

Jiménez C, Romieu I, Palazuelos E, et al. Factores de exposición ambiental y concentraciones de plomo en sangre en niños de la Ciudad de México. Salud Publica Mex 1993; 35: 599-606.

## **BIBLIOGRAFÍA**

Jones RR. Environmental lead and children's intelligence. *BMJ* 1995; 310:397.

Kaise T, Watanabe S, Itoh K. The acute toxicity of arsenobetaine. *Chemosphere* 1985; 14: 1327-1332.

Kent H. Vanadium for diabetes. *CMAJ* 1999; 160: 17.

Kido T, Tsuritani I, Honda R. Selenium, zinc, copper and cadmium concentration in livers and kidneys of people exposed to environmental cadmium. *J Trace Elem Electrolytes Health Dis* 1988; 2: 101-104.

Kilerich S, Dietrichson O, Loud FB. Zinc depletion in alcoholic liver disease. *Scand J Gastroenterol* 1980; 15: 363-367.

Koizumi N, Hatayama F, Sumino K. Problems in the analysis of cadmium in autopsies tissues. *Environ Res* 1994; 64: 192-198.

Koizumi N, Inoue Y, Ninomiya R et al. Relationship of cadmium accumulation to zinc or copper concentration in horse liver and kidney. *Environ Res* 1989; 49: 104-114.

Kollmeier H, Seeman J W, Rothe G. Age, sex, and region adjusted concentrations of chromium and nickel in lung tissue. *Br J Ind Med* 1990; 47: 682-687.

Kornhuber J, Lange KW, Kruzik P. Iron, copper, zinc, magnesium, and calcium in postmortem brain tissue from schizophrenic patients. *Biol Psychiatry* 1994; 36: 31-34.

## **BIBLIOGRAFÍA**

Krachler M, Habersack-Wallner S, Eber B et al. Influence of a low-fat diet and activity program on the trace element status of patients with coronary heart disease. En: Metal Ions in Biology and Medicine; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp 560-562.

Kucera J, Bencko V, Sabbioni E, et al. Review of trace elements in blood, serum and urine for the Czech and Slovak populations and critical evaluation of their possible use as reference values. Sci Total Environ 1995; 166: 211-234.

Kurisaki E, Kuroda Y, Sato M. Copper-binding protein in acute copper poisoning. For Sci Int 1988; 38: 3-11.

Kusaka Y, Zhang Q, Satoh K et al. Which is more immunotoxic to the respiratory system, ionic or metallic cobalt?. En: Metal Ions in Biology and Medicine; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp 611-613.

Ladrón de Guevara J. Toxicología médica. Ed McGraw-Hill Madrid, 1995.

Latimer J, Hoffman EJ, Hoffmann G et al. Sources of petroleum hydrocarbons in urban runoff. Water, air, and soil pollution 1990; 52: 1-21.

Leonhardt W, Kurktschiev T, Meissner D et al. Effects of fluvastatin therapy on lipids, antioxidants, oxidation of low density lipoproteins and trace metals. Eur J Clin Pharmacol 1997; 53: 65-69.

Liou S, Wu T, Chiang H. Blood lead levels in the general populations of Taiwan, Republic of China. Int Arch Occup Environ Health 1994; 66: 255-260.

## **BIBLIOGRAFÍA**

---

Liou S, Wu T, Chiang H. Blood lead levels in taiwanese adults and influencing factors. *Sci Total Environ* 1996; 180: 211-219.

Liou S, Wu T, Chiang H. Three-year survey of blood lead levels in 8828 taiwanese adults. *Int Arch Occup Environ Health* 1996; 68: 80-87.

Llobet JM, Granero S, Schuhmacher M, Corbella J, Domingo J.L. Biological monitoring of environmental pollution and human exposure to metals in Tarragona, Spain. II. Levels in autopsy tissues. *Trace Elem Elec* 1998; 15: 44-49.

Llobet JM, Granero S, Schuhmacher M, Corbella J, Domingo J.L. Biological monitoring of environmental pollution and human exposure to metals in Tarragona, Spain IV. Estimation of the dietary intake. *Trace Elem Elec* 1998; 15: 136-141.

Llobet JM, Granero S, Torres A, Schumacher M, Domingo J.L. Biological monitoring of environmental pollution and human exposure to metals in Tarragona, Spain. III. Blood levels. *Trace Elem Elec* 1998; 15: 76-80.

López-Artigues M, Cameán A, González G, Repetto M. Cadmium concentrations in human renal cortex tissue (necropsies). *Bull Environ Contam Toxicol* 1995; 54: 841-847.

López-Artigues M, Cameán A, González G, Repetto M. Metal accumulation in human kidney cortex: mutual interrelations and effects of human factors. *Human & Experimental Toxicology* 1995; 14: 335-340.

López-Artigues M, Soria ML, Cameán A, Repetto M. Cadmium in the diet of the local population of Seville (Spain). *Bull Environ Contam Toxicol* 1993; 50:417-424.

## **BIBLIOGRAFÍA**

Lyon TDB, Fell GS. Trace elements in autopsy tissue. Food Chemistry 1992; 43: 299-306.

Lyon TDB, Fell GS, Halls DJ. et al. Determination of nine inorganic elements in human autopsy tissue. J Trace Elem Electrolytes Health Dis 1989; 3: 109-118.

Mackey EA, Demiralp R, Fitzpatrick KA. et al. Quality assurance in analysis of cryogenically stored liver tissue specimens from the NIST National Biomonitoring Specimens Bank. Sci Total Environ 1999; 226: 165-176.

Macready N. Zinc supplements improve children's health. BMJ 1998; 317: 369.

Mai S, Alsen-Hinrichs C. Present state of age-dependent and sex-dependent cadmium accumulation in the human kidney cortex. Gesundheitswesen 1997; 59: 332-337.

Maloney S, Phillips C, Mills A. Mercury in the hair of crematoria workers. Lancet 1998; 352: 1602.

Manual Merck de diagnóstico y terapéutica. Ed Merck Sharp & Dohme Research Laboratories, San Diego, 1980.

Marhuenda D, Martí JB, Cabo M, Cardona A.. Comparison of 2 mineralization methods in the analysis of metal traces in the teeth of the population of the South East of Alicante Province, Spain. Trace Elem. Elect 1997; 14: 91-95.



## **BIBLIOGRAFÍA**

---

Marlowe M. Mercury, lead and cadmium levels and children's psychometric performance. En: *Metal Ions in Biology and Medicine*; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp. 657-659.

Matsuo N, Suzuki T. Mercury concentration in organs of contemporary Japanese. *Ar Environ Health* 1989; 44: 5.

Meghji S, Haque MF, Harris M. Oral submucous fibrosis and copper. *Lancet* 1997; 350: 220.

Mergler D. Neurotoxic effects of low level exposure to manganese in human populations. *Environ Res* 1999; 80: 99-102.

Mielke HW, Gonzales CR, Smith M.K. The urban environment and children's health: soils as an integrator of Lead, Zinc, and Cadmium in New Orleans, Louisiana, USA. *Environ Res* 1999; 81: 117-129.

Millstone E, Russell J. Britain must replace its lead pipes to meet WHO standards for drinking water. *BMJ* 1995; 310: 1408-1409.

Minoia C, Sabbioni E, Ronchi A. Trace element reference values in tissues from inhabitants of the European Community. Iv. Influence of dietary factors. *Sci Total Environ* 1994; 141: 181-195.

Mochegiani E, Santarelli L, Fabris N. Zinc, human diseases and aging. En: *Metal Ions in Biology and Medicine*; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp 566-568.

Moline JM, Golden AL, Todd AC. Lead exposure among young urban women. *Salud Publica Mex* 1999; 41: 82-97.

## **BIBLIOGRAFÍA**

---

Monaci F., Bargagli R. Barium and other trace metals as indicators of vehicle emissions. *Water, Air, and Soil Pollution* 1997; 100: 89-98.

Murphy DM, Thomson DS, Mahoney MJ. In situ measurements of organics, meteoritic material, mercury, and other elements in aerosols at 5 to 19 Kilometers. *Science* 1998; 282: 1664-1669.

Nierenberg D, Nordgren R, Chang M. Delayed cerebellar disease and death after accidental exposure to dimethylmercury. *N Engl J Med* 1998; 338: 1672-1676.

Nielsen FH. Nickel handbook on the toxicology of metals (2<sup>nd</sup> edition) Ed L. Friberg, G.F. Nordberg and V. Vouk, Elsevier Science Publishers, Amsterdam, 1987.

Nilsson U, Schütz A, Bensryd I. Cadmium levels in kidney cortex in swedish farmers. *Environ Res* 2000; 82: 53-59.

Nishijo M, Nakagawa H, Morikawa Y et al. Clinical courses and prognosis of itai-itai disease patients induced by chronic cadmium exposure. En: *Metal Ions in Biology and Medicine*; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp 608-610.

Nogawa K, Honda R, Yamada Y. Iron concentrations in liver and kidney of cadmium-exposed human subjects. *Toxicology Letters* 1984; 00: 209-212.

Nogawa K, Honda R, Yamada Y. et al. Critical concentration of cadmium in kidney cortex of human exposed to environmental cadmium. *Environ Res* 1986; 40: 251-260.

## **BIBLIOGRAFÍA**

Nolla J. Intoxicacion aguda por productos industriales. JANO 1996;50: 137-139.

Nriagu JO. A history of global metal pollution. Science 1996; 272: 223-224.

Nuyts GD, Van Vlem E, Thys J. New occupational risk factors for chronic renal failure. Lancet 1995; 346: 7-11.

Pääkkö P, Kokkonen P, Anttila S. Cadmium and chromium as markers of smoking in human lung tissue. Environ Res 1989; 49: 197-207.

Pandya CB, Parikh DJ, Patel TS. Accumulation and interrelationship of cadmium and zinc in human kidney cortex. Environ Res 1985; 36: 81-88.

Pedersen GA, Mortensen GK, Larsen EH. Beverages as a source of toxic trace element intake. Food Additives and Contaminants 1994; 3: 351-363.

Piscator M, Lind B. Cadmium, zinc, copper, and lead in human renal cortex. Arch Environ Health 1972; 24: 426-431.

Raithel HJ, Schaller KH, Akslen LA, Myking AO, Morkve O, Gulsvik A.. Analyses of chromium and nickel in human pulmonary tissue. Int Arch Occup Environ Health 1989; 61: 507-512.

Ramón MF, Ballesteros S. Intoxicación por insecticidas del hogar. JANO 1996; 50: 1990-1993.

Real Decreto 403/2000, de 24 de marzo por el que se prohíbe la comercialización de gasolinas con plomo.

## **BIBLIOGRAFÍA**

---

Repetto M. Ed. Toxicología avanzada. Madrid: Diaz de Santos, 1995.

Repetto MR. Intoxicaciones por disolventes, pinturas, lacas y barnices de uso doméstico. JANO 1996; 50: 1994-1996

Repetto MR, Del peso A, José-Guijarro R, Repetto G. Problemática actual de la intoxicación por plomo. JANO 1998; 54: 705-712.

Robert M. Dégradation de la qualité dels sols: risques pour la santé et l'environnement. Bull Acad Natle Méd 1997; 181: 21-42.

Rojas E, Herrera LA, Poirier LA. Are metals dietary carcinogens?. Mutat Res 1999; 443: 157-181.

Rosado J.L. Deficiencia de zinc y sus implicaciones funcionales. Salud Publica Mex 1998; 40: 181-188.

Rosado JL, Bourges H, Saint-Martin B. Deficiencia de vitaminas y minerales en México. Una revisión crítica del estado de la información: I. Deficiencia de minerales. Salud Publica Mex 1995; 37: 130-139.

Rükgauer M, Klein J, Kuse-Jarres D. Reference values for the trace elements copper, manganese, selenium, and zinc in the serum/plasma of children, adolescents, and adults. J Trace Elements Med Biol 1997 11: 92-98.

Saavedra P, Arrieta F J, Jorge A, Mateos C J et al. Relationship between chromium levels in plasma and urine and some metabolic alterations associated with diabetes mellitus related to cardiovascular accidentes. En: Metal Ions in Biology and Medicine; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet.1996, pp. 589-591.

## **BIBLIOGRAFÍA**

Sabbioni E, Kueerab J, Pietraa R. A critical review on normal concentrations of vanadium in human blood, serum, and urine. *Sci Total Environ* 1996; 188: 49-58.

Saltzman B, Gross S, Yeager D, Meiners B, Gartside P. Total body burdens and tissue concentrations of lead, cadmium, copper, zinc, and ash in 55 human cadavers. *Environ Res* 1990; 52: 126-145.

Sandroni V, Migon C. Significance of trace metal medium-range transport in the western Mediterranean. *Sci. Total Environm* 1997; 196: 83-89.

Sanz-Gallen P, Nogué S. Efectos de la contaminación atmosférica de origen químico sobre la salud. *Med Clin* 1997; 108: 615-617.

Sandstead H. Requirements and toxicity of essential trace elements, illustrated by zinc and copper. *Am J Clin Nutr* 1995; 61: 621S-4S.

Sanín LH, Gonzalez-Cossío T, Romieu I. Acumulación de plomo en hueso y sus efectos en la salud. *Salud Pública Mex* 1998; 40: 359-368.

Sato M, Nagai Y, Bremner I. Urinary excretion of metallothionein-I and its degradation products in rats treated with cadmium, copper, zinc and mercury. *Toxicology* 1989; 56: 23-33.

Savory J, Wills MR Trace metals: essential nutrients or toxins. *Clin Chem* 1992; 38: 1565-1573.

Sazawal S, Bentley M, Black R. Effect of zinc supplementation on observed activity in low socioeconomic indian preschool children. *Pediatrics* 1996; 98: 1132-1137.

## **BIBLIOGRAFÍA**

---

Schuhmacher M, Batista J, Bosque MA, Domingo JL, Corbella J. Mercury concentrations in marine species from the coastal area of Tarragona Province, Spain. Dietary intake of mercury through fish and seafood consumption. *Sci Total Environ* 1994 a; 156: 269-273.

Schuhmacher M, Bosque MA, Domingo JL, Corbella J. Lead and cadmium concentrations in autopsy tissues of inhabitants of Tarragona Province, Spain. *Trace Elem Med* 1993; 10: 115-119.

Schuhmacher M, Batista J, Domingo JL, Corbella J. Mercury concentrations in autopsy tissues from inhabitants of Tarragona Province, Spain. *Trace Elem Elect* 1996; 13: 75-79.

Schuhmacher M, Domingo JL, Llobet JM, Corbella J. Determination of copper, chromium, and zinc in human autopsy tissues of inhabitants of Northeast Spain. *J. Occup Med Tox* 1992; 1: 361-369.

Scott R, Aughey E, Fell GS. Cadmium concentrations in human kidney from the UK. *Human Toxicol* 1987; 6: 111-119.

Sheets RW. Release of heavy metals from European and Asian porcelain dinnerware. *Sci Total Environ* 1998; 212: 107-113.

Shukla VK, Singh S. Biliary heavy metal concentrations in carcinoma of the gall bladder: case-control study. *BMJ* 1998; 317: 1288-1289.

Soengas JA, San Miguel A, Gonzalez M, Lopez R. Metales en el organismo: patologías y métodos de determinación. *JANO* 1997; 53: 1973-1984.

## **BIBLIOGRAFÍA**

Spevackova V, Kratzer K, Cejchanová M et al. Determination of some metales in biological samples for monitoring purposes. *Centr eur J publ Hlth* 1997; 4: 177-179.

Spickett JT, Lazner J. Cadmium concentrations in human kidney and liver tissues from Western Australia. *Bull Environm Contam Toxicol* 1979; 23: 627-630.

Staes C, Matte T, Staeling N. Lead poisoning deaths in the United States, 1979 trough 1988. *JAMA* 1995; 273: 847-848.

Staessen JA, Roels HA, Emelianov D. Environmental exposure to cadmium, forearm bone density, and risk of fractures: prospective population study. *Lancet* 1999; 353: 1140-1144.

Staessen JA, Robert R, Ide G. Renal function and historical environmental cadmium pollution from zinc smelters. *Lancet* 1994; 343: 1523-1527.

Subramanian KS, Meranger JC, Burnett RT. Kidney and liver levels of some major, minor and trace elements in two Ontario communities. *Sci Total Environ* 1985; 42: 223-235.

Sumino K, Hayakawa K, Shibata T. Heavy metals in normal japanese tissues. *Arch Environ Health* 1975; 30: 487-494.

Suzuki T, Hongo T, Yoshinaga J, Imai H, Nakazawa M, Matsuo N The hair-organ relationship in mercury concentration in contemporany japanese. *Arch. Environ. Health* 1993; 48: 221-229.

## **BIBLIOGRAFÍA**

Takács S, Tatár A. Trace elements in the environment and in human organs. *Environ Res* 1987; 42: 312-320.

Takemoto K, Kawai H, Kuwahara T, Nishina M, Adachi S. Metal concentrations in human lung tissue, with special reference to age, sex, cause of death, emphysema and contamination of lung tissue. *Int Arch Occup Environ Health* 1991; 62: 579-586.

Tena G. Importancia del análisis toxicológico forense. XII Jornadas Médico-Forenses Españolas. 1985.

Tiran B, Karpf E, Tiran A. Age dependency of selenium and cadmium content in human liver, kidney, and thyroid. *Arch Environ Health* 1995; 50: 242-246.

Tong S, Mudge J. Lifetime exposure to environmental lead and children's intelligence at 11-13 years: the Port Pirie cohort study. *BMJ* 1996; 312: 1569-1572.

Torres-Sánchez L, López-Carrillo L, Rios C. Eliminación del plomo por curado casero. *Salud Publica Mex* 1999; 41: 106-108.

Treble R, Thompson T. Preliminary results of a survey of lead levels in human liver tissue. *Bull Environ Contam Toxicol* 1997; 59(5): 688-695.

Treble R, Thompson T, Lynch H. Determination of copper, manganese and zinc in human liver. *BioMetals* 1998; 11: 49-53.

Tsuchiyama F, Hisanaga N, Shibata E. Pulmonary metal distribution in urban dwellers. *Int. Arch. Occup. Environ. Health* 1997; 70: 77-84.



## **BIBLIOGRAFÍA**

---

Urrutia A., Contel E. Intoxicación por plomo. *7DM* 1998; 366: 65-68.

Usero J, Gamero M, Morillo J., Gracia I. Comparative study of three sequential extraction procedures for metales in marine sediments. *Environ Intern* 1998; 24: 487-496.

Wanghofer E, Drasch G, Roider G. Correlation of mercury concentration in human kidney, blood, urine and hair of the scalp. En: *Metal Ions in Biology and Medicine*; vol 4. Eds. Ph. Collery, J. Corbella, J.L. Domingo, J.C. Etienne, J.M. Llobet. 1996, pp 632-634.

Wasser W, Yusuf S, D'Agati V. Over-the-counter chromium and renal failure. *Ann Intern Med* 1997; 127: 656.

Watt G C M, Womersley J. Is lead in tap water still a public health problem? An observational study in Glasgow. *BMJ* 1996; 313: 979-981.

Watanabe T, Nakatsuka H, Shimbo S. Reduced cadmium and lead burden in Japan in the past 10 years. *Int Arch Occup Environ Health* 1996; 68: 305-314.

Weiner JA, Nylander M. The relationship between mercury concentration in human organs and different predictor variables. *The Science Total Environ* 1993; 138: 101-115.

WHO (1981) Arsenic- Environmental Health Criteria 18. World Health Organisation. Geneva.

WHO (1992). Cadmium (Environmental Health Criteria nº 134). Geneva

Winneke G. Zinc to prevent lead poisoning. *Can Med Assoc J* 1996; 154: 1622-1623.

## **BIBLIOGRAFÍA**

---

Wittmers L, Aufderheide A. Lead in bone. Distribution of lead in the human skeleton. *Ar Environ Health* 1988; 43: 381-391.

Wu T, Shen C, Liou S. The epidemiology and surveillance of blood lead in Taiwan (R.O.C.): A report on the PRESS-BLL project. *Int Arch Occup Environ Health* 1997; 69: 386-391.

Xia Yi-Ming. Trace elements in health and diseases. *Biomed Environ Scien* 1996; 9: 130-136.

Yanmanaka O, Kobayashi E, Nogawa K. Association between renal effects and cadmium exposure in cadmium-nonpolluted area in Japan. *Environ Res* 1998; 77: 1-8.

