



**Importancia de la metilación y sumoilación de la coilina  
y del factor de supervivencia de las motoneuronas  
en el ensamblaje del cuerpo nuclear de Cajal**

**Tesis doctoral presentada por Olga Tapia Martínez  
para optar al Grado de Doctor por la Universidad de Cantabria  
Santander, Julio 2009**

## ***7. Bibliografía***

- Abraham, J., H.M. Earl, P.D. Pharoah, and C. Caldas. 2006. Pharmacogenetics of cancer chemotherapy. *Biochim Biophys Acta.* 1766:168-83.
- Ahmad, Y., F.M. Boisvert, P. Gregor, A. Cobley, and A.I. Lamond. 2009. NOPdb: Nucleolar Proteome Database--2008 update. *Nucleic Acids Res.* 37:D181-4.
- Alberts, D., A. Johnson, J. Lewis, M. Raff. 2008. Molecular biology of the cell. *Ed. Garland Science, Taylor & Francis Group, New York.*
- Alvarez, D., C.J. Chou, L. Latella, S.G. Zeitlin, S. Ku, P.L. Puri, P.B. Dervan, and J.M. Gottesfeld. 2006. A two-hit mechanism for pre-mitotic arrest of cancer cell proliferation by a polyamide-alkylator conjugate. *Cell Cycle.* 5:1537-48.
- Allison, S.J., and J. Milner. 2003. Loss of p53 has site-specific effects on histone H3 modification, including serine 10 phosphorylation important for maintenance of ploidy. *Cancer Res.* 63:6674-9.
- Andersen, J.S., Y.W. Lam, A.K. Leung, S.E. Ong, C.E. Lyon, A.I. Lamond, and M. Mann. 2005. Nucleolar proteome dynamics. *Nature.* 433:77-83.
- Andrade, L.E., E.K. Chan, I. Raska, C.L. Peebles, G. Roos, and E.M. Tan. 1991. Human autoantibody to a novel protein of the nuclear coiled body: immunological characterization and cDNA cloning of p80-coilin. *J Exp Med.* 173:1407-19.
- Avila M.A., E.R. García-Trevijano, S.C. Lu, F.J. Corrales and J.M. Mato. 2004. Methylthioadenosine. *Int J Biochem Cell Biol.* 36:2125-2130.
- Baldwin, G.S., and P.R. Carnegie. 1971. Isolation and partial characterization of methylated arginines from the encephalitogenic basic protein of myelin. *Biochem J.* 123:69-74.
- Baltrons, M.A., P. Pifarre, M.T. Berciano, M. Lafarga, and A. Garcia. 2008. LPS-induced down-regulation of NO-sensitive guanylyl cyclase in astrocytes occurs by proteasomal degradation in clastosomes. *Mol Cell Neurosci.* 37:494-506.
- Bartel R.L. and R.T. Borchardt. 1984. Effects of adenosine dialdehyde on S-adenosylhomocysteine hydrolase and S-adenosylmethionine-dependent transmethylations in mouse L929 cells. *Mol Pharmacol.* 25:418-24.
- Basu I., G. Codovano, I. Das, T.J. Belbin, C. Guha and V.L. Schramm. 2007. A transition state analog of 5'-methylthioadenosine phosphorylase induces apoptosis in head and neck cancers. *J Biol Chem.* 282:21477-21486.

- Batty, E., K. Jensen, and P. Freemont. 2009. PML nuclear bodies and their spatial relationships in the mammalian cell nucleus. *Front Biosci.* 14:1182-96.
- Bedford, M.T., and S.G. Clarke. 2009. Protein arginine methylation in mammals: who, what, and why. *Mol Cell.* 33:1-13.
- Berciano, M.T., N.T. Villagra, E. Pena, J. Navascues, I. Casafont, and M. Lafarga. 2002. Structural and functional compartmentalization of the cell nucleus in supraoptic neurons. *Microsc Res Tech.* 56:132-42.
- Berciano, M.T., M. Novell, N.T. Villagra, I. Casafont, R. Bengoechea, J.F. Val-Bernal, and M. Lafarga. 2007. Cajal body number and nucleolar size correlate with the cell body mass in human sensory ganglia neurons. *J Struct Biol.* 158:410-20.
- Bernardi, R., and P.P. Pandolfi. 2007. Structure, dynamics and functions of promyelocytic leukaemia nuclear bodies. *Nat Rev Mol Cell Biol.* 8:1006-16.
- Bisogna, M., J.E. Calvano, G.H. Ho, I. Orlow, C. Cordon-Cardo, P.I. Borgen, and K.J. Van Zee. 2001. Molecular analysis of the INK4A and INK4B gene loci in human breast cancer cell lines and primary carcinomas. *Cancer Genet Cytogenet.* 125:131-8.
- Boisvert, F.M., J. Cote, M.C. Boulanger, P. Cleroux, F. Bachand, C. Autexier, and S. Richard. 2002. Symmetrical dimethylarginine methylation is required for the localization of SMN in Cajal bodies and pre-mRNA splicing. *J Cell Biol.* 159:957-69.
- Boisvert, F.M., S. van Koningsbruggen, J. Navascues, and A.I. Lamond. 2007. The multifunctional nucleolus. *Nat Rev Mol Cell Biol.* 8:574-85.
- Brahms, H., J. Raymackers, A. Union, F. de Keyser, L. Meheus, and R. Luhrmann. 2000. The C-terminal RG dipeptide repeats of the spliceosomal Sm proteins D1 and D3 contain symmetrical dimethylarginines, which form a major B-cell epitope for anti-Sm autoantibodies. *J Biol Chem.* 275:17122-9.
- Brahms, H., L. Meheus, V. de Brabandere, U. Fischer, and R. Luhrmann. 2001. Symmetrical dimethylation of arginine residues in spliceosomal Sm protein B/B' and the Sm-like protein LSM4, and their interaction with the SMN protein. *Rna* 7:1531-42.
- Branscombe, T.L., A. Frankel, J.H. Lee, J.R. Cook, Z. Yang, S. Pestka, and S. Clarke. 2001. PRMT5 (Janus kinase-binding protein 1) catalyzes the formation of symmetric dimethylarginine residues in proteins. *J Biol Chem.* 276:32971-6.

- Cajal, S.R. 1903. Un sencillo método de coloración selectiva del retículo protoplasmático y sus efectos en los diversos órganos nerviosos de vertebrados e invertebrados. *Trab Lab Invst Biol.* 2:129-221.
- Cajal, S.R. 1909. Histologie du système nerveux de l'homme et des vertèbrés. Maloine, Paris.
- Cajal, S.R. 1910. El núcleo de las neuronas piramidales del cerebro humano y de algunos mamíferos. *Trab Lab Invst Biol.* 8:27-62.
- Carissimi, C., L. Saieva, F. Gabanella, and L. Pellizzoni. 2006. Gemin8 is required for the architecture and function of the survival motor neuron complex. *J Biol Chem.* 281:37009-16.
- Carmo-Fonseca, M., J. Ferreira, and A.I. Lamond. 1993. Assembly of snRNP-containing coiled bodies is regulated in interphase and mitosis--evidence that the coiled body is a kinetic nuclear structure. *J Cell Biol.* 120:841-52.
- Carmo-Fonseca, M., L. Mendes-Soares, and I. Campos. 2000. To be or not to be in the nucleolus. *Nat Cell Biol.* 2:E107-12.
- Carrozza, M.J., T. Kusch, J.L. Workman. 2003. Repairing nucleosomes during transcription. *Nat Struct Biol.* 10:879-880.
- Carvalho, T., F. Almeida, A. Calapez, M. Lafarga, M.T. Berciano, and M. Carmo-Fonseca. 1999. The spinal muscular atrophy disease gene product, SMN: A link between snRNP biogenesis and the Cajal (coiled) body. *J Cell Biol.* 147:715-28.
- Casafont, I., J. Navascues, E. Pena, M. Lafarga, and M.T. Berciano. 2006. Nuclear organization and dynamics of transcription sites in rat sensory ganglia neurons detected by incorporation of 5'-fluorouridine into nascent RNA. *Neuroscience* 140:453-62.
- Casafont, I., R. Bengoechea, J. Navascues, E. Pena, M.T. Berciano, and M. Lafarga. 2007. The giant fibrillar center: a nucleolar structure enriched in upstream binding factor (UBF) that appears in transcriptionally more active sensory ganglia neurons. *J Struct Biol.* 159:451-61.
- Ceccattelli S., M.J. Villar, M. Goldstein, T. Hokfet. 1989. Expression of c-fos immunoreactivity in transmitter-characterized neurons after stress. *Proc Natl Acad Sci USA.* 86:9569-9573.

- Celeste, A., O. Fernandez-Capetillo, M.J. Kruhlak, D.R. Pilch, D.W. Staudt, A. Lee, R.F. Bonner, W.M. Bonner, and A. Nussenzweig. 2003. Histone H2AX phosphorylation is dispensable for the initial recognition of DNA breaks. *Nat Cell Biol.* 5:675-9.
- Cioce, M., and A.I. Lamond. 2005. Cajal bodies: a long history of discovery. *Annu Rev Cell Dev Biol.* 21:105-31.
- Cioce M., S. Boulon, A.G. Matera and A.I. Lamond. 2006. UV-induced fragmentation of Cajal bodies. *J Cell Biol.* 6:401-13.
- Chan, E.K., S. Takano, L.E. Andrade, J.C. Hamel, and A.G. Matera. 1994. Structure, expression and chromosomal localization of human p80-coilin gene. *Nucleic Acids Res.* 22:4462-4469.
- Chen T., F.M. Boisvert, D.P. Bazett-Jones and S. Richard. 1999. A role for the GSG domain in localizing Sam68 to novel nuclear structures in cancer cell lines. *Mol Biol Cell.* 10:3015-33.
- Chen Z.H., O.I. Olopade and T.M. Savarese. Expression of methylthioadenosine phosphorylase cDNA in p16-, MTAP- malignant cells: restoration of methylthioadenosine phosphorylase-dependent salvage pathways and alterations of sensitivity to inhibitors of purine de novo synthesis. *Mol Pharmacol.* 52:903-11.
- Ching, R.W., G. Dellaire, C.H. Eskiw, and D.P. Bazett-Jones. 2005. PML bodies: a meeting place for genomic loci? *J Cell Sci.* 118:847-54.
- Costelloe, T., J. Fitzgerald, N.J. Murphy, A. Flaus, and N.F. Lowndes. 2006. Chromatin modulation and the DNA damage response. *Exp Cell Res.* 312:2677-86.
- Côté, J., F.M. Boisvert, M.C. Boulanger, M.T. Bedford, S. Richards. 2003. Sam68 RNA binding protein is an in vivo substrate for protein arginine N-methyltransferase 1. *Mol Biol Cell.* 14:274-87.
- Cremer, T., M. Cremer, S. Dietzel, S. Muller, I. Solovei, and S. Fakan. 2001. Chromosome territories--a functional nuclear landscape. *Curr Opin Cell Biol.* 18:307-16.
- Cremer, T., and C. Cremer. 2006a. Rise, fall and resurrection of chromosome territories: a historical perspective. Part I. The rise of chromosome territories. *Eur J Histochem.* 50:161-76.

- Cremer, T., and C. Cremer. 2006b. Rise, fall and resurrection of chromosome territories: a historical perspective. Part II. Fall and resurrection of chromosome territories during the 1950s to 1980s. Part III. Chromosome territories and the functional nuclear architecture: experiments and models from the 1990s to the present. *Eur J Histochem.* 50:223-72.
- Darzacq, X., B.E. Jady, C. Verheggen, A.M. Kiss, E. Bertrand, and T. Kiss. 2002. Cajal body-specific small nuclear RNAs: a novel class of 2'-O-methylation and pseudouridylation guide RNAs. *EMBO J.* 21:2746-2756.
- D'Angelo, M.A., M. Raices, S.H. Panowski, and M.W. Hetzer. 2009. Age-dependent deterioration of nuclear pore complexes causes a loss of nuclear integrity in postmitotic cells. *Cell* 136:284-95.
- Dellaire, G., and D.P. Bazett-Jones. 2004. PML nuclear bodies: dynamic sensors of DNA damage and cellular stress. *Bioessays.* 26:963-77.
- Desterro, J.M., L.P. Keegan, E. Jaffray, R.T. Hay, M.A. O'Connell, and M. Carmo-Fonseca. 2005. SUMO-1 modification alters ADAR1 editing activity. *Mol Biol Cell.* 16:5115-26.
- Dragon, F., J.E. Gallagher, P.A. Compagnone-Post, B.M. Mitchell, K.A. Porwancher, K.A. Wehner, S. Wormsley, R.E. Settlage, J. Shabanowitz, Y. Osheim, A.L. Beyer, D.F. Hunt, and S.J. Baserga. 2002. A large nucleolar U3 ribonucleoprotein required for 18S ribosomal RNA biogenesis. *Nature* 417:967-970.
- Emmott, E., and J.A. Hiscox. 2009. Nucleolar targeting: the hub of the matter. *EMBO Rep.* 10:231-8.
- Fakan, S. 1994. Perichromatin fibrils are in situ forms of nascent transcripts. *Trends Cell Biol.* 4:86-90.
- Federova, E., and D. Zink. 2008. Nuclear architecture and gene regulation. *Biochim Biophys Acta.* 1783:2174-2184.
- Fernandez-Capetillo, O., A. Lee, M. Nussenzweig, and A. Nussenzweig. 2004. H2AX: the histone guardian of the genome. *DNA Repair (Amst).* 3:959-67.
- Fernandez-Capetillo, O., and M. Murga. 2008. Why cells respond differently to DNA damage: a chromatin perspective. *Cell Cycle.* 7:980-3.

- Fernandez, R., E. Pena, J. Navascues, I. Casafont, M. Lafarga, and M.T. Berciano. 2002. cAMP-dependent reorganization of the Cajal bodies and splicing machinery in cultured Schwann cells. *Glia* 40:378-88.
- Frey, M.R., and A.G. Matera. 1995. Coiled bodies contain U7 small nuclear RNA and associate with specific DNA sequences in interphase human cells. *Proc Natl Acad Sci U S A*. 92:5915-9
- Friesen, W.J., A. Wyce, S. Paushkin, L. Abel, J. Rappaport, M. Mann, and G. Dreyfuss. 2002. A novel WD repeat protein component of the nucleolus binds Sm proteins. *J Biol Chem*. 277:8243-8247.
- Gall, J.G. 2000. Cajal bodies: the first 100 years. *Annu Rev Cell Dev Biol*. 16:273-300.
- Gill, G. 2004. SUMO and ubiquitin in the nucleus: different functions, similar mechanisms? *Genes Dev*. 18:2046-59.
- Girard, C., H. Neel, E. Bertrand, and R. Bordone. 2006. Depletion of SMN by RNA interference in HeLa cells induces defects in Cajal body formation. *Nucleic Acids Res*. 34:2925-32.
- Gotoh I., T. Uekita and M. Seiki. 2007. Regulated nucleo-cytoplasmic shuttling of human aci-reductone dioxygenase (hADI1) and its potential role in mRNA processing. *Genes Cells*. 12:105-17.
- Grandi P., V. Rybin, J. Bassler, E. Petfalski, D. Strauss, M. Marzioch, T. Schäfer, B. Kuster, H. Tschochner, D. Tollervey, A.C. Gavin, E. Hurt. 2002. 90S pre-ribosomes include the 35S pre-rRNA, the U3 snoRNP, and 40S subunit processing factors but predominantly lack 60S synthesis factors. *Mol Cell* 10:105-15.
- Grimmeler, M., L. Bauer, M. Nousiainen, R. Korner, G. Meister, and U. Fischer. 2005. Phosphorylation regulates the activity of the SMN complex during assembly of spliceosomal U snRNPs. *EMBO Rep*. 6:70-76.
- Guerrero I., A. Pellicer, D.E. Burstein. 1988. Dissociation of c-Fos from ODC expression and neuronal differentiation in a PC12 subline stably transfected with an inducible N-Ras oncogene. *Biochem Bioph Res*. 150:1185-1192
- Guttinger, S., E. Laurell, and U. Kutay. 2009. Orchestrating nuclear envelope disassembly and reassembly during mitosis. *Nat Rev Mol Cell Biol*. 10:178-91.
- Hajiolov, A.A. 1985. The nucleolus and ribosome biogenesis. Ed. Springer-Verlag, New York.

- Hall, L.L., K.P. Smith, M. Byron, and J.B. Lawrence. 2006. Molecular anatomy of a speckle. *Anat Rec A Discov Mol Cell Evol Biol.* 288:664-75.
- Hay, R.T. 2005. SUMO: a history of modification. *Mol Cell.* 18:1-12.
- Hearst, S.M., A.S. Gilder, S.S. Negi, M.D. Davis, E.M. George, A.A. Whittom, C.G. Toyota, A. Husedzinovic, O.J. Gruss, and M.D. Hebert. 2009. Cajal-body formation correlates with differential coilin phosphorylation in primary and transformed cell lines. *J Cell Sci.* 122:1872-1881.
- Hebert, M.D., and A.G. Matera. 2000. Self-association of coilin reveals a common theme in nuclear body localization. *Mol Biol Cell.* 11:4159-71.
- Hebert, M.D., P.W. Szymczyk, K.B. Shpargel, and A.G. Matera. 2001. Coilin forms the bridge between Cajal bodies and SMN, the spinal muscular atrophy protein. *Genes Dev.* 15:2720-9.
- Hebert, M.D., K.B. Shpargel, J.K. Ospina, K.E. Tucker, and A.G. Matera. 2002. Coilin methylation regulates nuclear body formation. *Dev Cell.* 3:329-37.
- Hernandez-Verdun, D. 2006. The nucleolus: a model for the organization of nuclear functions. *Histochem Cell Biol.* 126:135-48.
- Hozak, P., P.R. Cook, C. Schofer, W. Mosgoller, and F. Wachtler. 1994. Site of transcription of ribosomal RNA and intranucleolar structure in HeLa cells. *J Cell Sci.* 107 ( Pt 2):639-48.
- Huang N., S. Negi, A. Szebeni, M.O. Olson. 2005. Protein NPM3 interacts with the multifunctional nucleolar protein B23/nucleophosmin and inhibits ribosome biogenesis. *J Biol Chem* 280:5496-502.
- Isaac, C., Y. Yang, and U.T. Meier. 1998. Nopp140 functions as a molecular link between the nucleolus and the coiled bodies. *J Cell Biol.* 142:319-29.
- Jady, B.E., and T. Kiss. 2001. A small nucleolar guide RNA functions both in 2'-O-ribose methylation and pseudouridylation of the U5 spliceosomal RNA. *Embo J.* 20:541-51.
- Jady, B.E., X. Darzacq, K.E. Tucker, A.G. Matera, E. Bertrand, and T. Kiss. 2003. Modification of Sm small nuclear RNAs occurs in the nucleoplasmic Cajal body following import from the cytoplasm. *Embo J.* 22:1878-88.
- Johnson, E.S., and A.A. Gupta. 2001. An E3-like factor that promotes SUMO conjugation to the yeast septins. *Cell.* 106:735-44.

- Kahyo, T., T. Nishida, and H. Yasuda. 2001. Involvement of PIAS1 in the sumoylation of tumor suppressor p53. *Mol Cell.* 8:713-8.
- Kaiser, T.E., R.V. Intine, and M. Dundr. 2008. De novo formation of a subnuclear body. *Science.* 322:1713-7.
- Kamakaka, R.T., and S. Biggins. 2005. Histone variants: deviants? *Genes Dev.* 19:295-310.
- Kastan, M.B., and D.S. Lim. 2000. The many substrates and functions of ATM. *Nat Rev Mol Cell Biol.* 1:179-86.
- Kerscher O. 2007. SUMO junction-what's your function?. New insights through SUMO-interacting motifs. *EMBO Rep.* 8:550-5.
- Kim, P.M., J.O. Korbel, and M.B. Gerstein. 2008. Positive selection at the protein network periphery: evaluation in terms of structural constraints and cellular context. *Proc Natl Acad Sci USA* 104:20274-20279.
- Klingauf, M., D. Stanek, and K.M. Neugebauer. 2006. Enhancement of U4/U6 small nuclear ribonucleoprotein particle association in Cajal bodies predicted by mathematical modeling. *Mol Biol Cell.* 17:4972-81.
- Kolb, S.J., D.J. Battle, and G. Dreyfuss. 2007. Molecular functions of the SMN complex. *J Child Neurol.* 22:990-994.
- Kourmouli, N., P. Jeppesen, S. Mahadevhaiah, P. Burgoyne, R. Wu, D.M. Gilbert, S. Bongiorni, G. Prantera, L. Fanti, S. Pimpinelli, W. Shi, R. Fundele, and P.B. Singh. 2004. Heterochromatin and tri-methylated lysine 20 of histone H4 in animals. *J Cell Sci.* 117:2491-501.
- Lacal J.C., A. Cuadrado, J.E. Jones, R. Trotta, D.E. Burstein, T. Thomson, A. Pellicer. 1990. Regulation of protein kinase C activity in neuronal differentiation induced by the N-ras oncogene in PC12 cells. *Mol Cell Biol.* 10:2983-2990.
- Lafarga, M., J.P. Hervas, M.C. Santa-Cruz, J. Villegas, and D. Crespo. 1983. The "accessory body" of Cajal in the neuronal nucleus. A light and electron microscopic approach. *Anat Embryol (Berl).* 166:19-30.
- Lafarga, M., M.T. Berciano, J.P. Hervas, and J. Villegas. 1989. Nucleolar organization in granule cell neurons of the rat cerebellum. *J Neurocytol.* 18:19-26.
- Lafarga, M., M.T. Berciano, L.M. Garcia-Segura, M.A. Andres, and M. Carmo-Fonseca. 1998. Acute osmotic/stress stimuli induce a transient decrease of

- transcriptional activity in the neurosecretory neurons of supraoptic nuclei. *J Neurocytol.* 27:205-17.
- Lafarga, M., M.T. Berciano, E. Pena, I. Mayo, J.G. Castano, D. Bohmann, J.P. Rodrigues, J.P. Tavanez, and M. Carmo-Fonseca. 2002. Clastosome: a subtype of nuclear body enriched in 19S and 20S proteasomes, ubiquitin, and protein substrates of proteasome. *Mol Biol Cell.* 13:2771-82.
- Lafarga, M., I. Casafont, R. Bengoechea, O. Tapia, and M.T. Berciano. 2009. Cajal's contribution to the knowledge of the neuronal cell nucleus. *Chromosoma.* 118:437-43.
- Lamond, A.I., and M. Carmo-Fonseca. 1993. Localisation of splicing snRNPs in mammalian cells. *Mol Biol Rep.* 18:127-33.
- Lamond, A.I., and W.C. Earnshaw. 1998. Structure and function in the nucleus. *Science.* 280:547-53.
- Lamond, A.I., Spector, D.L. 2003. Nuclear speckles: a model for nuclear organelles. *Nat Rev Mol Cell Biol.* 4:605-612.
- Lee, Y.H., and M.R. Stallcup. 2009. Minireview: protein arginine methylation of nonhistone proteins in transcriptional regulation. *Mol Endocrinol.* 23:425-33.
- Lefebvre, S., L. Burglen, S. Reboullet, O. Clermont, P. Burlet, L. Viollet, B. Benichou, C. Cruaud, P. Millasseau, M. Zeviani, and et al. 1995. Identification and characterization of a spinal muscular atrophy-determining gene. *Cell* 80:155-165.
- Lemm, I., C. Girard, A.N. Kuhn, N.J. Watkins, M. Schneider, R. Bordonne, and R. Luhrmann. 2006. Ongoing U snRNP biogenesis is required for the integrity of Cajal bodies. *Mol Biol Cell* 17:3221-3231.
- Liu, J.L., Z. Wu, Z. Nizami, S. Deryusheva, T.K. Rajendra, K.J. Beumer, H. Gao, A.G. Matera, D. Carroll, and J.G. Gall. 2009. Coilin is essential for Cajal body organization in *Drosophila melanogaster*. *Mol Biol Cell.* 20:1661-70.
- Liu, Q., and G. Dreyfuss. 1996. A novel nuclear structure containing the survival of motor neurons protein. *Embo J.* 15:3555-65.
- Liu, B., S. Li, Y. Wang, L. Lu, Y. Li, and Y. Cai. 2007. Predicting the protein SUMO modification sites based on properties sequential forward selection (PSFS). *Biochem Biophys Res Commun* 358:136-139.

- Lubin M. and A. Lubin. 2009. Selective killing of tumor deficient in methylthioadenosine phosphorylase: a novel strategy. *PLoS ONE*. 4:e5735.
- Lyon, C.E., K. Bohmann, J. Sleeman, and A.I. Lamond. 1997. Inhibition of protein dephosphorylation results in the accumulation of splicing snRNPs and coiled bodies within the nucleolus. *Exp Cell Res.* 230:84-93.
- Matera, A.G., and M.R. Frey. 1998. Coiled bodies and gems: Janus or gemini? *Am J Hum Genet.* 63:317-21.
- Matera, A.G., and K.B. Shpargel. 2006. Pumping RNA: nuclear bodybuilding along the RNP pipeline. *Curr Opin Cell Biol.* 18:317-24.
- Matera, A.G., R.M. Terns, and M.P. Terns. 2007. Non-coding RNAs: lessons from the small nuclear and small nucleolar RNAs. *Nat Rev Mol Cell Biol.* 8:209-20.
- Matter N., P. Herrlich and H. König. 2002. Signal-dependent regulation of splicing via phosphorylation of Sam68. *Nature* 420:691-5.
- McKeown, P.C., and P.J. Shaw. 2009. Chromatin: linking structure and function in the nucleolus. *Chromosoma*. 118:11-23.
- McKinnon, P.C. 2004. ATM and ataxia telangiectasia. *EMBO Rep* 5:772-776
- Meaburn, K.J., and T. Misteli. 2007. Cell biology: chromosome territories. *Nature*. 445:379-781.
- Melchior, F. 2000. SUMO--nonclassical ubiquitin. *Annu Rev Cell Dev Biol.* 16:591-626.
- Misteli, T. 2005. Concepts in nuclear architecture. *Bioessays* 27:477-487.
- Misteli, T. 2007. Beyond the sequence: cellular organization of genome function. *Cell*. 128:787-800.
- Misteli, T. 2008. Physiological importance of RNA and protein mobility in the cell nucleus. *Histochem Cell Biol.* 129:5-11.
- Mongelard, F., and P. Bouvet. 2007. Nucleolin: a multiFACeTed protein. *Trends Cell Biol.* 17:80-86.
- Monneron, A., and W. Bernhard. 1969. Fine structural organization of the interphase nucleus in some mammalian cells. *J Ultrastruct Res.* 27:266-88.
- Montanaro, L., D. Trere, and M. Derenzini. 2008. Nucleolus, ribosomes, and cancer. *Am J Pathol.* 173:301-10.

- Moore, M.J., and N.J. Proudfoot. 2009. Pre-mRNA processing reaches back to transcription and ahead to translation. *Cell.* 136:688-700.
- Moreno Díaz de la Espina, S., M.C. Risueño, F.J. Medina. 1982. Ultrastructural , cytochemical and autoradiographic characterization of coiled bodies in the plant cell nucleus. *Biol Cell.* 44:229-238.
- Morris, G.E. 2008. The Cajal body. *Biochim Biophys Acta.* 1783:2108-15.
- Munshi, A., G. Shafi, N. Aliya, and A. Jyothy. 2009. Histone modifications dictate specific biological readouts. *J Genet Genomics.* 36:75-88.
- Navascues, J., M.T. Berciano, K.E. Tucker, M. Lafarga, and A.G. Matera. 2004a. Targeting SMN to Cajal bodies and nuclear gems during neuritogenesis. *In Chromosoma.* Vol. 112. 398-409.
- Navascues, J., I. Casafont, N.T. Villagra, M. Lafarga, and M.T. Berciano. 2004b. Reorganization of nuclear compartments of type A neurons of trigeminal ganglia in response to inflammatory injury of peripheral nerve endings. *J Neurocytol.* 33:393-405.
- Navascues, J., R. Bengoechea, O. Tapia, J.P. Vaque, M. Lafarga, and M.T. Berciano. 2007. Characterization of a new SUMO-1 nuclear body (SNB) enriched in pCREB, CBP, c-Jun in neuron-like UR61 cells. *Chromosoma.* 116:441-51.
- Ochs, R.L., T.W. Stein, Jr., and E.M. Tan. 1994. Coiled bodies in the nucleolus of breast cancer cells. *J Cell Sci.* 107 ( Pt 2):385-99.
- Ogg, S.C., and A.I. Lamond. 2002. Cajal bodies and coilin-moving towards function. *J Cell Biol.* 159:17-21.
- Okuwaki, M. 2008. The structure and functions of NPM1/Nucleophosmin/B23, a multifunctional nucleolar acidic protein. *J Biochem.* 143:441-448.
- Oskoui, M., and P. Kaufmann. 2008. Spinal muscular atrophy. *Neurotherapeutics.* 5:499-506.
- Play, S.L., and Chan-Palay. 1974. Cerebellar Cortex: cytology and organization. *Ed. Springer-Verlag: New York.*
- Parada, L.A., S. Sotiriou, and T. Misteli. 2004. Spatial genome organization. *Exp Cell Res.* 296:64-70.
- Paull, T.T., E.P. Rogakou, V. Yamazaki, C.U. Kirchgessner, M. Gellert, and W.M. Bonner. 2000. A critical role for histone H2AX in recruitment of repair factors to nuclear foci after DNA damage. *Curr Biol.* 10:886-95.

- Pederson, T. 1998. The plurifunctional nucleolus. *Nucleic Acids Res.* 26:3871-6.
- Perderson T. and R.Y.L. Tsai. 2009. In search of nonribosomal nucleolar protein function and regulation. *J Cell Biol.* 184:771-776.
- Pena, E., M.T. Berciano, R. Fernandez, P. Crespo, and M. Lafarga. 2000. Stress-induced activation of c-Jun N-terminal kinase in sensory ganglion neurons: accumulation in nuclear domains enriched in splicing factors and distribution in perichromatin fibrils. *Exp Cell Res.* 256:179-91.
- Pena, E., M.T. Berciano, R. Fernandez, J.L. Ojeda, and M. Lafarga. 2001. Neuronal body size correlates with the number of nucleoli and Cajal bodies, and with the organization of the splicing machinery in rat trigeminal ganglion neurons. *J Comp Neurol.* 430:250-63.
- Peterson, C.L., and M.A. Laniel. 2004. Histones and histone modifications. *Curr Biol.* 14:R546-51.
- Petri, S., M. Grimmer, S. Over, U. Fischer, and O.J. Gruss. 2007. Dephosphorylation of survival motor neurons (SMN) by PPM1G/PP2Cgamma governs Cajal body localization and stability of the SMN complex. *J Cell Biol.* 179:451-65.
- Platini, C. 2002. [Hereditary persistence of alpha-fetoprotein: report of a case]. *Rev Med Interne.* 23:182-8.
- Ploton, D., Thiry, M., Menager, M., Lepoint, A., Adnet, J.J., Goessens, G. 1987. Behaviour of nucleolus during mitosis. A comparative ultrastructural study of various cancerous cell lines using the Ag-NOR staining procedure. *Chromosoma* 95:95-107.
- Ploton, D., M.F. O'Donohue, T. Cheutin, A. Beorchia, H. Kaplan, M. Thiry. 2004. Three-dimensional organization of rDNA and transcription. The Nucleolus 154-169. Edited by Olson MOJ. New York, Keuwr/Plenum.
- Raska, I., R.L. Ochs, L.E. Andrade, E.K. Chan, R. Burlingame, C. Peebles, D. Gruol, and E.M. Tan. 1990. Association between the nucleolus and the coiled body. *J Struct Biol.* 104:120-7.
- Raska, I., L.E. Andrade, R.L. Ochs, E.K. Chan, C.M. Chang, G. Roos, and E.M. Tan. 1991. Immunological and ultrastructural studies of the nuclear coiled body with autoimmune antibodies. *Exp Cell Res.* 195:27-37.

- Raska, I., P.J. Shaw, and D. Cmarko. 2006. New insights into nucleolar architecture and activity. *Int Rev Cytol.* 255:177-235.
- Renvoisé B., K. Khoobarry, M.C Gendron, C. Cibert, L. Viollet and S. Lefebvre. 2006. Distinct domains of the spinal muscular atrophy protein SMN are required for targeting to Cajal bodies in mammalian cells. *J Cell Sci.* 119:680-92.
- Ren, Q., and M.A. Gorovsky. 2001. Histone H2A.Z acetylation modulates an essential charge patch. *Mol Cell.* 7:1329-35.
- Risueño, M.C., F.J. Medina, and S. Moreno Diaz de la Espina. 1982. Nucleolar fibrillar centres in plant meristematic cells: ultrastructure, cytochemistry and autoradiography. *J Cell Sci.* 58:313-329.
- Rogakou, E.P., D.R. Pilch, A.H. Orr, V.S. Ivanova, and W.M. Bonner. 1998. DNA double-stranded breaks induce histone H2AX phosphorylation on serine 139. *J Biol Chem.* 273:5858-68.
- Sachdev, S., L. Bruhn, H. Sieber, A. Pichler, F. Melchior, and R. Grosschedl. 2001. PIASy, a nuclear matrix-associated SUMO E3 ligase, represses LEF1 activity by sequestration into nuclear bodies. *Genes Dev.* 15:3088-103.
- Sampson, D.A., M. Wang, and M.J. Matunis. 2001. The small ubiquitin-like modifier-1 (SUMO-1) consensus sequence mediates Ubc9 binding and is essential for SUMO-1 modification. *J Biol Chem.* 276:21664-9.
- Santama, N., C.G. Dotti, and A.I. Lamond. 1996. Neuronal differentiation in the rat hippocampus involves a stage-specific reorganization of subnuclear structure both in vivo and in vitro. *Eur J Neurosci.* 8:892-905.
- Schneider, R., and R. Grosschedl. 2007. Dynamics and interplay of nuclear architecture, genome organization, and gene expression. *Genes Dev.* 21:3027-43.
- Shaw, D.J., P. Eggleton, and P.J. Young. 2008. Joining the dots: production, processing and targeting of U snRNP to nuclear bodies. *Biochim Biophys Acta.* 1783:2137-2144.
- Shilatifard, A. 2008. Molecular implementation and physiological roles for histone H3 lysine 4 (H3K4) methylation. *Curr Opin Cell Biol.* 20:341-348.
- Shiloh, Y. 2003. ATM and related protein kinases: safeguarding genome integrity. *Nat Rev Cancer.* 3:155-68.

- Sirri, V., S. Urcuqui-Inchima, P. Roussel, and D. Hernandez-Verdun. 2008. Nucleolus: the fascinating nuclear body. *Histochem Cell Biol.* 129:13-31.
- Sleeman, J., C.E. Lyon, M. Platani, J.P. Kreivi, and A.I. Lamond. 1998. Dynamic interactions between splicing snRNPs, coiled bodies and nucleoli revealed using snRNP protein fusions to the green fluorescent protein. *Exp Cell Res.* 243:290-304.
- Sleeman, J.E., L. Trinkle-Mulcahy, A.R. Prescott, S.C. Ogg and A.I. Lamond. 2003. Cajal body proteins SMN and Coilin show differential dynamic behaviour in vivo. *J Cell Sci.* 116: 2039-2050.
- Smetana, K., F. Gyorkey, P. Gyorkey and H. Busch 1970. Comparative studies on the ultrastructure of nucleoli in human lymphosarcoma cells and leukemic lymphocytes. *Cancer Res.* 30:1149-1155.
- Sogo, J.M., P.J. Ness, R.M. Widmer, R.W. Parish, and T. Koller. 1984. Psoralen-crosslinking of DNA as a probe for the structure of active nucleolar chromatin. *J Mol Biol.* 178:897-919.
- Soule, H.D., J. Vazquez, A. Long, S. Albert, and M. Brennan. 1973. A human cell line from a pleural effusion derived from a breast carcinoma. *J Natl Cancer Inst.* 51:1409-16.
- Soutoglou E., and T. Misteli. Mobility and immobility of chromatin in transcription and genome stability. *Curr Opin Genet Dev.* 17:435-442.
- Spector, D.L. 2001. Nuclear domains. *J Cell Sci.* 114:2891-3.
- Stanek, D., J. Pridalova-Hnilicova, I. Novotny, M. Huranova, M. Blazikova, X. Wen, A.K. Sapra, K.M. Neugebauer. 2008. Spliceosomal small nuclear ribonucleoprotein particles repeatedly cycle through Cajal bodies. *Mol Biol Cell* 19:2534-2543.
- Stark, L.A., and M. Taliinsky. 2009. Old and new faces of the nucleolus. Workshop on the Nucleolus and Disease. *EMBO Rep.* 10:35-40.
- Sun, J., H. Xu, S.H. Subramony, and M.D. Hebert. 2005. Interactions between coilin and PIASy partially link Cajal bodies to PML bodies. *J Cell Sci.* 118:4995-5003.
- Sweet, T., W. Yen, K. Khalili, and S. Amini. 2008. Evidence for involvement of NFBP in processing of ribosomal RNA. *J Cell Physiol.* 214:381-8.

- Tang, B., Y.N. Li, and W.D. Kruger. 2000. Defects in methylthioadenosine phosphorylase are associated with but not responsible for methionine-dependent tumor cell growth. *Cancer Res.* 60:5543-7.
- Torok, D., R.W. Ching, and D.P. Bazett-Jones. 2009. PML nuclear bodies as sites of epigenetic regulation. *Front Biosci.* 14:1325-36.
- Tremblay, M., M. Toussaint, A. D'Amours, and A. Conconi. 2009. Nucleotide excision repair and photolyase repair of UV photoproducts in nucleosomes: assessing the existence of nucleosome and non-nucleosome rDNA chromatin in vivo. *Biochem Cell Biol.* 87:337-46.
- Tucker, K.E., M.T. Berciano, E.Y. Jacobs, D.F. LePage, K.B. Shpargel, J.J. Rossire, E.K. Chan, M. Lafarga, R.A. Conlon, and A.G. Matera. 2001. Residual Cajal bodies in coilin knockout mice fail to recruit Sm snRNPs and SMN, the spinal muscular atrophy gene product. *J Cell Biol.* 154:293-307.
- Ulrich H.D. 2005. SUMO modification: wrestling with protein conformation. *Curr Biol.* 15:R257-9.
- Ulrich H.D. 2008. The fast-growing business of SUMO chains. *Mol Cell.* 32:301-5.
- Ulrich H.D. 2009. The SUMO system: an overview. *Methods Mol Biol.* 497:3-16.
- van Attikum, H., and S.M. Gasser. 2005. The histone code at DNA breaks: a guide to repair? *Nat Rev Mol Cell Biol.* 6:757-765.
- Vandelaer M., M. Thiry and G. Goessens. 1996. Isolation of nucleoli from ELT cells: a quick new method that preserves morphological integrity and high transcriptional activity. *Exp Cell Res.* 228:125-31.
- Villagra, N.T., J. Berciano, M. Altable, J. Navascues, I. Casafont, M. Lafarga, and M.T. Berciano. 2004. PML bodies in reactive sensory ganglion neurons of the Guillain-Barre syndrome. *Neurobiol Dis.* 16:158-68.
- Villagra, N.T., R. Bengoechea, J.P. Vaque, J. Llorca, M.T. Berciano, and M. Lafarga. 2008. Nuclear compartmentalization and dynamics of the poly(A)-binding protein nuclear 1 (PABPN1) inclusions in supraoptic neurons under physiological and osmotic stress conditions. *Mol Cell Neurosci.* 37:622-33.
- Wahl, M.C., C.L. Will, and R. Luhrmann. 2009. The spliceosome: design principles of a dynamic RNP machine. *Cell.* 136:701-18.

- Wan, L., D.J. Battle, J. Yong, A.K. Gubitz, S.J. Kolb, J. Wang, and G. Dreyfuss. 2005. The survival of motor neurons protein determines the capacity for snRNP assembly: biochemical deficiency in spinal muscular atrophy. *Mol Cell Biol.* 25:5543-51.
- Walsh, C.T. 2006. Posttranslational modification of proteins. *Ed. Roberts and Company Publishers, Colorado, USA.*
- Whittom, A.A., H. Xu, and M.D. Hebert. 2008. Coilin levels and modifications influence artificial reporter splicing. *Cell Mol Life Sci.* 65:1256-71.
- Williams-Ashman, H.G., J. Seidenfeld, and P. Galletti. 1982. Trends in the biochemical pharmacology of 5'-deoxy-5'-methylthioadenosine. *Biochem Pharmacol.* 31:277-88.
- Windecker H. and H.D. Ulrich. 2008. Architecture and assembly of poly-SUMO chains on PCNA in *Saccharomyces cerevisiae*. *J Mol Biol.* 376:221-31.
- Xu, H., R.S. Pillai, T.N. Azzouz, K.B. Shpargel, C. Kambach, M.D. Hebert, D. Schumperli, and A.G. Matera. 2005. The C-terminal domain of coilin interacts with Sm proteins and U snRNPs. *Chromosoma.* 114:155-66.
- Yun, C., Y. Wang, D. Mukhopadhyay, P. Backlund, N. Kolli, A. Yergey, K.D. Wilkinson, and M. Dasso. 2008. Nucleolar protein B23/nucleophosmin regulates the vertebrate SUMO pathway through SENP3 and SENP5 proteases. *J Cell Biol.* 183:589-595.
- Yung, B.Y. 2007. Oncogenic role of nucleophosmin/B23. *Chang Gung Med J.* 30:285-293.
- Zhong S., P. Salomoni and P.P. Pandolfi. 2000. The transcriptional role of PML and the nuclear body. *Nat Cell Biol.* 2:E85-90.