

# **UNIVERSIDAD DE CANTABRIA**



**E.T.S. INGENIEROS DE CAMINOS, CANALES Y PUERTOS**

**DPTO. DE CIENCIAS Y TÉCNICAS DEL AGUA Y DEL MEDIO AMBIENTE**

**GRUPO DE EMISARIOS SUBMARINOS E HIDRÁULICA AMBIENTAL**

## **T E S I S   D O C T O R A L**

**DESARROLLO DE PROCEDIMIENTOS APLICABLES A LA  
EVALUACIÓN DEL ESTADO ECOLÓGICO DE LAS MASAS DE  
AGUA COSTERAS, *SENSU DIRECTIVA MARCO DEL AGUA***

Presentada por: XABIER GUINDA SALSAMENDI

Dirigida por: JOSÉ A. JUANES DE LA PEÑA  
JOSÉ A. REVILLA CORTEZÓN

Santander, Febrero de 2008

## REFERENCIAS

- ACEM, 1998. Campañas de caracterización preoperacional en el entorno costero del futuro emisario submarino del saneamiento de la bahía de Santander. APIA XXI - Consejería de Medio Ambiente y Ordenación del Territorio, Gobierno de Cantabria.
- Aish, A., Webb, A., 2007. Progress in completing the offshore Natura 2000 and OSPAR MPA networks, Towards a coherent network of Marine Protected Areas, Scarborough.
- Álvarez de Meneses, A., 1972. Contribución al conocimiento de los campos de algas del Cantábrico. Boletín del Instituto Español de Oceanografía 154, 3-35.
- Anadón, R., 1983. Zonación en la costa asturiana: variación longitudinal de las comunidades de macrófitos en diferentes niveles de marea. Investigación Pesquera 47 (1), 125-141.
- Anadón, R., Fernández, C., 1988. Cartografía de la biomasa de campos intermareales de *Chondrus crispus* Stackhouse (Florideophyceae) en la costa de Asturias (N de España). Investigación Pesquera 52, 265-276.
- Anadón, R., Niell, F.X., 1981. Distribución de macrófitos en la costa asturiana (N de España). Investigación Pesquera 45, 143-156.
- Andersen, J.H., Conley, D.J., Hedal, S., 2004. Palaecology, reference conditions and classification of ecological status: the EU Water Framework Directive in practice. Marine Pollution Bulletin 49, 283-290.
- Anderson, D.M., Glibert, P.M., Burkholder, J.M., 2002. Harmful algal blooms and eutrophication: Nutrient sources, composition, and consequences. Estuaries 25 (4B), 704-726.
- Arévalo, R., Pinedo, S., Ballesteros, E., 2007. Changes in the composition and structure of Mediterranean rocky-shore communities following a gradient of sewage pollution: descriptive study and test of proposed methods to assess water quality regarding macroalgae. Marine Pollution Bulletin 55, 104-113.
- Arregi, L., Puente, E., Lucio, P., Sagarminaga, Y., Castro, R., Uriarte, A., 2004. Coastal fisheries and demersal estuarine fauna. In: A. Borja and M. Collins (Editors), Oceanography and Marine Environment of the Basque Country. Elsevier Oceanography Series, Amsterdam, pp. 493-514.
- Atchinson, J., 1986. The statistical analysis of compositional data. Chapman & Hall, London.
- Aubry, A., Elliott, M., 2006. The use of environmental integrative indicators to assess seabed disturbance in estuaries and coasts: Application to the Humber Estuary, UK. Marine Pollution Bulletin 53, 175-185.

## Referencias

---

- Baardseth, E., 1970. Square-scanning, two-stage sampling method of estimating seaweed quantities. 33. Norwegian Institute of Seaweed Research.
- Bakran-Petricioli, T., Antonic, O., Bukovec, D., Pretrilioli, D., Janekovic, I., Krizan, J., Kusan, V., Dujmovic, S., 2006. Modelling spatial distribution of the Croatian marine benthic habitats. Ecological modelling 191, 96-105.
- Bald, J., 2005. Propuesta para la evaluación del estado físico-químico de las aguas costeras y de transición del País Vasco. Ph.D. Thesis, Universidad de Navarra, 261 pp.
- Bald, J., Borja, A., Muxika, I., Franco, J., Valencia, V., 2005. Assessing reference conditions and physico-chemical status according to the European Water Framework Directive: A case-study from the Basque Country (Northern Spain). Marine Pollution Bulletin 50, 1508-1522.
- Ballesteros, E., Torras, X., Pinedo, S., García, M., Mangialajo, L., De Torres, M., 2007. A new methodology based on littoral community cartography for the implementation of the European Water Framework Directive. Marine Pollution Bulletin 55, 172-180.
- Boaventura, D., Alexander, M., Santina, P.D., Smith, N.D., Ré, P., Cancela da Fonseca, L., Hawkins, S.J., 2002. The effects of grazing on the distribution and composition of low-shore algal communities on the central coast of Portugal and on the southern coast of Britain. Journal of Experimental Marine Biology and Ecology 267, 185-206.
- Böhmer, J., Rawer-Jost, C., Zenker, A., Meier, C., Feld, C.K., Biss, R., Hering, D., 2004. Assessing streams in Germany with benthic invertebrates: Development of a multimetric invertebrate based assessment system. Limnologica 34, 416-432.
- Bolam, S.G., Rees, H.L., Somerfield, P., Smith, R., Clarke, K.R., Warwick, R.M., Atkins, M., Garnacho, E., 2006. Ecological consequences of dredged material disposal in the marine environment: A holistic assessment of activities around the England and Wales coastline. Marine Pollution Bulletin 52 (4), 415-426.
- Borja, A., 1987. Cartografía y evaluación de la biomasa y arribazones del alga *Gelidium sesquipedale* (Clem.) Born. et Thur. en la costa Guipuzconan (N. de España). Investigación Pesquera 51 (2), 199-224.
- Borja, A., 1988. Cartografía y evaluación de la biomasa del alga *Gelidium sesquipedale* (Clem.) Born. et Thur. en la costa Vizcaína (N. de España). Investigación Pesquera 52 (1), 85-107.
- Borja, A., 1994. Impacto de la cosecha y recuperación de la biomasa del alga *Gelidium sesquipedale* sometido a dos formas de explotación en el País Vasco (España). Aquatic Living Resources 7, 59-66.
- Borja, A., 2005. The European water framework directive: A challenge for nearshore, coastal and continental shelf research. Continental Shelf Research 25, 1768-1783.

- Borja, A., Aguirrezzabalaga, F., Martínez, J., Sola, J.C., García-Arberas, L., Gorostiaga, J.M., 2004a. Benthic communities, biogeography and resources management. In: A. Borja and M. Collins (Editors), Oceanography and Marine Environment of the Basque Country. Elsevier Oceanography Series, Amsterdam, pp. 455-492.
- Borja, A., Bald, J., Belzunce, M.J., Franco, J., Garmendia, J.M., Muxika, I., Revilla, M., Rodríguez, G., Tueros, I., Uriarte, A., Valencia, V., Adarraga, I., Aguirrezzabalaga, F., Cruz, I., Laza, A., Marquiegui, M.A., Martínez, J., Orive, E., Ruiz, J.M., Sola, J.C., Trigueros, J.M., Manzanos, A., 2006. Red de seguimiento del estado ecológico de las aguas de transición y costeras de la Comunidad Autónoma del País Vasco. Informe de AZTI-Tecnalia para la Dirección de Aguas del Departamento de Ordenación del Territorio y Medio Ambiente, Gobierno Vasco. 15 Tomos, 838 pp. TOMO I: Introducción y métodos, 49 pp.
- Borja, A., Bald, J., Belzunce, M.J., Franco, J., Muxika, I., Pérez, V., Solaun, O., Uriarte, A., Valencia, V., Adarraga, I., Aguirrezzabalaga, F., Cruz, I., Laza, A., Marquiegui, M.A., Martínez, J., Orive, E., Ruiz, J.M., Sola, J.C., Trigueros, J.M., Manzanos, A., 2005. Red de seguimiento del estado ecológico de las aguas de transición y costeras de la Comunidad Autónoma del País Vasco.
- Borja, A., Franco, J., Belzunce, M.J., Valencia, V., 1999. La red de vigilancia y control de la calidad de las aguas litorales del País Vasco: años 1997 y 1998. Departamento de Ordenación del Territorio, Vivienda y Medio Ambiente, Gobierno Vasco. Vitoria-Gasteiz.
- Borja, A., Franco, J., Pérez, V., 2000. A marine biotic index to establish the ecological status of soft bottom benthos within European estuarine and coastal environments. *Marine Pollution Bulletin* 40 (12), 1100-1114.
- Borja, A., Franco, J., Valencia, V., Bald, J., Muxika, I., Belzunce, M.J., Solaun, O., 2004b. Implementation of European water framework directive from the Basque country (northern Spain): a methodological approach. *Marine Pollution Bulletin* 48, 209-218.
- Borja, A., Josefson, A.B., Miles, A., Muxika, I., Olsgard, F., Phillips, G., Rodríguez, J.G., Rygg, B., 2007. An approach to the intercalibration of benthic ecological status assessment in the north Atlantic ecoregion, according to the European Water Framework Directive. *Marine Pollution Bulletin* 55, 42-52.
- Borja, A., Muxika, I., Franco, J., 2003. The application of a marine Biotic Index to different impact sources affecting soft-bottom benthic communities along European coasts. *Marine Pollution Bulletin* 46, 835-845.
- Borja, A., Uriarte, A., Egana, J., Motos, L., Valencia, V., 1998. Relationships between anchovy (*Engraulis encrasicolus*) recruitment and environment in the Bay of Biscay (1967-1996). *Fisheries Oceanography* 7 (3-4), 375-380.
- Borja, A., Valencia, V., Franco, J., Muxika, I., Bald, J., Belzunce, M.J., Solaun, O., 2004c. The water framework directive: water alone, or in association with

- sediment and biota, in determining quality standards?. *Marine Pollution Bulletin* 49, 8-11.
- Borja, A., Valencia, V., García, L., Arresti, A., 1995. Las comunidades bentónicas intermareales y submareales de San Sebastián-Pasajes (Guipúzcoa, Norte de España), *Act. IV Con. Int. Oceanografía Golfo Vizcaya*, pp. 165-181.
- Borowitzka, M.A., 1972. Intertidal algal species diversity and the effect of pollution. *Australian Journal of Marine and Freshwater Research*. 23, 73-84.
- Botas, J.A., Fernández, E., Anadón, R., 1989. Water masses off the Central Cantabrian coast. *Scientia Marina* 53 (4), 755-761.
- Boyer, J.N., Sterling, P., Jones, R.D., 2000. Maximizing information from a Water Quality Monitoring Network through visualization techniques. *Estuarine Coastal and Shelf Science* 50, 39-48.
- Bray, J.R., Curtis, J.T., 1957. An Ordination of the Upland Forest Communities of Southern Wisconsin. *Ecological Monographs* 27 (4), 326-349.
- Bricker, S.B., Ferreira, J.G., Simas, T., 2003. An integrated methodology for assessment of estuarine trophic status. *Ecological modelling* 169, 39-60.
- Burdick, D.M., Kendrick, G.A., 2001. Standards for seagrass collection, identification and sample design. In: F.T. Short and R.G. Coles (Editors), *Global Seagrass Research Methods*. Elsevier Science, Amsterdam, pp. 79-100.
- Caeiro, S., Costa, M.H., Goovaerts, P., Martins, F., 2005a. Benthic biotope index for classifying habitats in the sado estuary: Portugal. *Marine Environmental Research* 60, 570-593.
- Caeiro, S., Costa, M.H., Ramos, T.B., Fernandes, F., Silveira, N., Coimbra, A., Medeiros, G., Painho, M., 2005b. Assessing heavy metal contamination in Sado Estuary sediment: An index analysis approach. *Ecological Indicators* 5, 151-169.
- Calderón, J.G., Juanes, J.A., Puente, A., Revilla, J.A., Álvarez, C., Medina, R., Morante, L., González, S., García-Castrillo, G., 2004. Environmental impacts of the Prestige oil spill in the coast of Cantabria, IX Congreso Internacional de Oceanografía del Golfo de Vizcaya, Pau (France).
- Canter, L.W., 1997. Manual de evaluación de impacto ambiental. Técnicas para la elaboración de los estudios de impacto. Mc Graw Hill.
- Canteras, J.C., Pérez, L., Valdés, L., Moreno-Ventas, X., 1995. Seguimiento hidrográfico de una estación nerítica frente a santander en período estival y su relación con otras áreas marinas en el Cantábrico, *Actas del IV Coloquio Internacional sobre Oceanografía del Golfo de Vizcaya*, pp. 255-263.
- Casazza, G., Lopez y Royo, C., Spada, E., Silvestri, C., 2005. Science and policy integration: ecological classification of Mediterranean coastal waters. In: E.

- Ozhan (Editor), Proceedings of the Seventh International Conference on the Mediterranean Coastal Environment, MEDCOAST 05, Kusadai, Turkey.
- Castanedo, S., Medina, R., Losada, I.J., Vidal, C., Méndez, F.J., Osorio, A., Juanes, J.A., Puente, A., 2006. The Prestige oil spill in Cantabria (Bay of Biscay). Part I: Operational forecasting system for quick response, risk assessment and protection of natural resources. *Journal of Coastal Research* 22 (6), 1474-1489.
- Catoira, J.L., 1990. Prospección, análisis y cartografía de macroalgas y erizo de mar en el litoral de Galicia. Fase I: Ribadeo - Estaca de Bares. Dirección General de Marisqueo y Acuicultura. Consellería de Pesca. Xunta de Galicia.
- Catoira, J.L., 1991. Prospección, análisis y cartografía de macroalgas y erizo de mar en el litoral de Galicia. Fase II: Cabo Laxe - Ría de Muros. Dirección General de Marisqueo y Acuicultura. Consellería de Pesca. Xunta de Galicia.
- Catoira, J.L., 1992. Prospección, análisis y cartografía de macroalgas y erizo de mar en el litoral de Galicia. Fase III: Estaca de Bares - Laxe. Dirección General de Marisqueo y Acuicultura. Consellería de Pesca. Xunta de Galicia.
- CCME, 2001a. Canadian water quality guidelines for the protection of aquatic life: CCME water quality index 1.0, Technical Report. In: Canadian environmental quality guidelines, 1999, Canadian Council of Ministers of the Environment.
- CCME, 2001b. Canadian water quality guidelines for the protection of aquatic life: CCME water quality index 1.0, User's Manual. In: Canadian environmental quality guidelines, 1999, Canadian Council of Ministers of the Environment.
- CEFAS, 2003. Shellfish News nº 15 - The marine biotoxin monitoring programme for England and Wales: 2002-2003 Centre for Environment, Fisheries & Aquaculture Science.
- CEFAS, 2004. UK National Marine Monitoring Programme - Second Report (1999-2001). Marine Environment Monitoring Group - The Centre for Environment, Fisheries & Aquaculture Science.
- Clarke, K.R., 1993. Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology* 18, 117-143.
- Clarke, K.R., Warwick, R.M., 1994. Change in marine communities: An approach to statistical analysis and interpretation. Plymouth Marine Laboratory, Plymouth.
- Coggan, R., Populus, J., White, J., Sheehan, K., Fitzpatrick, F., Piel, S., 2007. Review of standards and protocols for seabed habitat mapping. MESH.
- Cohen, J., 1960. A coefficient of agreement for nominal scales. *Educational and Psychological Measurement* 20, 37-46.
- Cohen, J., 1968. Weighted kappa: Nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin* 70, 213-220.

## Referencias

---

- Conesa Fdez-Vitoria, V., 1995. Methodological Guide for Environmental Impact Evaluation (Guía Metodológica para la Evaluación del Impacto Ambiental), Madrid.
- Crane, M., 2003. Proposed development of sediment quality guidelines under the European Water Framework Directive: a critique. *Toxicology Letters* 142, 195-206.
- Creese, R.G., Kingsford, M.J., 1998. Organisms of reef and soft substrata intertidal habitats. In: M.B. Kingsford, C. (Editor), *Studying temperate marine environments*. Canterbury University Press, Christchurch, New Zealand, pp. 167-193.
- Critchley, A.T., Farnham, W.F., Morrell, S.L., 1986. An account of the attempted control of an introduced marine alga, *Sargassum muticum*, in southern England. *Biological Conservation* 35, 313-332.
- Chapman, V.G., 1950. *Seaweeds and their uses*. London.
- Chatfield, C., Collins, A.J., 1980. *Introduction to multivariate analysis*. Chapman and Hall, London.
- CHN, 1998a. Campañas de caracterización preoperacional del saneamiento de las marismas de Santoña. Confederación Hidrográfica del Norte, Ministerio de Medio Ambiente.
- CHN, 1998b. Campañas de caracterización preoperacional del saneamiento del Saja-Besaya. Confederación Hidrográfica del Norte, Ministerio de Medio Ambiente.
- Dale, V., Beyeler, S.C., 2001. Challenges in the development and use of ecological indicators. *Ecological Indicators* 1, 3-10.
- Dauer, D.M., 1993. Biological criteria, environmental health and estuarine macrobenthic community structure. *Marine Pollution Bulletin* 26(5), 249-257.
- Daughton, C.G., 2004. Non-regulated water contaminants: emerging research. *Environmental Impact Assessment Review* 24, 711-732.
- Dauvin, J.C., 2005. Expertise in coastal zone environmental impact assessments. *Marine Pollution Bulletin* 50 (1), 107-110.
- De Felice, R.C., Parrish, J.D., 2001. Physical processes dominate in shaping invertebrate assemblages in reef-associated sediments of an exposed Hawaiian coast. *Marine Ecology Progress Series* 215, 121-131.
- DEFRA, 2004. Understanding of undesirable disturbance in the context of eutrophication, and development of UK assessment methodology for coastal and marine waters. Napier University for the Department for Environment, Food and Rural Affairs. Edinburgh.
- Devlin, M., Best, M., Coates, D., Bresnan, E., O'Boyle, S., Park, R., Silke, J., Cusack, C., Skeats, J., 2007a. Establishing boundary classes for the classification of UK

- marine waters using phytoplankton communities. *Marine Pollution Bulletin* 55, 91-103.
- Devlin, M., Painting, S., Best, M., 2007b. Setting nutrient thresholds to support an ecological assessment based on nutrient enrichment, potential primary production and undesirable disturbance. *Marine Pollution Bulletin* 55 (1-6), 65-73.
- DHI, 1995. Mike 21 EU, Eutrophication module, a short description. Danish Hydraulic Institute.
- Diaz, R.J., Cutter, G. R., Dauer, D. M., 2003. A comparison of two methods for estimating the status of benthic habitat quality in the Virginia Chesapeake Bay. *Journal of experimental marine biology and ecology* 285-286, 371-381.
- Diaz, R.J., Rosenberg, R., 1995. Marine benthic hypoxia: A review of its ecological effects and the behavioural responses of benthic macrofauna, *Oceanography and Marine Biology - an Annual Review*, Vol 33. *Oceanography and Marine Biology*, pp. 245-303.
- Diaz, R.J., Solan, M., Valente, R.M., 2004. A reviewof approaches for classifying benthic habitats and evaluating habitat quality. *Journal of Environmental Management* 73, 165-181.
- Díez, I., Santolaria, A., Gorostiaga, J.M., 2003. The relationship of environmental factors to the structure and distribution of subtidal seaweed vegetation to the western Basque coast (N Spain). *Estuarine Coastal and Shelf Science* 56, 1041-1054.
- Díez, I., Secilla, A., Santolaria, A., Gorostiaga, J.M., 1999. Phylobenthic intertidal community structure along an environmental pollution gradient. *Marine Pollution Bulletin* 38, 463-472.
- Eaton, A., Clesceri, L., Greenberg, A., 1995. Standard Methods for the examination of water and wastewater. American Public Health Association, American Water Works Association, Water Environment Federation, Washington DC.
- Echavarri, B., 2007. Estudio de los efectos sobre el medio litoral derivados de la implantación de saneamientos integrales en la costa cantábrica. Ph.D. Thesis, Universidad de Cantabria, Santander.
- Echavarri, B., Juanes, J.A., García-Castrillo, G., Revilla, J.A., 2007. Medium-term responses of rocky bottoms to sewage discharges from a deepwater outfall in the NE Atlantic. *Marine Pollution Bulletin* 54, 941-954.
- EEA, 2000. Environmental signals 2000. European Environment Agency regular indicator report. European Environment Agency. Copenhagen.
- EEA, 2003. An inventory of biodiversity indicators in Europe, 2002. Technical Report nº 92. European Environment Agency. Copenhagen.

- EEA, 2005. The European Environment. State and Outlook 2005. European Environment Agency. Copenhage.
- EEA, 2006. The changing faces of Europe's coastal areas. Report nº 6. European Environment Agency. Copenhagen.
- Eisele, M., Steinbrich, A., Hildebrand, A., Leibundgut, C., 2003. The significance of hydrological criteria for the assessment of the ecological quality in river basins. Physics and Chemistry of the Earth 28, 529-536.
- Eklund, B.T., Kautsky, L., 2003. Review on toxicity testing with marine macroalgae and the need for method standarization - exemplified with copper and phenol. Marine Pollution Bulletin 46, 171-181.
- EPA, 2000. Ambient aquatic life water quality criteria for dissolved oxygen (saltwater): Cape Cod to Cape Hatteras. EPA-822-R-00-012. U.S. Environmental Protection Agency.
- Eriksson, B.K., Bergström, L., 2005. Local distribution patterns of macroalgae in relation to environmental variables in the northern Baltic Proper. Estuarine Coastal and Shelf Science 62, 109-117.
- European Commission, 2003a. Guidance Document nº 3. Analysis of Pressures and Impacts. CIS Working Group 2.1 (IMPRESS), Common Implementation Strategy for the Water Framework Directive (2000/60/EC).
- European Commission, 2003b. Guidance Document nº 5. Transitional and Coastal Waters. Typology, Reference Conditions and Classification Systems. CIS Working Group 2.4 (COAST), Common Implementation Strategy for the Water Framework Directive (2000/60/EC).
- European Commission, 2003c. Guidance Document nº 13. Overall approach to the classification of ecological status and ecological potential. CIS Working Group 2.A (ECOSTAT), Common Implementation Strategy for the Water Framework Directive (2000/60/EC).
- European Commission, 2006. Milestone 6 report - Coastal NEA-GIG. Institute of Environment and Sustainability. Joint Research Centre.
- European Commission, 2007. WFD intercalibration technical report. Part 3 – Coastal and Transitional Waters. Joint Research Centre.
- EUROSTAT, 1999. Towards Environmental Pressure Indicators for the EU. Statistical Office of the European Commission.
- Everitt, B., 1980. Cluster analysis. Heinemann, London.
- Fairweather, P.G., 1990. Sewage and the biota on seashores: assessment of impact in relation to natural variability. Environmental Monitoring and Assessment 14, 197-210.

- Feld, C.K., Kiel, E., Lautenschläger, M., 2002. The indication of morphological degradation of streams and rivers using Simuliidae. Limnologica 32, 273-288.
- Fernández, C., 1980. Estudios estructurales y dinámica del fitobentos intermareal (facies rocosa) de la región de cabo Peñas, con especial atención a la biología de *Saccorhiza polyschides* (Lighthf.) Batt. Ph.D. Thesis, Universidad de Oviedo, 256 pp.
- Fernández, C., Anadón, R., 1989. Cartografiado de biomasa de campos intermareales de *Gelidium sesquipedale* (Clem.) Born et Thur. y *G. latifolium* (Grev.) Born et Thur. en la costas de Asturias (N de España). Investigación Pesquera 149, 12.
- Fernández, C., Menéndez, M.P., 1991a. Ecology of *Chondrus crispus* Stackhouse on the Northern Coast of Spain .1. Seasonal patterns. Scientia Marina 55, 475-481.
- Fernández, C., Menéndez, M.P., 1991b. Ecology of *Chondrus crispus* Stackhouse on the Northern Coast of Spain .2. Reproduction. Botánica Marina 34 (4), 303-310.
- Fernández, C., Niell, F.X., Anadón, R., 1983. Comparación de dos comunidades de horizontes intermareales con abundancia de *Bifurcaria bifurcata* Ros. en las costas N y NO de España. (Dynamics of Intertidal Communities Characterized by Abundance of *Bifurcaria bifurcata* at the N and Nw Coast of Spain). Investigación Pesquera 47 (3), 435-455.
- Ferreira, J.G., Bricker, S.B., Simas, T.C., 2007. Application and sensitivity testing of a eutrophication assessment method on coastal systems in the United States and European Union Journal of Environmental Management 82 (4), 433-445.
- Fischer-Piette, E., 1955. Répartition le long des côtes septentrionales de l'Espagne des principales espèces peuplant les rochers intercotidaux. Annales de L'Institut Océanographique 31 (2), 38-124.
- Fischer-Piette, E., 1963. La distribution des principaux organismes intercotidaux nord-ibériques en 1954-1955. Annales de L'Institut Océanographique 40 (3), 165-302.
- Fleiss, J.L., Cohen, J., 1973. The equivalence of Weighted Kappa and the Intraclass Correlation Coefficient as measures of reliability. Educational and Psychological Measurement 11, 101-109.
- Franco, J., Borja, A., Valencia, V., 2004. Overall assessment - human impacts and quality status. In: A. Borja, Collins, M. (Editor), Oceanography and marine environment of the Basque Country. Elsevier Oceanography Series, Elsevier, Amsterdam, pp. 581-597.
- Galparsoro, I., Chust, G., Liria, P., Hernández, C., Borja, A., Uriarte, A., 2007. Habitat mapping and sea floor characterisation of the basque continental shelf. In: CoastGIS07 (Editor), CoastGIS07. 8th International Symposium on GIS and Computer Mapping for Coastal Zone Management, Santander (Spain).
- García-Castrillo, G., Rodríguez, J., Puente, A., Preciado, I., Juanes, J.A., 2000a. Cartografiado bentónico sublitoral de la isla de Mouro (Cantabria). Ozeanografika 3, 69-83.

## Referencias

---

- García-Castrillo, G., Serrano, A., Preciado, I., Rodríguez, J., Puente, A., Juanes, J.A., 2000b. Estructuración biocenótica de la comunidad de laminariales de la Isla de Mouro (Mar Cantábrico, Santander). *Ozeanografika* 3, 85-99.
- Garrabou, J., Ballesteros, E., Zabala, M., 2002. Structure and Dynamics of North-Western Mediterranean Rocky Benthic Communities along a depth gradient. *Estuarine, Coastal and Shelf Science* 55, 493-508.
- Geomysa, 1992. Plano de isopacas de sedimentos no consolidados 1:5000. Dirección General de Costas.
- GESHA, 2001. Establecimiento de un sistema de índices de calidad aplicables a la valoración estandarizada del estado de conservación de los espacios litorales de Cantabria. Fundación Marcelino Botín - Universidad de Cantabria. Santander.
- GESHA, 2003. Desarrollo del plan de vigilancia del saneamiento de la bahía de Santander. Gobierno de Cantabria - Universidad de Cantabria - Asociación Científica de Estudios Marinos. Santander.
- GESHA, 2005a. Diseño e implantación de la red de control de calidad del litoral de Cantabria. Gobierno de Cantabria - Universidad de Cantabria. Santander.
- GESHA, 2005b. Plan de investigación integral para la caracterización y diagnóstico ambiental de los sistemas acuáticos de la comunidad de Cantabria. Informe Técnico de la Consejería de Medio Ambiente, Gobierno de Cantabria - Universidad de Cantabria. Santander. <http://www.dmacantabria.com/>.
- GESHA, 2006. Red de control de la calidad del litoral de Cantabria. Gobierno de Cantabria - Universidad de Cantabria. Santander.
- Gilvear, D., Tyler, A., Davids, C., 2004. Detection of estuarine and tidal river hydromorphology using hyper-spectral and LiDAR data: Forth estuary, Scotland. *Estuarine Coastal and Shelf Science* 61, 379-392.
- Golden Software, I., 2002. Surfer 8.0, Surface mapping system. [www.goldensoftware.com](http://www.goldensoftware.com), Colorado.
- Gorostiaga, J.M., 1990. Aspectos demográficos del alga roja *Gelidium sesquipedale* (Clemente) Thuret. Discusión sobre su adecuada gestión como recurso explotable. Ph.D. Thesis, Universidad del País Vasco, 313 pp.
- Gorostiaga, J.M., Díez, J.M., 1996. Changes in the sublittoral benthic marine macroalgae in the polluted area of Abra de Bilbao and proximal coast (northern Spain). *Marine Ecology Progress Series* 130, 157-167.
- Gorostiaga, J.M., Santolaria, A., Secilla, A., Casares, C., Díez, I., 2004. Check-list of the Basque coast benthic algae (North of Spain). *Anales del Jardín Botánico de Madrid* 61 (2), 155-180.
- Gorostiaga, J.M., Santolaria, A., Secilla, A., Díez, I., 1998. Sublittoral benthic vegetation of the eastern Basque coast (N. Spain): structure and environmental factors. *Botanica Marina* 41, 455-465.

- Grall, J., Glemarec, M., 1997. Using biotic indices to estimate macrobenthic community perturbations in the Bay of Brest. *Estuarine, Coastal and Shelf Science* 44 (A), 43-55.
- Grenager, B., Baardseth, E., 1966. A two stage sampling method of estimating seaweeds quantities. *Proceedings of the International Seaweed Symposium* 5, 129-135.
- Gutiérrez, L.M., Fernández, C., 1992. Water Motion and Morphology in *Chondrus crispus* (Rhodophyta). *Journal of Phycology* 28 (2), 156-162.
- Hamilton, W.P., Kim, M., Thackston, E.L., 2005. Comparison of commercially available *Escherichia coli* enumeration test: Implication for attaining water quality standards. *Water Research* 39, 4869-4878.
- Heiskanen, A.S., Bund, W.V., Cardoso, A.C., Noges, P., 2004. Towards good ecological status of surface waters in Europe - interpretation and armonisation of the concept. *Water Science and Technology* 49, 169-177.
- HELCOM, 1994. 20 years of international cooperation for the Baltic marine environment 1974-1994. Helsinki Commission. Helsinki.
- Henry, J.G., Heinke, G.W., 1999. Ingeniería ambiental. Prentice Hall, 800 pp.
- Hiscock, K., Breckels, M., 2007. Marine biodiversity hotspots in the UK: their identification and protection. WWF UK.
- Hopkins, C.C.E., 2005. The concept of Ecosystem Health & association with the Ecosystem Approach to Management and related initiatives, ICES BSRP/HELCOM/UNEP Regional Sea Workshop on Baltic Sea Ecosystem Health Indicators, Sopot, Poland.
- Hulbert, S.H., 1971. The nonconcept of species diversity: a critique and alternative parameters. *Ecology* 52, 577-586.
- ICES, 2001a. Report of the ICES Advisory Committee on Ecosystems, 2001. ICES Cooperative Research Report 249. International Council for the Exploration of the Sea.
- ICES, 2001b. Report of the Working Group on Marine Habitat Mapping. International Council for the Exploration of the Sea-Marine Habitat Committee. Galway, Ireland.
- ICES, 2003. Environmental Status of the European Seas. International Council for the Exploration of the Sea.
- IFREMER, 1993. Qualité du milieu marin littoral. Institut Francais de Recherche pour L'Exploitation de la Mer.
- IH Cantabria, 2007. Redacción del plan marco de gestión de los LIC de la Comunidad Autónoma de Cantabria. Instituto de Hidráulica Ambiental de Cantabria - Consejería de Desarrollo Rural, Ganadería, Pesca y Biodiversidad.

## Referencias

---

- Izquierdo, C., Cantalejo, A.F., Fernández, F., Leal, A., Ollero, C., Maraver, A., Fraidías, J., 2000. Estudio de caracterización del mar territorial andaluz. Consejería de Medio Ambiente. Junta de Andalucía.
- Jørgensen, B.B., Richardson, K., 1996. Eutrophication in Coastal Marine Ecosystems. Coastal and Estuarine Studies. American Geophysical Union, 272 pp.
- Juanes, J.A., 1983. Contribución al conocimiento de la biología de *Gelidium latifolium* (Grev.) Thur. et Born. Degree Thesis, Universidad de Oviedo, 101 pp.
- Juanes, J.A., Borja, A., 1991. Biological Criteria for the Exploitation of the Commercially Important Species of *Gelidium* in Spain. Hydrobiologia 221, 45-54.
- Juanes, J.A., Canteras, J.C., 1995. Monitoring of sewage outfalls in northern Spain: preliminary studies of benthic communities. Water Science and Technology 32 (2), 289-295.
- Juanes, J.A., Fernández, C., 1988. Ciclo anual y producción de *Gelidium latifolium* (Grev.) Thur. et Born. (1876), en la región de cabo Peñas (Asturias, N de España). Investigación Pesquera 52 (1), 109-122.
- Juanes, J.A., Guinda, X., Puente, A., Revilla, J.A., 2008. Macroalgae, a suitable indicator of the ecological status of coastal rocky communities in the NE Atlantic. Ecological Indicators doi:10.1016/j.ecolind.2007.04.005.
- Juanes, J.A., Gutiérrez, L., 1992. Cartografía y evaluación de biomasa de *Gelidium sesquipedale* (Clem.). Born. et Thur. en la costa oriental de Cantabria (N. de España). Scientia Marina 166, 1-22.
- Juanes, J.A., Sosa, P., 1998. Seaweed resources of Spain. In: A.T.O. Critchley, M. (Editor), Seaweed Resources of the World. Japan Int. Cooperation Agency, Yokosuka, Japan, pp. 164-175.
- Karlson, K., Rosenberg, R., Bonsdorff, E., 2002. Temporal and spatial large-scale effects of eutrophication and oxygen deficiency on benthic fauna in Scandinavian and Baltic waters - A review, Oceanography and Marine Biology, Vol 40. Oceanography and Marine Biology, pp. 427-489.
- Kates, R.W., 1987. Risk assessment of environmental hazard. John Wiley & Sons, Chichester.
- Kautsky, N., Kautsky, H., Kautsky, U., Waern, M., 1986. Decreased depth penetration of *Fucus vesiculosus* L. since the 1940s indicate eutrophication of the Baltic Sea. Marine Ecology Progress Series 28, 1-8.
- Kemp, W.M., Boynton, W.R., Adolf, J.E., Boesch, D.F., Boicourt, W.C., Brush, G., Cornwell, J.C., Fisher, T.R., Glibert, P.M., Hagy, J.D., Harding, L.W., Houde, E.D., Kimmel, D.G., Miller, W.D., Newell, R.I.E., Roman, M.R., Smith, E.M., Stevenson, J.C., 2005. Eutrophication of Chesapeake Bay: historical trends and ecological interactions. Marine Ecology-Progress Series 303, 1-29.

- Kiely, G., 1999. Ingeniería ambiental. Fundamentos, entornos, tecnologías y sistemas de gestión. Mac Graw Hill, 1331 pp.
- Kingsford, M.J., 1998. Analytical aspects of sampling design. In: M.B. Kingsford, C. (Editor), Studying temperate marine environments. Canterbury University Press, Christchurch, New Zealand, pp. 49-83.
- Krause-Jensen, D., Carstensen, J., Dahl, K., 2007. Total and opportunistic algal cover in relation to environmental variables. *Marine Pollution Bulletin* 55, 114-125.
- Krebs, C.J., 1989. Ecological methodology. Harper & Row, Publishers, New York, 654 pp.
- Kruskal, J.B., Wish, M., 1978. Multidimensional scaling. Sage Publications, Beverley Hills, California.
- Labrune, C., Amoroux, J.M., Sarda, R., Dutrieux, E., Thorin, S. Rosenberg, R., Grémare, A., 2006. Characterization of the ecological quality of the coastal Gulf of Lions (NW Mediterranean). A comparative approach based on three biotic indices. *Marine Pollution Bulletin* 52, 34-47.
- Lacaze, J.C., 1996. L'eutrophisation des eaux marines et continentales. Ellipses, 191 pp.
- Lambshead, P.J.D., Platt, H.M., Shaw, K.M., 1983. The detection of differences among assemblages of marine benthic species based on an assessment of dominance and diversity. *Jounanl of Natural History* 17, 859-874.
- Latour, P., 2007. Effect of aggregation methods on ecological assessment, CIS workshop on national classification systems for the assessment of the ecological status of surface waters, Paris.
- Lautenschläger, M., Kiel, E., 2005. Assessing morphological degradation in running waters using Blackfly communities (Diptera, Simuliidae): Can habitat quality be predicted from land use? *Limnologica* 35, 262-273.
- Lavín, A., Cabanas, J.M., Díaz del Río, G., 1992. Hydrography in N-NW Spanish coastal waters, MPH Saracus 0488 Cruise. *Boletín del Instituto Español de Oceanografía* 8 (1), 41-55.
- Lavín, A., Valdés, L., Gil, J., Moral, M., 1998. Seasonal and interannual variability in properties of surface water off Santander (Bay of Biscay) (1991-1995). *Oceanologica Acta* 21, 179-190.
- Levine, H.G., 1984. The use of seaweeds for monitoring coastal waters. In: E. Shubert (Editor), *Algae as Ecological Indicators*. Academic Press, London, pp. 189-210.
- Littler, M.M., Littler, D.S., 1980. The evolution of thallus form and survival strategies in benthic marine macroalgae: field and laboratory tests of a functional form model. *American Naturalist* 116, 25-44.

## Referencias

---

- Littler, M.M., Littler, D.S., 1984. Relationships between macroalgal functional form groups and substrata stability in a subtropical rocky-intertidal system. *Journal of Experimental Marine Biology and Ecology* 74, 13-34.
- Littler, M.M., Murray, S.N., 1975. Impact of sewage on the distribution, abundance and community structure of rocky intertidal macroorganisms. *Marine Biology* 30, 277-291.
- López, I., 2006a. Desarrollo de un sistema de gestión de la calidad de las zonas de baño, III Congreso Internacional de Ingeniería Civil, Territorio y Medio Ambiente, Zaragoza.
- López, I., 2006b. Desarrollo de un sistema de gestión integral para las aguas de baño. Universidad de Cantabria.
- Lumb, A., Halliwell, D., Sharma, T., 2006. Application of CCME Water Quality Index to monitor water quality: A case study of the Mackenzie River basin, Canada. *Environmental Monitoring and Assessment* 113 (1-3), 411-429.
- Lüning, K., 1990. *Seaweeds: Their environment, biogeography and ecophysiology*. John Wiley & Sons, Inc., New York, 527 pp.
- Llera, E.M., Álvarez, J., Álvarez, L.M., Vega de Seoane, A., 1988. Caracterización de los campos de algas de interés comercial en el Principado de Asturias: cartografiado y estimación de la producción. Informe inédito. FICYT-CAP.
- Llera, E.M., Álvarez, J., Álvarez, L.M., Vega de Seoane, A., 1990. Cartografía de los campos de ocle (*Gelidium sesquipedale*) en el Principado de Asturias. In: C.A.P.y. F.I.C.Y.T. (Editor), Recursos pesqueros de Asturias, 5, pp. 89.
- MacFarlane, C., 1952. A survey of certain seaweeds of commercial importance in southwest Nova Scotia. *Canadian Journal of Botany* 30, 78-97.
- Majeed, S.A., 1987. Organic matter and biotic indices on the beaches of North Britanny. *Marine Pollution Bulletin* 18, 490-495.
- Malod, J.A., Boillot, G., Capdevilla, R., Dupeuble, P.A., Lepvrier, C., Mascle, G., Muller, C., 1982. *Oceanis*, 8 (8), 655-666 pp.
- Mallarach i Carrera, J.M., 1999. Criteris i mètodes d'avaluació del patrimoni natural. Departament de Medi Ambient, Generalitat de Catalunya.
- Mann, K.H., 1972. Ecological energetics of the seaweed zone in a marine bay on the Atlantic Coast of Canada. I. Zonation and biomass of seaweeds. *Marine Biology* 12 (1), 1-10.
- Marshall, S.M., Newton, L., Orr, A.P., 1949. A study of certain British Seaweeds and their utilization in the preparation of agar. Ministry of Health & Ministry of Supply. London.
- Martínez de Bascarán, G., 1979. Establecimiento de una metodología para conocer la calidad del agua. *Boletín Informativo del Medio Ambiente* 9, 30-51.

- Miranda, F., 1943-44. Enumeración de las algas marinas del N y NO de España. Ciencia Mexicana 4 (1): 17-20; 4 (4-5): 111- 116; 4 (6-7): 156- 161. [1943]; 4 (8-10): 219- 224. [1944].
- MMA, 1996a. Indicadores ambientales. Una propuesta para España. Ministerio de Medio Ambiente. Madrid.
- MMA, 1996b. Sistema Español de Indicadores Ambientales: subáreas de biodiversidad y bosque. Ministerio de Medio Ambiente. Dirección General de Calidad y Evaluación Ambiental. Madrid.
- MMA, 1998. Sistema español de indicadores ambientales: subáreas de agua y suelo. Ministerio de Medio Ambiente. Dirección General de Calidad y Evaluación Ambiental. Madrid.
- MMA, 1999. Sistema español de indicadores ambientales: subáreas de atmósfera y residuos. Ministerio de Medio Ambiente. Dirección General de Calidad y Evaluación Ambiental. Madrid.
- MMA, 2000. Tronco común de indicadores ambientales. Ministerio de Medio Ambiente, Dirección General de Calidad y Evaluación Ambiental, Subdirección General de Calidad Ambiental, Área Información Ambiental Estratégica.
- MMA, 2001a. Registro estatal de emisiones y fuentes contaminantes. Total Nacional. EPER-España 2001. (Revisión Final Enero 2005). Ministerio de Medio Ambiente. Madrid, Spain.
- MMA, 2001b. Sistema español de indicadores ambientales: subárea de costas y medio marino. Ministerio de Medio Ambiente. Madrid.
- MMA, 2006. Spain Member State Report for the Macroalgae on benthic hard substrate in intertidal and subtidal environments in the NEA 1 Coastal Waters. Dirección General de Costas, Ministerio de Medio Ambiente. Madrid.
- MMA, 2007. Planificación hidrológica. Síntesis de los estudios generales de las Demarcaciones Hidrográficas en España. Ministerio de Medio Ambiente.
- Molina, R., 1972. Contribución al estudio del upwelling frente a la costa noroccidental de la Península Ibérica. Boletín del Instituto Español de Oceanografía 152.
- Monserud, R., Leemans, R., 1992. Comparing global vegetation maps with the Kappa statistic. Ecological Modelling 62, 275-293.
- Morante, L., 2006. Comparación métrica para la determinación de la calidad fisicoquímica de las masas de agua fluvial de Cantabria que drenan al mar Cantábrico, de acuerdo con los principios de la Directiva Marco del Agua. Trabajo de Investigación, Universidad de Cantabria.
- Mostert, E., 2003. The European Water Framework Directive and water management research. Physics and Chemistry of the Earth 28, 523-527.

## Referencias

---

- Munda, I., 1974. Changes and succession in the benthic algal associations of slightly polluted habitats. *Revue Internationale Oceanographie Medicale* 24, 37-52.
- Murray, S.N., Littler, M.M., 1978. Patterns of algal succession in a perturbated marine intertidal community. *Journal of Phycology* 14, 506-512.
- Muxika, I., Borja, A., Bald, J., 2007. Using historical data, expert judgement and multivariate analysis in assessing reference conditions and benthic ecological status, according to the European Water Framework Directive. *Marine Pollution Bulletin* 55, 16-29.
- Muxika, I., Borja, A., Bonne, W., 2005. The suitability of the marine biotic index (AMBI) to new impact sources along European coasts. *Ecological Indicators* 5, 19-31.
- Nielsen, K., Somod, B., Ellegaard, C., Krause-Jensen, D., 2003. Assessing reference conditions according to the European Water Framework Directive using modelling and analysis of historical data: An example from Randers Fjord, Denmark. *Ambio* 32 (4), 287-294.
- Nielsen, S.L., Sand-Jensen, K., Borum, J., Geertz-Hansen, O., 2002a. Depth colonization of eelgrass (*Zostera marina*) and macroalgae as determined by water transparency in Danish coastal waters. *Estuaries* 25, 1025-1032.
- Nielsen, S.L., Sand-Jensen, K., Borum, J., Geertz-Hansen, O., 2002b. Phytoplankton, nutrients, and transparency in Danish coastal waters. *Estuaries* 25 (5), 930-937.
- Niell, F.X., 1977. Distribución y zonación de las algas bentónicas en la facies rocosa del sistema intermareal de las Rías Bajas Gallegas. *Investigación Pesquera* 41 (2), 219-237.
- Niell, F.X., Pazó, J.P., 1978. Incidencia de vertidos industriales en la estructura de poblaciones intermareales. II Distribución de la biomasa y de la diversidad específica de comunidades de macrófitos de facies rocosa. *Investigación Pesquera* 42 (2), 213-239.
- Niemeijer, D., de Groot, R.S., 2008. A conceptual framework for selecting environmental indicator sets. *Ecological Indicators* 8, 14-25.
- NRC, 2000. Ecological Indicators for the Nation. National Research Council, Washington, DC, 180 pp.
- NWC, 1981. River Quality: The 1980 Survey and Future Outlook. National Water Council. London.
- OCDE, 1994. OECD Environmental Indicators. Paris.
- OCDE, 2001. OECD Environmental Indicators: Towards Sustainable Development. Organisation for Economic Co-operation and Development, Paris, 155 pp.
- Ondiviela, B., 2006. Desarrollo de un modelo integral de gestión de la calidad de los sistemas acuáticos portuarios. Ph.D. Thesis, Universidad de Cantabria.

- Orfanidis, S., Panayotidis, E., Stamatis, N., 2001a. Ecological evaluation of transitional and coastal waters: a marine benthic macrophytes-based model. *Mediterranean Marine Science* 2 (2), 45-65.
- Orfanidis, S., Panayotidis, P., Stamatis, N., 2003. An insight to the ecological evaluation index (EEI). *Ecological Indicators* 3, 27-33.
- Orfanidis, S., Stamatis, N., Tsiaffa, E., Schramm, W., 2001b. Variability of the characteristics of seaweed communities in a eutrophic lagoon (Vassova, N. Greece). Proceedings 7th International Phycological Congress. *Phycologia*, pp. 117 p.
- OSPAR, 2005. Eutrophication Series. Ecological Quality Objectives for the Greater North Sea with Regard to Nutrients and Eutrophication Effects. OSPAR Commission.
- Ott, W.R., 1978. Environmental indices-Theory and Practice. Ann Arbor Science, Michigan, USA.
- Painting, S.J., Devlin, M.J., Rogers, S.I., Mills, D.K., Parker, E.R., Rees, H.L., 2005. Assessing the suitability of OSPAR EcoQOs for eutrophication vs ICES criteria for England and Wales. *Marine Pollution Bulletin* 50 (12), 1569-1584.
- Panayotidis, P., Montesanto, B., Orfanidis, S., 2004. Use of low-budget monitoring of macroalgae to implement the European Water Framework Directive. *Journal of Applied Phycology* 16, 49-59.
- Pantle, R., Buck, H., 1955. Die biologische Überwachung der Gewässer und die Darstellung der Ergebnisse. *Bes. Mitt. z. Dt. Gewässerkundl* 12, 135–143.
- Parry, D.M., Kendall, M.A., Pilgrim, D.A., Jones, M.B., 2003. Identification of patch structure within marine benthic landscapes using a remotely operated vehicle. *Journal of Experimental Marine Biology and Ecology* 285-286, 497-511.
- Pascual, A., Cearreta, A., Rodríguez-Lázaro, J., Uriarte, A., 2004. Geology and Palaeoceanography. In: A. Borja and M. Collins (Editors), *Oceanography and marine environment of the Basque Country*. Elsevier Oceanography Series, Amsterdam, pp. 53-73.
- Pazó, J.P., Niell, F.X., 1977. Distribution and Characteristics of *Fucus serratus* in Rias Bajas of Galicia (Nw Spain). *Investigación Pesquera* 41 (2), 455-472.
- Pearson, T., Rosenberg, R., 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Oceanography and Marine Biology, Annual Review* 16, 229-311.
- Pérez García, M.L., Canteras, J.C., Moreno-Ventas, X., Valdés, L., 1995. Estudio del fitoplancton de la zona nerítica de Santander en período estival, Actas del IC Coloquio Internacional sobre Oceanografía del Golfo de Vizcaya.
- Pielou, E.C., 1969. An introduction to mathematical ecology. Wiley-Interscience, London.

- Pinedo, S., García, M., Satta, M.P., De Torres, M., Ballesteros, E., 2007. Rocky-shore communities as indicators of water quality: a case study in the Northwestern Mediterranean. *Marine Pollution Bulletin* 55, 126-135.
- Pons, J.J., López, D., Montoro, C., 2004. Del interior a la costa: dinámica espacial de la población española a lo largo del siglo XX, VII Congreso de la Asociación de Demografía Histórica., Granada.
- Puente, A., 2000. Distribución y estructura de las comunidades de macroalgas de la isla de Mouro (Cantabria, golfo de Vizcaya). Consideraciones sobre su aplicación en la vigilancia ambiental de espacios litorales. Ph.D. Thesis, Universidad de Cantabria, Santander.
- Puente, A., Juanes, J.A., García, A., Revilla, J.A., Álvarez, C., Calderón, J.G., 2007. Medium-Term assessment of the prestige oil spill effects on estuarine benthic communities of Cantabria (N Spain, Gulf of Biscay), ERF 2007 Science and Management. Estuarine Research Federation, Providence (USA).
- Puente, A., Juanes, J.A., Guinda, X., Revilla, J.A., en preparación. Distribution patterns of subtidal benthic communities on hard substrates in the Gulf of Biscay (NE Atlantic region).
- Puigserver, M., Ramon, G., Moya, G., Martinez-Taberner, A., 2002. Planktonic chlorophyll a and eutrophication in two Mediterranean littoral systems (Mallorca Island, Spain). *Hydrobiologia* 475 (1), 493-504.
- Quintino, V., Elliott, M., Rodrigues, A.M., 2006. The derivation, performance and role of univariate and multivariate indicators of benthic change: Case studies at differing spatial scales. *Journal of experimental marine biology and ecology* 330, 368-382.
- Raffaelli, D., Hawkins, S., 1996. Intertidal Ecology. Chapman&Hall, Oxford, Great Britain, 356 pp.
- REBECCA, 2005. Marine phytoplankton. Relationships between ecological and chemical status of surface waters. DHI, JRC, SYKE, Universidaede de Lisboa, IPIMAR, NERI, NIMRD, IRS and WL Delft.
- Redfield, A.C., 1958. The Biological Control of Chemical Factors in the Environment. *American Scientist* 46 (3), 205-221.
- REFCOND, 2003. Guidance on establishing reference conditions and ecological status class boundaries for inland surface waters. Working group 2.3 Reference conditions for inland surface (REFCOND), Common Implementation Strategy of the Water Framework Directive, European Commission.
- Reiss, H., Kröcke, I., 2005. Seasonal variability of benthic indices: An approach to test the applicability of different indices for ecosystem quality assessment. *Marine Pollution Bulletin* 50, 1490-1499.

- Revilla, J.A., Juanes, J.A., Ondiviela, B., García, A., García, A., Puente, A., Carranza, I., Guinda, X., Rojo, J., López, M., 2005. ROM 5.1. Calidad de las Aguas Litorales en Áreas Portuarias. Puertos del Estado. Madrid.
- Revilla, J.A., Koev, K.N., Díaz, R., Álvarez, C., Roldán, A., 1995. Methods for studying dissolved oxygen levels in coastal and estuarine waters receiving combined sewer overflows. *Water Science and Technology* 32 (2), 95-103.
- Revilla, J.A., Medina, R., Álvarez, C., García, A., Mier, J.M., 2007a. Estudio del tamaño de grano crítico del vertido de Solvay en Usgo. *Apia XXI - IH Cantabria*.
- Revilla, M., Briz, O., Carrillo, P., Escalona, M., García, P., Guinda, X., Pérez, P., Pérez, V., Rodríguez, N., Serret, P., 2007b. Description of national methods included in the intercalibration. Spain Member State Report for the Phytoplankton Element: Coastal Waters NEA 1/26 type.
- Ridgway, J., Shimmield, G., 2002. Estuaries as repositories of historical contamination and their impact on shelf seas. *Estuarine Coastal and Shelf Science* 55, 903-928.
- Ringold, P.L., Alegría, J., Czaplewski, R.L., Mulder, B.S., Tolle, T., Burnett, K., 1996. Adaptive monitoring design for ecosystem management. *Ecological Applications* 6, 745-747.
- Rosenberg, R., Blomqvist, M., Nilsson, H.C., Cederwall, H., Dimming, A., 2004. Marine quality assessment by use of benthic species-abundance distributions: a proposed new protocol within the European Union Water Framework Directive. *Marine Pollution Bulletin* 49, 728-739.
- Rygg, B., 1985. Distribution of species along pollution-induced diversity gradients in benthic communities in Norwegian fjords. *Marine Pollution Bulletin* 16, 469-474.
- Rygg, B., 2002. Indicator species index for assessing benthic ecological quality in marine waters of Norway. Report SNO 4548-2002. Norwegian Institute for Water Research. Oslo.
- Salas, F., Marcos, C., Neto, J.M., Patrício, J., Pérez Ruzafa, A., Marques, J.C., 2006. User-friendly guide for using benthic ecological indicators in coastal and marine quality assessment. *Ocean & Coastal Management* 49, 308-331.
- Salas, F., Neto, J.M., Borja, A., Marques, J.C., 2004. Evaluation of the applicability of a marine biotic index to characterize the status of estuarine ecosystems: the case of Mondego estuary (Portugal). *Ecological Indicators* 4, 215-225.
- Sanders, H.L., 1968. Marine benthic diversity: a comparative study. *American naturalist* 102, 243-282.
- Santelices, B., 1989. Algas marinas de Chile, Santiago, 400 pp.
- Sauvageau, C., 1897. Note préliminaire sur les algues marines du Golfe de Gascogne. *Journal de Botanique* 11, 166-307.

## Referencias

---

- Shannon, C.E., Weaver, W., 1963. The mathematical theory of communication. University of Illinois Press, Urbana, USA, pp. 117.
- Sibuet, J.C., Le Pichon, X., 1971. Structure gravimétrique du golfe de Gascogne et le fosse marginal nord-espagnol. In: Technip (Editor), Histoire structurale du Golfe de Gascogne., Paris, pp. 1-17.
- Sierra, F., Fernández, C., 1984. The *Corallina elongata* Community in the Central Coast of Asturias, N of Spain .1. Minimal Area and Spatial-Distribution. Investigación Pesquera 48 (2), 255-268.
- Simboura, N., 2004. Bentix Index vs. Biotic Index in monitoring: an answer to Borja *et al.*, 2003. Marine Pollution Bulletin 48, 404-405.
- Simboura, N., Panayotidis, E., Papathanassiou, E., 2005. A synthesis of the biological quality elements for the implementation of the European Water Framework Directive in the Mediterranean ecoregion. The case of Saronikos Gulf. Ecological Indicators 5, 253-266.
- Simboura, N., Reizopoulou, S., 2007. A comparative approach of assessing ecological status in two coastal areas of Eastern Mediterranean. Ecological Indicators 7, 455-468.
- Simboura, N., Zenetos, A., 2002. Benthic indicators to use in ecological quality classification of Mediterranean soft bottom marine ecosystems, including a new Biotoc Index. Marine Science 3(2), 77-111.
- Smayda, T.J., 2004. Eutrophication and phytoplankton. In: P. Wassmann and K. Olli (Editors), Drainage basin nutrient inputs and eutrophication: an integrated approach, pp. 89-98.
- Smith, R.W., Bergen, M., Weisberg, S.B., Cadien, D., Dalkey, A., Montagne, D., 2001. Benthic response index for assessing infaunal communities on the southern California mainland shelf. Ecological Applications 11, 1073-1087.
- Smith, V.H., 2003. Eutrophication of freshwater and coastal marine ecosystems - A global problem. Environmental Science and Pollution Research 10 (2), 126-139.
- StatSoft, 2001. STATISTICA (data analysis software system), versión 6. [www.statsoft.com](http://www.statsoft.com).
- Stevens, T., Connolly, R.M., 2004. Testing the utility of abiotic surrogates for marine habitat mapping at scales relevant to management. Biological Conservation 119, 351-362.
- Tkachenko, K.S., 2005. An evaluation of the analysis system of video transects used to sample subtidal epibiota. Journal of Experimental Marine Biology and Ecology 318, 1-9.
- Torras, X., Pinedo, S., García, M., Mangialajo, L., Ballesteros, E., 2003. Assessment of coastal environmental quality based on littoral community cartography:

- methodological approach., Second Mediterranean Symposium on Marine Vegetation, Athens.
- Turner, R.E., Rabalais, N.N., 1994. Coastal Eutrophication near the Mississippi River Delta. *Nature* 368 (6472), 619-621.
- Tyagi, P., Edwards, D.R., Coyne, M.S., 2007. Use of selected chemical markers in combination with a multiple regression model to assess the contribution of domesticated animal sources of fecal pollution in the environment. *Chemosphere* 69, 1617-1624.
- UC, 2001. Modelo Digital Batimétrico 1:5000. Universidad de Cantabria.
- UC, 2005. Trabajos efectuados en el convenio para el "Desarrollo de diversos programas de actuación encaminados a corregir los efectos de los vertidos de fuel procedentes del buque Prestige en las costas de Cantabria". Documentos I a VIII. Universidad de Cantabria - Gobierno de Cantabria. Santander.
- UN, 2001. World Population Prospects, The 2000 Revision: Highlights. United Nations.
- Underwood, A.J., 1998. Relationships between ecological research and environmental management. *Landscape and Urban Planning* 40, 123-130.
- Valdés, L., Álvarez-Ossorio, M.T., Lavín, A., Carballo, R., 1991. Ciclo anual de parámetros hidrográficos, nutrientes y plancton en la plataforma continental de La Coruña (NO España). *Boletín del Instituto Español de Oceanografía* 7 (1), 91-138.
- Valencia, V., Borja, A., Franco, J., 1996. Estudio de las variaciones a corto y largo término de varios parámetros oceanográficos y meteorológicos de interés para las pesquerías del Golfo de Bizkaia. Departamento de Agricultura y Pesca, Gobierno Vasco.
- Valencia, V., Borja, A., Franco, J., Fontán, A., 2004. Hydrography of the southeastern Bay of Biscay. In: A. Borja, Collins, M (Editor), *Oceanography and marine environment of the Basque Country*. Elsevier, pp. 159-194.
- Valencia, V., Franco, J., 2004. Main characteristics of the water masses. In: A. Borja, Collins, M (Editor), *Oceanography and marine environment of the Basque Country*. Elsevier, pp. 197-232.
- Valencia, V., Motos, L., Urrutia, J., 1988. Estudio de la variación temporal de la hidrología y el plancton en la zona nerítica frente a San Sebastián. Informes Técnicos Departamento de Agricultura y Pesca, Gobierno Vasco.
- Valiela, I., Foreman, K., Lamontagne, M., Hersh, D., Costa, J., Peckol, P., Demeoandreson, B., Davanzo, C., Babione, M., Sham, C.H., Brawley, J., Lajtha, K., 1992. Couplings of Watersheds and Coastal Waters - Sources and Consequences of Nutrient Enrichment in Waquoit Bay, Massachusetts. *Estuaries* 15 (4), 443-457.

## Referencias

---

- Valley, R.D., Drake, M.T., Anderson, C.S., 2005. Evaluation of alternative interpolation techniques for the mapping of remotely-sensed sumersed vegetation abundance. *Aquatic botany* 81, 13-25.
- Vollenweider, R.A., 1968. Scientific Fundamentals of Eutrophication of Lakes and Flowing Waters, with Particular Reference to Nitrogen and Phosphorus as Factors in Eutrophication. DAS/CSI/68-27. OECD. Paris.
- Vollenweider, R.A., Giovanardi, F., Montanari, G., Rinaldi, A., 1998. Characterization of the trophic conditions of marine coastal waters with special reference to the NW Adriatic sea: Proposal for a trophic scale, turbidity and Generalized Water Quality Index. *Environmetrics* 9, 329-357.
- Warwick, R.M., 1986. A new method for detecting pollution effects on marine macrobenthic communities. *Marine Biology* 92, 557-562.
- Warwick, R.M., Clarke, K.R., 1994. Relearning the ABC: taxonomic changes and abundance/biomass relationships in disturbed benthic communities. *Marine Biology* 118, 739-744.
- Wegener, A., 1922. El origen de los continentes y océanos. Ediciones Pirámide, Madrid, 230 pp.
- Weisberg, S.B., Ranasinghe, J.A., Dauer, D.M., Schaffner, L.C., Díaz, R.J., Frithsen, J.B., 1997. An estuarine benthic index of biotic integrity (B-IBI) for Chesapeake Bay. *Estuaries* 20, 149-158.
- Wells, E., 2002. Seaweed species biodiversity on rocky intertidal seashores in the british isles. Ph.D. Thesis, Heriot-Watt University, Edinburgh.
- Wells, E., 2004. Water Framework Directive marine plants task team. Paper nº: MPTT/MAT01.
- Wells, E., 2006. Draft Class boundary setting protocols for the intercalibration of macroalgae on benthic hard substrate macroalgae communities in the North East Atlantic Region (NEA GIG). Annex C - Class boundary setting procedure.
- Wells, E., Wilkinson, M., 2003. Intertidal seaweed biodiversity of Orkney. *Coastal Zone Topics* 5, 25-30.
- Wells, E., Wilkinson, M., Wood, P., Scanlan, C., 2007. The use of macroalgal species richness and composition on intertidal rocky seashores in the assessment of ecological quality under the European Water Framework Directive. *Marine Pollution Bulletin* 55, 151-161.
- Wilkinson, M., Tittley, I., 1979. The marine Algae of Elie: A reassessment. *Botanica Marina* 22, 249-256.
- Zacharias, M.A., Morris, M.C., Howes, D.E., 1999. Large scale characterization of intertidal communities using a predictive model. *Journal of Experimental Marine Biology and Ecology* 239, 223-242.



