

Bibliografía

- Ames, L. & Proctor, S. (1921). Dioptics of the eye. Journal of the Optical Society of America A, 5, 22–84.
- Artal, P., Guirao, A., Berrio, E., Williams D. R. (2001). Compensation of corneal aberrations by the internal optics in the human eye. Journal of Vision 1, 1-8.
- Artal, P. & Guirao, A. (1998). Contributions of the cornea and the lens to the aberrations of the human eye. Optics Letters, 23(21).1713 - 1715.
- Artal, P., & Navarro, R. (1992). Simultaneous measurement of two point-spread functions at different locations across the human fovea. Applied Optics, 31(19), 3646-3656.
- Atchison, D. A. & Smith, G. (2005). Chromatic dispersions of the ocular media of human eyes. Journal of the Optical Society of America A, 22, 29-37.
- Atchison, D. A. ; Scott D. H. & Charman W. N..(2003a). Hartmann-Shack technique and refraction across the horizontal visual field. J. Opt. Soc. Am. A, Vol. 20, Nº 6, 965-73.
- Atchison, D. A., Marcos, S. & Scott, D. H. (2003b). The influence of the Stiles-Crawford peak location on visual performance. Vision Research, 43(6), 659–668.
- Atchison, D. A., Charman, W. N. & Woods, R. L. (1997). Subjective depth-of-focus of the eye. Optometric Vision Sciences. 74(7), 511–20.
- Atchison, D. A., Collins, M. J., Wildsoet, C. F., Christensen, J. & Waterworth, M. D. (1995). Measurement of monochromatic ocular aberrations of human eyes as a function of accommodation by the Howland aberrometer technique. Vision Research, 35(3), 313-323.
- Atchison, D. A. (2004). Recent advances in representation of monochromatic aberrations of human eyes. Clin Exp Optom; 87: 3: 138–148.
- Awwad, S. T., El-Kateb, M., Bowman, R. W., Cavanagh, H. D. & McCulley, J. P. (2004). Wavefront-guided Laser in situ Keratomileusis With the Alcon CustomCornea and the VISX CustomVue: Three-month Results. Journal of Refractive Surgery, 20(5), 606-613.
- Babcock, H. W. (1953). The possibility of compensating astronomical seeing. Publications of the Astronomical Society of the Pacific, 65, 229-236.
- Bará, S., Mancebo, T. & Moreno-Barriuso, E. (2000). Positioning tolerances for phase plates compensating aberrations of the human eye. Applied Optics, 39(19).3413-3420

Bará, S., Navarro, R. (2003). Wide-field compensation of monochromatic eye aberrations: expected performance and design trade-offs..J Opt Soc Am A. 20(1):1-10.

Bedford, R. E. & Wyszecki, G. W. (1957). Axial chromatic aberration of the human eye. Journal of the Optical Society of America A, 47, 564-565.

Bennett, A. G. & Rabbets, R. B. (1989). Clinical visual optics. (2^a ed.) Oxford: Butterworth.

Borderie, V. M.; Touzeau, O. & Laroche L. (1999). Videokeratography, keratometry, and refraction after penetrating keratoplasty. Journal of Refractive Surgery. 15, 32-37.

Born, M. & Wolf, E. (1980). Principles of optics. Pergamon Press, Sixth ed.

Bradley, A., Hong, X., Thibos, L. N., Cheng, X. & Miller, D. T. (2001). The statistics of monochromatic aberrations from 200 healthy young eyes. Investigative Ophthalmology and Visual Science. 42(4), B175, Abstract no. 862.

Brunette, I., Bueno, J. M., Parent, M., Hamam, H. & Simonet, P. (2003). Monochromatic aberrations as a function of age, from childhood to advanced age. Investigative Ophthalmology & Visual Science. 44(12). 5438-5446.

Burns, S. A. (2000). The spatially resolved refractometer. Journal of Refractive Surgery, 16(5), 566-569.

Carpenter, R. H. S. (1988). Movements of the eyes. Pion Press.

Casas Peláez, J. (1994). Óptica. Ed. Univ. Zaragoza.

Charman, W. N. (1991). Wavefront aberration of the eye: a review. Optometry and Vision Science, 68(8), 574–583.

Cheng, X., Bradley, A., Hong, X. & Thibos, L. N. (2003). Relationship between refractive error and monochromatic aberrations of the eye. Optometry and Vision Science, 80(1), 43-49.

Davies, N., Diaz-Santana, L. & Lara-Saucedo, D. (2003). Repeatability of ocular wavefront measurement. Optometry & Vision Science, 80(2), 142-150.

De Brabander, J. (2002). With an eye on contact lenses. Tesis Doctoral en la Universidad de Maastricht.

Diaz-Santana, L., Torti, C., Munro, I., Gasson, P. & Dainty, C. (2003). Benefit of higher closed-loop bandwidths in ocular adaptive optics. Optics Express, 11(20), 2597 - 2605.

Escudero-Sanz, I. & Navarro R. (1999). Off-axis aberrations of a wide-angle schematic eye model. Journal of the Optical Society of America A, 16(8), 1881-1891.

Eye Movements & Pupilometry Research Group (Universidad UNED). <http://www.uned.es/eyemovements-lab/index.html>.

Fermigier, B.;Joyeux, D. & Chateau, N. (2001). Power inspection of hydrophilic multifocal contact lenses using Fizeau-Tolanski interferometry. Monterey. CA: Vision Sciences its Applications.

Fernández, E. J.;Iglesias, I. & Artal, P. (2001). Closed-loop adaptive optics in the human eye. Optics Letters, 26, 746–749.

Gibbons, J. D. (1985). Nonparametric methods for quantitative analysis. American Sciences press.

Goodman, J. W. (1996). Introduccion to Fourier optics. McGraw-Hill.(2nd Ed.).

Guirao, A. & Artal, P. (1999). Off-axis monochromatic aberrations estimated from double pass measurements in the human eye. Vision Research, 39(2), 207-217.

Guirao, A., González, C., Redondo, M., Geraghty, E., Norrby, S. & Artal, P. (1999). Average optical performance of the human eye as a function of age in a normal population. Investigative Ophthalmology and Visual Science, 40(1):203-13.

Guirao, A., Williams, D. R. & Cox, I. G. (2001). Effect of rotation and translation on the expected benefit of an ideal method to correct the eye's higher-order aberrations. Journal of the Optical Society of America A, 18, 1003-1015.

Guirao, A.,Williams, D. R. & MacRae, S. M. (2003). Effect of beam size on the expected benefit of customized laser refractive. Journal of Refractive Surgery, 19(1). 15-23.

Guirao, A. & Artal, P. (2000). Corneal wave aberration from videokeratography: Accuracy and limitations of the procedure. Journal of the Optical Society of America A, 17(6). 955 – 965.

Guirao, A. & Williams, D. R. (2003). A method to predict refractive errors from wave aberration data. Optometry and Vision Science, 80(1), 36–42.

Hayhoe, M. & Ballard, D. (2005). Eye movements in natural behavior. Trends in Cognitive Sciences, 9(4), 188-194.

He, J. C.;Burns, S. A. & Marcos, S. (2000). Monochromatic aberrations in the accommodated human eye. Vision Research, 40, 41-48.

Ho, A. M. (2003). Aberration correction with soft contact lens: is the postlens tear film important?. Eye & Contact Lens: Science & Clinical Practice, 29(1), 182-185.

Hofer, H., Chen, L., Yoon, G.Y., Singer, B., Yamauchi, Y. & Williams, D. R. (2001a). Improvement in retinal image quality with dynamic correction of the eye's aberrations. Optical Express, Vol. 8, No. 11, 631-643.

Hofer, H., Artal, P., Singer, B., Aragón, J. L. & Williams, D. R. (2001b). Dynamics of the eye's wave aberration. Journal of the Optical Society of America A, 18(3), 497-506.

Howland, B. & Howland, H. C. (1976). Subjective measurement of high-order aberrations of the eye. Science, 193(4253), 580–582.

Howland, H. C. (2002). High order wave aberration of eyes. Ophthalmic Physiol Opt., 22(5), 434–439.

Ivanoff, D. (1947). Les aberrations de chromatisme et de sphericite de l'oeil. Leur role en vison nocturne. Rev.Opt.Theor.Instrum. 26, 145-171.

Kaemmerer, M., Mrochen, M., Mierdel, P., Krinke, H., E. & Seiler, T., J. (2000). Clinical experience with the Tscherning aberrometer. Journal of Refractive Surgery, 16(5), 584-587.

Larichev, A. V., Ivanov, P. V., Iroshnikov, I. G. & Shmal'gauzen, V. I. (2001). Measurement of eye aberrations in a speckle field. Quantum Electronics, 31(12), 1108-1112.

Laser Institute of America, Orlando. (2000). American national standard for the safe use of lasers, ANSI Z136.1.

Legras, R.; Chateau, N. & Charman, N. (2004). Assessment of just-noticeable differences for refractive errors and spherical aberration using visual simulation. Optometry & Vision Science, 81(9):718-728.

Liang, J. ,Grimm, B., Goelz, S. & Bille, J. F. (1994). Objective measurement of wave aberrations of the human eye with the use of a Hartmann-Shack wave-front sensor. Journal of the Optical Society of America A, 11, 1949–1957.

Liang, J., Williams, D. R. & Miller, D. (1997). Supernormal vision and high resolution retinal imaging through adaptive optics. Journal of the Optical Society of America A, 14, 2884-2892.

Llorente, L., Barbero S., Cano, D., Dorronsoro C. & Marcos, S. (2004). Myopic versus hyperopic eyes: axial length, corneal shape and optical aberrations. Journal of vision, 4(4), 288-298.

Llorente, L., Díaz-Santana, L., Lara-Saucedo, D. & Marcos, S. (2003). Aberrations of the human eye in visible and near infrared illumination. Optometry and Vision Science, 80(1), 26-35.

Lopez-Gil, N. & Howland, H. C. (1999). Measurement of the eye's near infrared wave-front aberration using the objective crossed cylinder aberrometer technique. Vision Research, 39, 2031–2037.

López-Gil, N.;Chateau, N.;Castejón-Monchon, J. F.;Atal, P. & Benito, A. (2003). Correcting ocular aberrations by soft contact lenses. The South African Optometrist, 62(4), 173–177.

López-Gil, N. & Artal, P. (1997). Comparison of double-pass estimates of the retinal image quality obtained with green and near infrared light. Journal of the Optical Society of America A, 14(5), 961–971.

MacRae, S. M.;Schwiegerling, J. & Snyder, R. (2000). Customized corneal ablation and super vision. Journal of Refractive Surgery, 16, 230.

Mahajan, V. N. (1991). Aberration theory made simple. Washington (USA): SPIE Press.

Malacara, D. (1992). Optica shop testing. John-Wiley and Sons,(2^a ed.).

Marcos, S. (2002). Are changes in ocular aberrations with age a significant problem for refractive surgery?. Journal of Refractive Surgery, 18, 572-8.

Marcos, S., Burns, S. A., Prieto, P. M., Navarro, R. & Baraibar, B. (2001). Investigating sources of variability of monochromatic and transverse chromatic aberrations across eyes. Vision Research, 41, 3861–3871.

McLellan, J. S., Marcos, S. & Burns, S. A. (2001). Age-related changes in monochromatic wave aberrations of the human eye. Investigative Ophthalmology & Visual Science. 42(6):1390-1395.

Mierdel, P., Krinke, H. E., Wiegand, W., Kaemmerer, M. & Seiler, T. (1997). Measuring device for determining monochromatic aberration of the human eye. Ophthalmologe, 94(6), 441-445.

Montés-Micó, R., Alio, J. L., Muñoz, G. & Charman, W. N. (2004). Temporal changes in optical quality of air–tear film interface at anterior cornea after blink. Investigative Ophthalmology and Visual Science, 45, 1752-1757.

Mrochen, M.;Kaemmerer, M.;Seiler, T. J. (2000). Wavefront-guided laser in situ keratomileusis: early results in three eyes. Journal of Refractive Surgery, 16(2), 116-21.

Munson, K., Hong, X., Thibos L. N. (2001). Use of a Shack-Hartmann aberrometer to assess the optical outcome of corneal transplantation in a keratoconic eye. Optometry & Vision Science. 78(12), 866-871.

Navarro, R.;Artal, P. & Williams, D. R. (1993). Modulation transfer of the human eye as a function of retinal eccentricity. Journal of the Optical Society of America A, 10, 201-212.

Navarro, R.& Losada, M. A. (1997). Aberrations and relative efficiency of light pencils in the living human eye. Optom. Vision Sci. 74, 540–547.

Navarro, R. & Moreno-Barriuso, E. (1999). Laser ray-tracing method for optical testing. Optics Letters, 24(14),951-953.

Navarro, R., Moreno-Barriuso, E., Bara, S., Mancebo, T. (2000). Phase plates for wave-aberration compensation in the human eye. Optics Letter, 25, 236-238.

Nichols, J. J. & King-Smith, P. E. (2003). Thickness of the pre- and post-contact lens tear film measured *in vivo* by interferometry. Investigative Ophthalmology and Visual Science, 44, 68-77.

Nirmaier, T., Pudasaini, G. & Bille, J. (2003). Very fast wave-front measurements at the human eye with a custom CMOS-based Hartmann-Shack sensor. Optic Express, 11(21), 2704 - 2716.

Porter, J., Guirao, A., Cox, I. G. & Williams, D. R. (2001). Monochromatic aberrations of the human eye in a large emmetropic population. Journal of the Optical Society of America A, 18(8), 1793-1803.

Prieto, P. M., Vargas-Martín, F., Goelz, S., Artal, P. (2000). Analysis of the performance of the Hartmann-Shack sensor in the human eye. Journal of the Optical Society of America A, 17(8), 1388-1398.

Rayner, J. C. W. & Best, D. J. (2001). A contingency table approach to nonparametric testing. Chapman and Hall.

Roorda, A. & Williams, D. R. (1999). The arrangement of the three cone classes in the living human eye. Nature (London), 397, 520–522.

Roorda, A., Cheng, H., Barnett, J. K., Vilupuru, A. S., Marsack, J. D., Kasthurirangan, S., Applegate, R. A. (2004). A population study on changes in wave aberrations with accommodation. Journal of Vision, 4(4), 272-280.

Rousset, G. (1994). Wavefront sensing. adaptive optics for astronomy. D. M. Alloin y J.-M. Mariotti, Kluwer Academic, Dordrecht, The Netherlands.

Salmon,T.O & van de Pol C. (2004). Zernike coefficient norms—comparison of studies. American Academy of Optometry annual meeting, Tampa, Florida. (Optometry and Vision Science 2004; 81 (12s) p. 20.).

Sarkisian, K. A. & Petrov, A. A. (2002). Clinical experience with the customized low spherical aberration ablation profile for myopia. Journal of Refractive Surgery, 18(3), 352-356.

Shah, S., Naroo, S., Hosking, S., Gherghel, D., Mantry, S., Bannerjee, S.; Pedwell, K. & Bains, H. S. (2003). Nidek OPD-scan analysis of normal, keratoconic, and penetrating keratoplasty eyes. Journal of Refractive Surgery. 19(2), 255-259.

Simonet, P. & Campbell, M. C. W. (1990). The optical transverse chromatic aberration on the fovea of the human eye. Vision Research, 30(2), 187-206.

Smirnov, M. S. (1961). Measurement of the wave aberration of the human eye. Biofizika, 6, 776–795.

Smith, G. & Atchison, D. (1997). The eye and visual optical instruments. Cambridge University Press.

Sprent, P. (1993). Applied nonparametric statistical methods. Chapman and Hall.

Stiles, W. S. & Crawford, B. H. (1933). The luminous efficiency of rays entering the eye pupil at different points. Proceedings of the Royal Society B, 112, 428–450.

Thibos, L. N., Hong, X., Bradley, A., Cheng, X. (2002). Statistical variation of aberration structure and image quality in a normal population of healthy eyes. Journal of the Optical Society of America A, 19(12), 2329-2348.

Thibos, L. N., Ye, M., Zhang, X. & Bradley, A. (1992). The chromatic eye: a new reduced-eye model of ocular chromatic aberration in humans. Applied Optics, 31, 3594-3600.

Thibos, L. N.; Applegate, R. A.; Schwiegerling, J. T. & Webb, R. & VSIA Standards Taskforce Members. (2000). Standards for reporting the optical aberrations of the eyes. OSA Trends in Optics and Photonics. Washington, DC: Optical Society of America. 35, 232-244.

Thibos L., N., Hong X., Bradley A., Applegate R., A. (2004). Accuracy and precision of objective refraction from wavefront aberrations. Journal of Vision. 4(4), 329-351.

Thibos L. N., Wheeler W., Horner D. (1997). Power vectors: an application of Fourier analysis to the description and statistical analysis of refractive error. Optom Vis Sci. 74: 367-375.

Thibos L. N.; Cheng X.; Bradley A. (2003). Design principles and limitations of wave-front guided contact lenses. Eye Contact Lens. 29(1 Suppl): 167-70.

Tomlinson, A. (1983). Succeeding with toric soft lenses. Rev. Optom., 120, 71-80.

Tscherning, M. (1904). Physiologic Optics. 2nd. Ed. The Keystone Press.

Walsh, G., Charman, W. N. & Howland, H. C. (1984). Objective technique for the determination of monochromatic aberrations of the human eye. Journal of the Optical Society of America A, 1, 987–992.

Walsh, G. & Cox, M., J. (1995). A new computerised video-aberroscope for the determination of the aberration of the human eye. Ophthalmic Physiol Opt., 15, 403–408.

Webb, R. H.;Penney, C. M. & Thompson, K. P. (1992). Measurement of ocular local wave-front distortion with a spatially resolved refractometer. Applied Optics, 31, 3678–3686.

Williams, D. R., Artal, P., Navarro, R., McMahon, M. J. & Brainard, D. H. (1996). Offaxis optical quality and retinal sampling in the human eye. Vision Research, 36(8), 1103-1114.

Yarbus, A. (1967). Eye Movements and Vision. Plenum Press.

Yoon, G-Y. & Williams, D. R. (2002). Visual performance after correcting the monochromatic and chromatic aberrations of the eye. Journal of the Optical Society of America A, 19(2). 266-75.

Yoon, G.-Y. & Jeong, T. (2005). Effect of dynamic movement of customized contact lens on visual benefit of correcting higher order aberrations in keratoconic eyes. Arvo Annual Meeting.

Young T.(1801).The Bakerian Lecture. On the mechanism of the eye. Philosophical Transactions of the Royal Society of London Part 1. 23-88.