



# Identificación de posibles factores de *Myzus persicae* implicados en la transmisión del virus del grabado del tabaco (TEV) y estrategias para interferir su expresión

María Urizarna España

**ADVERTIMENT.** La consulta d'aquesta tesi queda condicionada a l'acceptació de les següents condicions d'ús: La difusió d'aquesta tesi per mitjà del servei TDX ([www.tdx.cat](http://www.tdx.cat)) i a través del Dipòsit Digital de la UB ([deposit.ub.edu](http://deposit.ub.edu)) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d'investigació i docència. No s'autoriza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d'un lloc aliè al servei TDX ni al Dipòsit Digital de la UB. No s'autoriza la presentació del seu contingut en una finestra o marc aliè a TDX o al Dipòsit Digital de la UB (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

**ADVERTENCIA.** La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR ([www.tdx.cat](http://www.tdx.cat)) y a través del Repositorio Digital de la UB ([deposit.ub.edu](http://deposit.ub.edu)) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR o al Repositorio Digital de la UB. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR o al Repositorio Digital de la UB (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

**WARNING.** On having consulted this thesis you're accepting the following use conditions: Spreading this thesis by the TDX ([www.tdx.cat](http://www.tdx.cat)) service and by the UB Digital Repository ([deposit.ub.edu](http://deposit.ub.edu)) has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized nor its spreading and availability from a site foreign to the TDX service or to the UB Digital Repository. Introducing its content in a window or frame foreign to the TDX service or to the UB Digital Repository is not authorized (framing). Those rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it's obliged to indicate the name of the author.

UNIVERSIDAD DE BARCELONA

FACULTAD DE FARMACIA

CENTRE DE RECERCA EN AGRIGENÒMICA (CRAG)  
DEPARTAMENTO GENÉTICA MOLECULAR

IDENTIFICACIÓN DE POSIBLES FACTORES DE MYZUS PERSICAE  
IMPLICADOS EN LA TRANSMISIÓN DEL VIRUS DEL GRABADO DEL  
TABACO (TEV) Y ESTRATEGIAS PARA INTERFERIR SU EXPRESIÓN

MARÍA URIZARNA ESPAÑA  
2012

# BIBLIOGRAFÍA



## BIBLIOGRAFÍA

- Adams, M. J., Antoniw, J. F., Fauquet, C. M. (2005). Molecular criteria for genus and species discrimination within the family Potyviridae. *Archives of virology* 150: 459-479.
- Akache, B., Grimm, D., Pandey, K., Yant, S. R., Xu, H. & Kay, M. A. (2006). The 37/67-kilodalton laminin receptor is a receptor for adeno-associated virus serotypes 8, 2, 3, and 9. *Journal of virology* 80(19): 9831-9836.
- Allison, R. F., Sorenson, J. C., Kelly, M. E., Armstrong, F. B. & Dougherty, W. G. (1985). Sequence determination of the capsid protein gene and flanking regions of tobacco etch virus: Evidence for synthesis and processing of a polyprotein in potyvirus genome expression. *Proceedings of the National Academy of Sciences of the United States of America* 82(12): 3969-3972.
- Ammar, E. D., Jarl fors, U. & Pirone, T. P. (1994). Association of potyvirus helper component protein with virions and the cuticle lining the maxillary food canal and foregut of an aphid vector. *Phytopathology* 84: 1054-1060.
- Anandalakshmi, R., Pruss, G. J., Ge, X., Marathe, R., Mallory, A. C., Smith, T. H. & Vance, V. B. (1998). A viral suppressor of gene silencing in plants. *Proceedings of the National Academy of Sciences of the United States of America* 95(22): 13079-13084.
- Anindya, R. & Savithri, H. S. (2004). Potyviral NIa proteinase, a proteinase with novel deoxyribonuclease activity. *The Journal of biological chemistry* 279(31): 32159-32169.
- Artigas, J. (1994). *Entomología económica*. Concepción, Chile: Anibal Pinto.
- Atreya, C. D., Atreya, P. L., Thornbury, D. W. & Pirone, T. P. (1992). Site-directed mutations in the potyvirus HC-Pro gene affect helper component activity, virus accumulation, and symptom expression in infected tobacco plants. *Virology* 191(1): 106-111.

Atreya, C. D. &Pirone, T. P. (1993). Mutational analysis of the helper component-proteinase gene of a potyvirus: effects of amino acid substitutions, deletions, and gene replacement on virulence and aphid transmissibility. *Proceedings of the National Academy of Sciences of the United States of America* 90(24): 11919-11923.

Atreya, C. D., Raccah, B. &Pirone, T. P. (1990). A point mutation in the coat protein abolishes aphid transmissibility of a potyvirus. *Virology* 178(1): 161-165.

Atreya, P. L., Atreya, C. D. &Pirone, T. P. (1991). Amino acid substitutions in the coat protein result in loss of insect transmissibility of a plant virus. *Proceedings of the National Academy of Sciences of the United States of America* 88(17): 7887-7891.

Atreya, P. L., Lopez-Moya, J. J., Chu, M., Atreya, C. D. &Pirone, T. P. (1995). Mutational analysis of the coat protein N-terminal amino acids involved in potyvirus transmission by aphids. *The Journal of general virology* 76 ( Pt 2): 265-270.

Bandla, M. D., Campbell, L. R., Ullman, D. E. &Sherwood, J. L. (1998). Interaction of Tomato Spotted Wilt Tospovirus (TSWV) Glycoproteins with a Thrips Midgut Protein, a Potential Cellular Receptor for TSWV. *Phytopathology* 88(2): 98-104.

Baratova, L. A., Efimov, A. V., Dobrov, E. N., Fedorova, N. V., Hunt, R., Badun, G. A., Ksenofontov, A. L., Torrance, L. &Jarvekulig, L. (2001). In situ spatial organization of Potato virus A coat protein subunits as assessed by tritium bombardment. *Journal of virology* 75(20): 9696-9702.

Baum, J. A., Bogaert, T., Clinton, W., Heck, G. R., Feldmann, P., Ilagan, O., Johnson, S., Plaetinck, G., Munyikwa, T., Pleau, M., Vaughn, T. &Roberts, J. (2007). Control of coleopteran insect pests through RNA interference. *Nature biotechnology* 25(11): 1322-1326.

Bedoya, L. C., Martinez, F., Orzaez, D. &Daros, J. A. (2012). Visual tracking of plant virus infection and movement using a reporter MYB transcription factor that activates anthocyanin biosynthesis. *Plant physiology* 158(3): 1130-1138.

Belles, X. (2010). Beyond Drosophila: RNAi in vivo and functional genomics in insects. *Annual review of entomology* 55: 111-128.

Bendahmane, A., Kanyuka, K. &Baulcombe, D. C. (1999). The Rx gene from potato controls separate virus resistance and cell death responses. *The Plant cell* 11(5): 781-792.

Berger, P. H. &Pirone, T. P. (1986). The effect of helper component on the uptake and localization of potyviruses in *Myzus persicae*. *Virology* 153(2): 256-261.

Birch, A. N. E., Begg, G. S. &Squire, G. R. (2011). How agro-ecological research helps to address food security issues under new IPM and pesticide reduction policies for global crop production systems. *Journal of experimental botany* 62: 3251-3261.

Blanc, S., Ammar, E. D., Garcia-Lampasona, S., Dolja, V. V., Llave, C., Baker, J. &Pirone, T. P. (1998). Mutations in the potyvirus helper component protein: effects on interactions with virions and aphid stylets. *The Journal of general virology* 79 ( Pt 12): 3119-3122.

Blanc, S., Dolja, V. V., Llave, C. &Pirone, T. P. (1999). Histidine-tagging and purification of tobacco etch potyvirus helper component protein. *Journal of virological methods* 77(1): 11-15.

Blanc, S., Lopez-Moya, J. J., Wang, R., Garcia-Lampasona, S., Thornbury, D. W. & Pirone, T. P. (1997). A specific interaction between coat protein and helper component correlates with aphid transmission of a potyvirus. *Virology* 231: 141-147.

Boissot, N., Thomas, S., Sauvion, N., Marchal, C., Pavis, C. &Dogimont, C. (2010). Mapping and validation of QTLs for resistance to aphids and whiteflies in melon. *TAG. Theoretical and applied genetics. Theoretische und angewandte Genetik* 121(1): 9-20.

Bosque-Perez, N. A. &Eigenbrode, S. D. (2011). The influence of virus-induced changes in plants on aphid vectors: insights from luteovirus pathosystems. *Virus research* 159(2): 201-205.

Bouvaine, S., Boonham, N. &Douglas, A. E. (2011). Interactions between a luteovirus and the GroEL chaperonin protein of the symbiotic bacterium *Buchnera aphidicola* of aphids. *The Journal of general virology* 92(Pt 6): 1467-1474.

Brault, V., van den Heuvel, J. F., Verbeek, M., Ziegler-Graff, V., Reutener, A., Herrbach, E., Garaud, J. C., Guilley, H., Richards, K. &Jonard, G. (1995). Aphid

transmission of beet western yellows luteovirus requires the minor capsid read-through protein P74. *The EMBO journal* 14(4): 650-659.

Brigneti, G., Voinnet, O., Li, W. X., Ji, L. H., Ding, S. W. &Baulcombe, D. C. (1998). Viral pathogenicity determinants are suppressors of transgene silencing in *Nicotiana benthamiana*. *The EMBO journal* 17(22): 6739-6746.

Bryan, G. T., Gardner, R. C. &Forster, R. L. (1992). Nucleotide sequence of the coat protein gene of a strain of clover yellow vein virus from New Zealand: conservation of a stem-loop structure in the 3' region of potyviruses. *Archives of virology* 124(1-2): 133-146.

Canto, T., López-Moya, J. J., Serra-Yoldi, M. T., Díaz Ruiz, J. R. &López-Abella, D. (1995). Different helper component mutations associated with lack of aphid transmissibility in two isolates of potato virus Y. *Phytopathology* 85: 1519-1524.

Carrington, J. C., Cary, S. M., Parks, T. D. &Dougherty, W. G. (1989a). A second proteinase encoded by a plant potyvirus genome. *The EMBO journal* 8(2): 365-370.

Carrington, J. C., Freed, D. D. &Oh, C. S. (1990). Expression of potyviral polyproteins in transgenic plants reveals three proteolytic activities required for complete processing. *The EMBO journal* 9(5): 1347-1353.

Carrington, J. C., Freed, D. D. &Sanders, T. C. (1989b). Autocatalytic processing of the potyvirus helper component proteinase in *Escherichia coli* and *in vitro*. *Journal of virology* 63(10): 4459-4463.

Carrington, J. C., Jensen, P. E. &Schaad, M. C. (1998). Genetic evidence for an essential role for potyvirus CI protein in cell-to-cell movement. *The Plant journal : for cell and molecular biology* 14(4): 393-400.

Charron, C., Nicolai, M., Gallois, J. L., Robaglia, C., Moury, B., Palloix, A. &Caranta, C. (2008). Natural variation and functional analyses provide evidence for co-evolution between plant eIF4E and potyviral VPg. *The Plant journal : for cell and molecular biology* 54(1): 56-68.

Chen, D., Juarez, S., Hartweck, L., Alamillo, J. M., Simon-Mateo, C., Perez, J. J., Fernandez-Fernandez, M. R., Olszewski, N. E. &Garcia, J. A. (2005). Identification

of secret agent as the O-GlcNAc transferase that participates in Plum pox virus infection. *Journal of virology* 79(15): 9381-9387.

Christie, R. G. &Edwardson, J. R. (1992). Biological variants of tobacco etch virus that induce morphologically distinct nuclear inclusions. *Archives of virology Supplementum* 5: 223-227.

Chung, B. Y., Miller, W. A., Atkins, J. F. &Firth, A. E. (2008). An overlapping essential gene in the Potyviridae. *Proceedings of the National Academy of Sciences of the United States of America* 105(15): 5897-5902.

Collinge, D. B., Jorgensen, H. J., Lund, O. S. &Lyngkjaer, M. F. (2010). Engineering pathogen resistance in crop plants: current trends and future prospects. *Annual review of phytopathology* 48: 269-291.

Consortium, I. A. G. (2010). Genome sequence of the pea aphid *Acyrtosiphon pisum*. *PLoS biology* 8(2): e1000313.

Cronin, S., Verchot, J., Haldeman-Cahill, R., Schaad, M. C. &Carrington, J. C. (1995). Long-distance movement factor: a transport function of the potyvirus helper component proteinase. *The Plant cell* 7(5): 549-559.

Dohmen, R. J., Strasser, A. W., Honer, C. B. &Hollenberg, C. P. (1991). An efficient transformation procedure enabling long-term storage of competent cells of various yeast genera. *Yeast* 7(7): 691-692.

Dolja, V. V., Herndon, K. L., Pirone, T. P. &Carrington, J. C. (1993). Spontaneous mutagenesis of a plant potyvirus genome after insertion of a foreign gene. *Journal of virology* 67(10): 5968-5975.

Dolja, V. V., McBride, H. J. &Carrington, J. C. (1992). Tagging of plant potyvirus replication and movement by insertion of beta-glucuronidase into the viral polyprotein. *Proceedings of the National Academy of Sciences of the United States of America* 89(21): 10208-10212.

Dombrovsky, A., Gollop, N., Chen, S., Chejanovsky, N. &Raccah, B. (2007a). In vitro association between the helper component-proteinase of zucchini yellow mosaic

virus and cuticle proteins of *Myzus persicae*. *The Journal of general virology* 88(Pt 5): 1602-1610.

Dombrovsky, A., Huet, H., Chejanovsky, N. &Raccah, B. (2005). Aphid transmission of a potyvirus depends on suitability of the helper component and the N terminus of the coat protein. *Archives of virology* 150(2): 287-298.

Dombrovsky, A., Sobolev, I., Chejanovsky, N. &Raccah, B. (2007b). Characterization of RR-1 and RR-2 cuticular proteins from *Myzus persicae*. *Comparative biochemistry and physiology. Part B, Biochemistry & molecular biology* 146(2): 256-264.

Dougherty, W. G., Allison, R. F., Dawn Parks, T., Johnston, R. E., Feild, M. J. &Armstrong, F. B. (1985). Nucleotide sequence at the 3' terminus of pepper mottle virus genomic RNA: evidence for an alternative mode of potyvirus capsid protein gene organization. *Virology* 146(2): 282-291.

Dougherty, W. G. &Parks, T. D. (1991). Post-translational processing of the tobacco etch virus 49-kDa small nuclear inclusion polyprotein: identification of an internal cleavage site and delimitation of VPg and proteinase domains. *Virology* 183(2): 449-456.

Dzitoyeva, S., Dimitrijevic, N. &Manev, H. (2001). Intra-abdominal injection of double-stranded RNA into anesthetized adult *Drosophila* triggers RNA interference in the central nervous system. *Molecular psychiatry* 6(6): 665-670.

Eagles, R. M., Balmori-Melian, E., Beck, D. L., Gardner, R. C. &Forster, R. L. (1994). Characterization of NTPase, RNA-binding and RNA-helicase activities of the cytoplasmic inclusion protein of tamarillo mosaic potyvirus. *European journal of biochemistry / FEBS* 224(2): 677-684.

Eigenbrode, S. D., Ding, H., Shiel, P. &Berger, P. H. (2002). Volatiles from potato plants infected with potato leafroll virus attract and arrest the virus vector, *Myzus persicae* (Homoptera: Aphididae). *Proceedings. Biological sciences / The Royal Society* 269(1490): 455-460.

FAO (2000). Food and Agriculture Organization (FAO) expert consultation on the trade impact of Listeria in fish products. Amherst, Massachusetts, USA. 17-20 May 1999. Proceedings. *International journal of food microbiology* 62(3): 171-274.

Fereres, A. &Moreno, A. (2009). Behavioural aspects influencing plant virus transmission by homopteran insects. *Virus research* 141(2): 158-168.

Fernandez-Calvino, L., Goytia, E., Lopez-Abella, D., Giner, A., Urizarna, M., Vilaplana, L. &Lopez-Moya, J. J. (2010). The helper-component protease transmission factor of tobacco etch potyvirus binds specifically to an aphid ribosomal protein homologous to the laminin receptor precursor. *The Journal of general virology* 91(Pt 11): 2862-2873.

Fernandez-Fernandez, M. R., Martinez-Torrecuadrada, J. L., Roncal, F., Dominguez, E. &Garcia, J. A. (2002). Identification of immunogenic hot spots within plum pox potyvirus capsid protein for efficient antigen presentation. *Journal of virology* 76(24): 12646-12653.

Filichkin, S. A., Brumfield, S., Filichkin, T. P. &Young, M. J. (1997). In vitro interactions of the aphid endosymbiotic SymL chaperonin with barley yellow dwarf virus. *Journal of virology* 71(1): 569-577.

Flasinski, S. &Cassidy, B. G. (1998). Potyvirus aphid transmission requires helper component and homologous coat protein for maximal efficiency. *Archives of virology* 143(11): 2159-2172.

Forbes, A. R. (1969). The stylets of the green peach aphid, *Myzus persicae*. *The Canadian Entomologist* 101: 31-41.

Forbes, A. R. &M., D. B. (1970). The stylet of the balsam wooly aphid, *Adelges picea* (Homoptera: Adelgidae). *The Canadian Entomologist* 102: 10-74.

Fukushi, T. (1934). Studies on the dwarf disease of rice plant. . *J. Fac. A gr., Hokkaido Imp. Univ.* 37: 41-164

Gal-On, A., Antignus, Y., Rosner, A. &Raccah, B. (1992). A zucchini yellow mosaic virus coat protein gene mutation restores aphid transmissibility but has no effect on multiplication. *The Journal of general virology* 73 ( Pt 9): 2183-2187.

Gamez, R. &Watson, M. (1964). Failure of Anaesthetized Aphids to Acquire or Transmit Henbane Mosaic Virus When Their Stylets Were Artificially Inserted into Leaves of Infected or Healthy Tobacco Plants. *Virology* 22: 292-295.

- Gauczynski, S., Peyrin, J. M., Haik, S., Leucht, C., Hundt, C., Rieger, R., Krasemann, S., Deslys, J. P., Dormont, D., Lasmezas, C. I. &Weiss, S. (2001). The 37-kDa/67-kDa laminin receptor acts as the cell-surface receptor for the cellular prion protein. *The EMBO journal* 20(21): 5863-5875.
- German, T. L., Ullman, D. E. &Moyer, J. W. (1992). Tospoviruses: diagnosis, molecular biology, phylogeny, and vector relationships. *Annual review of phytopathology* 30: 315-348.
- Gildow, F. E. (1993). Evidence for receptor-mediated endocytosis regulating luteovirus acquisition by aphids *Phytopathology* 83: 270-278.
- Gildow, F. E. &Gray, S. M. (1993). The aphid salivary gland basal lamina as a selective barrier associated with vector-specific transmission of barley yellow dwarf luteoviruses. *Phytopathology* 83(12): 1293-1302.
- Gomez de Cedron, M., Osaba, L., Lopez, L. &Garcia, J. A. (2006). Genetic analysis of the function of the plum pox virus CI RNA helicase in virus movement. *Virus research* 116(1-2): 136-145.
- Gonzalez-Jara, P., Atencio, F. A., Martinez-Garcia, B., Barajas, D., Tenllado, F. &Diaz-Ruiz, J. R. (2005). A Single Amino Acid Mutation in the Plum pox virus Helper Component-Proteinase Gene Abolishes Both Synergistic and RNA Silencing Suppression Activities. *Phytopathology* 95(8): 894-901.
- Govier, D. A. &Kassanis, B. (1974a). Evidence that a component other than the virus particle is needed for aphid transmission of potato virus Y. *Virology* 57(1): 285-286.
- Govier, D. A. &Kassanis, B. (1974b). A virus-induced component of plant sap needed when aphids acquire potato virus Y from purified preparations. *Virology* 61(2): 420-426.
- Goytia, E., Fernandez-Calvino, L., Martinez-Garcia, B., Lopez-Abella, D. &Lopez-Moya, J. J. (2006). Production of plum pox virus HC-Pro functionally active for aphid transmission in a transient-expression system. *The Journal of general virology* 87(Pt 11): 3413-3423.
- Granier, F., Durand-Tardif, M., Casse-Delbart, F., Lecoq, H. &Robaglia, C. (1993). Mutations in zucchini yellow mosaic virus helper component protein associated with loss of aphid transmissibility. *The Journal of general virology* 74 ( Pt 12): 2737-2742.

Guo, D., Merits, A. &Saarma, M. (1999). Self-association and mapping of interaction domains of helper component-proteinase of potato A potyvirus. *The Journal of general virology* 80 ( Pt 5): 1127-1131.

Guo, D., Rajamaki, M. L., Saarma, M. &Valkonen, J. P. (2001). Towards a protein interaction map of potyviruses: protein interaction matrixes of two potyviruses based on the yeast two-hybrid system. *The Journal of general virology* 82(Pt 4): 935-939.

Haldeman-Cahill, R., Daros, J. A. &Carrington, J. C. (1998). Secondary structures in the capsid protein coding sequence and 3' nontranslated region involved in amplification of the tobacco etch virus genome. *Journal of virology* 72(5): 4072-4079.

Hamilton, C. M., Frary, A., Lewis, C. & Tanksley, S. D. (1996). Stable transfer of intact high molecular weight DNA into plant chromosomes. *Proceedings of the National Academy of Sciences of the United States of America* 93: 9975-9979.

Harris, K. F. (1977).An ingestion- egestion hypothesis of noncirculative virus transmission. In *Aphids as virus vectors*(Ed K. F. H. K. Maramorosch). New York: Academic Press.

Harrison, B. D. &Robinson, D. J. (1988). Molecular variation in vector-borne plant viruses: epidemiological significance. *Philos Trans R Soc Lond B Biol Sci* 321: 447-462.

Haseloff, J., Siemering, K. R., Prasher, D. C. &Hodge, S. (1997). Removal of a cryptic intron and subcellular localization of green fluorescent protein are required to mark transgenic Arabidopsis plants brightly. *Proceedings of the National Academy of Sciences of the United States of America* 94(6): 2122-2127.

He, N., Botelho, J. M., McNall, R. J., Belozerov, V., Dunn, W. A., Mize, T., Orlando, R. &Willis, J. H. (2007). Proteomic analysis of cast cuticles from Anopheles gambiae by tandem mass spectrometry. *Insect biochemistry and molecular biology* 37(2): 135-146.

Hellmann, G. M., Shaw, J. G. &Rhoads, R. E. (1988). In vitro analysis of tobacco vein mottling virus NIa cistron: evidence for a virus-encoded protease. *Virology* 163(2): 554-562.

Hewer, A., Becker, A. &van Bel, A. J. (2011). An aphid's Odyssey--the cortical quest for the vascular bundle. *The Journal of experimental biology* 214(Pt 22): 3868-3879.

Hoffmann, A. A., Montgomery, B. L., Popovici, J., Iturbe-Ormaetxe, I., Johnson, P. H., Muzzi, F., Greenfield, M., Durkan, M., Leong, Y. S., Dong, Y., Cook, H., Axford, J., Callahan, A. G., Kenny, N., Omodei, C., McGraw, E. A., Ryan, P. A., Ritchie, S. A., Turelli, M. &O'Neill, S. L. (2011). Successful establishment of Wolbachia in Aedes populations to suppress dengue transmission. *Nature* 476(7361): 454-457.

Hollings, H. &Brunt, A. A. (1981).Potyviruses. In *Handbook of plant virus infections: comparative diagnosis*, 731-807 (Ed CMI/AAB).

Honda, K., Wei, T., Hagiwara, K., Higashi, T., Kimura, I., Akutsu, K. &Omura, T. (2007). Retention of Rice dwarf virus by Descendants of Pairs of Viruliferous Vector Insects After Rearing for 6 Years. *Phytopathology* 97(6): 712-716.

Hong, Y. &Hunt, A. G. (1996). RNA polymerase activity catalyzed by a potyvirus-encoded RNA-dependent RNA polymerase. *Virology* 226(1): 146-151.

Huet, H., Gal-On, A., Meir, E., Lecoq, H. &Raccah, B. (1994). Mutations in the helper component protease gene of zucchini yellow mosaic virus affect its ability to mediate aphid transmissibility. *The Journal of general virology* 75 ( Pt 6): 1407-1414.

Hull, R. (Ed) (2001). *Matthews' Plant Virology*. San Diego.

Huvenne, H. &Smagghe, G. (2010). Mechanisms of dsRNA uptake in insects and potential of RNAi for pest control: a review. *Journal of insect physiology* 56(3): 227-235.

ICTV (2012).Ninth Report of the International Committee on Taxonomy of Viruses. (Ed A. M. Q. King, Adams, M.J., Carstens, E.B. and Lefkowitz). San Diego.

Ingwell, L. L., Eigenbrode, S. D. &Bosque-Perez, N. A. (2012). Plant viruses alter insect behavior to enhance their spread. *Scientific reports* 2: 578.

Ivanov, K. I., Puustinen, P., Merits, A., Saarma, M. &Makinen, K. (2001). Phosphorylation down-regulates the RNA binding function of the coat protein of potato virus A. *The Journal of biological chemistry* 276(17): 13530-13540.

- Johansen, I. E., Dougherty, W. G., Keller, K. E., Wang, D. &Hampton, R. O. (1996). Multiple viral determinants affect seed transmission of pea seedborne mosaic virus in *Pisum sativum*. *The Journal of general virology* 77 ( Pt 12): 3149-3154.
- Kaloshian, I. &Walling, L. L. (2005). Hemipterans as plant pathogens. *Annual review of phytopathology* 43: 491-521.
- Kang, S. H., Lim, W. S. &Kim, K. H. (2004). A protein interaction map of soybean mosaic virus strain G7H based on the yeast two-hybrid system. *Molecules and cells* 18(1): 122-126.
- Kasschau, K. D. &Carrington, J. C. (1998). A counterdefensive strategy of plant viruses: suppression of posttranscriptional gene silencing. *Cell* 95(4): 461-470.
- Kasschau, K. D., Cronin, S. &Carrington, J. C. (1997). Genome amplification and long-distance movement functions associated with the central domain of tobacco etch potyvirus helper component-proteinase. *Virology* 228(2): 251-262.
- Kennedy, J. S., Day, M. F. &F., E. V. (1962).A conspectus of aphid as vector of plant viruses. In *Common wealth Institute of Entomology*London.
- Kumagai, C., Kadokami, T. &Kitagawa, Y. (1997). Disulfide-bonding between *Drosophila* laminin beta and gamma chains is essential for alpha chain to form alpha betagamma trimer. *FEBS letters* 412(1): 211-216.
- Kumar, P., Pandit, S. S. &Baldwin, I. T. (2012). Tobacco rattle virus vector: A rapid and transient means of silencing *manduca sexta* genes by plant mediated RNA interference. *PLoS one* 7(2): e31347.
- Kunkel, H. (1976).Membrane feeding systems in aphid research. In *Aphids as Virus Vectors*, 311-338 (Ed K. H. a. K. Maramorosch). 311-338.
- Lain, S., Martin, M. T., Riechmann, J. L. &Garcia, J. A. (1991). Novel catalytic activity associated with positive-strand RNA virus infection: nucleic acid-stimulated ATPase activity of the plum pox potyvirus helicaselike protein. *Journal of virology* 65(1): 1-6.
- Lain, S., Riechmann, J. L. &Garcia, J. A. (1989a). The complete nucleotide sequence of plum pox potyvirus RNA. *Virus research* 13(2): 157-172.

Lain, S., Riechmann, J. L. &Garcia, J. A. (1990). RNA helicase: a novel activity associated with a protein encoded by a positive strand RNA virus. *Nucleic acids research* 18(23): 7003-7006.

Lain, S., Riechmann, J. L., Martin, M. T. &Garcia, J. A. (1989b). Homologous potyvirus and flavivirus proteins belonging to a superfamily of helicase-like proteins. *Gene* 82(2): 357-362.

Lakatos, L., Csorba, T., Pantaleo, V., Chapman, E. J., Carrington, J. C., Liu, Y. P., Dolja, V. V., Calvino, L. F., Lopez-Moya, J. J. &Burgyan, J. (2006). Small RNA binding is a common strategy to suppress RNA silencing by several viral suppressors. *The EMBO journal* 25(12): 2768-2780.

Langenberg, W. G. &Zhang, L. (1997). Immunocytology shows the presence of tobacco etch virus P3 protein in nuclear inclusions. *Journal of structural biology* 118(3): 243-247.

Le Gall, O., Christian, P., Fauquet, C. M., King, A. M., Knowles, N. J., Nakashima, N., Stanway, G. &Gorbatenya, A. E. (2008). Picornavirales, a proposed order of positive-sense single-stranded RNA viruses with a pseudo-T = 3 virion architecture. *Archives of virology* 153(4): 715-727.

Lecoq, H., Bourdin, D., Raccah, B., Hiebert, E. L. &Purcifull, D. (1991). Characterization of a zucchini yellow mosaic virus isolate with a deficient helper component. *Phytopathology* 81: 1087- 1091.

Legavre, T., Maia, I. G., Casse-Delbart, F., Bernardi, F. &Robaglia, C. (1996). Switches in the mode of transmission select for or against a poorly aphid-transmissible strain of potato virus Y with reduced helper component and virus accumulation. *The Journal of general virology* 77 ( Pt 7): 1343-1347.

Li, C., Cox-Foster, D., Gray, S. M. &Gildow, F. (2001). Vector specificity of barley yellow dwarf virus (BYDV) transmission: identification of potential cellular receptors binding BYDV-MAV in the aphid, *Sitobion avenae*. *Virology* 286(1): 125-133.

Liu, J., Wilson, T.E., Milbrandt, J., and Johnston, M. (1993).Identifying DNA-binding sites and analyzing DNA-binding domains using a yeast selection system. In *In*

*Methods: A Companion to Methods in Enzymology.*, Vol. 5, 125-137 New York: Academic Press.

Llave, C., Martinez, B., Diaz-Ruiz, J. R. &Lopez-Abella, D. (1999). Helper component mutations in nonconserved residues associated with aphid transmission efficiency of a pepper isolate of potato virus y. *Phytopathology* 89(12): 1176-1181.

Llave, C., Martinez, B., Diaz-Ruiz, J. R. &Lopez-Abella, D. (2002). Amino acid substitutions within the Cys-rich domain of the tobacco etch potyvirus HC-Pro result in loss of transmissibility by aphids. *Archives of virology* 147(12): 2365-2375.

Lopez, L., Urzainqui, A., Dominguez, E. &Garcia, J. A. (2001). Identification of an N-terminal domain of the plum pox potyvirus CI RNA helicase involved in self-interaction in a yeast two-hybrid system. *The Journal of general virology* 82(Pt 3): 677-686.

Lopez-Moya, J. J., Canto, T., Diaz-Ruiz, J. R. &Lopez-Abella, D. (1995). Transmission by aphids of a naturally non-transmissible plum pox virus isolate with the aid of potato virus Y helper component. *The Journal of general virology* 76 ( Pt 9): 2293-2297.

López-Moya, J. J., Valli, A., García, J. A. (Ed) (2009). *Potyviridae*. Chichester: Jhon Wiley & Sons.

Lopez-Moya, J. J., Wang, R. Y. &Pirone, T. P. (1999). Context of the coat protein DAG motif affects potyvirus transmissibility by aphids. *The Journal of general virology* 80 ( Pt 12): 3281-3288.

Lu, R., Martin-Hernandez, A. M., Peart, J. R., Malcuit, I. &Baulcombe, D. C. (2003). Virus-induced gene silencing in plants. *Methods* 30(4): 296-303.

Mahajan, S., Dolja, V. V. &Carrington, J. C. (1996). Roles of the sequence encoding tobacco etch virus capsid protein in genome amplification: requirements for the translation process and a cis-active element. *Journal of virology* 70(7): 4370-4379.

Mao, J. &Zeng, F. (2012). Feeding-Based RNA Interference of a Gap Gene Is Lethal to the Pea Aphid, *Acyrtosiphon pisum*. *PloS one* 7(11): e48718.

- Martin, B., Collar, J. L., Tjallingii, W. F. &Fereres, A. (1997). Intracellular ingestion and salivation by aphids may cause the acquisition and inoculation of non-persistently transmitted plant viruses. *The Journal of general virology* 78 ( Pt 10): 2701-2705.
- Martinez de Ibarra, O., Xie, Q. &Kaloshian, I. (2003). Aphid-induced defense responses in Mi-1-mediated compatible and incompatible tomato interactions. *Molecular plant-microbe interactions : MPMI* 16(8): 699-708.
- Mauck, K. E., De Moraes, C. M. &Mescher, M. C. (2010). Deceptive chemical signals induced by a plant virus attract insect vectors to inferior hosts. *Proceedings of the National Academy of Sciences of the United States of America* 107(8): 3600-3605.
- Maule, A. J., Caranta, C. &Boulton, M. I. (2007). Sources of natural resistance to plant viruses: status and prospects. *Molecular plant pathology* 8(2): 223-231.
- Medeiros, R. B., Ullman, D. E., Sherwood, J. L. &German, T. L. (2000). Immunoprecipitation of a 50-kDa protein: a candidate receptor component for tomato spotted wilt tospovirus (Bunyaviridae) in its main vector, *Frankliniella occidentalis*. *Virus research* 67(2): 109-118.
- Mello, A. F., Clark, A. J. &Perry, K. L. (2010). Capsid protein of cowpea chlorotic mottle virus is a determinant for vector transmission by a beetle. *The Journal of general virology* 91(Pt 2): 545-551.
- Merai, Z., Kerenyi, Z., Kertesz, S., Magna, M., Lakatos, L. &Silhavy, D. (2006). Double-stranded RNA binding may be a general plant RNA viral strategy to suppress RNA silencing. *Journal of virology* 80(12): 5747-5756.
- Merits, A., Rajamaki, M. L., Lindholm, P., Runeberg-Roos, P., Kekarainen, T., Puustinen, P., Makelainen, K., Valkonen, J. P. &Saarma, M. (2002). Proteolytic processing of potyviral proteins and polyprotein processing intermediates in insect and plant cells. *The Journal of general virology* 83(Pt 5): 1211-1221.
- Miles, P. W. (1972). The Saliva of Hemiptera. *Advances in Insect Physiology* 9(C): 183-255.
- Milligan, S. B., Bodeau, J., Yaghoobi, J., Kaloshian, I., Zabel, P. &Williamson, V. M. (1998). The root knot nematode resistance gene Mi from tomato is a member of the leucine zipper, nucleotide binding, leucine-rich repeat family of plant genes. *The Plant cell* 10(8): 1307-1319.

- Murphy, J. F., Rhoads, R. E., Hunt, A. G. &Shaw, J. G. (1990). The VPg of tobacco etch virus RNA is the 49-kDa proteinase or the N-terminal 24-kDa part of the proteinase. *Virology* 178(1): 285-288.
- Nault, L. (1997). Arthropod transmission of plant viruses: A new synthesis. *Ann Entomol Soc Am* 90: 521-541.
- Navas-Castillo, J., Fiallo-Olive, E. &Sanchez-Campos, S. (2011). Emerging virus diseases transmitted by whiteflies. *Annual review of phytopathology* 49: 219-248.
- Ng, J. C. &Falk, B. W. (2006). Virus-vector interactions mediating nonpersistent and semipersistent transmission of plant viruses. *Annual review of phytopathology* 44: 183-212.
- Nombela, G., Williamson, V. M. &Muniz, M. (2003). The root-knot nematode resistance gene Mi-1.2 of tomato is responsible for resistance against the whitefly *Bemisia tabaci*. *Molecular plant-microbe interactions : MPMI* 16(7): 645-649.
- Oh, C. S. &Carrington, J. C. (1989). Identification of essential residues in potyvirus proteinase HC-Pro by site-directed mutagenesis. *Virology* 173(2): 692-699.
- Oruetxebarria, I. &Valkonen, J. P. (2001). Analysis of the P1 gene sequences and the 3'-terminal sequences and secondary structures of the single-stranded RNA genome of Potato virus V. *Virus genes* 22(3): 335-343.
- Peng, Y. H., Kadoury, D., Gal-On, A., Huet, H., Wang, Y. &Raccah, B. (1998). Mutations in the HC-Pro gene of zucchini yellow mosaic potyvirus: effects on aphid transmission and binding to purified virions. *The Journal of general virology* 79 ( Pt 4): 897-904.
- Perring, T. M., Gruenhagen, N. M. &Farrar, C. A. (1999). Management of plant viral diseases through chemical control of insect vectors. *Annual review of entomology* 44: 457-481.
- Pirone, T. (1964). Discussion and Preliminary Reports. Aphid Transmission of a Purified Stylet-Borne Virus Acquired through a Membrane. *Virology* 23: 107-108.
- Pitino, M., Coleman, A. D., Maffei, M. E., Ridout, C. J. &Hogenhout, S. A. (2011). Silencing of aphid genes by dsRNA feeding from plants. *PLoS one* 6(10): e25709.

Plasterk, R. H. (2002). RNA silencing: the genome's immune system. *Science* 296(5571): 1263-1265.

Plisson, C., Drucker, M., Blanc, S., German-Retana, S., Le Gall, O., Thomas, D. &Bron, P. (2003). Structural characterization of HC-Pro, a plant virus multifunctional protein. *The Journal of biological chemistry* 278(26): 23753-23761.

Prossee, W. &Douglas, A. (1992). A test of the hypotheses that nitrogen is upgraded and recycled in an aphid (*Acyrtosiphon pisum*) symbiosis. . *J. Insect Physiol.* 38: 93-99.

Pruss, G., Ge, X., Shi, X. M., Carrington, J. C. &Bowman Vance, V. (1997). Plant viral synergism: the potyviral genome encodes a broad-range pathogenicity enhancer that transactivates replication of heterologous viruses. *The Plant cell* 9(6): 859-868.

Quemada, H., L'Hostis, B., Gonsalves, D., Reardon, I. M., Heinrikson, R., Hiebert, E. L., Sieu, L. C. &Slightom, J. L. (1990a). The nucleotide sequences of the 3'-terminal regions of papaya ringspot virus strains W and P. *The Journal of general virology* 71 ( Pt 1): 203-210.

Quemada, H., Sieu, L. C., Siemieniak, D. R., Gonsalves, D. &Slightom, J. L. (1990b). Watermelon mosaic virus II and zucchini yellow mosaic virus: cloning of 3'-terminal regions, nucleotide sequences, and phylogenetic comparisons. *The Journal of general virology* 71 ( Pt 7): 1451-1460.

Raccah, B., Huet, H. & Blanc, S. (2001). Molecular basis of vector transmission: Potyvirus. In *Virus-Insect-Plant Interactions*, 181-206 (Ed O. P. S. J. E. D. K. F. Harris). New York: Academic Press.

Rajagopal, R., Sivakumar, S., Agrawal, N., Malhotra, P. &Bhatnagar, R. K. (2002). Silencing of midgut aminopeptidase N of *Spodoptera litura* by double-stranded RNA establishes its role as *Bacillus thuringiensis* toxin receptor. *The Journal of biological chemistry* 277(49): 46849-46851.

Rakitina, D. V., Kantidze, O. L., Leshchiner, A. D., Solovyev, A. G., Novikov, V. K., Morozov, S. Y. &Kalinina, N. O. (2005). Coat proteins of two filamentous plant viruses display NTPase activity in vitro. *FEBS letters* 579(22): 4955-4960.

Riechmann, J. L., Cervera, M. T. &Garcia, J. A. (1995). Processing of the plum pox virus polyprotein at the P3-6K1 junction is not required for virus viability. *The Journal of general virology* 76 ( Pt 4): 951-956.

Riechmann, J. L., Lain, S. &Garcia, J. A. (1992). Highlights and prospects of potyvirus molecular biology. *The Journal of general virology* 73 ( Pt 1): 1-16.

Rodriguez-Cerezo, E., Klein, P. G. &Shaw, J. G. (1991). A determinant of disease symptom severity is located in the 3'-terminal noncoding region of the RNA of a plant virus. *Proceedings of the National Academy of Sciences of the United States of America* 88(21): 9863-9867.

Rojas, M. R., Zerbini, F. M., Allison, R. F., Gilbertson, R. L. &Lucas, W. J. (1997). Capsid protein and helper component-proteinase function as potyvirus cell-to-cell movement proteins. *Virology* 237(2): 283-295.

Rubio-Huertos, M. (1978). *Atlas of Ultrastructure of Plant Tissues infected with viruses*. Madrid.

Rubio-Huertos, M. &Lopez-Abella, D. (1966). [Ultrastructure of pepper cells infected with a virus and its localization in same]. *Microbiologia espanola* 19(2): 77-86.

Ruiz-Ferrer, V., Boskovic, J., Alfonso, C., Rivas, G., Llorca, O., Lopez-Abella, D. &Lopez-Moya, J. J. (2005). Structural analysis of tobacco etch potyvirus HC-pro oligomers involved in aphid transmission. *Journal of virology* 79(6): 3758-3765.

Ruiz-Ferrer, V., Goytia, E., Martinez-Garcia, B., Lopez-Abella, D. &Lopez-Moya, J. J. (2004). Expression of functionally active helper component protein of Tobacco etch potyvirus in the yeast *Pichia pastoris*. *The Journal of general virology* 85(Pt 1): 241-249.

Saenz, P., Cervera, M. T., Dallot, S., Quiot, L., Quiot, J. B., Riechmann, J. L. &Garcia, J. A. (2000). Identification of a pathogenicity determinant of Plum pox virus in the sequence encoding the C-terminal region of protein P3+6K(1). *The Journal of general virology* 81(Pt 3): 557-566.

Saenz, P., Salvador, B., Simon-Mateo, C., Kasschau, K. D., Carrington, J. C. &Garcia, J. A. (2002). Host-specific involvement of the HC protein in the long-distance movement of potyviruses. *Journal of virology* 76(4): 1922-1931.

- Salvador, B., Delgadillo, M. O., Saenz, P., Garcia, J. A. &Simon-Mateo, C. (2008). Identification of Plum pox virus pathogenicity determinants in herbaceous and woody hosts. *Molecular plant-microbe interactions : MPMI* 21(1): 20-29.
- Sambrook, J. &Russell, D. W. (2001). *Molecular Cloning: A Laboratory Manual*. New York: Cold Spring Harbor Laboratory Press.
- Sambrook, J. a. R., D. W. (2001). *Molecular Cloning: A Laboratory Manual*. New York: Cold Spring Harbor Laboratory Press.
- Sasaya, T., Torrance, L., Cowan, G. &Ziegler, A. (2000). Aphid transmission studies using helper component proteins of potato virus Y expressed from a vector derived from potato virus X. *The Journal of general virology* 81(Pt 4): 1115-1119.
- Schaad, M. C., Anderberg, R. J. &Carrington, J. C. (2000). Strain-specific interaction of the tobacco etch virus Nla protein with the translation initiation factor eIF4E in the yeast two-hybrid system. *Virology* 273(2): 300-306.
- Schaad, M. C., Jensen, P. E. &Carrington, J. C. (1997a). Formation of plant RNA virus replication complexes on membranes: role of an endoplasmic reticulum-targeted viral protein. *The EMBO journal* 16(13): 4049-4059.
- Schaad, M. C., Lellis, A. D. &Carrington, J. C. (1997b). VPg of tobacco etch potyvirus is a host genotype-specific determinant for long-distance movement. *Journal of virology* 71(11): 8624-8631.
- Schutze, N. (2004). siRNA technology. *Molecular and cellular endocrinology* 213(2): 115-119.
- Senapin, S. &Phongdara, A. (2006). Binding of shrimp cellular proteins to Taura syndrome viral capsid proteins VP1, VP2 and VP3. *Virus research* 122(1-2): 69-77.
- Seo, J. K., Kang, S. H., Seo, B. Y., Jung, J. K. &Kim, K. H. (2010). Mutational analysis of interaction between coat protein and helper component-proteinase of Soybean mosaic virus involved in aphid transmission. *Molecular plant pathology* 11(2): 265-276.
- Shukla, D. D., Inglis, A. S., McKern, N. M. &Gough, K. H. (1986). Coat protein of potyviruses. 2. Amino acid sequence of the coat protein of potato virus Y. *Virology* 152(1): 118-125.

- Silberstein, L., Kovalski, I., Brotman, Y., Perin, C., Dogimont, C., Pitrat, M., Klingler, J., Thompson, G., Portnoy, V., Katzir, N. &Perl-Treves, R. (2003). Linkage map of *Cucumis melo* including phenotypic traits and sequence-characterized genes. *Genome / National Research Council Canada = Genome / Conseil national de recherches Canada* 46(5): 761-773.
- Simon-Buela, L., Osaba, L., Garcia, J. A. &Lopez-Moya, J. J. (2000). Preservation of 5'-end integrity of a potyvirus genomic RNA is not dependent on template specificity. *Virology* 269(2): 377-382.
- Smith, C. (2005). *Plant Resistance to Arthropods: Molecular and Conventional Approaches*. Dordrecht, The Netherlands: Springer.
- Stafford, C. A., Walker, G. P. &Ullman, D. E. (2011). Infection with a plant virus modifies vector feeding behavior. *Proceedings of the National Academy of Sciences of the United States of America* 108(23): 9350-9355.
- Stafford, C. A., Walker, G. P. &Ullman, D. E. (2012). Hitching a ride: Vector feeding and virus transmission. *Communicative & integrative biology* 5(1): 43-49.
- Strange, R. N. &Scott, P. R. (2005). Plant disease: a threat to global food security. *Annual review of phytopathology* 43: 83-116.
- Tabashnik, B. E., Carriere, Y., Dennehy, T. J., Morin, S., Sisterson, M. S., Roush, R. T., Shelton, A. M. &Zhao, J. Z. (2003). Insect resistance to transgenic Bt crops: lessons from the laboratory and field. *Journal of economic entomology* 96(4): 1031-1038.
- Tamborindeguy, C., Gray, S. &Jander, G. (2008). Testing the physiological barriers to viral transmission in aphids using microinjection. *Journal of visualized experiments : JoVE* (15).
- Thornbury, D. W., Hellmann, G. M., Rhoads, R. E. &Pirone, T. P. (1985). Purification and characterization of potyvirus helper component. *Virology* 144(1): 260-267.
- Thornbury, D. W., Patterson, C. A., Dessens, J. T. &Pirone, T. P. (1990). Comparative sequence of the helper component (HC) region of potato virus Y and a HC-defective strain, potato virus C. *Virology* 178(2): 573-578.

Thornbury, D. W. &Pirone, T. P. (1983). Helper components of two potyviruses are serologically distinct. *Virology* 125(2): 487-490.

Timmons, L., Court, D. L. &Fire, A. (2001). Ingestion of bacterially expressed dsRNAs can produce specific and potent genetic interference in *Caenorhabditis elegans*. *Gene* 263(1-2): 103-112.

Tio, P. H., Jong, W. W. &Cardosa, M. J. (2005). Two dimensional VOPBA reveals laminin receptor (LAMR1) interaction with dengue virus serotypes 1, 2 and 3. *Virology journal* 2: 25.

Tjallingii, W. F. (1990). Continuous recording of stylet penetration activities by aphids In *Aphid-Plant Genotype Interactions*, 89-99 (Ed C. R. D. Eikenbary). Amsterdam: Elsevier.

Togawa, T., Nakato, H. &Izumi, S. (2004). Analysis of the chitin recognition mechanism of cuticle proteins from the soft cuticle of the silkworm, *Bombyx mori*. *Insect biochemistry and molecular biology* 34(10): 1059-1067.

Torres-Barcelo, C., Daros, J. A. &Elena, S. F. (2010). HC-Pro hypo- and hypersuppressor mutants: differences in viral siRNA accumulation in vivo and siRNA binding activity in vitro. *Archives of virology* 155(2): 251-254.

Turner, C. T., Davy, M. W., MacDiarmid, R. M., Plummer, K. M., Birch, N. P. &Newcomb, R. D. (2006). RNA interference in the light brown apple moth, *Epiphyas postvittana* (Walker) induced by double-stranded RNA feeding. *Insect molecular biology* 15(3): 383-391.

Turpen, T. (1989). Molecular cloning of a potato virus Y genome: nucleotide sequence homology in non-coding regions of potyviruses. *The Journal of general virology* 70 ( Pt 8): 1951-1960.

Uetz, P., Giot, L., Cagney, G., Mansfield, T. A., Judson, R. S., Knight, J. R., Lockshon, D., Narayan, V., Srinivasan, M., Pochart, P., Qureshi-Emili, A., Li, Y., Godwin, B., Conover, D., Kalbfleisch, T., Vijayadamodar, G., Yang, M., Johnston, M., Fields, S.

&Rothberg, J. M. (2000). A comprehensive analysis of protein-protein interactions in *Saccharomyces cerevisiae*. *Nature* 403(6770): 623-627.

Urcuqui-Inchima, S., Maia, I. G., Arruda, P., Haenni, A. L. &Bernardi, F. (2000). Deletion mapping of the potyviral helper component-proteinase reveals two regions involved in RNA binding. *Virology* 268(1): 104-111.

Urcuqui-Inchima, S., Maia, I. G., Drugeon, G., Haenni, A. L. &Bernardi, F. (1999a). Effect of mutations within the cys-rich region of potyvirus helper component-proteinase on self-interaction. *The Journal of general virology* 80 ( Pt 11): 2809-2812.

Urcuqui-Inchima, S., Walter, J., Drugeon, G., German-Retana, S., Haenni, A. L., Candresse, T., Bernardi, F. &Le Gall, O. (1999b). Potyvirus helper component-proteinase self-interaction in the yeast two-hybrid system and delineation of the interaction domain involved. *Virology* 258(1): 95-99.

Uzest, M., Gargani, D., Dombrovsky, A., Cazevieille, C., Cot, D. &Blanc, S. (2010). The "acrostyle": a newly described anatomical structure in aphid stylets. *Arthropod structure & development* 39(4): 221-229.

Uzest, M., Gargani, D., Drucker, M., Hebrard, E., Garzo, E., Candresse, T., Fereres, A. &Blanc, S. (2007). A protein key to plant virus transmission at the tip of the insect vector stylet. *Proceedings of the National Academy of Sciences of the United States of America* 104(46): 17959-17964.

Valli, A., Lopez-Moya, J. J. &Garcia, J. A. (2007). Recombination and gene duplication in the evolutionary diversification of P1 proteins in the family Potyviridae. *The Journal of general virology* 88(Pt 3): 1016-1028.

Valverde, R. A., Sim, J. &Lotrakul, P. (2004). Whitefly transmission of sweet potato viruses. *Virus research* 100(1): 123-128.

Van den Heuvel, J. F., Bruyere, A., Hogenhout, S. A., Ziegler-Graff, V., Brault, V., Verbeek, M., van der Wilk, F. &Richards, K. (1997). The N-terminal region of the luteovirus readthrough domain determines virus binding to Buchnera GroEL and is essential for virus persistence in the aphid. *Journal of virology* 71(10): 7258-7265.

- Van den Heuvel, J. F., Verbeek, M. &van der Wilk, F. (1994). Endosymbiotic bacteria associated with circulative transmission of potato leafroll virus by *Myzus persicae*. *The Journal of general virology* 75 ( Pt 10): 2559-2565.
- Velasquez, A. C., Chakravarthy, S. &Martin, G. B. (2009). Virus-induced gene silencing (VIGS) in *Nicotiana benthamiana* and tomato. *Journal of visualized experiments : JoVE* (28).
- Verchot, J. &Carrington, J. C. (1995a). Debilitation of plant potyvirus infectivity by P1 proteinase-inactivating mutations and restoration by second-site modifications. *Journal of virology* 69(3): 1582-1590.
- Verchot, J. &Carrington, J. C. (1995b). Evidence that the potyvirus P1 proteinase functions in trans as an accessory factor for genome amplification. *Journal of virology* 69(6): 3668-3674.
- Villada, E. S., Gonzalez, E. G., Lopez-Sese, A. I., Castiel, A. F. &Gomez-Guillamon, M. L. (2009). Hypersensitive response to *Aphis gossypii* Glover in melon genotypes carrying the Vat gene. *Journal of experimental botany* 60: 3269-3277.
- Voloudakis, A. E., Malpica, C. A., Aleman-Verdaguer, M. E., Stark, D. M., Fauquet, C. M. &Beachy, R. N. (2004). Structural characterization of Tobacco etch virus coat protein mutants. *Archives of virology* 149(4): 699-712.
- Waltermann, A. &Maiss, E. (2006). Detection of 6K1 as a mature protein of 6 kDa in plum pox virus-infected *Nicotiana benthamiana*. *The Journal of general virology* 87(Pt 8): 2381-2386.
- Walters, H. J. (1969). Beetle transmission of plant viruses. *Advances in virus research* 15: 339-363.
- Wang, K. S., Kuhn, R. J., Strauss, E. G., Ou, S. &Strauss, J. H. (1992). High-affinity laminin receptor is a receptor for Sindbis virus in mammalian cells. *Journal of virology* 66(8): 4992-5001.
- Wang, R. Y., Ammuar, E. D., Thornbury, D. W., Lopez-Moya, J. J. &Pirone, T. P. (1996). Loss of potyvirus transmissibility and helper-component activity correlate with non-retention of virions in aphid stylets. *The Journal of general virology* 77 ( Pt 5): 861-867.

- Wang, R. Y. &Pirone, T. P. (1996). Potyvirus transmission is not increased by pre-acquisition fasting of aphids reared on artificial diet. *The Journal of general virology* 77 ( Pt 12): 3145-3148.
- Wang, R. Y. &Pirone, T. P. (1999). Purification and characterization of turnip mosaic virus helper component protein. *Phytopathology* 89(7): 564-567.
- Ward, C. W. &Shukla, D. D. (1991). Taxonomy of potyviruses: current problems and some solutions. *Intervirology* 32: 269-296.
- Watson, M. A. &Roberts, F. M. (1939). A comparative study of the transmission of Hyocyamus virus 3, potato virus Y and cucumber mosaic virus by the vector *Myzus persicae* (Sulz), *M. circumflexus* (Buckton) and *Macrosiphum geri* (Koch). *Proceedings of the Royal Society of London B*(127): 543-576.
- Wayadande, A. (1990). Electronic monitoring of leafhoppers and planthoppers: feeding behavior and application in host-plant resistance studies. . In *History, development, and application of AC electronic insect feeding monitors*, 86-105 (Ed B. E. Ellsbury EM, Ullman DL). Lanham: Thomas Say Publications in Entomology.
- Wei, T., Zhang, C., Hong, J., Xiong, R., Kasschau, K. D., Zhou, X., Carrington, J. C. &Wang, A. (2010). Formation of complexes at plasmodesmata for potyvirus intercellular movement is mediated by the viral protein P3N-PIPO. *PLoS pathogens* 6(6): e1000962.
- Wensler, R. J. (1974). Sensory innervation monitoring movement and position in the mandibular stylets of the aphid, *Brevicoryne brassicae*. *Journal of morphology* 143(3): 349-363.
- Westwood, J. H. &Stevens, M. (2010). Resistance to aphid vectors of virus disease. *Advances in virus research* 76: 179-210.
- Whitfield, A. E., Ullman, D. E. &German, T. L. (2005). Tospovirus-thrips interactions. *Annual review of phytopathology* 43: 459-489.
- Wu, X. &Shaw, J. G. (1998). Evidence that assembly of a potyvirus begins near the 5' terminus of the viral RNA. *The Journal of general virology* 79: 1525-1529.

Zeenko, V. & Gallie, D. R. (2005). Cap-independent translation of tobacco etch virus is conferred by an RNA pseudoknot in the 5'-leader. *The Journal of biological chemistry* 280(29): 26813-26824.

Zha, W., Peng, X., Chen, R., Du, B., Zhu, L. & He, G. (2011). Knockdown of midgut genes by dsRNA-transgenic plant-mediated RNA interference in the hemipteran insect Nilaparvata lugens. *PloS one* 6(5): e20504.

Zhang, X., Zhang, J. & Zhu, K. Y. (2010). Chitosan/double-stranded RNA nanoparticle-mediated RNA interference to silence chitin synthase genes through larval feeding in the African malaria mosquito (*Anopheles gambiae*). *Insect molecular biology* 19(5): 683-693.

Zhou, X., Wheeler, M. M., Oi, F. M. & Scharf, M. E. (2008). RNA interference in the termite *Reticulitermes flavipes* through ingestion of double-stranded RNA. *Insect biochemistry and molecular biology* 38(8): 805-815.