

EFFECTO BACTERICIDA DEL LÁSER DE Er,Cr:YSGG  
EN EL INTERIOR DEL CONDUCTO RADICULAR.

**Tesis Doctoral**

Josep Arnabat Domínguez

**Directores**

Prof. Leonardo Berini Aytés

Prof. Miguel Viñas Ciordia

DEPARTAMENT D'ODONTOESTOMATOLOGIA

FACULTAT D'ODONTOLOGIA

UNIVERSITAT DE BARCELONA



## **BIBLIOGRAFÍA**

---



## **BIBLIOGRAFÍA**

- Abou-Rass M, Bogen G. Microorganisms in closed periapical lesions. *Int Endod J* 1998;31:39-47.
  
- Abramovich A. *Histología y embriología dentaria*. Buenos Aires: Editorial Médica Panamericana; 1999.
  
- Ahmad M, Pitt Ford TR, Crum L, Walton AJ. Ultrasonic debridement of root canals: acoustic cavitation and its relevance. *J Endod* 1988;14:486-93.
  
- Ahmad M, Pitt T, Crum L, Wilson R. Effectiveness of ultrasonic files in the disruption of root canal bacteria. *Oral Surg Oral Med Oral Pathol* 1990;70:328-32.
  
- Akpatá ES, Blechman H. Bacterial invasion of pulpal wall in vitro. *J Dent Res* 1982;61:435-8.
  
- Aktener B, Bilkay U. Smear layer removal with different concentrations of EDTA. *J Endod* 1993;19:228-31.
  
- Almyroudi A, Mackenzie D, McHugh S. The effectiveness of various disinfectants used as endodontic intracanal medications: an in vitro study. *J Endod* 2002;28:163-7.
  
- Ando N, Hoshino E. Predominant obligate anaerobes invading the deep layers of root canal dentine. *Int Endod J* 1990;23:20-7.
  
- Ando Y, Aoki A, Watanabe H, Ishikawa I. Bactericidal effect of erbium:YAG laser on periodontopathic bacteria. *Lasers Surg Med* 1996;19:190-200.

-Andreasen JO, Rud J. A histobacteriologic study of dental and periapical structures after endodontic surgery. *Int J Oral Surg* 1972;1:272-81.

-Anic I, Tachibana H, Masumoto K, Qi P. Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO<sub>2</sub> and argon lasers. *Int Endod J* 1996;29:13-22.

-Aparicio S, Boixeda P. Principios básicos de las lesiones vasculares. En: Cisneros JL, Camacho F, eds. *Láser y fuentes de luz pulsada intensa en dermatología y dermocosmética*. Madrid: Aula Medica Ediciones; 2000. p.119-24.

-Arens DE, Adams WR, DeCastro RA. *Cirugía en endodoncia*. Barcelona: Ediciones Doyma, 1984.

-Arisu HD, Bala O, Alimzhanova G, Turkoz E. Assessment of morphological changes and permeability of apical dentin surfaces induced by Nd:YAG laser irradiation through retrograde cavity surfaces. *J Contemp Dent Pract* 2004;5:102-13.

-Armengol V, Jean A, Marion D. Temperature rise during Er:YAG and Nd:YAP laser ablation of dentin. *J Endod* 2000;26:138-41.

-Arnabat-Dominguez J, España-Tost AJ, Berini Aytés L, Gay-Escoda C. Erbium:YAG laser application in the second phase of implant surgery: a pilot study in 20 patients. *Int J Oral Maxillofac Implants* 2003;18:104-12.

-Atrill DC, Davies RM, King TA, Dickinson MR, Blinkhorn AS. Thermal effects of the Er:YAG laser on a simulated dental pulp: a quantitative evaluation of the effects of a water spray. *J Dent* 2004;32:35-40.

-Aun C, Barberini A, Camargo S, Silva K, Lorenzetti S, Simionato M. Bactericidal effect of Nd:YAG laser irradiation in endodontics. Proc SPIE 1999;3593:22-6.

-Ayhan H, Sultan N, Çirak M, Ruhi MZ, Bodur H. Antimicrobial effects of various endodontic irrigants on selected microorganisms. Int Endod J 1999;32:99-102.

-Azam Khan M, Fazlur Rahman Khan M, Wahiduzzaman Khan M, Wakabayashi H, Matsumoto K. Effect of laser treatment on the root canal of human teeth. Endod Dent Traumatol 1997;13:139-45.

-Bader G, Lejeune S. Prospective study of two retrograde endodontic apical preparations with and without the use of CO<sub>2</sub> laser. Endod Dent Traumatol 1998;14:75-8.

-Bae KS, Baumgartner JC, Nakata TT. Development of an anaerobic bacterial leakage model. J Endod 1998;24:223-5.

-Bahcall J, Howard P, Miserendino L, Walia H. Preliminary investigation of the histological effects of laser endodontic treatment on the periradicular tissues in dogs. J Endod 1992;18:47-51.

-Barbosa AM, Goncalves RB, Siqueira JF, Uzeda M. Evaluation of the activities of calcium hydroxide, chlorhexidine and camphorated paramonochlorophenol as intracanal medicament: a clinical and laboratory study. J Endod 1997;23:297-9.

-Barkhordar RA, Goodis HE, Watanabe L, Koumdjian J. Evaluation of temperature rise on the outer surface of teeth during root canal obturation techniques. Quintessence Int 1990;21:585-8.

-Barnes IE. Chirurgie endodontique. Paris: Masson; 1992.

- Bateman KG. Dental lasers for hard and soft tissues procedures. Dental Town 2001;2:10-2.
  
- Bath-Balogh M, Fehrenbach MJ. Illustrated dental Embryology, Histology and Anatomy. Philadelphia: Saunders; 1997.
  
- Baumgartner JC, Falkler WA. Bacteria in the apical 5mm of infected root canals. J Endod 1991;17:380-3.
  
- Baumgartner JC, Cuenin P. Efficacy of several concentrations of sodium hypochlorite for root canal irrigation. J Endod 1992;18:605-12.
  
- Baumgartner JC, Watkins BJ, Bae KS, Xia T. Association of black-pigmented bacteria with endodontic infections. J Endod 1999;25:413-5.
  
- Becker TD, Woollard GW. Endodontic irrigation. Gen Dent 2001;49:272-6.
  
- Becking A. Complications in the use of sodium hypochlorite during endodontic treatment. Oral Surg Oral Med Oral Pathol 1991;71:346-8.
  
- Behrend D, Cutler C, Gutmann J. An in-vitro study of smear layer removal and microbial leakage long root-canal fillings. Int Endod J 1996;29:99-107.
  
- Berini L. Gay Escoda C. Anestesia odontológica. 3ª edición. Madrid. Ediciones Avances Médico-Dentales, 2005.
  
- Berkiten M, Okar I, Berkiten R. In vitro study of the penetration of *Streptococcus sanguis* and *Prevotella intermedia* strains into human dentinal tubules. J Endod 2000;26:236-9. (2000a)



- Berkiten M, Berkiten R, Okar I. Comparative evaluation of antibacterial effects of Nd:YAG laser irradiation in root canals and dentinal tubules. J Endod 2000;26:268-70. (2000b)
  
- Berkovitz BK, Holland GR, Moxham BJ. A color atlas and text book of oral anatomy. London: Wolfe Medical Publications; 1979.
  
- Bertrand MF, Pizzardini P, Muller M, Médioni E, Rocca JP. The removal of the smear layer using the Quantec system. A study using scanning electron microscope. Int Endod J 1999;32:217-24.
  
- Berutti E, Marini R, Angeretti A. Penetration ability of different irrigants into dentinal tubules. J Endod 1997;23:725-7.
  
- Bhat KS. Tissue emphysema caused by hydrogen peroxide. Oral Surg Oral Med Oral Pathol 1974;38:304-7.
  
- Blankenau RJ, Powell G, Ellis RW, Westerman GH. In vivo caries-like lesion prevention with argon laser: pilot study. J Clin Laser Med Surg 1999;17:241-3.
  
- Blum JY, Abadie JM. Effets du laser Nd:YAP sur les matériaux endocanalaire. Endo 1996;15:37-45.
  
- Blum JY, Michalesco P, Abadie JM. An evaluation of the bactericidal effect of the Nd:YAP Laser. J Endod 1997;23:583-5. (1997a)
  
- Blum JY, Abadie JM. Study of the Nd:YAP Laser. Effect on canal cleanliness. J Endod 1997;23:669-75. (1997b)
  
- Bolúmar Montrull F. El proceso de la investigación. Barcelona: Signo, 2001.

-Bradley PF. A review of the use of the neodymium:YAG laser in oral and maxillofacial surgery. *Br J Oral Maxillofac Surg* 1997;35:26-35.

-Brau E. Reflexiones clínicas de la terapéutica endodóntica a partir de un estudio sobre la morfología apical. *Endodoncia* 1991;9:5-13.

-Brau E. Anatomía dental interna. En: Canalda C, Brau E, eds. *Endodoncia. Técnicas clínicas y bases científicas*. Barcelona: Masson; 2001. p.14-28.

-Brook I, Frazier EH, Gher ME. Aerobic and anaerobic microbiology of periapical abscess. *Oral Microbiol Immunol* 1991;6:123-5.

-Bruno E, Paini L, Baldoni M. Estudio bacteriológico e histológico sobre 20 lesiones periapicales persistentes después de una terapia endodóntica. *Av Odontoestomatol* 2000;16:191-7.

-Buck RA, Eleazer PD, Staat RH, Scheetz JP. Effectiveness of three endodontics irrigants at various tubular depths in human dentin. *J Endod* 2001;27:206-8.

-Burns T, Wilson M, Pearson G. Killing of cariogenic bacteria by light from a gallium aluminium arsenide diode laser. *J Dent* 1994;22:273-8.

-Byström A, Sundqvist G. Bacteriologic evaluation of the efficacy of mechanical root canal instrumentation in endodontic therapy. *Scand J Dent Res* 1981;89:321-8.

-Byström A, Sundqvist G. Bacteriologic evaluation of the effect of 0.5 percent sodium hypochlorite in endodontic therapy. *Oral Surg Oral Med Oral Pathol* 1983;55:307-12.

- Byström A, Claesson R, Sundqvist G. The antibacterial effect of camphorate paramonochlorophenol, camphorated phenol and calcium hydroxide in the treatment of infected root canals. *Endod Dent Traumatol* 1985;1:170-5.
- Camargo SC, Gavini G, De Paula EC, Aun CE, Coil JM. In vitro evaluation of Er:YAG laser irradiation in apicoectomy and retrofilling cavity preparation compared to two other techniques. *Proc SPIE* 1998;3248:196-205.
- Canalda C, Pumarola J. Bacterial growth inhibition produced by root canal sealer cements with a calcium hydroxide base. *Oral Surg Oral Med Oral Pathol* 1989;68:99-102.
- Canalda C, Brau E, Berástegui E, Pumarola J. Actualización en endodoncia 1998. *Arch Odontoestomatol* 1999;15:253-67.
- Canalda C. Preparación de los conductos radiculares. En: Canalda C, Brau E, eds. *Endodoncia. Técnicas clínicas y bases científicas*. Barcelona: Masson, 2001:151-83.
- Cassatly MG, Rostock M, Gocke M. Iatrogenic osteonecrosis of the maxilla caused by laser injury. *J Oral Maxillofac Surg* 1999;57:184-6.
- Cavalcanti BN, Lage-Marques JL, Rode SM. Pulpal temperature increases with Er:YAG laser and high-speed handpieces. *J Prosthet Dent* 2003;90:447-51.
- Cecchini S, Zezell D, Bachmann L, Pinotti M, Nogueira G, Strfezza C, et al. Evaluation of two laser systems for intracanal irradiation. *Proc SPIE* 1999;3593:31-5.

-Cerisier P, Pasquetti R, Simeone D. The radicular dentine temperature during laser irradiation: a numerical modeling. *J Clin Laser Med Surg* 1996;14:157-62.

-Chang YC, Huang FM, Tai KW, Chou MY. The effect of sodium hypochlorite and clorhexidine on cultured human periodontal ligament cells. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2001;92:446-50.

-Chaparro A, Benz C, Haffner C. Desvitalización electrónica Endox: La endodoncia del 2000. *Quintessence (ed.esp)* 2000;13:512-5.

-Chaparro A, Murillo C, Feito J, Tarilonte M, Ortega P. Retratamientos endodónticos. La fulguración de alta frecuencia como método alternativo. Estudio multicéntrico. *Maxilaris* 2002;48:56-60.

-Chen WH. Laser root canal therapy. *J Indiana Dent Assoc* 2002;81:20-3.

-Cheung GSP, Ho MWM. Microbial flora of root canal-treated teeth associated with asymptomatic periapical radiolucent lesions. *Oral Microbiol Immunol* 2001;16:332-7.

-Clark B, Orstavik D, Phillips C, Pettiette M, Trope M. Reducción bacteriana con instrumentación rotatoria con níquel-titanio. *Endodoncia* 1999;17:46-54.

-Coffelt DW, Cobb CM, MacNeill S, Rapley JW, Killoy WJ. Determination of energy density treshold for laser ablation of bacteria. An in vitro study. *J Clin Periodontol* 1997;24:1-7.

-Cohen BL, Deutsch AS, Musikant BL. Effect of power settings on temperature change at the root surface when using a holmium:YAG laser in enlarging the root canal. *J Endod* 1996;22:596-9.

- Cohen BI, Deutsch AS, Musikant BL, Pagnillo MK. Effect of power settings versus temperature change at the root surface when using multiple fiber sizes with holmium:YAG laser while enlarging a root canal. J Endod 1998;24:802-6.
- Coluzzi D. Láseres y amplificación de la luz en odontología. En: Convissar R, ed. Clínicas Odontológicas de Norteamérica. México DF: Mc Graw-Hill interamericana; 2000.p.819-32.
- Cunningham WT, Balekjian A. Effect of temperature on collagen dissolving ability of sodium hypochlorite endodontic irrigant. Oral Surg Oral Med Oral Pathol 1980;49:175-7.
- Czarnecki RT, Schilder H. A histological evaluation of the human pulp in teeth varying degrees of periodontal disease. J Endod 1979;5:242-53.
- Dahle UR, Tronstad L, Olsen I. Spirochetes in oral infections. Endod Dent Traumatol 1993;9:87-94.
- Dahlén G, Samuelsson W, Molander A, Reit C. Identification and antimicrobial susceptibility of enterococci isolated from the root canal. Oral Microbiol Immunol 2000;15:309-12.
- D'Arcangelo C, Varvara G, De Fazio P. An evaluation of the action of different root canal irrigants on facultative aerobic-anaerobic, obligate anaerobic, and microaerophilic bacteria. J Endod 1999;25:351-3.
- Dederich DN, Zakariasen KI, Tulip J. An in-vitro quantitative analysis of the effects of continuous-wave carbon dioxide laser irradiation on root canal wall dentin. Lasers Life Sci 1989;3:1-12.

- Dederich DN, Pickard MA, Vaughn AS, Tulip J, Zakariasen KL. Comparative bactericidal exposures for selected oral bacteria using carbon dioxide laser radiation. *Lasers Surg Med* 1990;10:591-4.
  
- Deutsch AS, Cohen BI, Pagnillo MK, Musikant BL. Ho:YAG laser temperature change when enlarging root canals. *J Dent Res* 1998;77:2549.
  
- Di Lenarda R, Cadenaro M, Sbaizero. Effectiveness of 1 mol L<sup>-1</sup> citric and 15% EDTA irrigation on smear layer removal. *Int J Endod* 2000;33:46-52.
  
- Dobson J, Wilson M. Sensitization of oral bacteria in biofilms to killing by light from a low-power laser. *Arch Oral Biol* 1992;37:883-7.
  
- Doménech JM, Granero R. Comparación de varias medias: Análisis de la variancia. Descripción de datos cuantitativos. En: Doménech JM, ed. *Fundamentos de diseño y estadística*. Duodécima edición. Barcelona: Signo, 2000. (2000a)
  
- Doménech JM, Granero R. Descripción de datos cuantitativos. En: Doménech JM, ed. *Fundamentos de diseño y estadística*. Duodécima edición. Barcelona: Signo, 2000. (2000b)
  
- Dorros G, Seeley DL. *Understanding lasers*. New York: Futura, 1991.
  
- Egan MW, Spratt DA, Ng YL, Lam JM, Moles DR, Gulabivala K. Prevalence of yeasts in saliva and root canals of teeth associated with apical periodontitis. *Int Endod J* 2002;35:201-9.
  
- Ehrich DG, Brian JD, Walker WA. Sodium hypochlorite accident: inadvertent injection into the maxillary sinus. *J Endod* 1993;19:180-2.

- El Yazami H, Azehoui N, Ahariz M, Rey G, Sauvetre E. Periodontal evaluation of an Nd:YAP laser combined with scaling and root planning for nonsurgical periodontal treatment. J Oral Laser Applications 2004;4:97-102.
- Eriksson AR, Albrektsson T. Temperature threshold levels for heat-induced bone tissue injury, a vital microscopic study in the rabbit. J Prosthet Dent 1983;50:101-7.
- España Tost A, Velasco Vivancos V, Gay Escoda C, Berini Aytés L, Arnabat Domínguez J. Aplicaciones del láser de CO<sub>2</sub> en Odontología. Madrid: Ergon, 1995.
- España-Tost AJ, Arnabat-Domínguez J, Berini-Aytés L, Gay-Escoda C. Aplicaciones del láser en odontología. RCOE 2004;9:477-511.
- Estrela C, Pimenta FC, Ito IY, Bammann LL. In vitro determination of direct antimicrobial effect of calcium hydroxide. J Endod 1998;24:15-7.
- Estrela C, Pimenta FC, Ito IY, Bammann LL. Antimicrobial evaluation of calcium hydroxide in infected dentinal tubules. J Endod 1999;25:416-8.
- Eto JN, Niu W, Takeda FH, Kimura Y, Matsumoto K. Morphological and anatomic analytical changes of root canal wall dentin after treatment with thirty-eight percent Ag(NH<sub>3</sub>)<sub>2</sub> solution and CO<sub>2</sub> laser. J Clin Laser Med Surg 1999;17:19-24.
- Evans M, Davies JK, Sundqvist G, Figdor D. Mechanisms involved in the resistance of *Enterococcus faecalis* to calcium hydroxide. Int Endod J 2002;35:221-8.
- Eversole LR, RizoIU IM. Preliminary investigations on the utility of an erbium, chromium:YSGG laser. J Calif Dent Assoc 1995;23:41-7.

- Fabricius L, Dahlén G, Holm SE, Möller ARJ. Influence of combinations of oral bacteria on periapical tissues of monkeys. *Scand J Dent Res* 1982;90:200-6.
- Farge P, Nahas P, Bonin P. In vitro study of a Nd:YAP laser in endodontic retreatment. *J Endod* 1998;24:359-63.
- Fegan SE, Steiman HR. Comparative evaluation of the antibacterial effects of intracanal Nd:YAG laser irradiation: an in vitro study. *J Endod* 1995;21:415-7.
- Ferguson JW, Hatton JF, Gillespie J. Effectiveness of intracanal irrigants and medications against the yeast *Candida albicans*. *J Endod* 2002;28:68-71.
- Floren JW, Weller RN, Pashley DH, Kimbrough WF. Changes in root surface temperatures with in vitro use of the system B heatsource. *J Endod* 1999;25:593-5.
- Folwaczny M, Liesenhoff T, Lehn N, Horch HH. Bactericidal action of 308nm excimer-laser radiation: an in vitro investigation. *J Endod* 1998;24:781-5. (1998 a)
- Folwaczny M, Mehl A, Haffner C, Hickel R. Antimicrobial effect of 2,94 um Er:YAG laser radiation in root canals. *J Dent Res* 1998;77:1265. (1998 b)
- Folwaczny M, Mehl A, Jordan C, Hickel R. Antibacterial effects of pulsed Nd:YAG laser radiation at different energy settings in root canals. *J Endod* 2002;28:24-9.
- Fried D, Ashouri N, Breunig T, Shori R. Mechanism of water augmentation during IR laser ablation of dental enamel. *Lasers Surg Med* 2002;31:186-93.
- Friedman S, Rotstein I, Koren L, Trope M. Dye leakage in retrofilled dog teeth and its correlation with radiographic healing. *J Endod* 1991;17:392-5. (1991a)



- Friedman S, Rotstein I, Mahamid A. In vivo efficacy of various retrofills and of CO<sub>2</sub> laser in apical surgery. *Endod Dent Traumatol* 1991;7:19-25. (1991b)
- Fujii T, Baehni PC, Kawai O, Kawahami T, Matsuda K, Kowashi Y. Scanning electron microscopic study of the effects of Er:YAG laser on root cementum. *J Periodontol* 1998;69:1283-90.
- Fufushima H, Yamamoto K, Hirohata K, Sagawa H, Leung KP, Walker CB. Localization and identification of root canal bacteria in clinically asymptomatic periapical pathosis. *J Endod* 1990;16:534-8.
- Gambarini G, De Luca M, Gerosa R. Chemical stability of heated sodium hypochlorite endodontic irrigants. *J Endod* 1998;24:432-3.
- Garberoglio R, Becce C. Smear layer removal by root canal irrigants. *Oral Surg Oral Med Oral Pathol* 1994;78:359-67.
- García Barbero E. Preparación de conductos radiculares. En Bascones A, ed. *Tratado de Odontología*. Tomo II. Madrid: Trigo ediciones;1998.
- García-Ortiz de Zárate, España-Tost AJ, Berini-Aytés L, Gay-Escoda C. Aplicaciones del láser de CO<sub>2</sub> en odontología. *RCOE* 2004;9:567-76.
- Gaspar L, Szabo G. Manifestation of the advantages and disadvantages of using the CO<sub>2</sub> laser in oral surgery. *J Clin Laser Med Surg* 1990;8:39-43.
- Gassatly MG, Rostock M, Gocke M. Iatrogenic osteonecrosis of the maxilla caused by laser injury. *J Oral Maxillofac Surg* 1999;57:184-6.

- Gatot A, Arbelle J, Leiberman A, Yanai-Inbar I. Effects of sodium hypochlorite on soft tissues after its inadvertent injection beyond the root apex. J Endod 1991;17:573-4.
  
- Gay Escoda C, Paredes J, Berini L. La cirugía periapical de los molares. Rev Eur Odontoestomatol 1993;2:95-102.
  
- Gay Escoda C, Berini L. Cirugía bucal. Madrid: Ediciones Ergon;1999. (1999a)
  
- Gay Escoda C, Peñarrocha M, Berini L. Lesiones periapicales. En: Gay Escoda C, Berini L, eds. Cirugía bucal. Madrid: Ergon;1999.749-80. (1999b)
  
- Gay Escoda C. Cirugía periapical. En: Canalda C, Brau E, eds. Endodoncia Técnicas clínicas y bases científicas. Barcelona: Masson;2001. p.300-21.
  
- Georgopoulou M, Kontakiotis E, Nakou M. In vitro evaluation of the effectiveness of calcium hydroxide and paramonochlorophenol on anaerobic bacteria from the root canal. Endod Dent Traumatol 1993;9:249-53.
  
- Giard JC, Hartke A, Flahaut S, Benachour A, Boutibonnes P. Starvation-induced multiresistance in *Enterococcus faecalis* JH2-2. Curr Microbiol 1996;32:264-71.
  
- Giuliani M, Lajolo C, Deli G, Silveri C. Inferior alveolar nerve paresthesia caused by endodontic pathosis: A case report and review of the literature. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2001;92:670-4.
  
- Goharkhay K, Moritz A, Wilder-Smith P, Schoop U, Kluger W, Jakolitsch S, et al. Effects on oral soft tissue produced by a diode laser in vitro. Lasers Surg Med 1999;25:401-6.

- Goldberg F, Abramovich A. Analisis of the effect of EDTEC on the dentinal walls of the root canal. J Endod 1977;3:101-5.
  
- Gomes BP, Lilley JD, Drucker DB. Variations in the susceptibilities of components of the endodontic microflora to biomechanical procedures. Int Endod J 1996;29:235-41.
  
- Gomes BP, Feraz CC, Vianna ME, Berber VB, Teixeira FB, Souza-Filho FJ. In vitro antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of *Enterococcus faecalis*. Int Endod J 2001;34:424-8.
  
- Gómez de Ferraris ME, Campos A. Histología y embriología bucodental. Madrid: Editorial Médica Panamericana; 1990.
  
- Gonçalves RB, Mouton C. Molecular detection of *Bacteroides forsythus* in infected root canals. J Endod 1999;25:336-9.
  
- Goodis HE, White JM, Neev J. Thermal measurement of root surface temperatures during application of intracanal laser energy. Proc SPIE 1993;1880:226-30.
  
- Gouw-Soares S, Gutknecht N, Conrads G, Lampert F, Matson E, Eduardo CP. The bactericidal effect of Ho:YAG laser irradiation within contaminated root dentinal samples. J Clin Laser Med Surg 2000;18:81-7.
  
- Gouw-Soares S, Tanji E, Haypek P, Cardoso W, Eduardo CP. The use of Er:YAG, Nd:YAG and Ga-Al-As lasers in periapical surgery: a 3 year clinical study. J Clin Lasers Med Surg 2001;19:193-8.

-Goya C, Yamazaki R, Tomita Y, Kimura Y, Matsumoto K. Effects of pulsed Nd:YAG laser irradiation on smear layer at the apical stop and apical leakage after obturation. *Int Endod J* 2000;33:266-71.

-Grassi RF, Pappalardo S, Frateiaci A, Scortechini A, De Benedittis M, Petruzzi M, et al. Antibacterial effect of Nd:YAG laser in periodontal pockets decontamination: a in vivo study. *Minerva Stomatol* 2004;53:355-9.

-Grönquist A, Wiström Axner O, Monsen T. Bactericidal effect of pulsed 1,064 nm Nd:YAG laser light on *Staphylococcus epidermidis* is of photothermal origin: an in vitro study. *Lasers Surg Med* 2000;27:336-40.

-Grossman LI. Bacteriologic status of periapical tissues in 150 cases of infected pulpless teeth. *J Dent Res* 1959;38:101-4.

-Guinot-Moya R, España-Tost AJ, Berini-Aytés L, Gay-Escoda C. Utilización de otros láseres en odontología: Argón, Nd:YAP y Ho:YAG. *RCOE* 2004;9:581-86.

-Gutiérrez JH, Jofré A, Villena F. Scanning electron microscope study on the action of endodontic irrigants on bacteria invading the dentinal tubules. *Oral Surg Oral Med Oral Pathol* 1990;69:491-501.

-Gutknecht N, Behrens VG. Die bearbeitung der wurzelkanal-wände mit dem Nd:YAG laser. *ZWR* 1991;100:748-55.

-Gutknecht N, Moritz A, Conrads G, Sievert T, Lampert F. Bactericidal effect of the Nd:YAG laser in in vitro root canals. *J Clin Laser Med Surg* 1996;14:77-80. (1996

a)

- Gutknecht N, Kaiser F, Hassan A, Lampert F. Long-term clinical evaluation of endodontically treated teeth by Nd:YAG Lasers. J Clin Laser Med Surg 1996;14:7-11.(1996 b)
- Gutknecht N, Neubler-Moritz M, Fallot Burghardt S, Lampert F. The efficiency of root canal disinfection using a holmium:yttrium-aluminum-garnet laser in vitro. J Clin Laser Med Surg 1997;15:75-8.
- Gutknecht N, Gogswaardt DV, Conrads G, Apel C, Schubert C, Lampert F. Diode laser radiation and its bactericidal effect in root canal wall dentin. J Clin Laser Med Surg 2000;18:57-60.
- Gutknecht N, Franzen R, Schippers M, Lampert F. Bactericidal effect of a 980-nm diode laser in the root canals wall dentin of bovine teeth. J Clin Laser Med Surg. 2004;22:9-13. (2004a)
- Gutknecht N, de Paula Eduardo C, eds. A Odontología e o laser. Atuação do laser na especialidade odontológica. Sao Paulo: Quintessence editora Ltda; 2004. (2004b)
- Haapasalo M, Ranta H, Ranta KT. Facultative gram-negative enteric rods in persistent periapical lesions. Acta Odontol Scand 1983;41:19-22.
- Haapasalo M, Orstavik D. In vitro infection and disinfection of dentinal tubules. J Dent Res 1987;66:1375.
- Haapasalo HK, Siren EK, Waltimo TM, Orstavik D, Haapasalo MPP. Inactivation of local root canal medicaments by dentine: an in vitro study. Int Endod J 2000;33:126-31.

-Hafez MI, Coombs RR, Zhou S, McCarthy ID. Ablation of bone, cartilage, and facet joint capsule using Ho:YAG laser. *J Clin Laser Med Surg* 2002;20:251-5.

-Haffner C, Benz C, Folwaczy M, Mehl A, Hickel R. High frequency current in endodontic therapy: an in vitro study. *J Dent Res* 1999;78:117-9.

-Haikel Y, Serfaty R, Wilson P, Speisser JM, Allemann C. Cutting efficiency of nickel-titanium endodontic instruments and the effect of sodium hypochlorite treatment. *J Endod* 1998;24:736-9.

-Hales JJ, Jackson CR, Everett AP, Moore SH. Treatment protocol for the management of a sodium hypochlorite accident during endodontic therapy. *Gen Dent* 2001;49:278-81.

-Hancock III HH, Sigurdson A, Trope M, Moiseiwitsch J. Bacteria isolated after unsuccessful endodontic treatment in a North American population. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2001;91:579-86.

-Happonen RP. Periapical actinomycosis: a follow-up study of 16 surgically treated cases. *Endod Dent Traumatol* 1986;2:205-9.

-Harashima T, Takeda FH, Kumura Y, Matsumoto K. Effect of Nd:YAG Laser irradiation for removal of intracanal debris and smear layer in extracted human teeth. *J Clin Laser Med Surg* 1997;15:131-5.

-Harashima T, Takeda FH, Zhang C, Kimura Y, Matsumoto K. Effect of argon laser irradiation on instrumented root canal walls. *Endod Dent Traumatol* 1998;14:26-30.

-Hardee MW, Miserendino LJ, Kos W, Walia H. Evaluation of the antibacterial effects of intracanal Nd:YAG laser irradiation. *J Endod* 1994;20:377-80.

- Harrison JW, Svec TA, Baumgartner JC. Analysis of clinical toxicity of endodontic irrigants. J Endod 1978;4:6-11.
  
- Hashioka K, Yamasaki M, Nakane A, Horiba N, Nakamura H. The relationship between clinical symptoms and anaerobic bacteria from infected root canals. J Endod 1992;18:558-61.
  
- Hegger JP, Sazy AJ, Stenberg BD, Strock LL, McCauley RL, Hernom DN et al. Bacterial and wound-healing properties of sodium hypochlorite solutions: the 1991 Lindberg Award. J Burn Care Rehabil 1991;12:420-4.
  
- Hecht J, Teresi D. El rayo láser. Barcelona : Biblioteca Científica Salvat, Salvat Editores;1987.
  
- Heiling I, Chandler NP. Antimicrobial effect of irrigant combinations within dentinal tubules. Int Endod J 1998;31:8-14.
  
- Heiling I, Rotstein I, Dinur T, Levine Y, Steinberg D. Bactericidal and cytotoxic effects of sodium hypochlorite and sodium dichloroisocyanurate solutions in vitro. J Endod 2001;27:278-80.
  
- Henry CA, Judy M, Dyer B, Wagner M, Matthews JL. Sensitivity of Porphyromonas and Prevotella species in liquid media to argon laser. Photochem Photobiol 1995;61:410-3.
  
- Hibst R, Keller U. Effects of water spray and repetition rate on the temperature elevation during Er:YAG laser ablation of dentine. Proc SPIE 1987;2623:139-44.
  
- Hibst R, Keller U, Steiner R. Die Wirkung gepulser Er:YAG Laser-strahlung auf zahngewebe. Lasers Surg Med 1988;4:163-5.

-Hibst R, Keller U. Experimental studies of the applications of the Er:YAG laser on dental hard substances. *Lasers Surg Med* 1989;4:338-44.

-Hibst R, Stock K, Gall U, Keller U. Controlled tooth surface heating and sterilization by the Er:YAG laser. *Proc SPIE* 1996;2922:119-26.

-Hibst R, Stock K, Gall R, Keller U. Er:YAG laser for endodontics: efficiency and safety. *Proc SPIE* 1997;3192:19-27.

-Hibst R, Keller U. Measurement and modelling of temperature distribution for Er:YAG laser root canal sterilisation. *Proc SPIE* 1998;3564:204-9.

-Hibst R. Lasers for caries removal and cavity preparations: State of the art and future directions. *J Oral Laser Applic* 2002;2:203-12.

-Horiba N, Hiratsuka K, Onoe T, Yoshida T, Suzuki K, Matsumoto T, et al. Bactericidal effect of electrolyzed neutral water on bacteria isolated from infected root canals. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1999;87:83-7.

-Hossain M, Nakamura Y, Yamada Y, Kimura Y, Matsumoto N, Matsumoto K. Effects of Er,Cr:YSGG laser irradiation in human enamel and dentin: ablation and morphological studies. *J Clin Laser Med Surg* 1999;17:155-9.

-Hossain M, Nakamura Y, Yamada Y, Murakami Y, Matsumoto K. Compositional and structural changes of human dentin following caries removal by Er,Cr:YSGG laser irradiation in primary teeth. *J Clin Pediatr Dent* 2002;26:377-82.

-Hülsmann M, Hahn W. Complications during root canal irrigation literature: review and case reports. *Int Endod J* 2000;33:186-93.



- Huque J, Kota K, Yamaga M, Iwaku M, Hoshino E. Bacterial eradication from root dentine by ultrasonic irrigation with sodium hypochlorite. *Int Endod J* 1998;31:242-50.
- Ingram TA. Response of the human eye to accidental exposure to sodium hypochlorite. *J Endod* 1990;16:235-7.
- Ishikawa I, Aoki A, Takasaki AA. Potential applications of erbium:YAG laser in periodontics. *J Periodontal Res* 2004;39:275-85.
- Ishizaki NT, Matsumoto K, Kimura Y, Wang X, Kinoshita J, Okano Y, et al. Thermographical and morphological studies of Er,Cr:YSGG irradiation on root canal walls. *Photomed Laser Surg* 2004;22:291-7.
- Iwu C, MacFarlane TW, MacKenzie D, Stenhouse D. The microbiology of periapical granulomas. *Oral Surg Oral Med Oral Pathol* 1990;69:502-5.
- Jeansonne MJ, White RR. A comparison of 2.0% chlorhexidine gluconate and sodiumhypochlorite as antimicrobial endodontic irrigants. *J Endod* 1994;20:276-8.
- Jelinková H, Dostáloà T, Duskoà J, Krátky M, Miyagi M, Shoji S, et al. Er:YAG and alexandrite laser radiation propagation in root canal and its effect on bacteria. *J Clin Laser Med Surg* 1999;17:267-72.
- Kakehashi S, Stanley HR, Fitzgerald RJ. The effects of surgical exposures of dental pulps in germ-free and conventional laboratory rats. *Oral Surg Oral Med Oral Pathol* 1965;20:340-9.

-Kalfas S, Figdor D, Endo D, Sundqvist G. A new bacterial species associated with failed endodontic treatment: identification and description of *Actinomyces radidentis*. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2001;92:208-14.

-Kaplan AE, Picca M, Gonzalez MI, Macchi RL, Molgatini SL. Antimicrobial effect of six endodontic sealers: an in vitro evaluation. Endod Dent Traumatol 1999;15:42-5.

-Kaufman AY, Keila S. Hypersensitivity to sodium hypochlorite. J Endod 1989;15:224-6.

-Kavanagh CP, Taylor J. Inadvertent injection of sodium hypochlorite into the maxillary sinus. Br Dent J 1998;185:336-7.

-Kearns A, Freeman R, Lighfoot N. Nosocomial enterococci: resistance to heat and sodium hypochlorite. J Hosp Infec 1995;30:193-9.

-Keates RH, Drago PC, Rothchild EJ. Effect of excimer laser on microbiological organisms. Ophthalmic Surg. 1988;19:715-8.

-Keller U, Raab W, Hibst R. Die pulpreaktion während der bestrahlung von zahnhartsubstanzen mit dem Erbium-YAG-laser. Dtsch Zahnärztl Z 1991;46:37-9.

-Keller U, Hibst R. Lasers in oral surgery. Proc SPIE 1994; 2327;146-54.

-Kesler G, Koren R, Kesler A, Hay N, Gal R. Histological changes induced by CO<sub>2</sub> laser microprobe specially designed for root canal sterilization: in vivo study. J Clin Lasers Med Surg 1998;16:263-7.

- Kesler G, Koren R, Kesler A, Hay N, Gal R. Three years of clinical evaluation of endodontically treated teeth by 15 F CO<sub>2</sub> laser microprobe: in vivo study. *J Clin Laser Med Surg* 1999;17:111-4.
- Kettering J, Torabinejad M. Microbiología e Inmunología. En: Cohen S, Burs R, eds. *Vías de la Pulpa*. 7ª Edición. Madrid: Harcourt Española;1999. p. 439-51.
- Kimura Y, Yamazaki R, Goya C, Tomita Y, Yokoyama K, Matsumoto K. A comparative study on the effects of three types of laser irradiation at the apical stop and apical leakage after obturation. *J Clin Laser Med Surg* 1999;17:261-6.
- Kimura Y, Wilder-Smith P, Matsumoto K. Lasers in endodontics: a review. *Int Endod J* 2000;33:173-85.
- Kimura Y, Yonoga K, Yokoyama K, Matsuoka E, Sakai K, Matsumoto K. Apical leakage of obturated canals prepared by Er:YAG laser. *J Endod* 2001;27:567-70.
- Kimura Y, Yonoga K, Yokoyama K, Kinoshita J, Ogata Y, Matsumoto K. Root surface temperature increase during Er:YAG laser irradiation of root canals. *J Endod* 2002;28:76-8.
- Kiryu T, Hoshino E, Iwaku M. Bacteria invading periapical cementum. *J Endod* 1994;20:169-72.
- Klinke T, Klimm W, Gutknecht N. Antibacterial effects of Nd:YAG laser irradiation within root canal dentin. *J Clin Laser Med Surg* 1997;15:29-31.
- Koba K, Kimura Y, Matsumoto K, Takeuchi T, Ikarugi T, Shimizu T. A histopathological study of the morphological changes at the apical seat and in the

periapical region after irradiation with a pulsed Nd:YAG laser. *Int Endod J* 1998;31:415-20. (1998a)

-Koba K, Kimura Y, Matsumoto K, Takeuchi T, Ikarugi T, Shimizu T, et al. Pulsed Nd:YAG laser application to one-visit treatment of infected root canals in dogs: a histopathological study. *J Clin Laser Med Surg* 1998;16:217-21. (1998b)

-Koba K, Kimura Y, Matsumoto K, Watanabe H, Shinoki T, Kojy R, et al. Post-operative symptoms and healing after endodontic treatment of infected teeth using pulsed Nd:YAG laser. *Endod Dent Traumatol* 1999;15:68-72. (1999 a)

-Koba K, Kimura Y, Matsumoto K, Gomyoh H, Komi S, Harada S, et al. A clinical study on the effects of pulsed Nd:YAG laser irradiation at root canals immediately after pulpectomy and shaping. *J Clin Laser Med Surg* 1999;17:53-6. (1999 b)

-Koba K, Kimura Y, Matsumoto K, Takeuchi T, Ikarugi T, Shimizu T. A histopathological study of the effects of pulsed Nd:YAG laser irradiation on infected root canals in dogs. *J Endod* 1999;25:151-4. (1999 c)

-Kobayashi T, Hayashi A, Yoshikawa R, Okuda K, Hara K. The microbial flora from root canals and periodontal pockets of non-vital teeth associated with advanced periodontitis. *Int Endod J* 1990;23:100-6.

-Komori T, Yokoyama K, Takato T, Matsumoto K. Clinical application of the erbium:YAG laser for apicoectomy. *J Endod* 1997;23:748-50. (1997a)

-Komori T, Yokoyama K, Matsumoto Y, Matsumoto K. Erbium:YAG and holmium:YAG laser root resection of extracted human teeth. *J Clin Laser Med Surg* 1997;15:9-13. (1997b)

-Koslin MG, Martin JC. The use of the holmium laser for temporomandibular joint arthroscopic surgery. *J Oral Maxillofac Surg.* 1993;51:122-3.

-Kouvas V, Liolios E, Vassiliadis L, Parissis-Messimeris S, Boutsoukis A. Influence of smear layer on depth of penetration of three endodontic sealers: an SEM study. *Endod Dent Traumatol* 1998;4:191-5.

-Kreisler M, Al Haj H, Gotz H, Duschner H, d'Hoedt B. Effect of simulated CO<sub>2</sub> and GaAlAs laser surface decontamination on temperature changes in Ti-plasma sprayed dental implants. *Lasers Surg Med* 2002;30:233-9.

-Kreisler M, Kohnen W, Beck M, Al Haj H, Christoffers A, Götz H, et al. Efficacy of NaOCl/H<sub>2</sub>O<sub>2</sub> irrigation and GaAlAs laser in decontamination of root canals in vitro. *Lasers Surg Med* 2003;32:189-96.

-Kuc IM, Samaranayake LP, van Heyst EN. Oral health and microflora in an institutionalised elderly population in Canada. *Int Dent J* 1999;49:33-40.

-Kurachi C, Eduardo CP, Magalhaes DV, Bagnato VS. Human teeth exposed to argon laser irradiation: determination of power-time-temperature working conditions. *J Clin Laser Med Surg* 1999;17:255-9.

-Kurihara H, Kobayashi Y, Fransisco I, Isoshima O, Nagai A, Murayama Y. A microbiological and immunological study of endodontic-periodontic lesions. *J Endod* 1995;21:617-21.

-Kuruvilla JR, Kamath P. Antimicrobial activity of 2,5% sodium hypochlorite and 0,2% chlorhexidine gluconate separately and combined, as endodontic irrigants. *J Endod* 1998;24:472-6.

-Lalonde ER. A new rationale for the management of periapical granulomas and cysts: an evaluation of histologic and radiologic findings. J Am Dent Assoc 1970;8:1056-9.

-Lan WH, Liu HC, Lin CP. The combined occluding effect of sodium fluoride varnish and Nd:YAG laser irradiation on human dentinal tubules. J Endod 1999;25:424-6. (1999a)

-Lan WH. Temperature elevation on the root surface during Nd:YAG laser irradiation in the root canal. J Endod 1999;25:155-6. (1999b)

-Lana MA, Ribeiro-Sobrinho AP, Stehling R, Garcia AD, Silva BKC, Hamdan JS, et al. Microorganisms isolated from root canals presenting necrotic pulp and their drug susceptibility in vivo. Oral Microbiol Immunol 2001;16:100-5.

-Langeland K, Rodrigues H, Dowden W. Periodontal disease, bacteria, and pulpal histopathology. Oral Surg Oral Med Oral Pathol 1974;37:257-70.

-Laplace JM, Thuault M, Hartke A, Boutibonnes P, Auffray Y. Sodium hypochlorite stress in *Enterococcus faecalis*: Influence of antecedent growth conditions and induced proteins. Curr Microbiol 1997;34:284-9.

-Larrea-Oyarbide N, España-Tost AJ, Berini-Aytés L, Gay-Escoda C. Aplicaciones del láser de diodo en odontología. RCOE 2004;9:529-34.

-Le Goff A, Bunetel L, Mouton C, Bonnaure-Mallet M. Evaluation of root canal bacteria and their antimicrobial susceptibility in teeth with necrotic pulp. Oral Microbiol Immunol 1997;21:318-22.

- Le Goff A, Dautel-Moratzin A, Guigand M, Vulcain JM, Bonnaure-Mallet M. An evaluation of the CO<sub>2</sub> laser for endodontic disinfection. J Endod 1999;25:105-8.
- Leonardo MR, Leal JM. Endodoncia. Tratamiento de los conductos radiculares. Buenos Aires: Editorial Panamericana; 1994.
- Levy G. Cleaning and shaping the root canal with a Nd:YAG laser beam: a comparative study. J Endod 1992;18:123-7.
- Lewis MA, McFarlane TW, McGowan DA. A microbiological and clinic review of the acute dentoalveolar abscess. Br J Oral Maxillofac Surg 1990;28:359-66.
- Liébana J. Microbiología oral. México DF: Mc Graw-Hill Interamericana; 1997.
- Liébana J, Castillo AM, Quiros E. Introducción al estudio de la microbiología. En: Bascones A, ed. Tratado de Odontología. Tomo I. Madrid: Trigo Ediciones; 1998.
- Lin LM, Pascon EA, Skribner J, Gängler P, Langeland K. Clinical, radiographic, and histologic study of endodontic treatment failures. Oral Surg Oral Med Oral Pathol 1991;11:603-11.
- Lindgren P, Eriksson KF, Ringberg A. Severe facial ischemia after endodontic treatment. J Oral Maxillofac Surg 2002;60:576-9.
- Liolios E, Economides N, Parissis-Messimeris S, Boutsoukis A. The effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation. Int Endod J 1997;30:51-7.
- Liu HC, Lin CP, Lan WH. Sealing depth of Nd:YAG laser on human dentinal tubules. J Endod 1997;23:691-3.

-Love RM. *Enterococcus faecalis* -a mechanism for its role in endodontic failure. Int Endod J 2001;34:399-405.

-Luk K, Tam L, Hubert M. Effect of light energy on peroxide tooth bleaching. J Am Dent Assoc 2004;135:194-201.

-Lynne R, Liewehr F, West L, Patton W, Buxton T, McPerson J. In vitro antimicrobial activity of various medication preparations on *E.faecalis* in root canal dentin. J Endod 2003;29:187-90.

-Maillet W, Tornek C, Friedman S. Connective tissue response to root surfaces resected with Nd:YAG laser or burs. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1996;82:681-90.

-Martínez González JM, Del Canto Pingarrón M, Gómez Font R, Tresguerres I, Donado Rodríguez M. El láser de CO<sub>2</sub> en la esterilización de las reestructuras dentarias II. Estudio in vivo. Av Odontoestomatol 1998;14:433-8.

-Matsuoka E, Kimura Y, Matsumoto K. Studies on removal of debris near the apical seals by Er:YAG laser and assessment with a fiberscope. J Clin Laser Med Surg 1998;16:255-61.

-Matsuoka E, Yonaga K, Kinoshita J, Kimura Y, Matsumoto K. Morphological study on the capability of Er:YAG laser irradiation for root canal preparation. J Clin Laser Med Surg 2000;18:215-9.

-McCrary BR, Steckfuss JL, Keene HJ. Oral hygiene and the prevalence of oral group D streptococci in medically-physically compromised and periodontal disease patients. J Periodontol 1989;60:255-8.



-McDonnel G Russell AD. Antiseptics and disinfectants: activity, action and resistance. Clin Microbiol Rev 1999;12:147-79.

-Melh A, Kremers L, Salzmann K, Hickel R. 3D volume-ablation rate and thermal side effects with the Er:YAG and Nd:YAG laser. Dent Mater 1997;13:246-51.

-Mehl A, Folwaczny M, Haffner C, Hickel R. Bactericidal effects of 2,94  $\mu\text{m}$  Er:YAG-laser radiation in dental root canals. J Endod 1999;25:490-3.

-Mehra P, Clancy CH, Wu J. Formación de un hematoma facial durante el tratamiento de endodoncia. J Am Dent Assoc (ed.esp.) 2000;3:33-7.

-Melcer J, Chaumette MT, Melcer F. Treatment of dental decay by CO<sub>2</sub> laser beam: Preliminary results. Lasers Surg Med 1984;4:311-21.

-Melville TH, Birch RH. Root canal and periapical floras of infected teeth. Oral Surg Oral Med Oral Pathol 1967;23:93-8.

-Meral G, Tasar F, Kocagöz S, Sener C. Factors affecting the antibacterial effects of Nd:YAG laser in vivo. Lasers Surg Med 2003;32:197-202.

-Miller RJ. Treatment of the contaminated implant surface using the Er,Cr:YSGG laser. Implant Dent 2004;13:165-70.

-Miserendino LJ. The laser apicoectomy: endodontic application of the CO<sub>2</sub> laser for periapical surgery. Oral Surg Oral Med Oral Pathol 1988;66:615-9.

-Miserendino LJ, Pick RM. Lasers in dentistry. Singapore: Quintessence; 1995.

-Molander A, Reit C, Dahlén G. Microbiological evaluation of clindamycin as a root canal dressing in teeth with apical periodontitis. Int Endod J 1990;23:113-8.

-Molander A, Reit C, Dahlén G, Kvist T. Microbiological status of root-filled teeth with apical periodontitis. *Int Endod J* 1998;31:1-7.

-Moritz A, Gutknecht N, Goharkhay K, Schoop U, Wernisch J, Sperr W. In vitro irradiation of infected root canals with a diode laser: results of microbiologic, infrared spectrometric, and stain penetration examination. *Quintessence Int* 1997;28:205-9. (1997a)

-Moritz A, Gutknecht N, Doertbudak O, Goharkhay K, Schoop U, Schauer P, et al. Bacterial reduction in periodontal pockets through irradiation with a diode laser: a pilot study. *J Clin Laser Med Surg* 1997;15:33-7. (1997b)

-Moritz A, Schoop U, Goharkhay K. The interaction of infrared laser irradiation with gramnegative bacteria. *Lasers Surg Med* 1999;11:9-13. (1999a)

-Moritz A, Schoop U, Goharkhay K, Jakolisch S, Kluger W, Wernisch J, et al. The bactericidal effect of Nd:YAG, Ho:YAG and Er:YAG laser irradiation in the root canal: an in vitro comparison. *J Clin Laser Med Surg* 1999;17:161-4. (1999b)

-Moritz A, Jakolisch S, Goharkhay K, Schoop U, Kluger W, Mallinger R, et al. Morphologic changes correlating to different sensitivities of *Escherichia coli* and *Enterococcus faecalis* to Nd:YAG laser irradiation through dentin. *Lasers Surg Med* 2000;26:250-61.

-Moriyama EH, Zangaro RA, Villaverde AB, Lobo PD, Munin E, Watanabe IS, et al. Dentin evaluation after Nd:YAG laser irradiation using short and long pulses. *J Clin Laser Med Surg* 2004;22:43-50.

-Mortensen H, Winther JE, Birn H. Periapical granulomas and cysts. An investigation of 1600 cases. Scand J Dent Res 1970;78:241-4.

-Morse DR, Bhambhani SM. A dentist's dilemma: nonsurgical endodontic therapy or periapical surgery of teeth with apparent pulpal pathosis and an associated periapical radiolucent lesion. Oral Surg Oral Med Oral Pathol 1990;70:333-40.

-Morse DR. Infection-related mental and inferior alveolar nerve paresthesia: literature review and presentation of two cases. J Endod 1997;23:457-60.

-Moshonov J, Orstavik D, Yamauchi S, Pettiette M, Trope M. Nd:YAG laser irradiation in root canal disinfection. Endod Dent Traumatol 1995;11:220-4. (1995a)

-Moshonov J, Sion A, Kasirer J, Rotstein I, Stabholz A. Efficacy of argon laser irradiation in removing intracanal debris. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1995;79:221-5. (1995b)

-Moshonov J, Peretz B, Brown T, Rotstein I. Cleaning of the root canal using Nd:YAP laser and its effect on the mineral content of the dentin. J Clin Laser Med Surg 2004;22:87-9.

-Mouton C, Robert JC. Bacteriología bucodental. Barcelona: Masson; 1995.

-Murray CA, Saunders WP. Root canal treatment and general health: a review of the literature. Int Endod J 2000;33:1-18.

-Nair PNR, Sjögren U, Krey G, Kahnberg K, Sundqvist G. Intrarradicular bacteria and fungi in root-filled asymptomatic human teeth with therapy-resistant periapical lesions: a long-term light and electron microscopic follow-up study. J Endod 1990;16:580-8.

-Nair PNR, Sjögren U, Figdor D, Sundqvist G. Persistent periapical radiolucencies of root-filled human teeth, failed endodontic treatments and periapical scars. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1999;87:617-27.

-Naizer-Felger D, Filipovic G, Prpic G, Kobler D. Candida in root canal in accordance with oral ecology. *Int Endod J* 1992;25:40-3.

-Negróni P. Microbiología estomatológica. Fundamentos y guía práctica. Buenos Aires: Editorial Médica Panamericana; 1999.

-Nolte W. Microbiología Odontológica. 3ª ed. México DF: Editorial Interamérica; 1982.

-Oltra-Armon D, España-Tost AJ, Berini-Aytés L, Gay-Escoda C. Aplicaciones del láser de baja potencia en odontología. *RCOE* 2004;9:517-24.

-Önal B, Ertl T, Siebert G, Müller G. Preliminary report on the application of pulsed CO<sub>2</sub> laser radiation on root canals with AgCl fibers: a scanning and transmission electron microscopic study. *J Endod* 1993;19:272-6.

-Oringer MJ. Color atlas of oral electrosurgery. Chicago: Quintessence; 1984.

-Oyarzún A, Cordero AM, Whittle M. Immunohistochemical evaluation of the effects of sodium hypochlorite on dentin collagen and glycosaminoglycans. *J Endod* 2002;28:152-7.

-Paghdwala AF. Root resection of endodontically treated teeth by erbium:YAG laser radiation. *J Endod* 1993;19:91-4.

- Pashley EL, Horner JA, Liu M, Kim S, Pashley DH. Effects of CO<sub>2</sub> laser energy on dentin permeability. J Endod 1992;18:257-62.
  
- Pearson GJ, Schuckert KH. The role of lasers in dentistry: present and future. Dent Update 2003;30:70-6.
  
- Peciuliene V, Balciuniene I, Eriksen HM, Haasapalo M. Isolation of *Enterococcus faecalis* in previously root-filled canals in a Lithuanian population. J Endod 2000;26:593-5.
  
- Peciuliene V, Raynaud AH, Balciuniene I, Haasapalo M. Isolation of yeasts and enteric bacteria in root-filled teeth with chronic apical periodontitis. Int Endod J 2001;34:429-34.
  
- Pecora JD, Brugnera A, Cussioli AL, Silva RS, Zanin FE. Evaluation of dentin root canal wall permeability after instrumentation and Er:YAG laser application. Lasers Surg Med 2000;26:277-81.
  
- Perez F, Calas P, Falguerolles A, Maurette A. Migration of a *Streptococcus sanguis* strain through the root dentinal tubules. J Endod 1993;19:297-301. (1993a)
  
- Perez F, Rochd T, Lodter JP. In vitro study of the penetration of three bacterial strains into root dentine. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1993;76:97-103. (1993b)
  
- Perin FM, Franca SC, Silva-Sousa YT, Alfredo E, Saquy P, Estrela L, et al. Evaluation of the antimicrobial effect of Er:YAG laser irradiation versus 1% sodium hypochlorite irrigation for root canal disinfection. Aust Endod J 2004;30:20-2.

-Peters LB, Wesselink PR, Moorer WR. Fate and the role of bacteria left in root dentinal tubules. *Int Endod J* 1995;28:95-9.

-Peters LB, Wesselink PR, Moorer WR. Penetration of bacteria in bovine root dentine in vitro. *Int Endod J* 2000;33:28-36.

-Piccolomini R, D'Arcangelo C, D'Ercole S, Catamo G, Schiaffino G, De Fazio P. Bacteriologic evaluation of the effect of Nd:YAG laser irradiation in experimental infected root canals. *J Endod* 2002;28:276-8.

-Pinheiro ET, Gomes BP, Ferraz C, Sousa EL, Teixeira FB, Souza-Filho FJ. Microorganisms from canals of root-filled teeth with periapical lesions. *Int Endod J* 2003;36:1-11.

-Potts TV, Petrou A. Argon laser initiated resin photopolymerization for the filling of root canals in human teeth. *Lasers Surg Med* 1991;11:257-62.

-Pumarola J, Vila J. Microbiología de la infección pulpo-periapical y procesos relacionados. En: Bascones A, ed. *Tratado de Odontología*. Tomo III. Madrid: Trigo Ediciones; 1998.

-Queral E, Gargallo J, Berini L, Gay Escoda C. Novedades en cirugía periapical. *Arch Odontoestomatol* 2005;21:102-8.

-Rams TE, Feik D, Listgarden MA, Slots J. Enterococci in human periodontitis. *Oral Microbiol Immunol* 1992;7:249-52.

-Ramsköld L, Fong CD, Stromberg T. Thermal effects and antibacterial properties of energy levels required to sterilize stained root canals with an Nd:YAG laser. *J Endod* 1997;23:96-9.

-Read RP, Baumgartner JC, Clark SM. Effects of a carbon dioxide on human root dentin. J Endod 1995;21:4-8.

-Reit C, Dahlén G. Decision making analysis of endodontic treatment strategies in teeth with apical periodontitis. Int Endod J 1988;21:291-9.

-Revilla-Gutierrez V, Arnabat-Domínguez J, España-Tost AJ, Gay-Escoda C. Aplicaciones de los láseres de Er:YAG y de Er,Cr:YSGG en odontología. RCOE 2004;9:551-62

-Ribeiro Sobrinho AP, Melo Barros MH, Nicoli R, Carvalho MAR, Farias LM, Bambirra EA, et al. Experimental root canal infections in conventional and germ-free mice. J Endod 1998;24:405-8.

-Ringel AM, Patterson SS, Newton CW, Miller CH, Mulheern JM. In vivo evaluation of chlorhexidine gluconate and sodium hypochlorite solution as root canal irrigants. J Endod 1982;8:200-4.

-Rizoiu IM, Eversole LR, Kimmel AI. Effects of an erbium, chromium: yttrium, scandium, gallium, garnet laser on mucocutaneous soft tissues. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1996;82:386-95.

-Rizoiu I, Kohanghadosh F, Kimmel AI, Eversole LR. Pulpal thermal responses to an erbium,chromium: YSGG pulsed laser hydrokinetic system. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1998;86:220-3.

-Romanos GE. Clinical applications of the Nd:YAG laser in oral soft tissue surgery and periodontology. J Clin Laser Med Surg 1994;12:103-8.

-Romero AD, Green DB, Wucherpfennig AL. Heat transfer to the periodontal ligament during root obturation procedures using in vitro model. J Endod 2000;26:85-7.

-Rooney J, Midda M, Leeming J. A laboratory investigation of the bactericidal effect of a Nd:YAG laser. Br Dent J 1994;176:61-3.

-Rosenberg SP. The use of the erbium, chromium: YSGG laser in microdentistry. Dent Today 2003;22:70-3.

-Ruiz de Temiño P. Diagnóstico en endodoncia. En: Bascones A, ed. Tratado de Odontología. Tomo III. Madrid: Trigo Ediciones; 1998.

-Sabala CL, Powell SE. Sodium hypochlorite injection into periapical tissues. J Endod 1989;15:490-2.

-Safavi KE, Spanberg L, Langeland K. Root canal dentinal tubule disinfection. J Endod 1990;5:207-10.

-Sarker S, Wison M. Lethal photosensitization of bacteria in subgingival plaque from patients with chronic periodontitis. J Periodontol Res 1993;28:204-10.

-Saleh AA, Ettman WM. Effect of endodontic irrigation solutions on microhardness of root canal dentine. J Dent 1999;27:43-6.

-Salzberger RM, Brilliant JD. An in vivo evaluation of the penetration of an irrigating solution in root canals. J Endod 1977;3:394-8.

-Samaranayake LP, Calman KC, Ferguson MM. The oral carriage of yeasts and coliforms in patients with cytotoxic therapy. J Oral Pathol 1984;13:390-3.



- Saunders WP, Saunders EM. Coronal leakage as a cause of failure in root canal therapy: a review. *Endod Dent Traumatol* 1994;10:105-8.
- Schoop U, Moritz A, Kluger W, Patruta S, Goharkhay K, Sperr W, et al. The Er:YAG laser in endodontics: results of an in vitro study. *Lasers Surg Med* 2002;30:360-4.
- Schoop U, Kluger W, Moritz A, Nedjelic N, Greorgopoulos A, Sperr W. Bactericidal effect of different laser systems in the deep layers of dentin. *Lasers Surg Med* 2004;35:111-6.
- Seal GJ, Ng Y, Spratt D, Bhatti M, Gulabivala K. An in vitro comparison of the bactericidal efficacy of lethal photosensitization or sodium hypochlorite irrigation on *Streptococcus intermedius* biofilms in root canals. *Int Endod J* 2002;35:268-74.
- Sen BH, Piskin B, Demirci T. Observation of bacteria and fungi in infected root canals and dentinal tubules by SEM. *Endod Dent Traumatol* 1995;11:6-9. (1995a)
- Sen BH, Wesselink PR, Turkun M. The smear layer: a phenomenon in root canal therapy. *Int Endod J* 1995;28:141-8. (1995b)
- Sexton J, O'Hare D. Simplified treatment of vascular lesions using the argon laser. *J Oral Maxillofac Surg* 1993;51:12-6.
- Shoji S, Hariu H, Horiuchi H. Canal enlargement by Er:YAG laser using a cone-shaped irradiation tip. *J Endod* 2000;26:454-8.
- Siqueira JF, Machado AG, Silveira RM, Lopes HP, De Uzeda M. Evaluation of the effectiveness of sodium hypochlorite used with three irrigation methods in the

elimination of *Enterococcus faecalis* from the root canal, in vitro. Int Endod J 1997;30:279-82.

-Siqueira JF, Batista MD, Fraga RC, De Uzeda M. Antibacterial effects of endodontic irrigants on black-pigmented gram-negative anaerobes and facultative bacteria. J Endod 1998;24:414-6.

-Siqueira JF Jr., Rôças IN, Lopes HP, Uzeda M. Coronal leakage of two root canal sealers containing calcium hydroxide after exposure to human saliva. J Endod 1999;25:14-6. (1999a)

-Siqueira JF, Lima KC, Magalhaes FAC, Lopes HP, Uzeda M. Mechanical reduction of the bacterial population in the root canal by three instrumentation techniques. J Endod 1999;25:332-5. (1999b)

-Siqueira JF, Favieri A, Gahyva SMM, Moares SR, Lima KC, Lopes HP. Antimicrobial activity and flow rate of newer and established root canal sealers. J Endod 2000;26:274-7. (2000a)

-Siqueira JF, Rôças IN, Favieri A, Lima KC. Chemomechanical reduction of the bacterial population in the root canal after instrumentation and irrigation with 1%, 2,5% and 5,25% sodium hypochlorite. J Endod 2000;26:331-4. (2000b)

-Siqueira JF Jr, Rôças IN, Souto R, Uzeda M, Colombo AP. Checkerboard DNA-DNA hybridization analysis of endodontics infections. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2000;89:744-8. (2000c)

- Siqueira JF Jr, Rôças IN, Favieri A, Santos RKN. Detection of *Treponema denticola* in endodontic infections by 16S rRNA gene direct polymerase chain reaction. Oral Microbiol Immunol 2000;15:335-7. (2000d)
- Siqueira JF, Roças IN, Favieri A, Lima KC. Chemomechanical reduction of the bacterial population in the root canal after instrumentation and irrigation with 1%, 2,5% and 5,25% sodium hypochlorite. J Endod 2000;26:331-4. (2000e)
- Siqueira JF Jr. Aetiology of endodontic failure: why well-treated teeth can fail. Int Endod J 2001;34:1-10.
- Siqueira JF Jr, Rôças IN, Moraes SR, Santos KRN. Direct amplification of rRNA gene sequences for identification of selected oral pathogens in root canal infections. Int Endod J 2002;35:345-51. (2002a)
- Siqueira JF Jr, Rôças IN, Lopes HP. Patterns of microbial colonization in primary root canal infections. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2002;93:174-8. (2002b)
- Siqueira JF Jr, Rôças IN, Souto R, Uzeda M, Colombo AP. Actinomyces species, Streptococci, and *Enterococcus faecalis* in primary root canal infections. J Endod 2002;28:168-72. (2002c).
- Siqueira JF, Roças IN, Santos S, Lima K, de Uzeda MF. Efficacy of instrumentation techniques and irrigation regimens in reducing the bacterial population within root canals. J Endod 2002;28:181-4. (2002d)

-Siren EK, Haapasalo PP, Ranta K, Salmi P, Kerouso ENJ. Microbiological findings and clinical treatment procedures in endodontic cases selected for microbiological investigation. *Int Endod J* 1997;30:91-5.

-Sjögren U, Figdor D, Spangberg L, Sundqvist G. The antimicrobial effect of calcium hydroxide as a short-term intracanal dressing. *Int Endod J* 1991;24:119-25.

-Sjögren U, Figdor D, Persson S, Sundqvist G. Influence of infection at the time of root filling on the outcome of endodontic treatment of teeth with apical periodontitis. *Int Endod J* 1997;30:297-306.

-Sliney DH, Trokel SL. *Medical lasers and their safe use*. New York: Springer; 1993.

-Smith CJ, Halpenny MK, Ballagh SJ. Carriage rates of enterococci in the dental plaque of haemodialysis patients in Dublin. *Br J Oral Maxillofac Surg* 1987;25:21-33.

-Solovyeva AM, Dummer PM. Cleaning effectiveness of root canal irrigation with electrochemically activated anolyte and catholyte solutions: a pilot study. *Int Endod J* 2000;33:494-504.

-Sousa-Neto M, Marchesan M, Pecora J, Brugnera Junior A, Silva-Sousa Y, Saquy P. Effect of Er:YAG laser on adhesion of root canal sealers. *J Endod* 2002;28:185-7.

-Spencer P, Cobb CM, Wieliczka DM, Glaros AG, Morris PJ. Change in temperature of subjacent bone during soft tissue laser ablation. *J Periodontol* 1998;69:1278-82.

- Spangberg L, Engstrom B, Langeland K. Biologic effects of dental materials. III. Toxicity and antimicrobial effect of endodontic antiseptics in vitro. *Oral Surg Oral Med Oral Pathol* 1973;36:856-71.
  
- Spangberg LS. *Experimental endodontics*. Florida: CRC Press; 1990
  
- Stabholz A, Khayat A, Ravanshad SH, McCarthy DW, Neev J, Torabinejad M. Effects of Nd:YAG laser on apical seal of teeth after apicoectomy and retrofill. *J Endod* 1992;18:371-5.
  
- Stabholz A, Neev J, Liaw LH, Stabholz A, Khayat A, Torabinejad M. Sealing of human dentinal tubules by XeCL 308-nm excimer laser. *J Endod* 1993;19:267-71. (1993a)
  
- Stabholz A, Kettering J, Neev J, Torabinejad M. Effects of the XeCL excimer laser on *Streptococcus mutans*. *J Endod* 1993;19:232-5. (1993b)
  
- Stallard RE. Periodontic-endodontic relationships. *Oral Surg Oral Med Oral Pathol* 1972;34:314-26.
  
- Stevanovic M, Petrovska M, Stevanovic M, Mirceva M. Bactericidal effects of Er:YAG laser irradiation in root canals. *J Oral Laser Applications* 2004;4:43-6.
  
- Stewart GG. A scanning electron microscopic study of the cleaning effectiveness of three irrigating modalities on the tubular structure of dentin. *J Endod* 1998;24:485-6.
  
- Stockdale CR, Chandler NR. The nature of the periapical lesion: a review of 1108 cases. *J Dent* 1988;16:123-9.

-Strauss R. Láseres en cirugía oral y maxilofacial. En: Convissar RA, ed. Clínicas Odontológicas de Norteamérica. Láseres y amplificación de la luz en odontología. México DF: McGraw-Hill interamericana; 2000. p. 919-43.

-Sulewski JG. Revisión histórica de la odontología de láseres. En: Convissar RA, ed. Clínicas Odontológicas de Norteamérica. Láseres y amplificación de la luz en odontología. México DF: McGraw-Hill interamericana; 2000. p. 781-817.

-Sukawat C, Srisuwan T. A comparison of the antimicrobial efficacy of three calcium hydroxide formulations on human dentine infected with *Enterococcus faecalis*. J Endod 2002;28:102-4.

-Sumita M, Hoshino E, Iwaku M. Experimental actinomycosis in mice induced by alginate gel particles containing *Actinomyces israelii*. Endod Dent Traumatol 1998;14:137-43.

-Sunde PT, Olsen I, Debelian GJ, Tronstad L. Microbiota of periapical lesions refractory to endodontic therapy. J Endod 2002;28:304-10.

-Sundqvist G. Associations between microbial species in dental root canal infections. Oral Microbiol Immunol 1992;7:257-62. (1992a)

-Sundqvist G. Ecology of the root canal flora. J Endod 1992;18:427-9. (1992b)

-Sundqvist G, Figdor D, Persson S, Sjögren U. Microbiologic analysis of teeth with failed endodontic treatment and the outcome of conservative re-treatment. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1998;85:85-93.

-Svec TA, Harrison JW. Chemomechanical removal of pulpal and dentinal debris with sodium hypochlorite and hydrogen peroxide vs normal saline solution. J Endod 1977;3:49-53.

-Sweatman TL, Baumgartner JC, Sakaguchi RL. Radicular temperatures associated with thermoplasticized gutta-percha. J Endod 2001;27:512-5.

-Takeda FH, Harashima T, Esto JN, Kimura Y, Matsumoto K. Effect of Er:YAG laser on the root canal walls of human teeth: an SEM study. Endod Dent Traumatol 1998;14:270-3. (1998a)

-Takeda FH, Harashima T, Kimura Y, Matsumoto K. Comparative study about the removal smear layer by three types of laser devices. J Clin Laser Med Surg 1998;16:117-22. (1998b)

-Takeda FH, Harashima T, Kimura Y, Matsumoto K. Efficacy of Er:YAG laser irradiation in removing debris and smear layer on root canal walls. J Endod 1998;24:548-51. (1998c)

-Takeda FH, Harashima T, Kimura Y, Matsumoto K. A comparative study of the removal of smear layer by three endodontic irrigants and two types of laser. Int Endod J 1999;32:32-9.

-Talebzadeh N, Morrison R, Fried M. Comparative cell targeting in vitro using the CO<sub>2</sub> laser. Lasers Surg Med 1994;14:164-7.

-Ten Cate R. Oral Histology: development, structure and function. St. Louis: Mosby; 1998.

- Terpenning M, Zervos M, Schaberg D, Kauffman C. Enterococcal infections: an increasing problem in hospitalized patients. *Infect Control Hosp Epidemiol* 1988;9:457-61.
  
- Tewfik HM, Pashley DH, Horner JA, Sharawy MM. Structural and functional changes in root dentin following exposure to KTP/532 laser. *J Endod* 1993;19:492-7.
  
- Thé SD. The solvent action of sodium hypochlorite on fixed and unfixed necrotic tissue. *Oral Surg Oral Med Oral Pathol* 1979;47:558-61.
  
- Tinaz AC, Sevimli LS, Görgül G, Türköz EG. The effects of sodium hypochlorite concentrations on the accuracy of an apex locating device. *J Endod* 2002;28:160-2.
  
- Tokonabe H, Kouji R, Watanabe H, Nakamura Y, Matsumoto K. Morphological changes of human teeth with Er:YAG laser irradiation. *J Clin Laser Med Surg* 1999;17:7-12.
  
- Tosti A, Piraccini BM, Pazzaglia M, Ghedini G, Papadia F. Severe facial edema following root canal treatment. *Arch Dermatol* 1996;132:231-3.
  
- Trelles MA, Verkruysse W, Segui JM, Udaeta A. Treatment of melanotic spots in the gingiva by argon laser. *J Oral Maxillofac Surg.* 1993;51:759-61.
  
- Trelles MA, Verkruysse W, Trelles O, Sanchez J, Vélez M. Enhancing precision of dermal lesions elimination by laser. *Lasers Life Sci.* 1994;6:163-72.
  
- Trelles MA, David LM, Rigau J. Penetration depth of ultrapulse carbon dioxide laser in human skin. *J Dermatol Surg* 1996;11:863-5.



Trelles MA, Vélez M, Rigau J. Interacción de la luz con los tejidos. En: Cisneros JL, Camacho F, eds. Láser y fuentes de luz pulsada intensa en dermatología y dermocosmética. Madrid: Aula Médica Ediciones; 2000. p.41-55.

-Tronstad L, Andreasen O, Hasselgren G, Kristerson L, Riis I. pH changes in dental tissues after root canal filling with calcium hydroxide. J Endod 1981;7:17-21.

-Tronstad L, Barnett F, Riso K, Slots J. Extraradicular endodontic infections. Endod Dent Traumatol 1987;3:86-90.

-Tronstad L. Root resorption: etiology, terminology and clinical manifestations. Endod Dent Traumatol 1988;4:241-52.

-Tronstad L, Barnett F, Cervone F. Periapical bacterial plaque in teeth refractory to endodontic treatment. Endod Dent Traumatol 1990;6:73-7.

-Trowbridge H, Kim S . Desarrollo de la pulpa, estructura y función. En: Cohen S, Burns RC, eds. Vías de la pulpa. 7ª edición. Madrid: Harcourt Internacional; 1999. p. 362-400.

-Turkmen C, Gunday M, Karacorlu M, Basaran B. Effect of CO<sub>2</sub>, Nd:YAG, and ArF excimer lasers on dentin morphology and pulp chamber temperature: an in vitro study. J Endod 2000;26:644-8.

-Turner J, Hode L, eds. The laser therapy handbook. Grängesberg: Prima Books AB; 2004.

-Usumez S, Orhan M, Usumez A. Laser etching of enamel for direct bonding with an Er,Cr:YSGG hydrokinetic laser system. Am J Orthod Dentofacial Orthop 2002;122:649-56.

-Van Winkelhoff AJ, Van Steenberg JM, De Graaff J. *Porphyromonas (Bacteroides) endodontalis*: its role in endodontal infections. J Endod 1992;18:431-3.

-Vélez M, Trelles MA, Rigau J. Características y parámetros dosimétricos de los sistemas láser y otros sistemas lumínicos. En: Cisneros JL, Camacho F, eds. Láser y fuentes de luz pulsada intensa en dermatología y dermocosmética. Madrid: Aula Médica Ediciones; 2000. p.57-68.

-Wahlin YB, Holm AK. Changes in the oral microflora in patients with acute leukemia and related disorders during the period of induction therapy. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1988;65:411-7.

-Wang X, Ishizaki NT, Suzuki N, Kimura Y, Matsumoto K. Morphological changes of bovine mandibular bone irradiated by Er,Cr:YSGG laser: an in vitro study. J Clin Laser Med Surg 2002;20:245-50.

-Wayman BE, Murata SM, Almeida RJ, Fowler CB. A bacteriological and histological study of 58 periapical lesions. J Endod 1992;18:152-5.

-Weiger R, Manncke B, Werner H, Löst C. Microbial flora of sinus tracts and root canal of non-vital teeth. Endod Dent Traumatol 1995;11:15-9.

-Weiger R, Lucena J, Decker H, Löst C. Vitality status of microorganisms in infected human root dentine. Int Endod J 2002;35:166-71.

-Weine FS. Terapéutica en endodoncia. Barcelona: Salvat, 1991.

-Weller RN, Jurcak JJ, Donley DL, Kulild JC. A new model system for measuring intracanal temperatures. J Endod 1991;17:491-4.

- Wetter NU, Barroso MC, Pelino JE. Dental bleaching efficacy with diode laser and LED irradiation: an in vitro study. *Lasers Surg Med* 2004;35:254-8.
- White JM, Goodis HE, Rose CL. Use of the pulsed Nd:YAG laser for intraoral soft tissue surgery. *Lasers Surg Med* 1991;11:455-61.
- Wigdor HA, Walsh JT, Featherstone JDB, Visuri SR, Fried D, Waldvogel JL. Lasers in dentistry. *Lasers Surg Med* 1995;16:103-33.
- Wilkerson MK, Hill SD, Arcoria CJ. Effects of the argon laser on primary tooth pulpotomies in swine. *J Clin Laser Med Surg* 1996;14:37-42.
- Williams BL, McCann GF, Schoenknecht FD. Bacteriology of dental abscesses of endodontic origin. *J Clin Microbiol* 1983;47:770-4.
- Wilson M. Bactericidal effect of laser light and its potential use in the treatment of plaque-related diseases. *Int Dent J* 1994;44:181-9.
- Wilson M, Pratten J. Lethal photosensitization of *Staphylococcus aureus* in vitro: effect growth phase, serum, and pre-irradiation time. *Lasers Surg Med* 1995;16:272-6.
- Wong W, Rosenberg P, Boylan R, Schulman A. A comparison of the apical seals achieved using retrograde amalgam fillings and the Nd:YAG laser. *J Endod* 1994;29:595-7.
- Wyman A, Duffy S, Sweetland HM, Sharp F, Rogers K. Preliminary evaluation of a new high power diode laser. *Lasers Surg Med* 1992;12:528-36.

-Yesilsoy C, Eugene W, Cleveland D, Phillips E, Trope M. Antimicrobial and toxic effects of established and potential root canal irrigants. J Endod 1995;21:513-5.

-Yu DG, Kimura Y, Tomita Y, Nakamura Y, Watanabe H, Matsumoto K. Study on removal effects of filling materials and broken files from root canals using pulsed Nd:YAG laser. J Clin Laser Med Surg 2000;18:23-8.

-Zakariasen KI, Dederich DN, Tulip J, DeCoste S, Jensen S, Pickard M. Bactericidal action of carbon dioxide laser radiation in experimental dental root canals. Can J Microbiol 1986;32:942-6.

-Zavaleta-de la Huerta D, España-Tost AJ, Berini-Aytés L, Gay-Escoda C. Aplicaciones del láser de Nd:YAG en odontología. RCOE 2004;9:539-45

-Zavistoski J, Dzink J, Onderdonk A, Barlett J. Quantitative bacteriology of endodontic infections. Oral Surg Oral Med Oral Pathol 1980;49:171-4.

-Zehnder M. Endodontic infection caused by localized aggressive periodontitis: a case report and bacteriologic evaluation. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2001;92:440-5.

-Zhang Ch, Kimura Y, Matsumoto K, Harashima T, Zhou H. Effects of pulsed Nd:YAG laser irradiation on root canal wall dentin different laser initiators. J Endod 1998;24:352-8.

