

Bibliografía

- [ADBC86] A. Ashkin, J. M. Dziedzic, J. E. Bjorkholm and S. Chu, ‘Observation of a single-beam gradient force optical trap for dielectric particles’, *Optics Letters* **11**(5), 288–290 (1986).
- [AMS93] J. Amako, H. Miura and T. Sonehara, ‘Wave-front control using liquid-crystal devices’, *Applied Optics* **32**, 4323–4329 (1993).
- [AR03] D. Abookasis and J. Rosen, ‘Computer-generated holograms of three-dimensional objects synthesized from their multiple angular viewpoints’, *Journal of the Optical Society of America A* **20**(8), 1537–1545 (2003).
- [BFB99] S. Bosch and J. Ferre-Borrull, ‘Scalar diffraction of spherical waves by a plane aperture: a general analysis based on the critical points’, *Optics Letters* **24**(24), 1799–1801 (1999).
- [BFB01] S. Bosch and J. Ferre-Borrull, ‘Geometrical-numerical approach to diffraction phenomena’, *Optics Letters* **26**(4), 181–183 (2001).
- [BFB02] S. Bosch and J. Ferre-Borrull, ‘Analysis of waves near focus: Method and experimental test’, *Applied Physics Letters* **80**(10), 1686–1688 (2002).
- [BL66] B. Brown and A. Lohmann, ‘Complex spatial filtering with binary masks’, *Applied Optics* **5**(6), 967–969 (1966).
- [BSSM97] K. A. Bauchert, S. A. Serati, G. D. Sharp and D. J. McKnight, ‘Complex phase/amplitude spatial light modulator advances and use in a multispectral optical correlator’, *Proceedings IEEE* **3073**, 170–177 (1997).
- [Bur70] C. B. Burckhardt, ‘A simplification of Lee’s method of generating holograms by computer’, *Applied Optics* **9**(8), 1949 (1970).
- [BW99] M. Born and E. Wolf. *Principles of Optics*. Cambridge University Press, Cambridge (1999).

- [BYC⁺00] P. Birch, R. Young, C. Chatwin, M. Farsari, D. Budgett and J. Richardson, 'Fully complex optical modulation with an analogue ferroelectric liquid crystal spatial light modulator', *Optics Communications* **175**, 347–352 (2000).
- [CCM⁺04] T. Colomb, E. Cuche, F. Montfort, P. Marquet and C. Depeursinge, 'Jones vector imaging by use of digital holography: simulation and experimentation', *Optics Communications* **231**, 137–147 (2004).
- [CHL88] X. Chen, J. Huang and E. Loh, 'Two dimensional Fast Fourier Transform and pattern processing with IBM PC', *American Journal Of Physics* **6**, 747–749 (1988).
- [CJVB01] A. Carnicer, I. Juvells, S. Vallmitjana and S. Bosch. *Processament Òptic i Digital d'Imatges*. Edicions Universitat de Barcelona, Barcelona (2001).
- [CKG02] J. E. Curtis, B. A. Koss and D. G. Grier, 'Dynamic holographic optical tweezers', *Optics Communications* **207**, 169–175 (2002).
- [CZGM96] J. A. Coy, M. Zaldarriaga, D. F. Grosz and O. E. Martínez, 'Characterization of a liquid crystal television as a programmable spatial light modulator', *Optical Engineering* **35**, 15–19 (1996).
- [DCC⁺99] J. A. Davis, D. M. Cottrell, J. Campos, M. J. Yzuel and I. Moreno, 'Encoding amplitude information onto phase-only filters', *Applied Optics* **38**(23), 5004–5013 (1999).
- [Den62a] Y. N. Denisyuk, 'On the reflection of the optical properties of an object in the wavefield of radiation by it', *Doklady Akademii nauk SSSR* **144**(4), 1275–1278 (1962).
- [Den62b] Y. N. Denisyuk, 'Photographic reconstruction of the optical properties of an object in its own scattered radiation field', *Soviet Physics-Doklady* **7**(6), 543–545 (1962).
- [DMM⁺02] F. Dubois, C. Minetti, O. Monnom, C. Yourassowsky, J. C. Legros and P. Kischel, 'Pattern recognition with a digital holographic microscope working in partially coherent illumination', *Applied Optics* **41**(20), 4108–4119 (2002).

- [Efr95] U. Efron. *Spatial light modulator technology: materials, devices and applications*. Marcel Dekker, New York (1995).
- [FBBV98] J. Ferre-Borrull, S. Bosch and S. Vallmitjana, 'Relationship between the critical points and the semiperiodic zones in scalar diffraction', *Journal of Modern Optics* **45**(3), 555–572 (1998).
- [Gab48] D. Gabor, 'A new microscopic principle', *Nature* **161**(4098), 777–778 (1948).
- [GKT92] D. A. Gregory, J. C. Kirsch and E. C. Tam, 'Full complex modulation using liquid-crystal televisions', *Applied Optics* **31**, 163–164 (1992).
- [GMD96] J. García, D. Mas and R. G. Dorsch, 'Fractional-Fourier-transform calculation through the fast-Fourier-transform algorithm', *Applied Optics* **35**(35), 7013–7018 (1996).
- [Goo96] J. W. Goodman. *Introduction to Fourier Optics*. McGraw-Hill, Singapore (1996).
- [GP93] P. G. de Gennes and J. Prost. *The physics of liquid crystals*. Clarendon Press, Oxford (1993).
- [GW93] R. C. Gonzalez and R. E. Woods. *Digital Image Processing*. Addison Wesley, New York (1993).
- [HJJ04] S.-H. Hong, J.-S. Jang and B. Javidi, 'Three-dimensional volumetric object reconstruction using integral imaging', *Optics Express* **12**(3), 483–491 (2004).
- [HST97] T. Haist, M. Schönleber and H. J. Tiziani, 'Computer-generated holograms from 3d-objects written on twisted-nematic liquid crystal displays', *Optics Communications* **140**, 299–308 (1997).
- [Hwa03] H.-E. Hwang, 'Approximately analytical optimization of the fractional Fourier transform for the free-space Fresnel diffraction', *Optics Communications* **223**, 47–53 (2003).
- [JF91] R. D. Juday and J. M. Florence. 'Full complex modulation with two one-parameter slm's'. En V. K. Varadan, ed., *Wave Propagation and Scattering in Varied Media II*, vol. 1558 de *Proceedings SPIE*, ps. 499–504 (1991).

- [JH94] B. Javidi and J. L. Horner, ‘Optical pattern recognition for validation and security verification’, *Optical Engineering* **33**(6), 1752–1755 (1994).
- [JN00] B. Javidi and T. Nomura, ‘Securing information by use of digital holography’, *Optics Letters* **25**(1), 28–30 (2000).
- [JPOPBV97] J. L. Juárez-Pérez, A. Olivares-Pérez and L. R. Berriel-Valdos, ‘Nonredundant calculations for creating Fresnel holograms’, *Applied Optics* **36**(29), 7437–7443 (1997).
- [JST01] M. Jacquot, P. Sandoz and G. Tribillon, ‘High resolution digital holography’, *Optics Communications* **190**, 87–94 (2001).
- [Jud93] R. D. Juday, ‘Optimal realizable filters and the minimum Euclidean distance principle’, *Applied Optics* **32**, 5100–5111 (1993).
- [JVCC91] I. Juvells, S. Vallmitjana, A. Carnicer and J. Campos, ‘The role of amplitude and phase of the Fourier Transform in the digital image processing’, *American Journal of Physics* **59**, 744–748 (1991).
- [KGBH97] A. V. Kudryashov, J. Ginglewski, S. Browne and R. Highland, ‘Liquid crystal phase modulator for adaptive optics. Temporal performance characterization’, *Optics Communications* **141**, 247–253 (1997).
- [KH90] B. V. K. V. Kumar and L. Hassebrook, ‘Performance measures for correlation filters’, *Applied Optics* **29**, 2997–3006 (1990).
- [KVTN97] V. Kettunen, P. Vahimaa, J. Turunen and E. Noponen, ‘Zeroth-order coding of complex amplitude in two dimensions’, *Journal of the Optical Society of America A* **14**(4), 808–815 (1997).
- [Lab00] I. Labastida. *Disseny i construcció d'un correlador òptic dual integrant les arquitectures de Vanderlught i de transformades conjuntes*. Tesis Doctoral, Universitat de Barcelona, Barcelona (2000).
- [Lau98] V. Laude, ‘Twisted-nematic liquid crystal pixelated active lens’, *Optics Communications* **153**, 134–152 (1998).
- [LBCM03] D. Lebrun, A. Benkouider, S. Coëtmellec and M. Malek, ‘Particle field digital holographic reconstruction in arbitrary tilted planes’, *Optics Express* **11**(3), 224–229 (2003).

- [LCMB⁺⁰⁰] I. Labastida, A. Carnicer, E. Martín-Badosa, S. Vallmitjana and I. Juve-lls, ‘Optical correlation using partial phase-only modulation with VGA liquid crystal displays’, *Applied Optics* **39**, 766–769 (2000).
- [Lee70] W. H. Lee, ‘Sampled Fourier transform hologram generated by computer’, *Applied Optics* **9**(3), 639–643 (1970).
- [Les92] D. Leserberg, ‘Computer-generated three-dimensional image holograms’, *Applied Optics* **31**(2), 223–229 (1992).
- [LMP94] G. D. Love, J. V. Major and A. Purvis, ‘Liquid-crystal prisms for tip-tilt adaptive optics’, *Optics Letters* **19**(15), 1170–1172 (1994).
- [LP67] A. Lohmann and D. Paris, ‘Binary Fraunhofer holograms, generated by computer’, *Applied Optics* **6**(10), 1739–1748 (1967).
- [LRHT00] J. Liesener, M. Riecherter, T. Haist and H. J. Tiziani, ‘Multi-functional optical tweezers using computer-generated holograms’, *Optics Communications* **185**, 77–82 (2000).
- [LS90] K. Lu and B. E. A. Saleh, ‘Theory and design of the liquid crystal TV as an optical spatial phase modulator’, *Optical Engineering* **29**, 240–246 (1990).
- [LU62] E. Leith and J. Upatnieks, ‘Reconstructed wavefronts and communication theory’, *Journal Optical Society of America* **52**(10), 1123–1130 (1962).
- [LU64] E. Leith and J. Upatnieks, ‘Wavefront reconstruction with diffused illumination and three-dimensional objects’, *Journal Optical Society of America* **54**(11), 1295–1301 (1964).
- [Luc93] M. Luente, ‘Interactive computation of holograms using a look-up table’, *Journal of Electronic Imaging* **2**(1), 28–34 (1993).
- [MB98a] F. J. Marinho and L. M. Bernardo, ‘Numerical calculation of fractional Fourier transforms with a single fast-Fourier-transform algorithm’, *Journal of the Optical Society of America A* **15**(8), 2111–2116 (1998).
- [MB98b] E. Martín-Badosa. *Correlador óptico para el reconocimiento de objetos basado en las propiedades de modulación de los dispositivos de cristal líquido*. Tesis Doctoral, Universitat de Barcelona, Barcelona (1998).

- [MBCJV97] E. Martín-Badosa, A. Carnicer, I. Juvells and S. Vallmitjana, ‘Complex modulation characterization of liquid crystal devices by interferometric data correlation’, *Measurement Science and Technology* **8**, 764–772 (1997).
- [MCY⁺00] A. Márquez, J. Campos, M. J. Yzuel, I. Moreno, J. Davis, C. Iemmi, A. Moreno and A. Robert, ‘Characterization of edge effects in twisted nematic liquid crystal displays’, *Optical Engineering* **39**(12), 3301–3306 (2000).
- [MGF⁺99] D. Mas, J. Garcia, C. Ferreira, L. M. Bernardo and F. Marinho, ‘Fast algorithms for free-space diffraction patterns calculation’, *Optics Communications* **164**, 233–245 (1999).
- [MIE⁺01] A. Márquez, C. Iemmi, J. C. Escalera, J. Campos, S. Ledesma, J. A. Davis and M. J. Yzuel, ‘Amplitude apodizers encoded onto Fresnel lenses implemented on a phase-only spatial light modulator’, *Applied Optics* **40**(14), 2316–2322 (2001).
- [MJ02] O. Matoba and B. Javidi, ‘Optical retrieval of encrypted digital holograms for secure real-time display’, *Optics Letters* **27**(5), 321–323 (2002).
- [ML02] J. H. Milgram and W. Li, ‘Computational reconstruction of images from holograms’, *Applied Optics* **41**(5), 853–864 (2002).
- [MNG97] S. Morucci, P. Noirard and J.-C. Grosssetie, ‘Improvement of Fresnel computer-generated holograms’, *Optics Communications* **134**, 25–30 (1997).
- [MSL⁺97] D. Mendlovic, G. Shabtay, U. Levi, Z. Zalevsky and E. Marom, ‘Encoding technique for design of zero-order (on-axis) Fraunhofer computer-generated holograms’, *Applied Optics* **36**(32), 8427–8434 (1997).
- [MSM⁺03] D. McGloin, G. Spalding, H. Melville, W. Sibbett and K. Dholakia, ‘Applications of spatial light modulators in atom optics’, *Optics Express* **11**(2), 158–166 (2003).
- [MT00] K. Matsushima and M. Takai, ‘Recurrence formulas for fast creation of synthetic three-dimensional holograms’, *Applied Optics* **39**(35), 6587–6594 (2000).

- [MUCJ95] M. Montes-Usategui, J. Campos and I. Juvells, ‘Computation of arbitrarily constrained synthetic discriminant functions’, *Applied Optics* **34**, 3904–3914 (1995).
- [MWLJ04] L. Ma, H. Wang, Y. Li and H. Jin, ‘Numerical reconstruction of digital holograms for three-dimensional shape measurement’, *Journal of Optics A: Pure and Applied Optics* **6**, 396–400 (2004).
- [NAL90] J. A. Neff, R. A. Athale and S. H. Lee, ‘Two-dimensional spatial light modulators: a tutorial’, *Proceedings IEEE* **78**, 826–855 (1990).
- [NFFP02] S. D. Nicola, P. Ferraro, A. Finizio and G. Pierattini, ‘Wave front reconstruction of Fresnel off-axis holograms with compensation of aberrations by means of phase-shifting digital holography’, *Optics and Lasers in Engineering* **37**, 331–340 (2002).
- [NRS96] L. G. Neto, D. Roberge and Y. Sheng, ‘Full-range, continuous, complex-modulation by the use of two coupled-mode liquid-crystal televisions’, *Applied Optics* **35**, 4567–4576 (1996).
- [NT96] E. Noponen and J. Turunen, ‘Complex-amplitude modulation by high-carrier-frequency diffractive elements’, *Journal of the Optical Society of America A* **13**(7), 1422–1428 (1996).
- [OL81] A. Oppenheim and J. Lim, ‘The importance of phase in signals’, *Proceedings IEEE* **69**, 529–541 (1981).
- [OM95] H. M. Ozaktas and D. Mendlovic, ‘Fractional fourier optics’, *Journal of the Optical Society of America A* **12**(4), 743–751 (1995).
- [Onu93] L. Onural, ‘Diffraction from a wavelet point of view’, *Optics Letters* **18**(11), 846–848 (1993).
- [OPPS90] J. M. Otón, J. M. S. Pena, J. L. Pinter and A. Serrano, ‘Cristales líquidos. Una panorámica (I)’, *Mundo Electrónico* **207**, 99–105 (1990).
- [PC93] J. L. Pezzaniti and R. A. Chipman, ‘Phase-only modulation of a twisted nematic liquid-crystal TV by use of the eigenpolarization states’, *Optics Letters* **18**, 1567–1569 (1993).

- [PLVC03] E. Pleguezuelos, I. Labastida, S. Vallmitjana and A. Carnicer. ‘Generalization of the Jared-Ennis method to complex transmittance objects for the generation of Synthetic Discriminant Funcion Filters’. En B. Javidi and D. Psaltis, eds., *Optical Information Systems*, vol. 5202 de *Proceedings SPIE*, ps. 227–236 (2003).
- [PM03] G. Pan and H. Meng, ‘Digital holography of particle fields: reconstruction by use of complex amplitude’, *Applied Optics* **42**(5), 827–833 (2003).
- [PST99] G. Pedrini, S. Schedin and H. J. Tiziani, ‘Lenless digital-holographic interferometry for the measurement of large objects’, *Optics Communications* **171**, 29–36 (1999).
- [PSWB97] R. Piestun, J. Shamir, B. Wesskamp and O. Bryngdahl, ‘On-axis computer-generated holograms for three-dimensional display’, *Optics Letters* **22**(12), 922–924 (1997).
- [PT⁺92] W. H. Press, S. A. Teukolsky et al. *Numerical Recipes in C, 2nd Ed.* Cambridge University Press (1992).
- [PTZ96] G. Pedrini, H. J. Tiziani and Y. Zou, ‘Speckle size of digitally reconstructed wavefronts of diffusely scattering objects’, *Journal of Modern Optics* **43**(2), 395–407 (1996).
- [Rau66] J. E. Rau, ‘Detection of differences in real distributions’, *Journal of the Optical Society of America* **56**, 1490–1494 (1966).
- [Réf91] P. Réfrégier, ‘Optimal trade-off filters for noise robustness, sharpness of the correlation peak, and horner efficiency’, *Optics Letters* **16**, 829–831 (1991).
- [RHWT99] M. Reicherter, T. Haist, E. U. Wagemann and H. J. Tiziani, ‘Optical particle trapping with computer-generated holograms written on a liquid-crystal display’, *Optics Letters* **24**(9), 608–610 (1999).
- [RJ95] P. Réfrégier and B. Javidi, ‘Optical image encryption based on input plane and Fourier plane random encoding’, *Optics Letters* **20**(7), 767–769 (1995).
- [Sax94] G. Saxby. *Practical Holography*. Prentice-Hall, New York, 2^a ed. (1994).

- [SB99] S. Serati and K. Bauchert. ‘Sampling technique for achieving full unit-circle coverage using a real-axis spatial light modulator’. En D. P. Casasent, ed., *Optical Pattern Recognition X*, vol. 3715 de *Proceedings SPIE*, ps. 112–119 (1999).
- [SBA01] C. Stolz, L. Bigué and P. Ambs, ‘Implementation of high-resolution diffractive optical elements on coupled phase and amplitude spatial light modulators’, *Applied Optics* **40**(35), 6415–6424 (2001).
- [SH91] C. Sheppard and M. Hrynevych, ‘Diffraction by half-plane: a generalization of the Fresnel diffraction theory’, *Optics Letters* **16**(14), 1060–1061 (1991).
- [SJ94] U. Schnars and W. Jüptner, ‘Direct recording of holograms by a ccd target and numerical reconstruction’, *Applied Optics* **33**(2), 179–181 (1994).
- [SJ02] U. Schnars and W. P. O. Jüptner, ‘Digital recording and numerical reconstruction of holograms’, *Measurement Science and Technology* **13**, R85–R101 (2002).
- [SP02] H. Sekanina and J. Pospíšil, ‘Digital holography using a digital photo-camera’, *Journal of Modern Optics* **49**(13), 2083–2092 (2002).
- [SS96] A. Skorucak and C. Soutar, ‘Selection criteria for spatial light modulator operating curves’, *Proceedings SPIE* **2752**, 120–131 (1996).
- [ST91] B. E. A. Saleh and M. C. Teich. *Fundamentals of Photonics*. John Wiley & Sons, New York (1991).
- [TJ00] E. Tajahuerce and B. Javidi, ‘Encrypting three-dimensional information with digital holography’, *Applied Optics* **39**(35), 6595–6601 (2000).
- [TJL99] N. Towghi, B. Javidi and Z. Luo, ‘Fully phase encrypted image processor’, *Journal of the Optical Society of America A* **16**(8), 1915–1927 (1999).
- [TLMB⁺02] R. Tudela, I. Labastida, E. Martín-Badosa, S. Vallmitjana, I. Juvells and A. Carnicer, ‘A simple method for displaying Fresnel holograms on liquid crystal panels’, *Optics Communications* **214**, 107–114 (2002).
- [TMBL⁺03a] R. Tudela, E. Martín-Badosa, I. Labastida, S. Vallmitjana and A. Carnicer. ‘Reconstruction of fresnel holograms using partial wave front

- information'. En P. Ambs and F. R. B. Jr., eds., *Wave Optics and Photonic Devices for Optical Information Processing II*, vol. 5181 de *Proc. SPIE*, ps. 154–162 (2003).
- [TMBL⁺03b] R. Tudela, E. Martín-Badosa, I. Labastida, S. Vallmitjana, I. Juvells and A. Carnicer, 'Full complex Fresnel holograms displayed on liquid crystal devices', *Journal of Optics A: Pure and Applied Optics* **5**, S189–S194 (2003).
- [TMBL⁺04] R. Tudela, E. Martín-Badosa, I. Labastida, S. Vallmitjana and A. Carnicer, 'Wave front reconstruction by adding modulation capabilities of two liquid crystal devices', *Optical Engineering* **43**(11), – (2004).
- [TO00] Y. Takaki and H. Ohzu, 'Hybrid holographic microscopy: visualization of three-dimensional object information by use of viewing angles', *Applied Optics* **39**(29), 5302–5308 (2000).
- [Tri87] G. Tricoles, 'Computer generated holograms: an historical review', *Applied Optics* **26**, 4351–4360 (1987).
- [Van64] A. B. VanderLugt, 'Signal detection by complex spatial filtering', *IEEE Trans. Inf. Theory* **IT-10**, 139–145 (1964).
- [Van92] A. VanderLugt. *Optical Signal Processing*. John Wiley and Sons, New York (1992).
- [WG66] C. S. Weaver and J. W. Goodmann, 'A technique for optically convolving two functions', *Applied Optics* **5**, 1248–1249 (1966).
- [XCC04] X. Xun, X. Chang and R. W. Cohn, 'System for demonstrating arbitrary multi-spot beam steering from spatial light modulators', *Optics Express* **12**(2), 260–268 (2004).
- [YD02] M. Yang and J. Ding, 'Area encoding for design of phase-only computer-generated holograms', *Optics Communications* **203**, 51–60 (2002).
- [YE95] M. Yamauchi and T. Eiju, 'Phase modulation capability of thin twisted nematic liquid crystal panels at double-pass configurations', *Opt. Rev.* **2**, 24–27 (1995).

- [YG99] P. Yeh and C. Gu. *Optics of Liquid Crystal Displays*. John Wiley & Sons, New York (1999).
- [YIY98] N. Yoshikawa, M. Itoh and T. Yatagai, ‘Binary computer-generated holograms for security applications from a synthetic double-exposure method by electron-beam lithography’, *Optics Letters* **23**(18), 1483–1485 (1998).
- [YY84] A. Yariv and P. Yeh. *Optical waves in crystals*. John Wiley & Sons, New York (1984).
- [ZPOT03] Y. Zhang, G. Pedrini, W. Osten and H. J. Tiziani, ‘Image reconstruction for in-line holography with the Yang-Gu algorithm’, *Applied Optics* **42**(32), 6452–6457 (2003).

