



UNIVERSITAT DE BARCELONA



FACULTAT DE FARMÀCIA

DEPARTAMENT DE FISIOLOGIA (FARMÀCIA)

PROGRAMA DE DOCTORAT: MEDICAMENTS, ALIMENTACIÓ I SALUT

BIENNI 2002-2004

**Influencia del contraión en las propiedades biológicas de
tensoactivos aniónicos derivados de la N^α,N^ε-dioctanoil
lisina: citotoxicidad y ecotoxicidad *in vitro***

Memòria presentada per Lourdes Sánchez Molina per optar al títol de doctor per la
Universitat de Barcelona

Directores:

M. Pilar Vinardell Martínez-Hidalgo

M. Rosa Infante Martínez-Pardo

Doctoranda:

Lourdes Sánchez Molina

2006

6. REFERENCIAS BIBLIOGRÁFICAS

A

- Abe TA, Saito H, Niikura Y, Shigeoka T, Nakano Y. Embryonic development assay with *Daphnia magna*: application to toxicity of aniline derivatives. *Chemosphere* (2001) 45: 487-495.
- Adams ML, Andes DR, Kwon GS. Amphotericin B encapsulated in micelles based on poly(ethylene oxide)-block-poly(L-amino acid) derivatives exerts reduced *in vitro* hemolysis but maintains potent *in vivo* antifungal activity. *Biomacromolecules* (2003) 4: 750-757
- Adriaens E, Remon JP. Gastropods as an evaluation tool for screening the irritating potency of absorption enhancers and drugs. *Pharm Res* (1999) 16: 1240-1244.
- Agre P, Parker JC (1989). Red Blood Cell Membranes: Structure, Function, Chemical Implications. Marcel Dekker, New York, Chapter 1.
- Ahlstrom B, Thompson RA, Edebo L. The effect of hydrocarbon chain length, pH, and temperature on the binding and bactericidal effect of amphiphilic betaine esters on *Salmonella typhimurium*. *APMIS* (1999) 107: 318-324.
- Ainsworth SJ. Soaps and detergents. *Chem Eng News* (1992) 70: 27-63.
- Allouch M, Infante MR, Seguer J, Stebe MJ, Selve C. Non ionic amphiphilic compounds from aspartic and glutamic acids as structural mimics of lecithins. *J Am Oil Chem Soc* (1996) 73: 87-96.
- Altenburger R, Boedeker W, Faust M, Grimme LH. Regulations for combined effects of pollutants: consequences from risk assessment in aquatic toxicology. *Food Chem Toxicol* (1996) 34: 1155-1157.
- Anderheggen B, Jassoy C, Waldmann-Laue M, Forster T, Wadle A, Doering T. Taurine improves epidermal barrier properties stressed by surfactants-a role for osmolytes in barrier homeostasis. *J Cosmet Sci* (2006) 57: 1-10.
- Anderson D, Russell T (1995). *The status of alternative methods in Toxicology*. The Royal Society of Chemistry, Cambridge, UK.
- Ankley GT, Burkhard LP. Identification of surfactants as toxicants in a primary effluent. *Environ Toxicol Chem* (1992) 11: 1235-1248.
- Aragane Y, Kulms D, Metze D, Wilkes G, Poppelmann B, Luger TA, Schwarz T. Ultraviolet light induces apoptosis via direct activation of CD95 (Fas/APO-1) independently of its ligand CD95L. *J Cell Biol* (1998) 140: 171-182.
- Attwood D, Florence AT (1983). Surfactant systems: Their chemistry, pharmacy and biology. Chapman & Hall, London.
- Atwood JL, Steed JW (Eds.) (2004). Surfactants, Part II: applications. Encyclopedia of Supramolecular Chemistry. Marcel Dekker, New York.
- Auvrax X, Perche T, Petipas C, Anthore R, Marti MJ, Rico I, Lattes A. Influence of solvent headgroup interactions on the formation of lyotropic liquid-crystal phases of surfactants in water and nonaqueous protic and aprotic-solvents. *Langmuir* (1992) 8: 2671-2679.

B

- Baden HP, Kubilus J, Kvedar JC, Steinberg ML, Wolman SR. Isolation and characterization of a spontaneously arising long-lived line of human keratinocytes (NM1). *In vitro Cell Dev Biol* (1987) 23: 205-213.
- Balls M, Botham PA, Bruner LH, Spielmann H. The EC/CHO international validation study on alternatives to the Draize eye irritation test. *Toxicol in vitro* (1995) 9: 871-929.
- Balls M, Berg N, Bruner LH, Cureen R, deSilva O, Earl LK, Esdaile DJ, Fentem JH, Liebsch M, Ohno Y, Prinsen MK, Spielmann H, Worth AP. Eye irritation testing: the way forward. The report and recommendations of ECVAM workshop 34. *ATLA* (1999) 27: 53-77.
- Balls M. The EU REACH system: opportunities and threats. *ATLA* (2006) 34 Suppl 1: 1-4.
- Barany E, Lindberg M, Loden M. Biophysical characterization of skin damage and recovery after exposure to different surfactants. *Contact Dermatitis* (1999) 40: 98-103.
- Barratt MD. Quantitative structure-activity relationships for skin irritation and corrosivity of neutral and electrophilic organic chemicals. *Toxicol in vitro* (1996) 10: 247-256.
- Barstadt R, Cortesi J, Janus J. Use of Clonetics neutral red bioassay to optimize components of serum-free medium for normal human anchorage-dependent cells. *In Vitro Cell Dev Biol* (1991) 27: 160.
- Basketter DA (1999). Toxicology of contact dermatitis. Eds. DA Basketter, F Gerberick, I Kimber, G Willis. Allergy, Irritancy and Urticaria. John Wiley & Sons, Chichester, UK.
- Baudo R. Ecotoxicological testing with *Daphnia*. Eds. RH Peters, R de Bernardi. *Daphnia. Mem Ist Ital Idrobiol* (1987) 45: 461-482
- Benassi L, Bertazzoni G, Seidenari S. *In vitro* testing of tensides employing monolayer cultures: a comparison with results of patch tests on human volunteers. *Contact Dermatitis* (1999) 40: 38-44.
- Benassi L, Bertazzoni G, Magnoni C, Rinaldi M, Fontanesi C, Seidenari S. Decrease in toxic potential of mixed tensides maintained below the critical micelle concentration: an *in vitro* study. *Skin Pharmacol Appl Skin Physiol* (2003) 16: 156-164.
- Benavides T, Mitjans M, Martínez V, Clapés P, Infante MR, Clothier RH, Vinardell MP. Assessment of primary eye and skin irritants by *in vitro* cytotoxicity and phototoxicity models: an *in vitro* approach of new arginine-based surfactant-induced irritation. *Toxicology* (2004a) 197: 229-237.
- Benavides T, Martínez V, Mitjans M, Infante MR, Morán C, Clapés P, Clothier R, Vinardell MP. Assessment of the potential irritation and photoirritation of novel amino acid-based surfactants by *in vitro* methods as alternative to the animal tests. *Toxicology* (2004b) 201: 87-93.
- Benraou M, Bales B, Zana R. Effect of the nature of the counterion on the properties of anionic surfactants. 1. Cmc, ionization degree at the cmc and aggregation number of micelles of sodium, cesium, tetramethylammonium, tetraethylammonium, tetrapropylammonium, and tetrabutylammonium dodecyl sulfates. *J Phys Chem B* (2003) 107: 13432-13440.
- Berardesca E, Distanto F. The modulation of skin irritation. *Contact Dermatitis* (1994) 31: 281-287.

- Beresford RA, Fastier FN. Effects of some S-alkylthiuroniums and related compounds on the osmotic fragility and the membrane expansion of human erythrocytes. *Br J Pharmacol* (1980) 71: 253-258.
- Berthod A. Physicochemical structures of liquid disperse systems. *J Chem Phys* (1983) 80: 407- 424.
- Birnie CR, Malamud D, Schnaare RL. Antimicrobial evaluation of N-alkyl betaines and N-alkyl-N, N-dimethylamine oxides with variations in chain length. *Antimicrob Agents Chemother* (2000) 44: 2514-2517.
- Blank IH. Action of soap on the skin. *Arch Dermatol* (1939) 39: 811-817.
- Borenfreund E, Puerner, JA. Toxicity determined *in vitro* by morphological alterations and neutral red absorption. *Toxicol Lett* (1985) 24: 119-124.
- Borowy-Borowski H, Sodja C, Docherty J, Walker PR, Sikorska M. Unique technology for solubilization and delivery of highly lipophilic bioactive molecules. *J Drug Target* (2004) 12: 415-424.
- Botham PA, Earl LK, Fentem JH, Roguet R, van de Sandt JJM. Alternative methods for skin irritation testing: the current status. ECVAM Skin Irritation Task Force Report 1. *ATLA* (1998) 26: 195-211.
- Boukamp P, Petrussevska RT, Breitkreutz D, Hornung J, Markham A, Fusenig NE. Normal keratinization in a spontaneously immortalized aneuploid human keratinocyte cell line. *J Cell Biol* (1988) 106: 761-771.
- Breitkreutz D, Boukamp P, Ryle CM, Stark HJ, Roop DR, Fusenig NE. Epidermal morphogenesis and keratin expression in c-Ha-ras-transfected tumorigenic clones of the human HaCaT cell line. *Cancer Res* (1991) 51: 4402-4409.
- Breitkreutz D, Schoop VM, Mirancea N, Baur M, Stark HJ, Fusenig NE. Epidermal differentiation and basement membrane formation by HaCaT cells in surface transplants. *Eur J Cell Biol* (1998) 75: 1-14.
- Bruner LH (1992). *In vitro* toxicity testing. Ed. JM Fraizer, New York, CRC Press, pp.149-190.
- Bruner L, Carr G, Chamberlain M, Curren R. Validation of alternative methods for toxicology testing. *Toxicol in vitro* (1996) 1: 479-501.
- Bruner LH, De Silva O, Earl LK, Easty DL, Pape W, Spielmann H. Report of the COLIPA workshop on mechanism of eye irritation. *ATLA* (1998) 26: 811-830.
- Burton ABG, York M, Lawrence RS. The *in vitro* assessment of severe eye irritants. *Food Cosmet Toxicol* (1981) 19: 471-480.
- Butler PA, Kennedy CD, Schutzmann RL. Pesticide residues in estuarine mollusks, 1977 versus 1972--National Pesticide Monitoring Program. *Pestic Monit J* (1978) 12: 99-101.

C

- Cannon CL, Neal PJ, Southee JA, Kubilus J, Klausner M. New epidermal model for dermal irritancy testing. *Toxicol in vitro* (1994) 8: 889-891.
- CCPCT (Center for Clean Products and Clean Technologies) (2000). Green seal standard and environmental evaluation for general-purpose, bathroom, and glass cleaners used for industrial and institutional purposes. CCPCT, University of Tennessee, Knoxville, TN.

- Cerven D, Moreno O (1998). Bovine corneal opacity and permeability test validation as an alternative to the Draize eye irritation assay. Eds. H Salem, SA Katz. *Adv Anim Altern Saf Efficacy Test*, Taylor & Francis, Washington DC, USA, pp. 261-267.
- Chang QL, Liu HZ, Chen JY. Extraction of lysozyme, alpha-chymotrypsin, and pepsin into reversed micelles formed using an anionic surfactant, isooctane and water. *Enzyme Microb Technol* (1994) 16: 970-973.
- Christian MS, Diener RM. Soaps and detergents—alternatives to animal eye irritation tests. *J Am Coll Toxicol* (1996) 15: 1-44.
- Clothier R (1993). INVITTOX Protocol No. 71: The Fluorescein Leakage Test. ECVAM SIS Database, Ispra, Italy; ECVAM, European Commission JRC. Website <http://ecvam-sis.jrc.it>
- Clothier R, Willshaw A, Cox H. The use of human Keratinocytes in the EU/COLIPA International *in vitro* phototoxicity test validation study and the ECVAM/COLIPA study on UV filter chemicals. *ATLA* (1999) 27: 247-259.
- Combes R, Barratt M, Balls M. An overall strategy for the testing of chemicals for human hazard and risk assessment under the EU REACH system. *ATLA* (2006) 34 Suppl 1: 15-27.
- Coors A, Hammers-Wirtz M, Ratte HT. Adaptation to environmental stress in *Daphnia magna* simultaneously exposed to a xenobiotic. *Chemosphere* (2004) 56: 395-404.
- Coquette A, Berna N, Vandenbosch A, Rosdy M, Poumay Y. Differential expression and release of cytokines by an *in vitro* reconstructed human epidermis following exposure to skin irritant and sensitizing chemicals. *Toxicol in vitro* (1999) 13: 867-877.
- Coquette A, Berna N, Poumay Y, Pittelkow MR (2000). The keratinocyte in cutaneous irritation and sensitization. Eds. AF Kydonieus, JJ Wille. *Biochemical Modulation of Skin Reactions*. CRC Press, Boca Raton, FL, pp. 125-143.
- Cornier EM, Hunter JE, Billimer J, Farage MA. The use of clinical and consumer eye irritation data to evaluate the low volume eye test. *J Toxicol Cutan Ocular Toxicol* (1995) 14: 197-205.
- Corsini E, Bruccoleri A, Marinovich M, Galli CL. Endogenous interleukin-1 alpha associated with skin irritation induced by tributyltin. *Toxicol Appl Pharmacol* (1996) 138: 268-274.
- Corsini E, Galli CL. Cytokines and irritant contact dermatitis. *Toxicol Lett* (1998) 102-103: 277-282.
- Corsini E, Galli CL. Epidermal cytokines in experimental contact dermatitis. *Toxicology* (2000) 142: 203-211.
- Cronin MTD, Jaworska JS, Walker JD, Comber MHI, Watts CD, Worth AP. Use of QSARS in international decision-making frameworks to predict health effects of chemical substances. *Environ Health Persp* (2003) 111: 1391-1401.
- Cserhádi T, Forgács E, Oros G. Biological activity and environmental impact of anionic surfactants. *Environ Int* (2002) 28: 337-348.
- Csordas A, Schauenstein K. Structure-and configuration-dependent effects of C18 unsaturated fatty acids on the chicken and sheep erythrocyte membrane. *Biochim Biophys Acta* (1984) 769: 571-577.
- Curren RD, Harbell JW. *In vitro* alternatives for ocular irritation. *Environ Health Perspect* (1998) 106 Suppl 2: 485-492.

Curren R, Evans M, Raabe H, Dobson T, Harbell J. Optimisation of the bovine corneal opacity and permeability assay: histopathology aids understanding of the EC/HO false negative materials. *ATLA* (1999) 27: 344.

Curren RD, Harbell JW. Ocular safety: A silent (*in vitro*) success story. *ATLA* (2002) 30 Suppl 2: 69-74.

Czapla C, Bart HJ. Characterization and modeling of the extraction kinetics of organic acids considering boundary layer charge effects. *Chem Eng Technol* (1999) 71: 1395-1399.

D

Daston GP, Freeberg FE (1991). Ocular irritation testing. *Dermal and Ocular Toxicology: Fundamentals and Methods*. Ed. DW Hobson. CRC Press, Ann Arbor, MI, USA, pp. 509-540.

Davies J, Ward RS, Hodges G, Roberts DW. Quantitative structure-activity relationship modeling of acute toxicity of quaternary alkylammonium sulfobetaines to *Daphnia magna*. *Environ Toxicol Chem* (2004) 23: 2111-2115.

De Brugerolle de Fraissinette A, Picarles V, Chibout S, Kolopp M, Medina J, Burtin P, Ebelin ME, Osborne S, Mayer FK, Spake A, Rosdy M, De Wever B, Ettl RA, Cordier A. Predictivity of an *in vitro* model for acute and chronic skin irritation (SkinEthic) applied to testing of topical vehicles. *Cell Biol Toxicol* (1999) 15: 121-135.

Dehghan-Noude G, Housaindokht M, Bazzaz BS. Isolation, characterization, and investigation of surface and hemolytic activities of a lipopeptide biosurfactant produced by *Bacillus subtilis* ATCC 6633. *J Microbiol* (2005) 43: 272-276

Deuticke B, Grebe R, Haest CWM (1990). Blood cell biochemistry. Erythroid cells. Ed. JR Harris, Plenum Publishing Corporation, New York.

Dickson FM, Lawrence JN, Benford DJ. Surfactant-induced cytotoxicity in cultures of human keratinocytes and a commercially available cell line (3T3). *Toxicol in vitro* (1993) 7: 381-384.

Dickson FM, Lawrence JN, Benford DJ. Cytotoxicity of 12 chemicals of known human and animal skin irritation potential in human keratinocyte. *Toxicol in vitro* (1994) 8: 661-663.

Dinarelli CA. Interleukin-1, interleukin-1 receptors and interleukin-1 receptor antagonist. *Int Rev Immunol* (1998)16: 457-499

Doe JE, Lewis RW, Botham PA. Comments on a scientific and animal welfare assessment of the OECD Health Effects Test Guidelines for the safety testing of chemicals under the European Union REACH system. *ATLA* (2006) 34: 111-114.

Draize JH, Woodard G, Calvery HO. Methods for the study of irritation and toxicity of substances applied topically to the skin and mucous membranes. *J Pharmacol Exp Ther* (1944) 82: 377-390.

Dyer SD, Stanton DT, Lauth JR, Cherry DS. Structure-activity relationships for acute and chronic toxicity of alcohol ether sulfates. *Environ Toxicol Chem* (2000) 19: 608-616.

E

Earl LK, Hall-Manning TJ, Holland GH (1999). The determination of acute chemically induced skin irritation using a human skin model. *Alternatives to Animal Testing II. Proceedings of the Second International Scientific Conference Organised by the European Cosmetic Industry*. Eds. DG Clark, SG Lisansky, R Macmillan. CPL Press, Newbury, UK.

Eberlein-Konig B, Bindl A, Przybilla B. Phototoxic properties of neuroleptic drugs. *Dermatology* (1997) 194: 131-135.

EC (2000). Commission Directive 2000/33/EC of 25 April 2000 adapting to technical progress for the 27th time Council Directive 67/458/EC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Annex V B.41 Phototoxicity-*in vitro* 3T3 NRU phototoxicity test. *Official Journal of the European Community* L136.

ECETOC (1990). Skin irritation. European Chemical Industry Ecology and Toxicology Centre ECETOC Monograph No. 15. Brussels.

EEC (1979) Council Directive 79/831/EC of 18 September 1979 amending for the sixth time Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. *Official Journal of the European Communities* L259.

EEC (1986). Council Directive 86/609/EEC of 24 November 1986 on the approximation of laws, regulations and administrative provisions of the Member States regarding the protection of animals used for experimental and other scientific purposes. *Official Journal of the European Community* L358.

Effendy I, Maibach HI. Surfactants and experimental irritant contact dermatitis. *Contact dermatitis* (1995) 33: 217-225.

Emery B, Edwards L. The pharmacology of soaps: III. Irritant action of sodium alkyl sulphates on human skin. *J Am Pharm Assoc* (1940) 29: 254-260.

Emmanuel E, Hanna K, Bazin C, Keck G, Clement B, Perrodin Y. Fate of glutaraldehyde in hospital wastewater and combined effects of glutaraldehyde and surfactants on aquatic organisms. *Environ Int* (2005) 31: 399-406.

Emmet, EA (1986). Toxic responses of the skin. Casarett and Doull's Toxicology. Eds. CD Klaassen, MO Amdur, J Doull. Macmillan, New York, USA, pp. 412-431

Eskelinen S, Saukko P. The hypotonic hemolysis and the action of lysophosphatidylcholine. *Biorheology* (1984) 21: 363-377.

Eskes C, Bessou S, Bruner L, Curren R, Harbell J, Jones P, Kreiling R, Liebsch M, McNamee P, Pape W, Prinsen MK, Seidle T, Vanparys P, Worth A, Zuang V. Eye irritation. *ATLA* (2005) 33 Suppl 1: 47-81.

Evans DF, Wennerström H (1995). The colloidal Domain. VCH Publisher, New York, pp. 5-35.

F

- Faller C, Bracher M, Dami N, Roguet R. Predictive ability of reconstructed human epidermis equivalents for the assessment of skin irritation of cosmetics. *Toxicol in vitro* (2002) 16: 557-572.
- Fentem J, Balls M (1993). Replacement of fish in ecotoxicology testing: use of bacteria, other lower organisms and fish cells *in vitro*. *Ecotoxicology Monitoring*. Ed. M Richardson. VCH, Weinheim, pp. 71-81.
- Fentem JH, Briggs D, Chesné C, Elliott GR, Harbell JW, Heylings JR, Portes P, Roguet R, van de Sandt JJ, Botham PA. A prevalidation study on *in vitro* tests for acute skin irritation: results and evaluation by the Management Team. *Toxicol in vitro* (2001) 15: 57-93.
- Freeberg FE, Nixon GA, Reer PJ, Weaver JE, Bruce RD, Griffith JF, Sanders LWI. Human and rabbit eye responses to chemical insult. *Fundament Applied Toxicol* (1986) 7: 626-634.
- Frosch PJ (1995). Cutaneous irritation. Eds. RJG Rycroft, T Menné, PJ Frosch. *Textbook of Contact Dermatitis*, 2nd edition, Springer, Verlag, Berlin.
- Fulbright RM, Axelrod D, Dunham WR, Marcelo CL. Fatty acid alteration and the lateral diffusion of lipids in the plasma membrane of keratinocytes. *Exp Cell Res* (1997) 233: 128-134.
- Fusenig NE, Boukamp P, Breitkreutz D, Hülsen A, Petrusevska S, Cerutti P, Stanbridge E. *In vitro* transformation of human skin epithelial cells: Role of RAS oncogene in malignant progression. *Toxicol in vitro* (1990) 4: 627-634.

G

- Galembeck E, Alonso A, Meirelles NC. Effects of polyoxyethylene chain length on erythrocyte hemolysis induced by poly[oxyethylene (n) nonylphenol] non-ionic surfactants. *Chem-Biol Interact* (1998) 113: 91-103.
- Garthoff B. Alternatives to animal experimentation: The regulatory background. *Toxicol Appl Pharmacol* (2005) 207: 388-392.
- Gautheron P, Dukic M, Alix D, Sina JF. Bovine corneal opacity and permeability test: an *in vitro* assay of ocular irritancy. *Fundam Appl Toxicol* (1992) 18: 442-449.
- Gettings SD, Lordo RA, Hintze KL, Bagley DM, Casterton PL, Chudkowski M, Curren RD, Demetrulias JL, Dipasquale IC, Earl LK, Feder PI, Galli CL, Glaza SM, Gordon VC, Janus J, Kurtz PJ, Marenus KD, Moral J, Pape WJW, Renskers KJ, Rheins LA, Roddy MT, Rozen MG, Tedeschi JP, Zyracki J. The CFTA evaluation of alternatives program: an evaluation of potential *in vitro* alternatives to the Draize primary eye irritation test. Phase III. Surfactant-based formulations. *Food Chem Toxicol* (1996) 34: 79-117.
- Goldberg AM (1993). Alternative methods in toxicology 9. *In vitro* Toxicology Tenth Anniversary Symposium OFCAAT. Mary Ann Liebert, New York, pp. 107-115.
- Golemanov K, Tcholakova S, Denkov ND, Gurkov T. Selection of Surfactants for Stable Paraffin-in-Water Dispersions, undergoing Solid-Liquid Transition of the Dispersed Particles. *Langmuir* (2006) 22: 3560-3569.
- Gordon VC. The scientific basis of the EYTEX system. *ATLA* (1992) 20: 537-548.

- Grindon C, Combes R. Introduction to the EU REACH legislation. *ATLA* (2006) 34 Suppl 1: 5-10.
- Guilhermino L, Lacerda MN, Nogueira AJ, Soares AM. *In vitro* and *in vivo* inhibition of *Daphnia magna* acetylcholinesterase by surfactant agents: possible implications for contamination biomonitoring. *Sci Total Environ* (2000) 247: 137-141.
- Guillot R. Ocular irritation: Present cell culture models and perspectives. *ATLA* (1992) 20: 471-475.
- Guin JD. Reaction to cocamidopropyl hydroxysultaine, an amphoteric surfactant and conditioner. *Contact Dermatitis* (2000) 42: 284.
- Gulati RD. The ecology of common planktonic Crustacea of the fresh waters in the Netherlands. *Hidrobiol* (1978) 59: 101-112.

H

- Hägerstrand H, Isomaa B. Amphiphile-induced antihaemolysis is not causally related to shape changes and vesiculation. *Chem-Biol Interact* (1991) 79 : 335-347.
- Hagino S, Itagaki H, Kato S, Kobayashi T, Tanaka M. Quantitative evaluation to predict the eye irritancy of chemicals: Modification of chorioallantoic membrane test by using trypan blue. *Toxicol in vitro* (1991) 5: 301-304.
- Hagino S, Itagaki H, Kato S, Kobayashi T, Tanaka M. Further evaluation of the quantitative chorioallantoic membrane test using trypan blue stain to predict the eye irritancy of chemicals. *Toxicol in vitro* (1993) 7: 35-39.
- Haldar J, Kondaiah P, Bhattacharya S. Synthesis and antibacterial properties of novel hydrolyzable cationic amphiphiles. Incorporation of multiple head groups leads to impressive antibacterial activity. *J Med Chem* (2005) 48: 3823-3831
- Harvell JD, Lammintausta K, Maibach HI (1995). Irritant contact dermatitis. Ed. JD Guin. Practical contact dermatitis. McGraw-Hill, New York, pp. 7-18.
- Hayashi H, Nakamura Y, Higashi K, Kato H, Kishida F, Kaneko H. A quantitative structure-activity relationship study of the skin irritation potential of phenols. *Toxicol in vitro* (1999) 13: 915-922.
- Hebert PDN. The population biology of *Daphnia* (Crustacea, Daphnidae). *Biol Rev* (1978) 53: 387-426.
- Hengstler JG, Foth H, Kahl R, Kramer PJ, Lilienblum W, Schulz T, Schweinfurth H. The REACH concept and its impact on toxicological sciences. *Toxicology* (2006) 220: 232-239.
- Herzinger T, Korting HC, Maibach HI. Assessment of cutaneous and ocular irritancy: a decade of research on alternatives to animal experimentation. *Fundam Appl Toxicol* (1995) 24: 29-41.
- Heylings JR, Clowes HM, Hughes L. Comparison of tissue sources for the skin integrity function test (SIFT). *Toxicol in vitro* (2001) 13: 597-600.
- Hill K, Rhode O. Sugar-based surfactants for consumer products and technical applications. *Fett-Lipid* (1999) 101: 25-33.
- Hodges G, Roberts DW, Marshall SJ, Dearden JC. The aquatic toxicity of anionic surfactants to *Daphnia magna* - A comparative QSAR study of linear alkylbenzene sulphonates and ester sulphonates. *Chemosphere* (2006) 63: 1443-1450.

Holmberg K (Ed.) (2003). *Novel Surfactants. Preparation, Applications and Biodegradability*. 2nd edition. Surfactant Science Series, Marcel Dekker, New York.

Holt MS, Waters J, Comber MHI, Armitage R, Morris G, Newberry C. AIS/CESIO environmental monitoring program. SDIA sewage treatment pilot study on linear alkylbenzene sulphonate (LAS). *Water Res* (1995) 29: 2063-2071.

Hutchinson GE (1967). *A treatise on limnology*. Ed. H Edmonson. Introduction to lake biology and the limnoplankton. Vol. 2. John Wiley & Sons, New York.

I

Ilio VD, Pasquariello N, Esch AS, Cristofaro M, Scarsella G, Risuleo G. Cytotoxic and antiproliferative effects induced by a non terpenoid polar extract of *A. indica* seeds on 3T6 murine fibroblasts in culture. *Mol Cell Biochem* (2006) 287: 69-77.

Infante MR, Molinero J, Erra P. Lipopeptidic surfactants acid and basic *N*-lauroyl-L-arginine dipeptides from pure amino acids. *J Am Oil Chem Soc* (1992) 69: 647-652.

Infante MR, Pinazo A, Seguer J. Non-conventional surfactants from amino acids and glycolipids: Structure, preparation and properties. *Colloids Surf A* (1997) 123: 49-70.

Isomaa B, Hagerstrand H, Paatero G, Engblom AC. Permeability alterations and antihaemolysis induced by amphiphiles in human erythrocytes. *Biochim Biophys Acta* (1986) 860: 510-524.

Isomaa B, Hagerstrand H. Effects of nonionic amphiphiles at sublytic concentrations on the erythrocyte membrane. *Cell Biochem Funct* (1988) 6: 183-190.

Isomaa B, Lilius H. The urgent need for *in vitro* tests in ecotoxicology. *Toxicol in vitro* (1995) 9: 821-825.

Itagaki H, Hagino S, Kato S (1995). INVITTOX Protocol 108: CAM-TBS Test. ECVAM SIS Database, Ispra, Italy; ECVAM, European Commission JRC. Website <http://ecvam-sis.jrc.it>

J

Jager T, Heugens EH, Kooijman SA. Making sense of ecotoxicological test results: Towards application of process-based models. *Ecotoxicology* (2006) 15: 305-314.

Journal Officiel de la République Française (1996). Annexe IV: Méthode Officielle d'Évaluation du potentiel irritant par application sur la membrane chorio-allantoïdienne de l'oeuf de poule.

K

Kanazawa A, Ikeda T, Endo T. A novel approach to mode of action of cationic biocides: morphological effect on antibacterial activity. *J Appl Bacteriol* (1995) 78: 55-60.

Kappler R, Kristen U (1990). INVITTOX Protocol 55: The Pollen Tube Growth Test (PTG-TEST). ECVAM SIS Database, Ispra, Italy; ECVAM, European Commission JRC. Website <http://ecvam-sis.jrc.it>

Keifer PA, Peterkofsky A, Wang G. Effects of detergent alkyl chain length and chemical structure on the properties of a micelle-bound bacterial membrane targeting peptide. *Anal Biochem* (2004) 331: 33-39.

Kelly CP. EYTEX: an *in vitro* method of predicting ocular safety. *Pharmacoepial Forum* (1989) 15: 4815-5824.

Kirk-Othmer (1990). Encyclopedia of chemical technology. 4th edition. Eds. I Kroschwitz, M Howe-Grant. John Wiley & Sons, New York.

Kleszczynska H, Sarapuk J. The role of counterions in the protective action of some antioxidants in the process of red cell oxidation. *Biochem Mol Biol Int* (1998) 46: 385-390.

Kleszczynska H, Bonarska D, Luczynski J, Witek S, Sarapuk J. Hemolysis of erythrocytes and erythrocyte membrane fluidity changes by new lysosomotropic compounds. *J Fluoresc* (2005) 15: 137-141.

Kojima H, Hanamura A, Miyamoto S, Sato A, Konishi H, Yoshimura I. Evaluation of seven alternative assays on the main ingredients in cosmetics as predictors of Draize eye irritation scores. *Toxicol in vitro* (1995) 3: 333-340.

Kollias N, Baqer A, Sadiq I, Sayre RM. *In vitro* and *in vivo* ultraviolet-induced alterations of oxy- and deoxyhemoglobin. *Photochem Photobiol* (1992) 56: 223-227.

Kolodziejska J. Possibilities of application of non-ionic surfactants belonging to Rofam, Rokopol and Rokanol class in the prescription of dental anti-inflammatory gels. *Polim Med* (2005) 35: 49-66

Kopecky F. Micellization and other associations of amphiphilic antimicrobial quaternary ammonium salts in aqueous solutions. *Pharmazie* (1996) 51: 135-144.

Korting HC, Herzinger T, Hartinger A, Kerscher M, Angerpointner T, Maibach HI. Discrimination of the irritancy potential of surfactants *in vitro* by two cytotoxicity assays using normal human keratinocytes, HaCaT cells and 3T3 mouse fibroblasts: correlation with *in vivo* data from a soap chamber assay. *J Dermatol Sci* (1994a) 7:119-129.

Korting HC, Schindler S, Hartinger A, Kerscher M, Angerpointner T, Maibach HI. MTT-assay and neutral red release (NRR)-assay: relative role in the prediction of the irritancy potential of surfactants. *Life Sci* (1994b) 55: 533-540.

Kruszewski FH, Walker TL, Ward SL, Dipasquale LC. Progress in the use of human ocular tissues for *in vitro* alternative methods. *Comments Toxicol* (1995) 5: 203-224.

Kupper TS. Immune and inflammatory processes in cutaneous tissue: mechanisms and speculations. *J Clin Invest* (1990) 86: 1783-1789.

L

Lansdown ABG, Grasso P. Physico-chemical factors influencing epidermal damage by surface active agents. *Br J Dermatol* (1972) 86: 361-373.

Larsson P, Dodson S. Chemical communication in plankton animals. *Arch Hydrobiol* (1993)129: 129-155.

Lattes A, Rico I. Aggregation in formamide solution—reactivity and structure of non-aqueous microemulsions. *Colloids Surf* (1989) 35: 221-235.

Lawrence MJ. Surfactant systems: microemulsions and vesicles as vehicles for drug delivery. *Eur J Drug Metab Pharmacokinet* (1994) 19: 257-269.

- Lawrence JN, Starkey S, Dickson FM, Benford DJ. Use of human and rat keratinocyte cultures to assess skin irritation potential. *Toxicol in vitro* (1996) 10: 331-340
- Lawrence JN. Application of *in vitro* human skin models to dermal irritancy: a brief overview and future prospects. *Toxicol in vitro* (1997) 11: 305-312.
- LeClaire J, de Silva O. Industry experience with alternative methods. *Toxicol Lett* (1998) 102-103: 575-579.
- Lee CH, Maibach HI. The sodium lauryl sulfate model: an overview. *Contact Dermatitis* (1995) 33: 1-7.
- Lee JK, Kim DB, Kim JI, Kim PY. *In vitro* cytotoxicity tests on cultures human skin fibroblasts to predict skin irritation potential of surfactants. *Toxicol in vitro* (2000) 14: 345-349.
- Leonhard SL, Lawrence SG. *Daphnia magna* (Straus), *Daphnia pulex* (Leydig) Richard. Ed. S.G. Lawrence. Manual for the culture of selected freshwater invertebrates. *Can Spec Publ Fish Aquat Sci* (1981) 54: 31-50.
- Lewis MA, Surprenant D. Comparative acute toxicities of surfactants to aquatic invertebrates. *Ecotoxicol Environ Saf* (1983) 7: 313-322.
- Lewis RW, McCall JC, Botham PA. A comparison of two cytotoxicity tests for predicting the ocular irritancy of surfactants. *Toxicol in vitro* (1993) 7: 155-158.
- Lewis R (1994). INVITTOX Protocol 99: Red Blood Cell Lysis and Protein Denaturation. ECVAM SIS Database, Ispra, Italy; ECVAM, European Commission JRC. Website <http://ecvam-sis.jrc.it>
- López-Torres M, Thiele JJ, Shindo Y, Han D, Packer L. Topical application of alpha-tocopherol modulates the antioxidant network and diminishes ultraviolet-induced oxidative damage in murine skin. *Br J Dermatol* (1998) 138: 207-215.
- Löttemoser A, Stoll F. The surface and interfacial activities of salts of the fatty acid alcohol sulfuric acid esters. *Kolloid-Z* (1933) 63: 49-61.
- Louhimies S. Directive 86/609/EEC on the protection of animals used for experimental and other scientific purposes. *ATLA* (2002) 30 Suppl 2: 217-219.

M

- Machleidt H, Roth S, Seeman P. The hydrophobic expansion of erythrocyte membranes by the phenol anesthetics. *Biochim Biophys Acta* (1972) 255: 178-189.
- Macián M, Seguer J, Infante MR, Selve C, Vinardell MP. Preliminary studies of the toxic effects of non-ionic surfactants derived from lysine. *Toxicology* (1996) 106: 1-9.
- Malheiros SV, Meirelles NC, de Paula E. Pathways involved in trifluoperazine-, dibucaine- and praziquantel-induced hemolysis. *Biophys Chem* (2000) 83: 89-100.
- Marhuenda-Egea FC, Piera-Velazquez S, Cadenas C, Cadenas E. An extreme halophilic enzyme active at low salt in reversed micelles. *J Biotechnol* (2002) 93: 159-164.
- Mark U, Solbé J. Analysis of the ECETOC aquatic toxicity (EAT) database V – the relevance of *Daphnia magna* as a representative test species. *Chemosphere* (1998) 36: 155-166

- Martínez V, Corsini E, Mitjans M, Pinazo A, Vinardell MP. Evaluation of eye and skin irritation of arginine-derivative surfactants using different *in vitro* endpoints as alternatives to the *in vivo* assays. *Toxicol Lett* (2006) 164: 259-267.
- Maugras M, Infante MR, Gerardin C, Selve C, Vinardell MP. Possible effects of counterions on biological activities of anionic surfactants. *Comp Biochem Physiol C Toxicol Pharmacol* (2001) 128: 541-545.
- McKenzie RC, Sauder DN. The role of keratinocyte cytokines in inflammation and immunity. *J Invest Dermatol* (1990) 95 Suppl 6: 105-107.
- Metselaar JM, Bruin P, de Boer LW, de Vringer T, Snel C, Oussoren C, Wauben MH, Crommelin DJ, Storm G, Hennink WE. A novel family of L-amino acid-based biodegradable polymer-lipid conjugates for the development of long-circulating liposomes with effective drug-targeting capacity. *Bioconjug Chem* (2003) 14: 1156-1164.
- Miseta A, Bogner P, Szarka A, Kellermayer M, Galambos C, Wheatley DN, Cameron IL. Effect of non-lytic concentrations of Brij series detergents on the metabolism-independent ion permeability properties of human erythrocytes. *Biophys J* (1995) 69: 2563-2568.
- Mitjans M, Martínez M, Clapés P, Pérez L, Infante MR, Vinardell MP. Low potential ocular irritation of arginine-based gemini surfactants and their mixtures with nonionic and zwitterionic surfactants. *Pharm Res* (2003) 20: 1697-1701.
- Moldenhauer F. Using *in vitro* prediction models instead of the rabbit eye irritation test to classify and label new chemicals: a *post hoc* data analysis of the international EC/HO validation study. *ATLA* (2003) 31: 31-46.
- Morán C, Clapés P, Comelles F, García T, Pérez L, Vinardell P, Mitjans M, Infante MR. Chemical structure/property relationship in single-chain arginine surfactants. *Langmuir* (2001a) 17: 5071-5075.
- Morán C, Infante MR, Clapés P. Synthesis of glycerol amino acid based surfactants. Part 1. Enzymatic preparation of rac-1-O-(N- α -acetyl-1-aminoacyl)glycerol derivatives. *J Chem Soc, Perkin Trans* (2001b) 1: 2063-2070.
- Morán C, Pinazo A, Pérez L, Clapés P, Angelet M, García MT, Vinardell MP, Infante MR. "Green" amino acid-based surfactants. *Green Chem* (2004) 6: 233-240.
- Moreno JJ. Arachidonic acid release and prostaglandin E2 synthesis as irritant index of surfactants in 3T6 fibroblasts. *Toxicology* (2000) 143: 275-282.
- Muir CK, Flower C, Van Abbe NJ. A novel approach to the search for *in vitro* alternatives to *in vivo* eye irritancy testing. *Toxicol Lett* (1983) 18: 1-5.
- Muller-Decker K, Furstenberger G, Marks F. Keratinocyte-derived proinflammatory key mediators and cell viability as *in vitro* parameters of irritancy: a possible alternative to the Draize skin irritation test. *Toxicol Appl Pharmacol* (1994) 127: 99-108.

N

- Nicander I, Peter A, Ollmar S. The use of different concentrations of betaine as a reducing irritation agent in soaps monitored visually and non-invasively. *Skin Res Technol* (2003) 9: 43-49.
- Nickoloff BJ, Naidu Y. Perturbation of epidermal barrier function correlates with initiation of cytokine cascade in human skin. *J Am Acad Dermatol* (1994) 30: 535-546.
- Nixon GA, Tyson CA, Wertz WC. Interspecies comparisons of skin irritancy. *Toxicol Appl Pharmacol* (1975) 31: 481-490.
- Nguyen DH, Beuerman RW, De Wever B, Rosdy M (2003). Three-dimensional construct of the human corneal epithelium for *in vitro* toxicology. Alternative methods for the new millenium. Eds. H Salem, SA Katz. CRC Press, Boca Raton, FL, USA, pp.145-157.

O

- OECD (1998). Revised Proposal for the Harmonization of Validation and Acceptance Criteria for Alternative Toxicological Test Methods. OECD Publication Office, Paris, France: Organisation for Economic Cooperation and Development.
- OECD (2002). OECD Guidelines for the Testing of Chemicals No. 404: Acute dermal irritation/corrosion. OECD Publication Office, Paris, France: Organisation for Economic Cooperation and Development.
- OECD (2002). OECD Guidelines for the Testing of Chemicals No. 405: Acute eye irritation/corrosion. OECD Publication Office, Paris, France: Organisation for Economic Cooperation and Development.
- OECD (2004). OECD Guidelines for the Testing of Chemicals No. 432: *In vitro* 3T3 NRU Phototoxicity Test. OECD Publication Office, Paris, France: Organisation for Economic Cooperation and Development.
- Ohno Y, Kaneko T, Kobayashi T, Inoue T, Kuroiwa Y, Yoshida T, Momma J, Hayashi M, Akiyama J, Atsumi T, Chiba K, Endo T, Fujii A, Kakishima H, Kojima H, Masamoto K, Masuda M, Matsukawa S, Ohkoshi K, Okada J, Sakamoto K, Takano K, Takanaka A. First-phase validation of the *in vitro* eye irritation tests for cosmetic ingredients. *In vitro Toxicol* (1994) 7: 89-94.
- Ohno Y, Kaneko T, Inoue T, Morikawa Y, Yoshida T, Fujii A, Masuda M, Ohno T, Hayashi M, Momma J, Uchiyama T, Chiba K, Ikeda N, Imanishi Y. Interlaboratory validation of the *in vitro* eye irritation tests for cosmetic ingredients. (1) Overview of the validation study and Draize scores for the evaluation of the tests. *Toxicol in vitro* (1999) 13: 73-98.
- Okamoto Y, Ohkoshi K, Itagaki H, Tsuda T, Kakishima H, Ogawa T, Kasai Y, Ohuchi J, Kojima H, Kurishita A, Kanekoh T, Matsushima Y, Iwabuchi Y, Ohno Y. Interlaboratory validation of the *in vitro* eye irritation tests for cosmetic ingredients. (3) Evaluation of the haemolysis test. *Toxicol in vitro* (1999) 13: 115-124.
- Osborne R, Perkins MA. An approach for development of alternative test methods based on mechanisms of skin irritation. *Food Chem Toxicol* (1994) 32: 133-142.

P

Pape WJ, Pfannenbecker U, Hoppe U. Validation of the red blood cell test system as *in vitro* assay for the rapid screening of irritation potential of surfactants. *Mol Toxicol* (1987) 1: 525-536.

Pape WJ, Hoppe U. *In vitro* methods for the assessment of primary local effects of topically applied compounds. *Skin Pharmacol* (1991) 4: 205-212.

Pape WJW, Brandt M, Pfannenbecker U. Combined *in vitro* assay for photohaemolysis and haemoglobin oxidation as part of a phototoxicity test system assessed with various phototoxic substances. *Toxicol in vitro* (1994) 8: 755-757.

Pape W, Pfannenbecker U (1994). INVITTOX Protocol No. 81: RBC Photo Assay - Photohaemolysis and Haemoglobin Oxidation. European Commission DG-JRC, ECVAM, SIS Database. Website <http://ecvam-sis.jrc.it>

Pape WJW, Pfannenbecker U, Argembeaux H, Bracher M, Esdaile DJ, Hagino S, Kasai Y, Lewis RW. COLIPA validation project on *in vitro* eye irritation tests for cosmetic ingredients and finished products (phase I): the red blood cell test for the estimation of acute eye irritation potentials. Present status. *Toxicol in vitro* (1999) 13: 343-354.

Pape WJ, Maurer T, Pfannenbecker U, Steiling W. The red blood cell phototoxicity test (photohaemolysis and haemoglobin oxidation): EU/COLIPA validation programme on phototoxicity (phase II). *ATLA* (2001) 29: 145-162

Pappinen S, Pasonen-Seppanen S, Suhonen M, Tammi R, Urtti A. Rat epidermal keratinocyte organotypic culture (ROC) as a model for chemically induced skin irritation testing. *Toxicol Appl Pharmacol* (2005) 208: 233-241.

Partearroyo MA, Ostolaza H, Goni FM, Barbera-Guillem M. Surfactant-induced cell toxicity and cell lysis. A study using B16 melanoma cells. *Biochem Pharmacol* (1990) 40: 1323-1328.

Perani A, Gerardin C, Stacey G, Infante MR, Vinardell P, Rodehuser L, Selve C, Maugras M. Interactions of surfactants with living cells. Induction of apoptosis by detergents containing a beta-lactam moiety. *Amino Acids* (2001) 21: 185-194.

Pérez L, Torres JL, Manresa A, Solans C, Infante MR. Synthesis and properties of a new class of gemini cationic surfactants from arginine: bis(args). *Langmuir* (1996) 12: 5296-5301.

Pérez L, García MT, Ribosa I, Vinardell MP, Manresa MA, Infante MR. Biological properties of arginine-based gemini cationic surfactants. *Environ Toxicol Chem* (2002) 21: 1279-1285.

Piasecki A (2002). Biodegradable and chemically degradable anionic surfactants. Encyclopedia of Surface and Colloid Science. Ed. A Hubbard. Marcel Dekker, New York, pp. 701-723.

Ponec M, Kempenaar J. Use of human skin recombinants as an *in vitro* model for testing the irritation potential of cutaneous irritants. *Skin Pharmacol* (1995) 8: 49-59.

Porter MR (1994). Handbook of surfactants. 2nd edition, Blackie Academic & Professional, London, pp. 26-93.

Prinsen MK, Koeter HB. Justification of the enucleated eye test with eyes of slaughterhouse animals as an alternative to the Draize eye irritation test with rabbits. *Food Chem Toxicol* (1993) 31: 69-76.

Przestalski S, Sarapuk J, Kleszczynska H, Gabrielska J, Hladyszowski J, Trela Z, Kuczera J. Influence of amphiphilic compounds on membranes. *Acta Biochim Pol* (2000) 47: 627-638.

R

Rauter AP, Lucas S, Almeida T, Sacoto D, Ribeiro V, Justino J, Neves A, Silva FV, Oliveira MC, Ferreira MJ, Santos MS, Barbosa E. Synthesis, surface active and antimicrobial properties of new alkyl 2,6-dideoxy-L-arabino-hexopyranosides. *Carbohydr Res* (2005) 340: 191-201.

Raz A, Livne A. Differential effects of lipids on the osmotic fragility of erythrocytes. *Biochim Biophys Acta* (1973) 311: 222-229.

REACH: Propuesta de Reglamento del Parlamento Europeo y del Consejo relativo al Registro, Evaluación, Autorización de los Compuestos químicos (REACH) de 29 de Octubre de 2003. SEC 2003 1171 /* COM/2003/0644 final - COD 2003/0256 */

Real Decreto 209/2005, de 25 de febrero, por el que se modifica el Real Decreto 1599/1997, de 17 de octubre, sobre productos cosméticos. BOE núm. 49

Ree K, Johnson S, Rugrad HE, Bakka A, Hovig T. Characterization of a human epithelial cell line with special reference to its ultrastructure. *Acta Path Microbiol Scand Sect A* (1981) 89: 73-80.

Reynold EF (Ed.) (1993). Martindale. The extra Pharmacopoeia. 30th edition, Pharmaceutical, London, pp. 1215-1216.

Rice RH, Steinmann KE, Graffenried LA, Qin Q, Taylor N, Schlegel N. Elevation of cell cycle control proteins during spontaneous immortalized aneuploid human keratinocytes. *Mol Biol* (1993) 14: 185-194.

Riechers DE, Wax LM, Liebl RA, Bullock DG. Surfactant effects on glyphosate efficacy. *Weed Technol* (1995) 9: 281-285.

Rigano L, Dell'Acqua G, Leporatti R. Benefits of trimethylglycine (betaine) in personal-care formulations. *Cosmetics Toiletries* (2000) 115: 47-54.

Roguet R, Cohen C, Dossou KG, Rougier A. Episkin, a reconstituted human epidermis for assessing *in vitro* the irritancy of topically applied compounds. *Toxicol in vitro* (1994) 8: 283-291.

Roguet R, Cohen C, Robles C, Courtellemont P, Tolle M, Guillot JP, Pouradier Duteil X. An interlaboratory study of the reproducibility and relevance of Episkin, a reconstructed human epidermis, in the assessment of cosmetics irritancy. *Toxicol in vitro* (1998) 12: 295-304.

Roguet R. Use of skin cell cultures for *in vitro* assessment of corrosion and cutaneous irritancy. *Cell Biol Toxicol* (1999) 15: 63-75.

Rosdy M, Clauss LC. Terminal epidermal differentiation of human keratinocytes grown in chemically defined medium on inert filter substrates at the air-liquid interface. *J Invest Dermatol* (1990) 95: 409-414.

Rosen MJ. Gemini: A new generation of surfactants. *Chemtech* (1993) 23: 30-33.

Rosen MJ, Fei L, Zhu YP, Morral SW. The relationship of the environmental effect of surfactants to their interfacial properties. *J Surfactant Detergent* (1999) 2: 343-347.

Rosen MJ, Li F, Morrall SW, Versteeg DJ. The relationship between the interfacial properties of surfactants and their toxicity to aquatic organisms. *Environ Sci Technol.* (2001) Mar 1;35(5):954-9.

Rosen MJ (2004). *Surfactants and Interfacial Phenomena*. 3rd edition, Wiley-Interscience, New York.

Rosette C, Karin M. Ultraviolet light and osmotic stress: activation of the JNK cascade through multiple growth factor and cytokine receptors. *Science* (1996) 274: 1194-1197.

Ross BP, Braddy AC, McGeary RP, Blanchfield JT, Prokai L, Toth I. Micellar aggregation and membrane partitioning of bile salts, fatty acids, sodium dodecyl sulfate, and sugar-conjugated fatty acids: correlation with hemolytic potency and implications for drug delivery. *Mol Pharm* (2004) 1: 233-245

Rougier A, Cottin M, de Silva O, Catroux P, Roguet R, Dossou KG. The use of *in vitro* methods in the ocular irritation assessment of cosmetic products. *Toxicol in vitro* (1994) 8: 893-905.

Roy S, Das D, Dasgupta A, Mitra RN, Das PK. Amino acid based cationic surfactants in aqueous solution: physicochemical study and application of supramolecular chirality in ketone reduction. *Langmuir* (2005) 21: 10398-10404

Ruden C, Hansson SO. Improving REACH. *Regul Toxicol Pharmacol* (2006) 44: 33-42.

Rushton H, Gummer CL, Flasch H. 2-in-1 shampoo technology: state-of-the-art shampoo and conditioner in one. *Skin Pharmacol* (1994) 7: 78-83.

Russel WMS, Burch RL (1959). *The Principles of Human Experimental Techniques*, Methuen, London.

Ryoo HK, Park CW, Chi SC, Park ES. Development of propofol-loaded microemulsion systems for parenteral delivery. *Arch Pharm Res* (2005) 28: 1400-1444.

S

Salager, JL (2002). *Surfactants: types and uses*. Firp booklet # E300-A: Teaching aid in surfactant science & engineering. Laboratory of formulation, interfaces rheology and processes. Universidad de los Andes, Facultad de Ingeniería, Escuela de Ingeniería Química.

Sandbacka M, Christianson I, Isomaa B. The acute toxicity of surfactants on fish cells, *Daphnia magna* and fish—A comparative study. *Toxicol in vitro* (2000) 14: 61-68.

Sato Y, Yamakose H, Suzuki Y. Participation of band 3 protein in hypotonic hemolysis of human erythrocytes. *Biol Pharm Bull* (1993) 16: 188-194.

SCCNFP (2003). *The Scientific Committee on Cosmetic Products and Non-Food Products Intended for Consumers: Notes of Guidance for Testing of Cosmetic Ingredients for their Safety Evaluation*. 5th Revision, adopted by the SCCNFP during the plenary meeting of 20 October 2003 (SCCNFP/0690/03 Final). 102pp. Brussels, Belgium: DG SANCO/C/2, European Commission.

Schürer NY, Elias PM (1991). *The biochemistry and function of stratum corneum lipids*. Ed. P Elias. *Skin Lipids, Advances in Lipid Research*. Vol. 24, Academic Press, San Diego, pp.27-56.

Seeman P. The membrane actions of anesthetics and tranquilizers. *Pharmacol Rev* (1972) 24: 583-655.

- Seguer J. Tesis Doctoral: Sntesi i estudi de propietats de compostos amfiflics polioxietilenats derivats de la N[],N[]-diacil lisinamida. UB, 1993.
- Seguer J, Infante MR, Allouch M, Mansuy L, Selve C, Vinardell P. Synthesis and evaluation of non-ionic amphiphilic compounds from aminoacids: molecular mimics of lecithins. *New J Chem* (1994) 18: 765-774.
- Shinitzky M, Barenholz Y. Fluidity parameters of lipid regions determined by fluorescence polarization. *Biochim Biophys Acta* (1978) 515: 367-394
- Sims JE, Gayle MA, Slack JL, Alderson MR, Bird TA, Giri JG, Colotta F, Re F, Mantovani A, Shanebeck K, Grabstein KH, Dower SK. Interleukin-1 signaling occurs exclusively via the type I receptor. *Proc Natl Acad Sci USA* (1993) 90: 6155-6159.
- Sina JF, Galer DM, Sussman RG, Gautheron PD, Sargent EV, Leong B, Shah PV, Curren RD, Miller K. A collaborative evaluation of seven alternatives to the Draize eye irritation test using pharmaceutical intermediates. *Fundam Appl Toxicol* (1995) 26: 20-31.
- Singer MM, Tjeerdema RS. Fate and effects of the surfactant sodium dodecyl sulfate. *Rev Environ Contam Toxicol* (1993) 133:95-149.
- Soo EL, Salleh AB, Basri M, Zaliha Raja Abdul Rahman RN, Kamaruddin K. Optimization of the enzyme-catalyzed synthesis of amino acid-based surfactants from palm oil fractions. *J Biosci Bioeng* (2003) 95: 361-367.
- Spielmann H, Lovell WW, Hozle E, Johnson BE, Maurer T, Miranda M. *In vitro* phototoxicity testing. The report and recommendations of ECVAM Workshop 2. *ATLA* (1994a) 22: 314-348.
- Spielmann H, Liebsch M, Doring B, Moldenhauer F. First results of an EC/COLIPA validation project of *in vitro* phototoxicity testing methods. *ALTEX* (1994b) 11: 22-31.
- Spielmann H (1997). Ocular irritation. *In vitro* methods in pharmaceutical research. Eds. JV Castell, MJ Gomez-Lechn. Academic Press, London, UK, pp. 265-287.
- Spielmann H, Balls M, Dupuis J, Pape WJ, Pechovitch G, de Silva O, Holzhtter H-G, Desolle P, Gerberick F, Liebsch M, Lovell WW, Maurer T, Pfannenbecker U, Potthast JM, Csato M, Sladowski D, Steiling W, Brantom P. The international EU/COLIPA *in vitro* phototoxicity validation study results of phase II (blind trial). Part 1: the 3T3 NRU phototoxicity test. *Toxicol in vitro* (1998) 12: 305-327.
- Spielmann H, Muller L, Averbek D, Balls M, Brendler-Schwaab S, Castell JV, Curren R, de Silva O, Gibbs NK, Liebsch M, Lovell WW, Merk HF, Nash JF, Neumann NJ, Pape WJ, Ulrich P, Vohr HW. The second ECVAM workshop on phototoxicity testing. The report and recommendations of ECVAM workshop 42. *ATLA* (2000) 28: 777-814.
- Steiling W, Bracher M, Courtellemont P, de Silva O. The HET-CAM, a useful *in vitro* assay for assessing the eye irritation properties of cosmetic formulations and ingredients. *Toxicol in vitro* (1999) 113: 375-384.
- Steinhoff M, Brzoska T, Luger TA. Keratinocytes in epidermal immune responses. *Curr Opin Allergy Clin Immunol* (2001) 1: 469-476.
- Stern M, Klausner M, Alvarado R, Reskers K, Dickens M. Evaluation of EpiOcularTM Tissue model as an alternative to the Draize eye irritation test. *Toxicol vitro* (1998) 12: 455-461.

Stylianou E, O'Neill LA, Rawlinson L, Edbrooke MR, Woo P, Saklatvala J. Interleukin-1 induces NF- κ B through its type I but not its type II receptor in lymphocytes. *J Biol Chem* (1992) 267: 15836-15841.

Sugai S, Murata K, Kitagaki T, Tomita I. Studies on eye irritation caused by chemicals in rabbits. II. An *in vitro* testing method using rat red blood cells for the prediction of eye irritation potential of chemicals. *J Toxicol Sci* (1991) 16: 131-144.

Sugai S, Murata K, Watanabe M. Development of an *in vitro* combined assay method, evaluating hemoglobin denaturation and hemolytic activity in rat red blood cells, for the prediction of eye irritation potential. *ALTEX* (1993) 2: 7-18.

Svetina S, Kuzman D, Waugh RE, Zihel P, Zeks B. The cooperative role of membrane skeleton and bilayer in the mechanical behaviour of red blood cells. *Bioelectrochemistry* (2004) 62: 107-113.

Swinyard EA, Lowenthal W (1990). Pharmaceutical necessities. Ed. AR Gennaro. Remington's pharmaceutical sciences. 18th edition, Mack Publishing Co, Easton, Pennsylvania, pp. 1307-1308..

Swisher RD (1991). Surfactant biodegradation. 2nd edition, Marcel Dekker, New York.

T

Tabor F, Barber LB. Fate of linear alkylbenzene sulfonate in the Mississippi River. *Environ Sci Technol* (1996) 30: 161-171.

Tadros F (2005). Applied Surfactants: Principles and Applications. 2nd edition, Wiley-VCH.

Talmage S (1994). Environmental and human safety of major surfactants, alcohol ethoxylates and alkylphenol ethoxylates. Lewis Publishers, Boca Raton, FL.

Tanaka Y. Ecological risk assessment of pollutant chemicals: extinction risk based on population-level effects. *Chemosphere* (2003) 53: 421-425.

Tchao R (1988). Trans-epithelial permeability of fluorescein *in vitro* as an assay to determine eye irritants. Alternative methods in toxicology. Ed. AM Golberg. Vol. 6, Mary Ann Liebert Inc, New York, USA:

Than P (1985). Surfactants in Cosmetics. Ed. MM Rieger. Marcel Dekker, New York.

Tinois E, Tiollier J, Gaucherand M, Dumas H, Tardy M, Thivolet J. *In vitro* and post-transplantation differentiation of human keratinocytes grown on the human type IV collagen film of a bilayered dermal substitute. *Exp Cell Res* (1991) 193: 310-319.

Todaro GJ, Green H. Quantitative studies of the growth of mouse embryo cells in culture and their development into established lines. *J Cell Biol* (1963) 17: 299-313.

Tong J, Nakajima M, Nabetani H, Kikuchi Y. Surfactant effect on production of monodispersed microspheres by microchannel emulsification method. *J Surfactant Deterg* (2000) 3: 285-293.

Triglia D, Braa SS, Yonan C, Naughton GK. Cytotoxicity testing using neutral red and MTT assays on a three-dimensional human skin substrate. *Toxicol in vitro* (1991) 5: 573-578.

Truhaut R. Ecotoxicology: objectives, principles and perspectives. *Ecotoxicol Environ Saf* (1977) 1: 151-173.

U

Ubels JL, Clousing DP, Van Haitsma TA, Hong BS, Stauffer P, Asgharian B, Meadows D. Pre-clinical investigation of the efficacy of an artificial tear solution containing hydroxypropyl-guar as a gelling agent. *Curr Eye Res* (2004) 28: 437-444.

Uppgard L-L, Lindgren Å, Sjöstrom M, Wold S. Multivariate quantitative structure-activity relationships for the aquatic toxicity of technical nonionic surfactants. *J Surfactant Detergent* (2000) 3: 33-41.

V

van de Sandt J, Roguet R, Cohen C, Esdaile D, Ponec M, Corsini E, Barhker C, Fusenig N, Liebsch M, Benford D, de Brugerolle de Fraissinette A, Fartasch M. The use of human keratinocytes and human skin models for predicting skin irritation. *ATLA* (1999) 27: 723-743.

Vega Moreno D, Sosa Ferrera Z, Santana Rodriguez JJ. Use of polyoxyethylene surfactants for the extraction of organochlorine pesticides from agricultural soils. *J Chromatogr A* (2006) 1104: 11-17.

Verge C, Moreno A. Effects of anionic surfactants on *Daphnia magna*. *Tenside Surfact Det* (2000) 37: 172-175.

Vinardell MP, Infante MR. The relationship between the chain length of non-ionic surfactants and their hemolytic action on human erythrocytes. *Comp Biochem Physiol Part C* (1999) 124: 117-120.

Vinardell MP, Garcia L. The quantitative chlorioallantoic membrane test using trypan blue stain to predict the eye irritancy of liquid scintillation cocktails. *Toxicol in vitro* (2000) 14: 551-555.

Vives MA, Macián M, Seguer J, Infante MR, Vinardell P. Hemolytic action of anionic surfactants of the diacyl lysine type. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol* (1997) 118C: 71-74.

Vives MA, Infante MR, Garcia E, Selve C, Maugras M, Vinardell MP. Erythrocyte hemolysis and shape changes induced by new lysine-derivative surfactants. *Chem-Biol Interact* (1999) 118: 1-18.

Vyas SP, Singh RP, Jain S, Mishra V, Mahor S, Singh P, Gupta PN, Rawat A, Dubey P. Non-ionic surfactant based vesicles (niosomes) for non-invasive topical genetic immunization against hepatitis B. *Int J Pharm* (2005) 296: 80-86.

W

Wade WG, Addy M. Antibacterial activity of some triclosan-containing toothpastes and their ingredients. *J Periodontol* (1992) 63: 280-282.

Wahlberg JE (1996). Occupational allergic contact dermatitis. Eds. I. Kimber, T. Maurer. Toxicology of Contact Hypersensitivity. Taylor & Francis, London, pp. 57-74.

Wallace H (2001). Principles and methods of toxicology. 4th edition, Taylor & Francis, Philadelphia.

Ward RK, Hubbard AW, Sulley H, Garle MJ, Clothier RH. Human keratinocyte cultures in an *in vitro* approach for the assessment of surfactant-induced irritation. *Toxicol in vitro* (1998) 12: 163-173.

Weil C. Study of intra- and interlaboratory variability in the result of rabbit eye and skin irritation tests. *Toxicol Applied Pharmacol* (1985) 25: 139-143.

Weltfriend S, Bason M, Lmmintausta K, Maibach HI (1996). Irritant dermatitis. Eds. FN Marzulli, HI Maibach. *Dermatotoxicology*. 5th edition, Taylor & Francis, Washington, pp. 87-111.

Wilhelm KP, Samlebe M, Siegers CP. Quantitative *in vitro* assessment of N-alkyl sulphate-induced cytotoxicity in human keratinocytes (HaCaT). Comparison with *in vivo* human irritation tests. *Br J Dermatol* (1994) 130: 18-23.

Wilhelm KP, Bottjer B, Siegers CP. Quantitative assessment of primary skin irritants *in vitro* in a cytotoxicity model: comparison with *in vivo* human irritation tests. *Br J Dermatol* (2001) 145: 709-715.

William IR, Kupper TS. Immunity at the surface: homeostatic mechanisms of the skin immune system. *Life Sci* (1996) 58: 1485-1507.

Woods GL, Washington JA (1995). Antibacterial susceptibility test: dilutions and diffusion methods. Ed. PR Murray. *Manual of Clinical Microbiology*. Vol 10. Washington DC, pp 1327-1341.

Worth AP, Cronin MTD. Embedded cluster modelling—a novel method for analysing embedded data sets. *Quantitative Structure-Activity Relationships* (1999) 18: 229-235.

Worth AP, Cronin MTD (2000). Embedded cluster modelling: a novel QSAR method for generating elliptic models of biological activity. *Progress in Reduction, Refinement and Replacement of Animal Experimentation*. Eds. M Balls, AM van Zeller, ME Halder. Elsevier Science, Amsterdam, The Netherlands, pp. 479-491.

Worth A, Balls M. Alternative (non-animal) methods for chemical testing: Current status and future prospects. A report prepared by ECVAM and the ECVAM working group on chemicals. *ATLA* (2002) 30 Suppl 1: 1-125.

X

Xia J, Xia Y, Nnanna IA. Structure-function relationship of acyl amino acid based surfactants: surface activity and antimicrobial properties. *J Agric Food Chem* (1995) 43: 867-871.

Y

Yanai R, Yamada N, Ueda K, Tajiri M, Matsumoto T, Kido K, Nakamura S, Saito F, Nishida T. Evaluation of povidone-iodine as a disinfectant solution for contact lenses: antimicrobial activity and cytotoxicity for corneal epithelial cells. *Cont Lens Anterior Eye* (2006) 29: 85-91.

Yang L, Mao-Qiang M, Taljebini M, Elias PM, Feingold KR. Topical stratum corneum lipids accelerate barrier repair after tape stripping, solvent treatment and some but not all types of detergent treatment. *Br J Dermatol* (1995) 133: 679-685.

York M, Griffiths HA, Whittle E, Basketter DA. Evaluation of a human patch test for the identification and classification of skin irritation potential. *Contact Dermatitis* (1996) 34: 204-212.

York M, Stering W. A critical of the assessment of the eye irritation potential using the Draize rabbit eye test. *J Appl Toxicol* (1998) 18: 233-240.

Z

- Zachowski A, Durand P. Biphasic nature of the binding of cationic amphipaths with artificial and biological membranes. *Biochim Biophys Acta* (1988) 937: 411-416.
- Zakrzewski (2002). Environmental toxicology. 3rd edition, Oxford University Press, New York.
- Zana R (1997). Bolaform and dimeric (gemini) surfactants. Ed. D Robb. Specialist Surfactants. 1st edition, Blackie Academic, London, UK, pp. 81-103.
- Zavodnik IB, Zaborowski A, Niekurzak A, Bryszewska M. Effect of free fatty acids on erythrocyte morphology and membrane fluidity. *Biochem Mol Biol Int* (1997) 42: 123-133.
- Zhu YP, Masuyama A, Kirito YI, Okahara M . Preparation and properties of double-chain or triple-chain surfactants with 2 sulfonate groups derived from n-acyldiethanolamines. *J Am Oil Chem Soc* (1991) 68: 539-543.
- Zografi G, Schott H, Swarbrick J (1990). Interfacial phenomena. Ed. AR Gennaro. Remington's pharmaceutical sciences. Easton Mack, pp. 257-272.
- Zuang V, Alonso M-A, Botham P, Eskes C, Fentem J, Liebsch M, van de Sandt J. Skin irritation and corrosion. *ATLA* (2005) 33 Suppl 1: 35-46.