


# Falles actives i perilllositat sísmica al marge nord-occidental del solc de València



Hector Perea Manera

Universitat de Barcelona  
RISKNAT - Grup de Riscos Naturals  
Departament de Geodinàmica i Geofísica

## *Bibliografía.*

↑ Índex



## Bibliografia

- Adams, J. (1990): Paleoseismicity of the Cascadia Subduction Zone: Evidence from turbidites of the Oregon-Washington margin. *Tectonics*, **9**, 569-583.
- Agustí, J. i Roca, E. (1987): Síntesis bioestratigráfica de la fosa de la Cerdanya (Pirineos Orientales). *Estudios Geol.*, **43**, 521-529.
- Albini, P. (2000): *Improving the knowledge of damaging earthquakes in south-eastern Spain (1500-1950)*. Technical report for the EC Project FAUST.
- Almera, J. (1891): *Mapa geológico y topográfico de la Provincia de Barcelona. Región primera. 1:40000*. Diputación Provincial de Barcelona.
- Ambraseys, N.N. (1991): Engineering seismology. *Int.J.Earthquake Eng.and Structural.Dynamics*, **17**, 1-105.
- Ambraseys, N.N., Simpson, K. i Bommer, J. (1996): Prediction of horizontal response spectra in Europe. *Earthquake Eng.and Structural Dynamics*, **25**, 371-400.
- Anadón, P. i Alcalá, L. (2004): Cuencas de la zona central-meridional de la Cordillera Ibérica. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 566-568.
- Anadón, P., Cabrera, L., Calvet, F., Gallart, F., Lopez, C., Permanyer, A. i Serra-Kiel, J. (1983): El Terciario. In: IGME (ed.) *Estudio geológico del Maestrazgo y de la mitad meridional de los Catalánides*. 1-179.
- Anderson, J.G., Wesnousky, S.G. i Stirling, M.W. (1996): Earthquake size as a function of fault slip rate. *Bulletin of the Seismological Society of America*, **86(3)**, 683-690.
- Arasa, A. (1994): *Estratigrafia y sedimentología dels materials Plio-Quaternaris del Baix Ebre i sectors adjacents*. Tesi Doctoral, Universitat de Barcelona, p. 447.
- Argus, D.F., Gordon, R.G., DeMets, Ch. i Stein, S. (1989): Closure of the Africa-Eurasia-North America Plate Motion Circuit and Tectonics of the Gloria Fault. *Journal of Geophysical Research*, **94(B5)**, 5585-5602.
- Armijo, R., Pondard, N., Meyer, B., Uçarkus, G., de Lépinay, B., Malavieille, J., Dominguez, S., Gustcher, M.-A., Schmidt, S., Beck, C., Çagatay, N., Çakir, Z., Imren, C., Eris, K., Natalin, B., Özalaybey, S., Tolun, L., Lefèvre, I., Seeber, L., Gasperini, L., Rangin, C., Emre, O. i Sarikavak, K. (2005): Submarine fault scarps in the Sea of Marmara pull-apart (North Anatolian Fault): Implications for seismic hazard in Istanbul. *Geochemistry Geophysics Geosystems*, **6**, Q06009.
- Arranz, E. i Lago, M. (2004): El plutonismo sin- y tardi-varisco en los Pirineos. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 263-266.
- Atakan, K., Ojeda, A., Camelbeeck, T. i Meghraoui, M. (2001): Seismic hazard analysis results for the Lower Rhine Graben and the importance of paleoseismic data. *Netherlands Journal of Geosciences / Geologie en Mijnbouw*, **80(3-4)**, 305-314.
- Banda, E. i Correig, A.M. (1984): The catalan earthquake of February 2, 1428. *Engineering Geology*, **20**, 89-97.
- Banda, E. i Santanach, P. (eds.) (1992): *Geology and geophysics of the Valencia Trough, Western*

- Mediterranean. *Tectonophysics*, **203**, p. 361.
- Bates, R.L. i Jackson, J.A. (1987): *Glossary of geology*. American Geological Institute, p. 788.
- Bernreuter, D. L., Saby, J. B., Mensing, R. W. i Chen, J. C. (1989): *Seismic hazard characterization of 69 nuclear powerplant sites east of the Rocky Mountains*. U.S. Nuclear Regulatory Commission, NUREG/CR-5250.
- Bird, P. (2003): An updated digital model of plate boundaries. *Geochemistry Geophysics Geosystems*, **4(3)**, 1027.
- Bisbal, L. (1984): *Estudio de la distribución de intensidades sísmicas en el ámbito valenciano. Sus incidencias en las obras públicas. Tomo V: Estudio monográfico de la serie sísmica del 23-3-1748 al 8-4-1748 con epicentro en Estubeny (tradicionalmente llamado terremoto de Montesa)*. Tesi Doctoral, Universitat Politècnica de València.
- Bonilla, M. (1988): Minimum earthquake magnitude associated with coseismic surface faulting. *Bull.Assoc.Engineering Geologists*, **25(1)**, 17-29.
- Briaïs, A., Armijo, R., Winter, T., Tapponnier, P. i Herbècq, A. (1990): Morphological evidence for Quaternary normal faulting and seismic hazard in the Eastern Pyrenees. *Annales Tectonicae*, **4(1)**, 19-42.
- Bull, W.B. i McFadden, L.D. (1977): Tectonic geomorphology nort and south of the Garlock Fault, California. In: Doebring, D.O. (ed.) *Geomorphology in arid regions*. State Univ. of N.Y., 115-138.
- Burbank, D.W. i Anderson, R.S. (2001): *Tectonic geomorphology*. Blackwell Science, p. 274.
- Burke, K. P. i Beikman, H. M. (1974): *Geological map of the United States (exclusive of Alaska and Hawaii) E. 1:2500000*. U.S. Geological Survey.
- Cabrera, L., Roca, E., Garcés, M. i de Porta, J. (2004): Estratigrafía y evolución tectonosedimentaria oligocena superior-neógena del sector central del margen catalán (Cadena Costero-Catalana). In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 569-572.
- Cabrera, L., Roca, E. i Santanach, P. (1988): Basin formation at the end of a strike-slip fault: the Cerdanya Basin (eastern Pyrenees). *Jour.Geol.Soc., London*, **145**, 261-268.
- Calvet, M. (1997): Los complejos fluvioglaciares de Cerdanya-Capcir (Pirineos Orientales) y sus enseñanzas. In: Gómez, A. i Pérez, A. (eds.) *Las huellas glaciares de las montañas españolas*. Universidad de Santiago de Compostela, 263-290.
- Carls, P., Gozalo, R., Valenzuela-Ríos, J.I. i Truyols-Massoni, M. (2004): La sedimentación marina devónico-carbonífera. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 475-479.
- Carozza, J.-M. i Baize, S. (2004): L'escarpement de la Têt est-il le résultat de la tectonique active Plio-Pléistocene? *C.R.Geoscience*, **336**, 217-226.
- Casassas, L. i Riba, O. (1992): Morfología de la Rambla barcelonina. *Treballs de la Societat Catalana de Geografia*, **33-34(VII)**, 9-23.
- Cerdà, I. (1855): *Ensanche de la ciudad de Barcelona: Memoria descriptiva del anteproyecto*.
- Cerdà, I. et al. (1855): *Plano topogràfic dels voltants de la Ciudad de Barcelona 1:15000*.
- Charmichael, R.S. (1984): *Handbook of physical properties of rocks*. CRC Press, p. 345.
- CLABSA (1997): *Hidrogeología del Pla de Barcelona*. Ajuntament de Barcelona - Comissió de Medi Ambient i Serveis Urbans, p. 40.
- Cornell, C.A. (1968): Engineering seismic risk analysis. *Bulletin of the Seismological Society of America*, **58(5)**, 1583-1606.
- Cravatte, J. (1980): *Étude microstratigraphique du Miocène et essai de correlations entre les forages de TE-2, Garraf-1, BMB-1, BMC-1 et BME-1. TOTAL, CFP*. Informe no publicat (R.L. nº 1963), París.

- Crone, A.J., Machette, M.N. i Bowman, J.R. (1992): Geologic investigations of the 1988 Tennant Creek, Australia, earthquakes - Implications for paleoseismology in stable continental regions. *U.S.GeoL Survey Bull.*, **2032-A**, A1-A51.
- Crozier, M.J. (1992): Determination of paleoseismicity from landslides. In: Bell, D.H. (ed.) *Landslides (Glissements de terrain)*. Int. Symp., Christchurch, New Zealand. A. A. Balkema, 1173-1180.
- DeMets, Ch., Gordon, R.G., Argus, D.F. i Stein, S. (1990): Current plate motions. *Geophysical Journal International*, **101**, 425-478.
- Densmore, A.L., Ellis, M.A. i Anderson, R.S. (1998): Landsliding and the evolution of normal fault-bounded mountains. *Journal of Geophysical Research*, **103**, 15203-15219.
- Dewey, J.F., Helman, M.L., Turco, E., Hutton, D.H.W. i Knots, S.D. (1989): Kinematics of the Western Mediterranean. In: Coward, M.P., Dietrich, D. i Park, R.G. (eds.) *Alpine Tectonics*. Geol. Soc. London, 265-283.
- Déverchère, J., Yelles, K., Domzig, A., Mercier de Lépinay, B., Bouillin, J.-P., Gaullier, V., Bracène, R., Calais, E., Savoye, B., Kherroubi, A., Le Roy, P., Pauc, H. i Dan, G. (2005): Active thrust faulting offshore Boumerdes, Algeria, and its relations to the 2003 Mw 6.9 earthquake. *Geophys.Res.Letters*, **32( 4)**, L04311.
- Doglioni, C. (1991): A proposal for the kinematic modelling of the W-dipping subduction: possible applications of the Tyrrhenian-Apennines system. *Terra Nova*, **3**, 423-434.
- Doglioni, C., Gueguen, E., Harabaglia, P. i Mongelli, F. (1999): On the origin of the W-directed subduction zones and applications to the Western Mediterranean. In: Durand, B., Jolivet, L., Horváth, F. i Séranne, M. (eds.) *The Mediterranean basins: Tertiary extension within the Alpine Orogen*. 541-561.
- Ellis, M.A., Densmore, A.L. i Anderson, R.S. (1999): Development of mountainous topography in the Basin and Ranges, USA. *Basin Research*, **11**, 21-41.
- Enrique, P. i Solé, J. (2004): El basamento ígneo. Las rocas intrusivas de la Cordillera Costero-Catalana. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 481-484.
- Ferrer, P., Masana, E. i Santanach, P. (1999): Expresión geomorfológica de la actividad reciente de la falla de Amer (NE de la Península Ibérica). *Acta Geol. Hispánica*, **31(4 (1996))**, 17-24.
- Fleta, J., Santanach, P., Martínez, P., Goula, X., Grellet, B. i Masana, E. (2000): Geologic, geomorphologic and geophysic approaches for the paleoseismological analysis of the Amer fault (NE Spain). *HAN2000 Paleosis: Evaluation of the potential for the large earthquakes in regions of present day low seismic activity in Europe. Belgium*, 13-17 March. 13-17.
- Fleta, J., Santanach, P., Goula, X., Martínez, P., Grellet, B. i Masana, E. (2001): Preliminary geologic, geomorphologic and geophysical studies for the paleoseismological analysis of the Amer fault (NE Spain). *Netherlands Journal of Geosciences / Geologie en Mijnbouw*, **80(3-4)**, 243-253.
- Fontboté, J.M. (1954): Las relaciones tectónicas de la depresión del Vallès-Penedès con la Cordillera Prelitoral y con la depresión del Ebro. Tomo homenaje al profesor E. Hernández Pacheco. *Rev. Soc. Esp. Hist. Nat.*, 281-310.
- Fontserè, E. (1927): El temblor de tierra del 12 de Marzo del 1927. *Revista Ibérica*, **23-IV-1327**, 675.
- Fontserè, E. i Iglésies, J. (1971): *Recopilació de dades sísmiques de les terres catalanes entre 1100 i 1906*. Fundació Salvador Vives Casajuana, p. 548.
- Friederich, A.M., Wernicke, B.P., Niemi, N.A., Bennett, R.A. i Davis, J.L., eds. (2003): Comparison of geodetic and geologic data from the Wasatch region, Utah, and implications for the spectral character of Earth deformation at periods of 10 to 10 million years. *Journ. of Geoph.Res.*, **108(B4)**, 2199.
- Frizon de Lamotte, D., Andrieux, J. i Guézou, J.C. (1991): Cinématique des chevauchements Néogènes dans l'arc Bético-Rifains, discussion sur les modèles géodynamiques. *Bull.Soc.Géol.France*, **4**, 611-626.

Galli, P. (2000): New empirical relationship between magnitude and distance for liquefactions. *Tectonophysics*, **324**, 169-187.

García-Rossell, L. (1972): *Mapa Geológico de España E. 1:200000. Síntesis de la cartografía existente. N° 64 (Alcoy)*. IGME.

Gaspar-Escribano, J.M., García-Castellanos, D., Roca, E. i Cloetingh, S. (2004): Cenozoic vertical motions of the Catalan Coastal Ranges (NE Spain): The role of the tectonics, isostacy, and surface transport. *Tectonics*, **23**, TC1004.

Gasperini, P. i Ferrari, G. (1995): Stima dei parametri sintetici. In: Boschi, E., Ferrari, G., Gasperini, P., Guidoboni, E., Smriglio, G. i Valensise, G. (eds.) *Catalogo dei forti terremoti in Italia dal 461 a.C. al 1980*. ING-SGA, 96-111.

Gasperini, P. i Ferrari, G. (1997): Stima dei parametri sintetici: nuove elaborazioni. In: Boschi, E., Guidoboni, E., Ferrari, G., Valensise, G. i Gasperini, P. (eds.) *Catalogo dei forti terremoti in Italia dal 461 a.C. al 1990*. ING-SGA, 56-64.

Gasperini, P., Bernardini, F., Valensise, G. i Boschi, E. (1999): Defining seismogenic sources from historical earthquake felt report. *Bulletin of the Seismological Society of America*, **89(1)**, 94-110.

Gelabert, B., Sàbat, F. i Rodríguez-Perea, A. (2002): A new proposal for the late Cenozoic geodynamic evolution of the western Mediterranean. *Terra Nova*, **14**, 93-100.

Giner, J. (1996): *Análisis neotectónico y sismotectónico en el sector centro-oriental de la cuenca del Tajo*. Tesi Doctoral, Univ. Complutense de Madrid, p.345.

Goldfinger, C., Nelson, C.H., Johnson, J.E. i Shipboard Scientific Party (2003): Holocene earthquake records from Cascadia subduction zone and northern San Andreas Fault based on precise dating of offshore turbidites. *Ann.Rev.Earth Planet.Sci.*, **31**, 555-577.

Gómez, M. i Guimerà, J. (1999): Estructura alpina de la Serra de Miramar y del NE de las Muntanyes de Prades (Cadena Costera Catalana). *Rev.Soc.Geol.España*, **12(3-4)**, 405-418.

González, G. i Carrizo, D. (2003): Segmentación, cinemática y cronología relativa de la deformación tardía de la Falla Salar del Carmen, Sistema de fallas de Atacama, (23°40'S), norte de Chile. *Revista Geológica de Chile*, **30(2)**, 223-244.

Goula, X. (2001): Gestió del risc sísmic a Catalunya. *1es Jornades del CRECIT: La gestió dels riscos naturals. Andorra, setembre 2001*, 32-60.

Goula, X., Olivera, C., Escuer, J., Fleta, J., Grellet, B. i Bousquet, J.C. (1992): Neotectonics and seismicity of the area of the seismic crisis of 1427-28 in Catalonia. *Proceedings of the 22nd General Assembly of the European Seismological Comission, Barcelona*, 333-338.

Goula, X., Olivera, C., Fleta, J., Grellet, B., Lindo, R., Rivera, L., Cisternas, A. i Carbon, D. (1999): Present and recent stress regime in the eastern part of the Pyrenees. *Tectonophysics*, **308**, 487-502.

Gourinard, Y. (1971): Les Moraines de la basse vallée du Carol entre Latour et Puigcerda (Pyrénées orientales franco-espagnoles). *C.R.Acad.Sci Paris*, **272**, 3112-3115.

Goy, J.L., Rey, J., Díaz del Río, V. i Zazo, C. (1987): Relación entre las unidades morfológicas cuaternarias del litoral y de la plataforma intermedia-media de Valencia (España): implicaciones paleogeográficas. *Geol.Amb.Ord.Territorio*, **2**, 1369-1384.

Gozalo, R., Liñán, E., Gámez-Vintaned, J.A. i Dies, M.E. (2004): La transgresión cambrica y sus fluctuaciones. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 471-473.

Gràcia, E., Pallàs, R., Soto, J.I., Comas, M., Moreno, X., Masana, E., Santanach, P., Diez, S., Garcia, M., Dañobeitia, J.J. i HITS Team (2006): Active faulting offshore SE Spain (Alboran Sea): Implications for Earthquake hazard assessment in the south Iberian margin. *Earth Planet.Sci.Lett.*, **241**, 734-749.

- Gueguen, E., Doglioni, C. i Fernández, M. (1998): On the post-25 Ma geodynamic evolution of the western Mediterranean. *Tectonophysics*, **298**, 259-269.
- Guérin, G., Benhamou, G. i Mallarach, J.M. (1986): Un exemple de fusió parcial en medi continental. El vulcanisme quaternari de Catalunya. *Vitrina*, 20-26.
- Gutiérrez-Marco, J.C., Herranz, P., Pieren, A., Rábano, I., Sarmiento, G.N., de San José, M.A., Barnolas, A. i Villas, E. (2004): El margen pasivo ordovícico-silúrico. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 473-475.
- Hamblin, W.K. (1976): Patterns of displacement along the Wasatch fault. *Geology*, **4**, 619-622.
- Hanks, T. i Kanamori, A. (1979): A moment magnitude scale. *Journal of Geophysical Research*, **84**, 2348-2350.
- Havskov, J. i Ottemöller, L. (2001): *SEISAN: the earthquake analysis software; version 7.2..* University of Bergen, p. 260.
- Herraiz, M., De Vicente, G., Lindo-Ñaupari, R., Giner, J., Simón, J.L., González-Casado, J.M., Vadillo, O., Rodriguez-Pascua, M.A., Cicuéndez, J.I., Casas, A., Cabañas, L., Rincón, P., Cortés, A.L., Ramírez, M. i Lucini, M. (2000): The recent (upper Miocene to Quaternary) and present tectonic stress distribution in the Iberian Peninsula. *Tectonics*, **19(4)**, 762-786.
- Hovius, N. (1996): Regular spacing of drainage outlets from linear mountain belts. *Basin Research*, **8**, 29-44.
- ICC (2000): *Memòria del Mapa Geotectònic de Barcelona*. (CD-ROM)
- ICC (2002): *Bulletí sismològic 2002*. Institut Cartogràfic de Catalunya, p. 22.
- Idriss, I.M. (1990): Response of soft soils sites during earthquakes. *H. Bolton Seed Mem. Symp. Proceedings*, **2**, 273-289.
- IGME (1972a): *Mapa Geológico de España E. 1:2000000. Síntesis de la cartografía existente. N° 55 (Liria)*. IGME.
- IGME (1972b): *Mapa Geológico de España E. 1:2000000. Síntesis de la cartografía existente. N° 56 (Valencia)*. IGME.
- IGME (1973): *Mapa Geológico de España E. 1:2000000. Síntesis de la cartografía existente. N° 63 (Albacete-Onteniente)*. IGME.
- IGN (2001): *Catálogo Sísmico Nacional hasta el 2001*.
- Jiménez, M.-J., García-Fernández, M. i the GSHAP Ibero-Maghreb Working Group (1999): Seismic hazard assessment in the Ibero-Maghreb region. *Annali di Geofisica*, **42(6)**, 1057-1066.
- Johnston, A. i Halchuk, S. (1993): The seismicity data base for the Global Seismic Hazard Assessment Program. *Annali di Geofisica*, **36(3-4)**, 133-151.
- Jolivet, L., Daniel, J.M., Truffert, C. i Goffé, B. (1994): Exhumation of deep crustal metamorphic rocks and crustal extension in back-arc regions. *Lithos*, **33**, 3-30.
- Jolivet, L., Faccenna, C., Goffé, B., Mattei, M., Rossetti, F., Brunet, C., Storti, F., Funiciello, R., Cadet, J.P. i Parra, T. (1998): Mid-crustal shear zones in post-orogenic extension: The northern Tyrrhenian Sea case. *Journ.of Geoph.Res.*, **103**, 12123-12160.
- Jolivet, L., Frizon de Lamotte, D., Mascle, A. i Séranne, M. (1999): The Mediterranean basins: Tertiary extension within the Alpine Orogen - An introduction. In: Durand, B., Jolivet, L., Horváth, F. i Séranne, M. (eds.) *The Mediterranean basins: Tertiary extension within the Alpine Orogen*. 1-14.
- Jurado, M.J. i Müller, B. (1997): Contemporary tectonic stress in NE Iberia. New results from borehole breakout analysis. *Tectonophysics*, **282**, 99-115.

- Keefer, D.K. (1984): Landslides caused by earthquakes. *Geol.Soc.Am.Bull.*, **95**, 406-421.
- Keller, E.A. i Pinter, N. (1996): *Active tectonics: earthquakes, uplift and landscape*. Prentice Hall, p. 338.
- Kiratzi, A. i Papazachos, C.B. (1995): Active crustal deformation from the Azores triple junction to the Middle East. *Tectonophysics*, **243**, 1-24.
- Lago, M., Arranz, E., Gil, A. i Pocoví, A. (2004): Magmatismo asociado. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 522-527.
- Lastras, G., Canals, M., Hughes-Clarke, J.E., Moreno, A., De Batist, M., Masson, D.G. i Cochonat, P. (2002): Seafloor imagery from the BIG'95 debris flow, western Mediterranean. *Geology*, **30(10)**, 371-374.
- Lastras, G., Canals, M., Urgeles, R., De Batist, M., Calafat, A.M. i Casamor, J.L. (2004): Characterisation of the recent BIG'95 debris flow deposits on the Ebro margin, western Mediterranean sea, after a variety of seismic reflection data. *Marine Geology*, **213**, 235-255.
- Lázaro, R. (2001): *Prospección gravimétrica en zonas urbanas: aplicación al estudio del subsuelo de la ciudad de Barcelona*. Tesi Doctoral, Universitat de Barcelona, p.257.
- Leeder, M.R. i Jackson, J.A. (1993): The interaction between normal faulting and drainage in active extensional basins, with examples from the western United States and central Greece. *Basin Research*, **5**, 79-102.
- Liesa, M. (2004): El metamorfismo varisco de la zona axial de los Pirineos. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 258-263.
- Liñán, E., Gámez-Vintaned, J.A., de San José, M.A. i Tejero, R. (2004): El sustrato paleozoico. In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 470-471.
- Litehiser, J.J. i Marrone, J.E. (1991): Seismic hazard in the area of northeast Spain. In: Mezcua, J. i Udías, A. (eds.) *Seismicity, seismotectonics and seismic risk of the Ibero-Maghrebian region*. IGN, 325-348.
- Lonergan, L. i White, N. (1997): Origin of the Betic-Rif mountain belt. *Tectonics*, **16(3)**, 504-522.
- Losantos, M., Aragonès, E., Berástegui, X., Palau, J. i Puigdefàbregas, C. (1989): *Mapa geològic de Catalunya 1:250000*. ICC.
- López Casado, C., Molina, S., Giner, J. i Delgado, J. (2000): Magnitude-intensity relationship in the Ibro-Magrebian region. *Natural Hazards*, **22**, 271-297.
- López Marinas, J.M. (1982): ¿Uno o dos terremotos catastróficos a fines del siglo XIV en el Reino de Valencia? *Rev.Inst.Estudios Alicantinos*, **36**, 59-72.
- Macau, A., González, M., Figueras, S. i Susagna, T. (2004): Field studies for the seismic microzonation of Cerdanya (Girona) and Andorra la Vella (Andorra). *International workshop: Challenges for geomagnetism, aeronomy and seismology in the XXI century on the occasion of the Centennial of the Ebro Observatory, 29 September - 1 October, Program and Abstracts*, 49.
- Machette, M.N. (1998): Contrasts between short- and long-term records of seismicity in the Rio Grande rift: important implications for seismic-hazard analysis in areas of slow extension. In: Lund, W.R. (ed.) *Western states seismic policy council proceedings volume, Basin and Range Province seismic-hazard summit*. 84-95.
- Machette, M.N. (2000): Active, capable, and potentially active faults: a paleoseismic perspective. *Jour.Geodynamics*, **29**, 387-392.
- Machette, M.N., Crone, A.J. i Bowman, J.R. (1993): Geologic investigations of the 1986 Marryat Creek, Australia, Earthquake - Implications for paleoseismicity in stable continental regions. *U.S.Geol.Survey Bull.*, **2032-B**, B1-B29.
- Malinverno, A. i Ryan, W. (1986): Extension in the Tyrrhenian sea and shortening in the Appennines as result of the migration driven by sinking of the lithosphere. *Tectonics*, **5**, 227-245.

- Marques, M.A. i Mora, E. (1992): The Influence of Aspect on Runoff and Soil Loss in A Mediterranean Burnt Forest (Spain). *Catena*, **19(3-4)**, 333-344.
- Martinell, J. (1988): An overview of the marine Pliocene of NE Spain. *Géol.Méditerr.*, **15(4)**, 227-233.
- Martínez del Olmo, W., Soler, R. i Megías, A.G. (1985): Stratigraphic correlation tables: areas 5a and 5b Valencia Platform, N Balearic Trough. In: Steininger, F.F., Senes, J., Kleemann, K. i Rögl, F. (eds.) *Neogene of the Mediterranean, Tethys and Paratethys*. Inst. Paleontology - Viena Press, 22-23.
- Martínez Gallego, J., Goy, J.L. i Zazo, C. (1987): Un modelo de mapa neotectónico en la región nor-oriental de la Provincia de València (España). *Estudios Geol.*, **43**, 57-62.
- Martínez Solares, J.M. i Mezcua, J. (2002): *Catálogo sísmico de la Península Ibérica (880 a.C. - 1900)*. Instituto Geográfico Nacional, Monografía nº18, p. 253.
- Masana, E. (1995): *L'activitat neotectònica a les Cadenes Costaneres Catalanes*. Tesi Doctoral, Universitat de Barcelona, p.444.
- Masana, E. (1996): Evidence for past earthquakes in an area of low historical seismicity: the Catalan coastal ranges, NE Spain. *Annali di Geofisica*, **XXXIX**, 689-704.
- Masana, E., Villamarín, J.A., Sánchez Cabañero, J., Plaza, J. i Santanach, P. (2000): Seismological behaviour of a fault with no historical seismicity: El Camp fault (northeastern Iberian Peninsula). *Evaluation of the potential for large earthquakes in regions of present day low seismic activity in Europe, workshop 13-17 March Han-Sur-Lesse, Belgium*. 101-104.
- Masana, E., Villamarín, J.A., Sánchez Cabañero, J., Plaza, J. i Santanach, P. (2001a): A seismogenic fault in a low seismic area. *Geol.en Mijnbouw/Netherlands J.Geosc.*, **80 (3-4)**, 229-241.
- Masana, E., Villamarín, J.A. i Santanach, P. (2001b): Paleoseismic results from multiple trenching analysis along a silent fault: The El Camp fault (Tarragona, northeastern Iberian Peninsula). *Acta Geol.Hisp.*, **3-4**, 329-354.
- Matias, I. (1991): *Els nannofòssils calcaris del Pliocè de la Mediterrània nord occidental*. Tesi Doctoral, Universitat de Barcelona, p.241.
- Mayer, L. (1986): Tectonic geomorphology of escarpments and mountain fronts. In: Wallace, R.E. (ed.) *Active Tectonics*. National Academy press, 125-135.
- McCalpin, J. (1996): *Paleoseismology*. Academic Press cop., p. 588.
- McCalpin, J. i Nelson, A.R. (1996): Introduction to paleoseismology. In: McCalpin, J. (ed.) *Paleoseismology*. Academic Press, 1-32.
- McClusky, S.R., Reilinger, S., Mahmoud, D., Ben Sari i Tealeb, A. (2003): GPS constraints on Africa (Nubia) and Arabia plate motions. *Geophysical Journal International*, **155**, 126-138.
- McGuire, R.K. (1993): Computations of seismic hazard. *Annali di Geofisica*, **36(3-4)**, 181-200.
- Medialdea, J., Maldonado, A., Alonso, B., Díaz, J. L., Farrán, M., Giró, S., Vázquez, A., Sainz-Amor, E., Martínez, A. i Medialdea, T. (1986): *Mapa geológico de la plataforma continental española y zonas adyacentes, escala 1:200000 (Tortosa-Tarragona)*. IGME.
- Mezcua, J. i Martínez Solares, J.M. (1983): *Sismicidad del área Íbero-Magrebí*. Publicaciones del Instituto Geográfico Nacional, **203**, p. 299.
- Moos, D. i Zoback, M.D. (1990): Utilization of observations of well bore failure to constrain the orientation and magnitude of crustal stresses: Application to Continental, Deep Sea Drilling Project, and Ocean Drilling Program boreholes. *Journ.of Geoph.Res.*, **95(B6)**, 9305-9325.
- Mörner, N.-A. i Adams, J., eds. (1989): Paleoseismicity and neotectonics. *Tectonophysics*, **163**, 181-340.

Muller, C., Hopper, M. i Frankel, A. (1997): *Preparation of earthquake catalogs for the National Seismic-Hazard Maps: Contiguous 48 states.* U.S. Geological Survey, Open-file Report 97-464.

NCSR-02 (2002): *Norma de Construcción Sismoresistente NCSE-02 . Parte general y edificaciones.* BOE nº 244. 35898-35967.

NRC (1997): *Regulatory guide 1.165, Identification and characterization of seismic sources and determination of safe shutdown earthquakes ground motions.*

Núñez, A., Colodrón, I., Ruiz, V., Cabañas, I. i Uralde, M. A. (1980): *Mapa geológico de España, escala 1:50 000, Hoja nº 33-18 de Reus, mem. expl.* 33 pp. IGME.

Ojeda, A., Atakan, K., Masana, E., Santanach, P., Jiménez, M.-J. i García-Fernández, M. (2002): Integration and influence of paleoseismic and geologic data for the seismic hazard evaluation in the Catalan coastal ranges, Spain. *Soil Dynamics and Earthquake Engineering*, **22**, 911-916.

Olivera, C., Riera, A. i Roca, A. (1990): Study of the 1427 earthquakes in Catalonia. *Proceedings and activity report. XXII General assembly. European seismological comission.* 327-332.

Olivera, C., Redondo, E., Riera, A., Lambert, J. i Roca, A. (1999): Problems in assessing focal parameters to earthquake sequences from historical investigations: the 1427 earthquake in Catalonia. In: García García, J.M. i Romacho Romero, M.D. (eds.). *1ª Asamblea Hispano-Portuguesa de Geodesia y Geofísica.* Sim2-07.

Olivera, C., Redondo, E., Lambert, J., Riera, A. i Roca, A. (2004): Los terremotos destructores bajomedievales en Cataluña (NE de la Península Ibérica). *4ª Asemblea Hispano Portuguesa de Geodesia y Geofísica, Figueira da Foz 2004.*

Ortí, F. i Vaquer, R. (1980): Volcanismo jurásico del sector valenciano de la Cordillera Ibérica. Distribución y trama estructural. *Acta Geol.Hispánica*, **15(5)**, 127-130.

Pantosti, D. (1997): Modern approaches in paleoseismology. In: Giardini, D. i Balassanian, S. (eds.) *Historical and prehistorical earthquakes in the Caucasus.* NATO, 147-167.

Papadopoulos, G.A. i Lefkopulos, G. (1993): Magnitude-distance relation for liquefaction in soil from earthquakes. *Bulletin of the Seismological Society of America*, **83**, 925-938.

Pardo, G., Arenas, C., González, A., Luzón, A., Muñoz, A., Pérez, A., Pérez-Rivarés, F.J., Vázquez-Urbex, M. i Villena, J. (2004): La cuenca del Ebro. In: Vera, J.A. (ed.) *Geología de España.* SGE-IGME, 533-543.

Patacca, E., Sartori, R. i Scandone, P. (1990): Thyrrenian basin and Apenninic arcs: kinematics relations since late Tortonian times. *Memorie della Società Geologica Italiana*, **45**, 425-451.

Patriat, P., Segoufin, J., Schlich, R., Goslin, J., Auzende, J., Beuzart, P., Bonin, J. i Olivet, J. (1982): Les mouvements relatifs de l'Inde, de l'Afrique et de l'Eurasie. *Bull.Soc.Géol.France*, **XXIV**, 363-373.

Peláez, J.A. i López Casado, C. (2002): Seismic hazard estimate at the Iberian Peninsula. *Pure Appl.Geophys.*, **159**, 2699-2713.

Perea, H., Figueiredo, P.M., Carner, J., Gambini, S., Boydell, K. i participants in the Europaleos course (2003): Paleoseismological data from a new trench across the El Camp Fault (Catalan Coastal Ranges, NE Iberian Peninsula). *Annals of Geophysics*, **46(5)**, 763-774.

Perea, H., Masana, E. i Santanach, P. (en premsa): A pragmatic approach to seismic parameters in a region with low seismicity: the case of eastern Iberia. *Natural Hazards.*

Philip, H., Bousquet, J.C., Escuer, J., Fleta, J. i Goula, X. (1992): Presence de failles inverses d'âge quaternaire dans l'Est des Pyrénées: implications sismotectoniques. *C.R.Acad.Sci.Paris*, **314**, 1239-1245.

Pitman, W.E. i Talwani, M. (1972): Sea-floor spreading in the north Atlantic. *Geol.Soc.Am.Bull.*, **83**, 619-649.

Platt, J.P. (1993): Exhumation of high-pressure rocks: A review of concept and processes. *Terra Nova*, **5**,

119-133.

- Platt, J.P. i Vissers, R.L.M. (1989): Extensional collapse of thickened continental lithosphere: A working hypothesis for the Alboran Sea and Gibraltar Arc. *Geology*, **17**, 540-543.
- Polonia, A., Gasperini, L., Amorosi, A., Bonatti, E., Bortoluzzi, G., Cagatay, N., Capotondi, L., Cormier, M.H., Gorur, N., McHugh, C. i Seeber, L. (2004): Holocene slip rate of the North Anatolian Fault beneath the Sea of Marmara. *Earth Planet.Sci.Lett.*, **227**, 411-426.
- Pous, J., Julià, R. i Solé Sugrañes, L. (1986): Cerdanya basin geometry and its implications on the Neogene evolution of the Eastern Pyrenees. *Tectonophysics*, **129**, 355-365.
- Pujadas, J., Casas, J.M., Muñoz, J.A. i Sàbat, F. (1989): Thrust tectonics and paleogene syntectonic sedimentation in the Empordà area, sputtheastern Pyrenees. *Geodinamica Acta*, **3(3)**, 195-206.
- Reasenberg, P.A. (1985): Second-order moment of central California seismicity. *Journal of Geophysical Research*, **90**, 5479-5495.
- Reid, H. (1910): *The mechanism of the earthquake. The California earthquake of April 18, 1906: Report of the State Earthquake Investigation Commission*. Carnegie Institution, 1-192.
- Reiter, L. (1991): *Earthquake hazard analysis: Issues and insights*. Columbia University Press, p. 254.
- Riba, O. (1997): *Diccionari de Geologia*. Institut d'Estudis Catalans, p. 1407.
- Rivera, L. i Cisternas, A. (1990): Stress tensor and fault plane solutions for a population of earthquake. *Bulletin of the Seismological Society of America*, **80(3)**, 600-614.
- Roca, A. i Udias, A. (1976): Sismicidad y riesgo sísmico de la zona de Cataluña y Pirineos. *Rev.Geofísica*, **XXXV(3-4)**, 183-207.
- Roca, E. (1986): *Estudi geològic de la fossa de la Cerdanya*. Tesi de Llicenciatura, Universitat de Barcelona, p.109.
- Roca, E. (1992): *L'estrucció de la conca Catalano-Balear: paper de la compressió i de la distensió en la seva gènesi*. Tesi Doctoral, Universitat de Barcelona, p. 330.
- Roca, E. (1996): La evolución geodinámica de la Cuenca Catalano-Balear y áreas adyacentes desde el Mesozoico hasta la actualidad. *Acta Geol.Hispánica*, **29(1)**, 3-25.
- Roca, E. (2001): The northwestern mediterranean basin (Valencia trough, Gulf of Lions and Liguro-Provençal basins): Structure and geodynamic evolution. In: Ziegler, P.A., Cavazza, W., Robertson, A.H.F. i Crasquin-Soleau, S. (eds.) *Peri-Tethys Memoir 6: Peri-Tethyan rift - Wrench basins and passive margins*. 671-706.
- Roca, E. (2004): Estructura, estratigrafía y evolución tectonosedimentaria de las cuencas neógenas de la Cerdanya y Seu d'Urgell (Pirineos orientales). In: Vera, J.A. (ed.) *Geología de España*. SGE-IGME, 573-576.
- Roca, E. i Guimerà, J. (1992): The Neogene structure of the eastern Iberian margin: structural constrains on the crustal evolution of the Valencia trough (western Mediterranean). *Tectonophysics*, **203**, 203-218.
- Roca, E., Sans, M., Cabrera, L. i Marzo, M. (1999a): Oligocene to Middle Miocene evolution of the central Catalan margin (northwestern Mediterranean). *Tectonophysics*, **315**, 209-233.
- Roca, E., Sans, M., Cabrera, L. i Marzo, M. (1999b): Modelo tectonosedimentario del sector central y septentrional del margen catalán sumergido (cubetas de Barcelona, Sant Feliu, Begur y Riumors-Roses). In: Álvarez de Buero, E., Marten, R., Villalobos, L. i Varela, J. (eds.) *Libro homenaje a José Ramírez del Pozo*. AGGEPE, 199-217.
- Rockwell, T.K., Keller, E.A. i Johnson, D.L. (1985): Tectonic geomorphology of alluvial fans and mountain fronts near Ventura, California. In: Morisawa, M. i Hack, J.T. (eds.) *Tectonic geomorphology*. Unwin Hyman, 183-207.

Roest, W.R. i Srivastava, S.P. (1991): Kinematics of the plate boundaries between Eurasia, Iberia and Africa in the North Atlantic from the Late Cretaceous to the present. *Geology*, **19**, 613-616.

Royden, L.H. (1993): Evolution of the retreating subduction boundaries formed during continental collision. *Tectonics*, **12**, 629-638.

Rubio, C. i Kindelán, A. (1909): Apuntes para el estudio de la hidrogeología subterránea del llano de Barcelona. *Bol.Com Mapa Geol.Esp. IGME*, **30**, 93-102.

Sàbat, F., Roca, E., Muñoz, J.A., Vergés, J., Santanach, P., Sans, M., Masana, E., Estévez, A. i Santisteban, C. (1997): Role of extension and compression in the evolution of the eastern margin of Iberia: the ESCI-Valencia Trough seismic profile. *Rev.Soc.Geo.España*, **8(1995)**, 431-448.

Sala, M. (1978): *La cuenca del Tordera. Estudio geomorfológico*. Tesi Doctoral, Universitat de Barcelona, p. 255.

Salas, R., Guimerà, J., Mas, R., Martín-Closas, C., Meléndez, A. i Alonso, A. (2001): Evolution of the Mesozoic Central Iberian Rift System and its Cainozoic inversion (Iberian Chain). In: Cavazza, W., Robertson, A.H.F., Ziegler, P.A. i Crasquin-Soleau, S. (eds.) *Peri-Tethys Memoir 6: Peri-Tethyan rift - Wrench basins and passive margins*. 145-185.

Santanach, P., Masana, E. i Perea, H. (2002): Structure of the Montroig scarp (El Camp fault, NE Iberian Peninsula). *XXVIII General Assembly of the European Seismological Commission (ESC), 1-6 September 2002 Genoa, Italy. Book of abstracts*. 204.

Santanach, P., Masana, E. i Villamarín, J.A. (2001): *Proyecto Datación*. Consejo de Seguridad Nuclear, p. 159.

Saula, E., Picart, J., Mató, E., Llenas, M., Losantos, M., Berástegui, X. i Agustí, J. (1996): Evolución geodinámica de la fosa del Empordà y las Sierras Transversales. *Acta Geol.Hispánica*, **29(2-4 (1994))**, 55-75.

Savostin, L.A., Sibuet, J.C., Zonenshain, L.P., Le Pichon, X. i Roulet, M.J. (1986): Kinematic evolution of the Tethis "calcareous" volcanism of Sardinia (Italy). *Tectonophysics*, **123(1-4)**, 1-35.

Schindler, A., Jurado, M.J. i Müller, B. (1998): Stress orientation and tectonic regime in the northwestern Valencia Trough from borehole data. *Tectonophysics*, **300**, 63-77.

Scholz, C. (2002): *The mechanics of earthquakes and faulting*. Cambridge University Press, p. 471.

Schwartz, D.P. (1988): Geologic characterization of seismic sources: moving into the 1990's. *Earthquake engineering and soil dynamics II proceedings. GT Division, ASCE, Park City, Utha, USA; June 1988*. 42.

Schwartz, D.P. i Coppersmith, K.J. (1984): Fault behavior and characteristic earthquakes: examples from the Wasatch and San Andreas fault zones. *Journ.of Geoph.Res.*, **89**, 5681-5698.

Secanell, R., Goula, X., Susagna, T., Fleta, J. i Roca, A. (2004): Seismic hazard zonation of Catalonia, Spain, integrating random uncertainties. *Journal of Seismology*, **8**, 25-40.

Serri, G., Innocenti, F. i Manetti, P. (1993): Geochemical and petrological evidences of subduction of delaminated Adriatic continental lithosphere in the genesis of the Neogene-Quaternary magmatism of central Italy. *Tectonophysics*, **223**, 117-147.

Shimazaki, K. i Nakata, T. (1980): Time predictable recurrence model for large earthquakes. *Geophys.Res.Letters*, **7**, 279-282.

Sieh, K. (1981): A review of geological evidence for recurrence times of large earthquakes. In: Simpson, D. i Richards, P. (ed.) *Earthquake prediction, an international review*, Maurice Ewing Ser. AGU, 181-207.

Silva, P.G., Goy, J.L., Zazo, C. i Bardají, T. (2003): Fault-generated mountain fronts in southeast Spain: geomorphologic assessment of tectonic and seismic activity. *Geomorphology*, **50**, 203-225.

Solé Sabaris, L. (1963): Ensayo de interpretación del cuaternario barcelonés. *Miscellania Barcinonensis*, **3**,

7-54.

Spudich, P., Joyner, W., Lindh, A., Boore, D., Margaris, B. i Fletcher, J. (1999): SEA99 - A revised ground motion prediction relation for use in extensional tectonic regimes. *Bulletin of the Seismological Society of America*, **89**, 1156-1170.

Srivastava, S.P., Roest, W.R., Kovacs, L.C., Oakey, G., Lévesque, S., Verhoef, J. i Macnab, R. (1990): Motion of Iberia since the Late Jurassic: Results from detailed aeromagnetic measurements in the Newfoundland Basin. *Tectonophysics*, **184(3/4)**, 229-260.

Stepp, J.C. (1971): *On investigation of earthquake risk in the Puget Sound area by use of the type I distribution of largest extremes*. Tesi Doctoral, Univ. Park. Pennsylvania State University, p. 131.

Stewart, I.S. (2005): Neotectonics. In: Selley, R.C., Cocks, L.R.M. i Plimer, I.R. (eds.) *Encyclopedia of geology*. Elsevier Academic Press, 425-428.

Stewart, I.S. i Hancock, P.L. (1994): Neotectonics. In: Hancock, P.L. (ed.) *Continental deformation*. Pergamon Press, 370-409.

Stirling, M.W., Rhoades, D. i Berryman, K.R. (2002): Comparison of earthquake scaling relations derived from data of the instrumental and preinstrumental era. *Bulletin of the Seismological Society of America*, **92(2)**, 812-830.

Stuiver, M. i Polach, H. (1977): Discussion; reporting of C-14 data. *Radiocarbon*, **19(3)**, 355-363.

Stuiver, M. i Reimer, P.J. (1993): Extended (super 14) C database and revised CALIB 3.0 (super 14) C age calibration program. *Radiocarbon*, **35**, 215-230.

Susagna, T. i Goula, X. (1999): *Atlas sísmic de Catalunya. Volum 1: Catàleg de sismicitat*. Institut Cartogràfic de Catalunya, p. 436.

Susagna, T., Goula, X. i Roca, A. (2000): Volumen 1 del Atlas Sísmico de Cataluña. *2<sup>a</sup> Asamblea Hispano-Portuguesa de Geodesia y Geofísica, Portugal, Febrero 8-12, 2000* (CD-ROM)

Talling, P.J., Stewart, M.D., Stark, C.P., Gupta, S. i Vincent, S.J. (1997): Regular spacing of drainage outlets from linear fault blocks. *Basin Research*, **9**, 275-302.

Tassone, A., Roca, E., Muñoz, J.A., Cabrera, L. i Canals, M. (1996): Evolución del sector septentrional del margen continental catalán durante el Cenozoico. *Acta Geol.Hispánica*, **29(2-4)**, 3-37.

Urgeles, R., Leynaud, D., Lastras, G., Canals, M. i Mienert, J. (2006): Back-analysis and failure mechanisms of a large submarine slide on the ebro slope, NW Mediterranean. *Marine Geology*, **226(3-4)**, 185-206.

Ventayol, A., Albaigés, A., Cortal, J. M., Gallart, F., López, C., López, J. L. i Santaeulària, J. (1978): *Mapa geotectónico de Barcelona, Esplugues, l'Hospitalet, Sant Adrià, Santa Coloma 1:25000*.

Vergés, J., Lewis, C. i Marzo, M. (1996): Drenage fluvial y topografia ligados a extensión: NE de Iberia. *Geogaceta*, **20(4)**, 850-852.

Vergés, J. i Sàbat, F. (1999): Constraints on the Neogene Mediterranean kinematics evolution along a 1000 km transect from Iberia to Africa. In: Durand, B., Jolivet, L., Horváth, F. i Séranne, M. (eds.) *The Mediterranean basins: Tertiary extension within the Alpine Orogen*. 63-80.

Vicente, J. (1986): El Pleistocè marí del Pla de Barcelona i del delta del Besos. *Bulletí del Centre d'Estudis de la Natura del Barcelonès Nord*, **a.2/2**, 52-60.

Vicente, J. (1990): Notícia sobre el Pliocè del subsòl de Barcelona: Avinguda de la Catedral. *Bulletí del Centre d'Estudis de la Natura del Barcelonès Nord*, **a.6/6**, 257-258.

Vidal, N., Gallart, J. i Dañobeitia, J.J. (1997): Contribution of the ESCI-València Trough wide-angle data to a crustal transect in the NE Iberian margin. *Rev.Soc.Geol.España*, **8(4)**, 417-429.

Villamarín, J.A., Masana, E., Calderón, T., Julià, R. i Santanach, P. (1999): Abanicos aluviales cuaternarios del Baix Camp (provincia de Tarragona): resultados de dataciones radiométricas. *Geogaceta*, **25**, 211-214.

Villamor, P. i Berryman, K.R. (1999): La tasa de desplazamiento de una falla como aproximación de primer orden en las estimaciones de peligrosidad sísmica. *1º Congreso Nacional de Ingeniería Sísmica (Murcia, 12-16 de Abril de 1999), Memorias*. 153-163.

Vissers, R.L.M., Platt, J.P. i Van der Wal, D. (1995): Late orogenic extension on the Betic Cordillera and the Alboran Domain: a lithospheric review. *Tectonics*, **14**, 786-803.

Wallace, R.E. (1977): Profiles and ages of young fault scarps, North-Central Nevada. *Geol.Soc.Am.Bull.*, **88**, 1267-1281.

Wallace, R.E. (1978): Geometry and rates of change of fault generated range fronts, North-Central Nevada. *Journ.Res.U.S.Geol.Surv.*, **6(5)**, 637-649.

Wallace, R.E. (1986): *Active tectonics*. National Academic Press, p. 266.

Wells, D.L. i Coppersmith, K.J. (1994): New empirical relationships among magnitude, rupture length, rupture area and surface displacement. *Bull.Seismol.Soc.A.*, **84**, 974-1002.

Wells, S.G., Bullard, T.F., Menges, C.M., Drake, P.G., Karas, P.A., Kelson, K.I., Ritter, J.B. i Wesling, J.R. (1988): Regional variations in tectonic geomorphology along segmented convergent plate boundary, Pacific Coast of Costa Rica. *Geomorphology*, **1**, 239-265.

Wesnousky, S.G. (1986): Earthquakes, quaternary faults and seismic hazard in California. *Journal of Geophysical Research*, **91(B12)**, 12587-12631.

Wesnousky, S.G. (1999): Hazard assessment based on geology: history, principles, and examples. *Himalayan Geology*, **20(1)**, 113-115.

Wilson, R.C. i Keefer, D.K. (1985): Predicting areal limits of earthquake-induced landsliding. In: Ziony, J.I. (ed.) *Evaluating earthquake hazards in Los Angeles region - An earth-science perspective*. 316-345.

Withjack, M.O., Olson, J. i Peterson, E. (1990): Experimental models of extensional forced folds. *AAPG Bulletin*, **74(7)**, 1038-1054.

WSSPC (1997): *Active faulting definition for de Basin and Range Province*. p. 3.

Yeats, R.S., Sieh, K. i Allen, C.R. (1997): *Geology of earthquakes*. Oxford University Press, p. 568.

Youngs, R.R. i Coppersmith, K.J. (1985): Implications of fault slip rates and earthquake recurrence models to probabilistic seismic hazard estimates. *Bulletin of the Seismological Society of America*, **75(4)**, 939-964.

Zazo, C., Goy, J.L., Daniel, J.M., Bardají, T., Somoza, L. i Silva, P.G. (1993): The last interglacial in the Mediterranean as a model for the present interglacial. *Global Planet.Change*, **7**, 109-117.