



Facultad de Biología

Departamento de Microbiología

**La Familia de proteínas Hha-YmoA: estudios estructurales y papel regulador en
*Yersinia enterocolitica***

Programa de Doctorado: Microbiología Ambiental y Biotecnología (2001-2003).

Conformidad del director de tesis

Memoria presentada por J.
Ignacio Pons Ximénez para optar
al título de Doctor por la
Universidad de Barcelona

Dr. Antonio Juárez Giménez

J. Ignacio Pons Ximénez

Barcelona, 2006

6.- BIBLIOGRAFÍA

- Adler, B., Sasakawa, C., Tobe, T., Makino, S., Komatsu, K. y Yoshikawa, M.** (1989). A dual transcriptional activation system for the 230 kb plasmid genes coding for virulence-associated antigens of *Shigella flexneri*. *Molecular Microbiology* **3**: 627-635.
- Agranoff, D. y Krishna, S.** (2004). Metal ion transport and regulation in *Mycobacterium tuberculosis*. *Frontiers in Bioscience* **9**: 2996-3006.
- Ali, B.M., Amit, R., Braslavsky, I., Oppenheim, A.B., Gileadi, O. y Stavans, J.** (2001). Compaction of single DNA molecules induced by binding of integration host factor (IHF). *Proceedings of the National Academy of Sciences of the USA* **98**: 10658-10663.
- Asato, Y.** (2005). Control of ribosome synthesis during the cell division cycles of *E. coli* and *Synechococcus*. *Current Issues in Molecular Microbiology* **7**: 109-117.
- Atlung, T. e Ingmer, H.** (1997). H-NS: a modulator of environmentally regulated gene expression. *Molecular Microbiology* **24**: 7-17.
- Atlung, T. y Hansen, F.G.** (2002). Effect of different concentrations of H-NS protein on chromosome replication and the cell cycle in *Escherichia coli*. *Journal of Bacteriology* **184**: 1843-1850.
- Austin, E.A., Andrews, J.C. y Short, S.A.** (1989). Selection, characterization, and cloning of *oppI*, a regulator of the *E. Coli* oligopeptide permease operon. Pág: 153. *Abstrats Molecular Genetics Bacteriophage*. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.
- Azam, A.T. e Ishihama, A.** (1999). Twelve species of the nucleoid-associated protein from *Escherichia coli*. Sequence recognition specificity and DNA binding affinity. *The Journal of Biological Chemistry* **274**: 33105-33113.
- Azam, A.T., Hiraga, S. e Ishihama, A.** (2000). Two types of localization of the DNA-binding proteins within the *Escherichia coli* nucleoid. *Genes to Cells* **5**: 613-626.
- Azam, T., Iwata, A., Nishimura, A., Ueda, S. e Ishihama, A.** (1999). Growth phase-dependent variation in protein composition of the *Escherichia coli* nucleoid. *Journal of Bacteriology* **181**: 6361-6370.
- Baaklini, I., Hraiky, C., Rallu, F., Tse-Dinh, Y.C. y Drolet, M.** (2004). Rnase HI is required for efficient full-length RNA synthesis in the absence of topoisomerase I in *Escherichia coli*. *Molecular Microbiology* **54**: 198-211.
- Badaut, C., Williams, R., Arluisson, V., Bouffarartigues, E., Robert, B., Buc, H. y Rimsky, S.** (2002). The degree of oligomerization of the H-NS Nucleoid

- Structuring Protein is related to specific binding to DNA. *The Journal of Biological Chemistry* **277**: 41657-41666.
- Bailey, M.J.A., Koronakis, V., Schmoll, T. y Hughes, C.** (1992). *Escherichia coli* HlyT protein, a transcriptional activator of haemolysin synthesis and secretion, is encoded by the *rfaH* (*sfrB*) locus required for expression of sex factor and lipopolysaccharide genes. *Molecular Microbiology* **6**: 1003-1012.
- Bajaj, V., Lucas, R.L., Hwang, C. y Lee, C.A.** (1996). Co-ordinate regulation of *Salmonella typhimurium* invasión genes by enviromental and regulatory factors is mediated by control of *hilA* expression. *Molecular Microbiology* **22**: 703-714.
- Balakrishnan, L., Hughes, C. y Koronakis, V.** (2001). Substrate-triggered recruitment of the TolC channel-tunnel during type I export of hemolysin by *Escherichia coli*. *Journal of Molecular Biology* **313**: 501-510.
- Balsalobre, C.** (1998). La proteína Hha es un modulador global de la expresión génica en *Escherichia coli*. Tesis Doctoral. Facultad de Biología. Universidad de Barcelona.
- Balsalobre, C., Johansson, J., Uhlin, B.E., Juárez, A. y Muñoa, F.J.** (1999). Alterations in protein expression caused by *hha* mutation in *Escherichia coli*: influence of growth médium osmolarity. *Journal of Bacteriology* **181**: 3018-3024.
- Balsalobre, C., Juárez, A., Madrid, C., Mouriño, M., Prenafreta, A. y Muñoa, F.J.** (1996). Complementation of the *hha* mutation in *Escherichia coli* by the *ymoA* gene from *Yersinia enterocolitica*: dependence on the gene dosage. *Microbiology* **142**: 1841-1846.
- Barrios, A.F., Zuo, R., Ren, D. y Word, T.K.** (2006). Hha, YbaJ, and OmpA regulate *Escherichia coli* K12 biofilm formation and conjugation plasmids abolish motility. *Biotechnology and Bioengineering* **93**: 188-200.
- Beloin, C. y Dorman, C.J.** (2003). An extended role for nucleoid structuring protein H-NS in the virulence gene regulatory cascade of *Shigella flexneri*. *Molecular Microbiology* **47**: 825-838.
- Beloin, C., Deighan, P., Doyle, M. y Dorman, C.J.** (2003b). *Shigella flexneri* 2a strain 2457T expresses three members of the H-NS-like protein family: characterization of the Sfh protein. *Molecular Genetics and Genomics* **270**: 66-77.
- Beloin, C., Jeusset, J., Revet, B., Mirambeau, G., Le Hegarat, F. y Le Cam, E.** (2003a). Contribution of DNA conformation and topology in right-handed DNA

- wrapping by the *Bacillus subtilis* LrpC protein. *The Journal of Biological Chemistry* **278**: 5333-5342.
- Bergann, T., Kleemann, J. y Sohr, D.** (1995). Model studies of psychrotrophia in *Yersinia enterocolitica*. *Journal of Veterinary Medicine Series B* **42**: 523-531.
- Berlyn, M.K.B., Low, K.B. y Rudd, K.E.** (1996). Integrated linkage map of *Escherichia coli* K12. *Escherichia coli and Salmonella: Cellular and Molecular Biology*. Pág: 1715-1902. Neidhart, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umbarger, H.E. (Eds). American Society for Microbiology, Washington.
- Bertin, P., Benhabiles, N., Krin, E., Laurent-Winter, C., Tendeng, C., Turlin, E., Thoma, A., Danchin, A. y Brasseur, R.** (1999). The structural and functional organization of H-NS-like proteins is evolutionarily conserved in gram-negative bacteria. *Molecular Microbiology* **31**: 319-329.
- Bertin, P., Hommais, F., Krin, E., Soutourina, O., Tendeng, C., Derzelle, S. y Danchin, A.** (2001). H-NS and H-NS like proteins in Gram-negative bacteria and their multiple role in the regulation of bacterial metabolism. *Biochimie* **83**: 235-241.
- Bijsma, J. J., Waidner, B., Vliet, A. H., Hugues, N. J., Hag, S., Bereswill, S., Kelly, D. J., Vandenbroucke-Grauls, C. M., Kist, M., y Kusters, J. G.** (2002). The *Helicobacter pylori* homologue by the ferric uptake regulator is involved in acid resistance. *Infection and Immunity* **70**: 606-611.
- Birnboim, H.C.** (1983). A rapid alkaline extraction method for the isolation of plasmid DNA. *Methods in Enzymology* **100**: 243-254.
- Blackwell, J.R. y Horgan, R.** (1991). A novel strategy for production of a highly expressed recombinant protein in an active form. *FEBS Letters* **295**: 10-12.
- Blight, M.A. y Holland, I.B.** (1994). Heterologous protein secretion and the versatile *Escherichia coli* haemolysin translocator. *Trends in Biotechnology* **12**: 450-455.
- Bliska, J.B., Compass, M.C. y Falkow, S.** (1993). The *Yersinia pseudotuberculosis* adhesin YadA mediates intimate bacterial attachment to and entry into Hep-2 cells. *Infection and Immunity* **61**: 3914-3921.
- Bloch, V., Yang, Y., Margeat, E., Chavanieu, A., Augé, M.T., Robert, B., Arold, S., Rimsky, S. y Kochyan, M.** (2003). The H-NS dimerization domain defines a new fold contributing to DNA recognition. *Nature Structural Biology* **10**: 212-218.

- Boland, A., Sory, M.P., Iriarte, M., Kerbouch, C., Wattiau, P. y Cornelis, G.R.** (1996). Status of YopM and YopN in the *Yersinia* Yop virulon: YopM of *Yersinia enterocolitica* is internalized inside the cytosol of PU5-1,8 macrophages by the YopB, D, N delivery apparatus. *The EMBO Journal* **15**: 5191-5201.
- Bolívar, F., Rodríguez, R.L., Greene, P.J., Betlach, M.C., Heyneker, H.L. y Boyer, H.W.** (1977). Construction and characterization of new cloning vehicles. II. A multipurpose cloning system. *Gene* **2**: 95-113.
- Bracco, L., Kotlarz, D., Kolb, A., Diekmann, S. y Buc, H.** (1989). Synthetic curved DNA sequences can act as a transcriptional activators in *Escherichia coli*. *The EMBO Journal* **8**: 4289-4296.
- Bradford, M.M.** (1976). A rapid and sensitive method for the quantitation of micrograms quantities of proteins utilizing the principle of protein-dye binding. *Analytical Biochemistry* **72**: 248-254.
- Brandi, A., Spurio, R., Gualerzi, C.O. y Pon, C.L.** (1999). Massive presence of the *Escherichia coli* "major cold-shock protein" CspA under non-stress conditions. *The EMBO Journal* **18**: 1653-1659.
- Bresolin, G., Morgan, J.A.W., Ilgen, D., Scherer, S. y Fuchs, M.** (2006). Low temperature-induced insecticidal activity of *Yersinia enterocolitica*. *Molecular Microbiology* **59**: 503-512.
- Brown, E.D., Vivas, E.I., Walsh, C.T. y Kolter, R.** (1995). MurA (MurZ), the enzyme that catalyzes the first committed step in peptidoglycan biosynthesis, is essential in *Escherichia coli*. *Journal of Bacteriology* **177**: 4194-4197.
- Bullock, W.O., Fernández, J.M. y Short, J.M.** (1987). XL1-Blue: A high efficiency plasmid transforming *recA* *Escherichia coli* strain with Beta-Galactosidase section. *Biotechniques* **5**: 376-379.
- Burland, V., Shao, Y., Perna, N.T., Plunkett, G., Sofia, H.J. y Blattner, F.R.** (1998). The complete DNA sequence and analysis of the large virulence plasmid of *Escherichia coli* O157:H7. *Nucleic Acids Research* **26**: 4196-4204.
- Burnette, W.N.** (1981). "Western blotting": Electrophoretic transfer of proteins from sodium dodecyl sulfate-polyacrilamide gels to unmodified nitrocellulose and radiographic detection with antibody and radioiodinated protein A. *Analytical Biochemistry* **112**: 195-203.

- Calvo, J.M. y Matthews, R.G.** (1994). The leucine-responsive regulatory protein, a global regulator of metabolism in *Escherichia coli*. *Microbiology Reviews* **58**: 466-490.
- Carmona, M., Balsalobre, C., Muñoa, F.J., Mouríño, M., Jubete, Y., De la Cruz, F. y Juárez, A.** (1993). *Escherichia coli hha* mutants, DNA supercoiling and expression of haemolysin genes from recombinant plasmid pANN202-312. *Molecular Microbiology* **9**: 1011-1018.
- Castanie-Cornet, M.P., Penfound, T.A., Smith, D., Elliot, J.F. y Foster, J.W.** (1999). Control of acid resistance in *Escherichia coli*. *Journal of Bacteriology* **181**: 3525-3535.
- Cerdan, R., Bloch, V., Yang, Y., Bertin, P., Dumas, C., Rimsky, S., Kochoyan, M. y Arold, S.T.** (2003). Crystal structure of the N-terminal dimerisation domain of VicH, the H-NS-like protein of *Vibrio cholerae*. *Journal of Molecular Biology* **334**: 179-185.
- Chang, A.C.Y. y Cohen, S.N.** (1978). Construction and characterization of amplifiable multicopy DNA cloning vehicles derived from the P15A cryptic miniplasmid. *Journal of Bacteriology* **134**: 1141-1156.
- China, B., Michiels, T. y Cornelis, G.R.** (1990). The pYV plasmid of *Yersinia* encodes a lipoprotein, YlpA, related to TraT. *Molecular Microbiology* **4**: 1585-1593.
- China, B., N'guyen, B.T., DeBruyere, M. y Cornelis, G.R.** (1994). Role of YadA in resistance of *Yersinia enterocolitica* to phagocytosis by human polymorphonuclear leukocytes. *Infection and Immunity* **62**: 1275-1281.
- Claret, L. y Rouvière-Yaniv, J.** (1996). Regulation of HU- α and HU- β by Crp and Fis in *Escherichia coli*. *Journal of Molecular Biology* **263**: 126-139.
- Claret, L. y Rouvière-Yaniv, J.** (1997). Variation in HU composition during growth of *Escherichia coli*: the heterodimer is required for long term survival. *Journal of Molecular Biology* **273**: 93-104.
- Clodi, E., Semrad, K. y Schroeder, R.** (1999). Assaying RNA chaperone activity *in vivo* using a novel RNA folding trap. *The EMBO Journal* **18**: 3776-3782.
- Cohen, S.N., Chang, A.C.Y. y Hsu, L.** (1972). Nonchromosomal antibiotic resistance in bacteria: genetic transformation of *Escherichia coli* by R-factor DNA. *Proceedings of the National Academy of Sciences of the USA* **69**: 2110-2114.

- Coker, C., Bakare, O.O. y Mobley, H.L.** (2000). H-NS is a repressor of the *Proteus mirabilis* urease transcripcional activator gene *ureR*. *Journal of Bacteriology* **182**: 2649-2653.
- Conchas, R.F. y Carniel, E.** (1990). A highly efficient electroporation system for transformation of *Yersinia*. *Gene* **87**: 133-137.
- Cornelis, G., Sluiters, C., Delor, I., Gelb, D., Kanina, K., Lambert de Rouvroit, C., Sory, M.P., Vanooteghem, J.C. y Michaelis, T.** (1991). *ymoA*, a *Yersinia enterocolitica* chromosomal gene modulating the expression of virulence functions. *Molecular Microbiology* **5**: 1023-1034.
- Cornelis, G., Sluiters, C., Lambert de Rouvroit, C. y Michiels, T.** (1989). Homology between VirF, the transcriptional activator of the *Yersinia* virulence regulon, and AraC, the *Escherichia coli* arabinose operon regulator. *Journal of Bacteriology* **171**: 254-282.
- Cornelis, G., Vanootegem, J.C. y Sluiters, C.** (1987). Transcription of the *yop* regulon from *Y. enterocolitica* requires trans acting pYV and chromosomal genes. *Microbial Pathogenesis* **2**: 367-379.
- Cornelis, G.R.** (2002a). *Yersinia* type III secretion: send in the effectors. *The Journal of Cell Biology* **158**: 401-408.
- Cornelis, G.R.** (2002b). The *Yersinia* Ysc-Yop ‘type III’ weaponry. *Nature Reviews / Molecular Cell Biology* **3**: 742-752.
- Cornelis, G.R. y Colson, C.** (1975). Restriction of DNA in *Yersinia enterocolitica* detected by recipient ability for a derepressed R factor from *Escherichia coli*. *Journal of General Microbiology* **87**: 285-291.
- Cornelis, G.R., Boland, A., Boyd, A.P., Geuijen, C., Iriarte, M., Neyt, C., Sory, M.P. y Stainier, I.** (1998). The virulence plasmid of *Yersinia*, an antihost genome. *Microbiology and Molecular Biology Reviews* **62**: 1315-1352.
- Cover, T.L. y Robins-Browne, R.M.** (2002). *Yersinia enterocolitica*. *Infections of the gastrointestinal tract*, 2nd edition. Pág: 699-717. Blaser, M.J., Smith, P.D., Ravdin, J.I., Greenberg, H.B. y Guerrant, L.R. (Eds.). Raven Press. New York.
- Cusick, M.E. y Belfort, M.** (1998). Domain structure and RNA annealing activity of the *Escherichia coli* regulatory protein StpA. *Molecular Microbiology* **28**: 847-857.
- D'Ari, R., Lin, R.T. y Newman, E.B.** (1993). The leucine-responsive regulatory protein: more than a regulator?. *Trends in Biochemistry Science* **18**: 260-263.

- Dame, R.T.** (2005). The role of nucleoid-associated proteins in the organization and compaction of bacterial chromatin. *Molecular Microbiology* **56**: 858-870.
- Dame, R.T. y Goosen, N.** (2002). HU: promoting or counteracting DNA compaction?. *FEBS Letters* **529**: 151-156.
- Dame, R.T., Luijsterburg, M.S., Krin, E., Bertin, P.N., Wagner, R. y Wuite, G.J.** (2005). DNA bridging: a property shared among H-NS like proteins. *Journal of Bacteriology* **5**: 1845-1848.
- Dame, R.T., Wyman, C. y Goosen, N.** (2000). H-NS mediated compaction of DNA visualised by atomic force microscopy. *Nucleic Acids Research* **28**: 3504-3510.
- De la Cruz, F., Carmona, M. y Juárez, A.** (1992). The Hha protein from *Escherichia coli* is highly homologous to the YmoA protein from *Yersinia enterocolitica*. *Molecular Microbiology* **6**: 3451-3454.
- De Lorenzo, V., Herrero, M., Jakubzik, U. y Timmis, K.N.** (1990). Mini-Tn5 transposon derivatives for insertion mutagenesis, promoter probing, and chromosomal insertion of cloned DNA in Gram-negative Eubacteria. *Journal of Bacteriology* **172**: 6568-6572.
- DeBord, K.L., Galanopoulos, N.S. y Schneewind, O.** (2003). The *ttsA* gene is required for low-calcium-induced type III secretion Yop proteins and virulence of *Yersinia enterocolitica* W22703. *Journal of Bacteriology* **185**: 3499-3507.
- Defez, R. y De Felice, M.** (1981). Cryptic operon for β-glucoside metabolism in *Escherichia coli* K12: genetics evidence for a regulatory protein. *Genetics* **97**: 11-25.
- Deighan, P., Beloin, C. y Dorman, C.J.** (2003). Three-way interactions among the Sfh, StpA and H-NS nucleoid-associated proteins of *Shigella flexneri* 2a strain 2457T. *Molecular Microbiology* **48**: 1401-1416.
- Delor, I., Kaeckenbeeck, A., Wauters, G. y Cornelis, G.R.** (1990). Nucleotide sequence of *yst*, the *Yersinia enterocolitica* gene encoding the heat-stable enterotoxin, and prevalence of the gene among pathogenic and nonpathogenic *Yersiniae*. *Infection and Immunity* **58**: 2983-2988.
- Dennis, P.P., Ehrenberg, M. y Bremer, H.** (2004). Control of rRNA synthesis in *Escherichia coli*: a systems biology approach. *Microbiology and Molecular Biology Reviews* **68**: 639-668.

- Dersch, P., Schmidt, K. y Bremer, E.** (1993). Synthesis of the *Escherichia coli* K-12 nucleoid-associated DNA-binding protein H-NS is subjected to growth-phase control and autoregulation. *Molecular Microbiology* **8**: 875-889.
- Dorman, C.J.** (2002). DNA topology and regulation of bacterial gene expression. In *signals, switches, regulons and cascades: control of bacterial gene expression*. Pág.: 41-56. Hodgson, D.A. y Thomas, C.M. (Eds.). Cambrigde University Press. Cambridge.
- Dorman, C.J.** (2004). H-NS: A universal regulator for a dynamic genome. *Nature Reviews (Microbiology)* **2**: 391-400.
- Dorman, C.J. y Deighan, P.** (2003). Regulation of gene expression by histone-like proteins in bacteria. *Current Opinion in Genetics and Development* **13**: 179-184.
- Dorman, C.J., Hinton, J.C.D. y Free, A.** (1999). Domain organization and oligomerization among H-NS-like nucleoid-associated proteins in bacteria. *Trends in Microbiology* **7**: 124-128.
- Dower, W.J., Miller, F.J. y Ragsdale, C.W.** (1988). High efficiency transformation of *E. coli* by high voltage electroporation. *Nucleic Acids Research* **16**: 6127-6145.
- Drlica, K. y Rouvière-Yaniv, J.** (1987). Histone like proteins of bacteria. *Microbiology Reviews* **51**: 301-319.
- Drolet, M.** (2006). Growth inhibition mediated by excess negative supercoiling: the interplay between transcription elongation, R-loop formation and DNA topology. *Molecular Microbiology* **59**: 723-730.
- Dubendorff, J.W. y Studier, F.W.** (1991). Controlling basal expression in an inducible T7 expression system by blocking the target T7 promoter with *lac* repressor. *Journal of Molecular Biology* **219**: 45-59.
- Ellison, D.W. y Miller, V.L.** (2006). Regulation of virulence by members of MarR/SlyA family. *Current Opinion in Microbiology* **9**: 1-7.
- Ellison, D.W., Young, B., Nelson, K. y Miller, V.L.** (2003). YmoA negatively regulates expression of invasin from *Yersinia enterocolitica*. *Journal of Bacteriology* **185**: 7153-7159.
- Ernst, A., Reich, S. y Boger, P.** (1990). Modification of dinitrogenase reductase in the cyanobacterium *Anabaena variabilis* due to C starvation and ammonia. *Journal of Bacteriology* **172**: 748-755.
- Esposito, D., Petrovic, A., Harris, R., Ono, S., Eccleston, J.F., Mbabaali, A., Haq, I., Higgins, C.F., Hinton, J.C., Driscoll, P.C., y Ladbury, J.E.** (2002). H-NS

- oligomerization domain structure reveals the mechanism for high order self-association of the intact protein. *Journal of Molecular Biology* **324**: 841-850.
- Fahlen, T.F., Wilson, R.B., Boddecker, J.D. y Jones, B.D.** (2001). Hha is a negative modulator of transcription of *hilA*, the *Salmonella enterica* serovar Typhimurium invasion gene transcriptional activator. *Journal of Bacteriology* **183**: 6620-6629.
- Falconi, M., Brandi, A., La Teana, A., Gualerzi, C.O. y Pon C.L.** (1996). Antagonistic involvement of FIS and H-NS proteins in transcriptional control of *hns* expression. *Molecular Microbiology* **19**: 965-975.
- Falconi, M., Colonna, B., Prosseda, G., Micheli, G. y Gualerzi, C.O.** (1998). Thermoregulation of *Shigella* and *Escherichia coli* EIEC pathogenicity. A temperature-dependent structural transition of DNA modulates accessibility of *virF* promoter to transcriptional repressor H-NS. *The EMBO Journal* **17**: 7033-7043.
- Falconi, M., Higgins, N.P., Spurio, R., Pon, C.L. y Gualerzi, C.O.** (1993). Expression of the gene encoding the major bacterial nucleoid protein H-NS is subject to transcriptional auto-repression. *Molecular Microbiology* **10**: 273-282.
- Falconi, M., McGovern, V., Gualerzi, G., Hillyard, D. y Higgins, N.P.** (1991). Mutations altering chromosomal protein H-NS induce mini-Mu transposition. *New Biologist* **3**: 615-625.
- Falconi, M., Prosseda, G., Giangrossi, M., Beghetto, E. y Colonna, B.** (2001). Involvement of FIS in the H-NS-mediated regulation of *virF* gene of *Shigella* and enteroinvasive *Escherichia coli*. *Molecular Microbiology* **42**: 439-452.
- Forns, N., Baños, R.C., Balsalobre, C., Juárez, A. y Madrid, C.** (2005a). Temperature-dependent conjugative transfer of R27: role of chromosome- and plasmid-encoded Hha and H-NS proteins. *Journal of Bacteriology* **187**: 3950-3959.
- Forns, N., Juárez, A. y Madrid, C.** (2005b). Osmoregulation of the HtrA (DegP) protease of *Escherichia coli*: An Hha-H-NS complex represses HtrA expression at low osmolarity. *FEMS Microbiology Letters* **251**: 75-80.
- Forsberg, A., Viitanen, A.M., Skurnik, M. y Wolf-Watz.** (1991). The surface-located YopN protein is involved in calcium signal transduction in *Yersinia pseudotuberculosis*. *Molecular Microbiology* **5**: 977-986.

- Free, A. y Dorman, C.J.** (1995). Coupling of *Escherichia coli* *hns* mRNA levels to DNA synthesis by autoregulation: implications for growth phase control. *Molecular Microbiology* **18**: 101-113.
- Free, A. y Dorman, C.J.** (1997). The *Escherichia coli* *stpA* gene is transiently expressed during growth in rich medium and is induced in minimal medium and by stress conditions. *Journal of Bacteriology* **179**: 909-918.
- Freundlich, M., Ramani, N., Mathew, E., Sirko, A. y Tsui, P.** (1992). The role of integration host factor in gene expression in *Escherichia coli*. *Molecular Microbiology* **6**: 2557-2563.
- García, J., Cordeiro, T.N., Nieto, J.M., Pons, I., Juárez, A. y Pons, M.** (2005). Interaction between the bacterial nucleoid associated proteins Hha and H-NS involves a conformational change of Hha. *Biochemical Journal* **388**: 755-762.
- Garmendia, J., Beuzon, C.R., Ruiz-Alberto, J. y Holden, D.W.** (2003). The roles of SsrA-SsrB and OmpR-EnvZ in the regulation of genes encoding the *Salmonella typhimurium* SPI-2 type III secretion system. *Microbiology* **149**: 2385-2396.
- Genco, C.A. y Dixon D.W.** (2001). Emerging strategies in microbial haem capture. *Molecular Microbiology* **39**: 1-11.
- Glaser, P., Ladant, D., Selzer, D., Pichot, F., Ullmann, A. y Dauchin, A.** (1988). The calmodulin-sensitive adenylate-cyclase of *Bordetella pertussis*: cloning and expression in *Escherichia coli*. *Molecular Microbiology* **2**: 19-30.
- Godessart, N., Muñoa, F.J., Regué, M. y Juárez, A.** (1988). Chromosomal mutations that increase the production of a plasmid-encoded haemolysin in *Escherichia coli*. *Journal of General Microbiology* **134**: 2779-2787.
- Goebel, W. y Schrempf, H.** (1971). Isolation and characterization of supercoiled circular deoxyribonucleic acid from beta-hemolytic strains of *Escherichia coli*. *Journal of Bacteriology* **106**: 311-317.
- Goldberg, M.D., Johnson, M., Hilton, J.C.D. y Williams, P.H.** (2001). Role of the nucleoid-associated protein Fis in the regulation of virulence properties of enteropathogenic *Escherichia coli*. *Molecular Microbiology* **41**: 549-559.
- González-Gil, G., Bringmann, P. y Kahmann, R.** (1996). FIS is a regulator of metabolism in *Escherichia coli*. *Molecular Microbiology* **22**: 21-29.
- Goosen, N y van de Putte, P.** (1995). The regulation of transcription initiation by integration host factor. *Molecular Microbiology* **16**: 1-7.

- Göransson, M., Sonden, B., Nilsson, P., Dagberg, B., Forsman, K., Emanuelsson, K. y Uhlin, B.E.** (1990). Transcriptional silencing and thermoregulation of gene expression in *Escherichia coli*. *Nature* **344**: 682-685.
- Goyard, S. y Bertin, P.N.** (1997). Characterization of BpH3, an H-NS-like protein in *Bordetella pertussis*. *Molecular Microbiology* **24**: 815-823.
- Grant, T., Bennett-Wood, V. y Robins-Browne, R.M.** (1998). Identification of novel virulence attributes in clinical isolates of *Yersinia enterocolitica* lacking classical virulence markers. *Infection and Immunity* **66**: 1113-1120.
- Grant, T., Bennett-Wood, V. y Robins-Browne, R.M.** (1999). Characterization of the interaction between *Yersinia enterocolitica* biotype 1A and phagocytes and epithelial cells *in vitro*. *Infection and Immunity* **67**: 4367-4375.
- Gray, L., Baker, K., Kenny, B., Mackman, N., Haigh, R. y Holland, I.B.** (1989). A novel C-terminal signal sequence targets *Escherichia coli* haemolysin directly to the medium. *Journal of Cell Science (Supplement)* **11**: 45-57.
- Grutzkau, A., Hanski, C., Hahn, H. y Riecken, E.O.** (1990). Involvement of M cells in the bacterial invasión of Peyer's patches: a common mechanism shared by *Yersinia enterocolitica* and other enteroinvasive bacteria. *Gut* **31**: 1011-1015.
- Hakansson, S., Galyov, E.E., Rosqvist, R. y Wolf-Watz, H.** (1996). The *Yersinia* YpkA Ser/Thr kinase is translocated and subsequently targeted to the inner surface of the HeLa cell plasma membrane. *Molecular Microbiology* **20**: 593-603.
- Han, Y., Zhou, D., Pang, X., Song, Y., Zhang, L., Bao, J., Tong, Z., Wang, J., Guo, Z., Wang, J., Huang, P. y Yang, R.** (2004). Microarray analysis of temperature-induced transcriptome of *Yersinia pestis*. *Microbiology and Immunology* **48**: 791-805.
- Hanahan, D., Jessee, J. y Bloom, F.R.** (1991). Plasmid transformation of *Escherichia coli* and other bacteria. *Methods in Enzymology* **204**: 63-113.
- Hanski, C., Naumann, M., Hahn, H. y Riecken, E.O.** (1989). Determinants of invasion and survival of *Yersinia enterocolitica* in intestinal tissue: an *in vivo* study. *Medical Microbiology and Immunology* **178**: 289-296.
- Hardie, K.R., Issartel, J.P., Koronakis, E., Hughes, C. y Koronakis, V.** (1991). *In vitro* activation of *Escherichia coli* prohaemolysin to the mature membrane-targeted toxin requires HlyC and a low molecular-weight cytosolic polypeptid. *Molecular Microbiology* **5**: 1669-1679.

- Hengen, P.N., Bartram, S.L., Stewart, L.E. y Schneider, T.D.** (1997). Information analysis of Fis binding sites. *Nucleic Acids Research* **25**: 4994-5002.
- Heroven, A.K., Nagel, G., Tran, H.J., Parr, S. y Dersch, P.** (2004). RovA is autoregulated and antagonizes H-NS-mediated silencing of invasion and *rovA* expression in *Yersinia pseudotuberculosis*. *Molecular Microbiology* **53**: 871-888.
- Herrero, M., De Lorenzo, V. y Timmis, K.N.** (1990). Transposon vectors containing non-antibiotic resistance selection markers for cloning and stable chromosomal insertion of foreign genes in gram-negative bacteria. *Journal of Bacteriology* **172**: 6557-6567.
- Hess, J., Wels, W., Vogel, M. y Goebel, W.** (1986). Nucleotide sequence of a plasmid-encoded haemolysin determinant and its comparison with a corresponding chromosomal haemolysin sequence. *FEMS Microbiology Letters* **34**: 1-11.
- Higgins, C.F., Dorman, C.J., Stirling, D.A., Waddel, L., Booth, I.R., May, G. y Bremer, E.** (1988). A physiological role for DNA supercoiling in the osmotic regulation of gene expression in *S. typhimurium* and *E. coli*. *Cell* **52**: 569-584.
- Hochuli, E., Bannwarth, W., Dobeli, H., Gentz, R. y Stüber, D.** (1988). Genetic approach to facilitate purification of recombinant proteins with a novel metal chelate absorbent. *Bio/Technology* **6**: 1321-1325.
- Hoe, N.P. y Goguen, J.D.** (1993). Temperatura sensing in *Yersinia pestis*: translation of the LcrF activator protein is thermally regulated. *Journal of Bacteriology* **175**: 7901-7909.
- Holland, I.B., Schmitt, L. y Young, J.** (2005). Type I protein secretion in bacteria, the ABC-transporter dependent pathway. *Molecular Membrane Biology* **22**: 29-39.
- Hommais, F., Krin, E., Laurent-Winter, C., Soutourina, O., Malpertuy, A., Le Caer, J.P., Danchin, A. y Bertin, P.** (2001). Large-scale monitoring of pleiotropic regulation of gene expression by the prokaryotic nucleoid-associated protein, H-NS. *Molecular Microbiology* **40**: 20-36.
- Huang, K., Huang, Q., Wildung, M.R., Croteau, R. y Scott, A.I.** (1998). Overproduction, in *Escherichia coli*, of soluble taxadiene synthase, a key enzyme in the taxol biosynthetic pathway. *Protein Expression and Purification* **13**: 90-96.
- Huertas, P. y Aguilera, A.** (2003). Cotranscriptionally formed DNA:RNA hybrids mediate transcription-associated recombination. *Molecular Cell* **12**: 711-721.
- Hulton, C.S.J., Seirafi, A., Hinton, J.C.D., Sidebotham, J.M., Waddell, L., Pavitt, G.D., Owen-Hughes, T., Spassky, A., Buc, H. y Higgins, C.F.** (1990). Histone-

- like protein H1 (H-NS), DNA supercoiling, and gene expression in bacteria. *Cell* **63**: 631-642.
- Hurme, R. y Rhen, M.** (1998). Temperature sensing in bacterial gene regulation- what it all boils down to. *Molecular Microbiology* **30**: 1-6.
- Iriarte, M. y Cornelis, G.R.** (1996). Molecular determinants of *Yersinia* pathogenesis. *Microbiología* **12**: 267-280.
- Ishihama, A.** (1999). Modulation of the nucleoid, the transcription apparatus, and the translation machinery in bacteria for stationary phase survival. *Genes to Cells* **4**: 135-143.
- Issartel, J.P., Koronakis, V. y Hughes, C.** (1991). Activation of *E.coli* prohaemolysin to the mature toxin by acyl carrier protein-dependent fatty acylation. *Nature* **351**: 759-761.
- Jackson, M.W., Silva-Herzog, E. y Plano, G.V.** (2004). The ATP-dependent ClpXP and Lon proteases regulate expression of the *Yersinia pestis* type III secretion system via regulated proteolysis of YmoA, a small histone-like protein. *Molecular Microbiology* **54**: 1364-1378.
- Jenal, U. y Hengge-Aronis, R.** (2003). Regulation by proteolysis in bacterial cells. *Current Opinion in Microbiology* **6**: 163-172.
- Johansson, J. y Uhlin, B.E.** (1999). Differential protease-mediated turnover of H-NS and StpA revealed by a mutation altering protein stability and stationary-phase survival of *Escherichia coli*. *Proceedings of the Natural Academy of Sciences of the USA* **96**: 10776-10781.
- Johansson, J., Eriksson, S., Sondén, B., Wai, S.N. y Uhlin, B.E.** (2001). Heteromeric interactions among nucleoid-associated bacterial proteins: Localization of StpA-stabilizing regions in H-NS of *Escherichia coli*. *Journal of Bacteriology* **183**: 2343-2347.
- Johnson, R.C. y Simon, M.I.** (1985). Hin-mediated site-specific recombination requires two 26 bp recombination sites and a 60 bp recombinational enhancer. *Cell* **41**: 781-791.
- Joshua, G.W., Karlyshev, A.V., Smith, M.P., Isherwood, K.E., Titball, R.W. y Wren, B.W.** (2003). A *Caenorhabditis elegans* model of *Yersinia* infection: biofilm formation on a biotic surface. *Microbiology* **149**: 3221-3229.

- Juárez, A., Hughes, C., Vogel, M. y Goebel, W.** (1984). Expression and regulation of the plasmid-encoded haemolysin determinant of *Escherichia coli*. *Molecular and General Genetics* **197**: 196-203.
- Jubete, Y., Zabala, J.C., Juárez, A. y De la Cruz, F.** (1995). *hlyM*, a transcriptional silencer downstream of the promoter in the *hly* operon of *Escherichia coli*. *Journal of Bacteriology* **177**: 242-246.
- Kahmann, R., Rudt, F., Koch, C. y Mertens, G.** (1985). G inversion in bacteriophage Mu DNA is stimulated by a site within the invertase gene and a host factor. *Cell* **41**: 771-780.
- Kar, S. y Adhya, S.** (2001). Recruitment of HU by piggyback: a special role of GalR in repressosome assembly. *Genes and Development* **15**: 2273-2281.
- Keatch, S.A., Leonard, P.G., Ladbury, J.E. y Dryden, D.T.F.** (2005). StpA protein from *Escherichia coli* condenses supercoiled DNA in preference to linear DNA and protects it from digestion by *Dnase I* and *EcoKI*. *Nucleic Acids Research* **33**: 6540-6546.
- Koronakis, E., Hughes, C., Milisav, I. y Koronakis, V.** (1995). Protein exporter function and *in vitro* ATPase activity are correlated in ABC-domain mutants of HlyB. *Molecular Microbiology* **16**: 87-96.
- Koronakis, V., Cross, M. y Hughes, C.** (1988). Expression of the *Escherichia coli* haemolysin secretion gene *hlyB* involves transcript anti-terminator within the *hly* operon. *Nucleic Acids Research* **16**: 4789-4800.
- La Teana, A., Brandi, A., Falconi, M., Spurio, R., Pon, C.L. y Gualerzi C.O.** (1991). Identification of a cold shock transcriptional enhancer of the *Escherichia coli* gene encoding nucleoid protein H-NS. *Proceedings of the National Academy of Sciences of the USA* **88**: 10907-10911.
- Laemmli, U.K.** (1970). Cleavage of structural proteins during the assembly of head of the bacteriophage T4. *Nature* **227**: 680-685.
- Laird, W.J. y Cavanaugh, D.C.** (1980). Correlation of autoagglutination and virulence of yersinia. *Journal of Clinical Microbiology* **11**: 430-432.
- Lambert de Rouvroit, C., Sluiters, C. y Cornelis, G.R.** (1992). Role of the transcriptional activator, VirF, and temperature in the expression of the pYV plasmid genes of *Yersinia enterocolitica*. *Molecular Microbiology* **6**: 395-409.
- Lammi, M., Paci, M., Pon, C.L., Losso, M.A., Miano, A., Pawlik, R.T., Gianfranceschi, G.L. y Gualerzi, C.O.** (1984). Proteins from the prokaryotic

- nucleoid: biochemical and ^1H NMR studies on three bacterial histone-like proteins. *Advances in Experimental Medicine and Biology* **179**: 467-477.
- Lee, A.K., Detweiler, C.S. y Falkow, S.** (2000). OmpR regulates the two-component system SsrA-ssrB in *Salmonella* pathogenicity island 2. *Journal of Bacteriology* **182**: 771-781.
- Lejeune, P. y Danchin, A.** (1990). Mutations in the *bglY* gene increase the frequency of spontaneous deletions in *Escherichia coli* K12. *Proceedings of the National Academy of Sciences of the USA* **87**: 360-363.
- Levinthal, M., Lejeune, P. y Danchin, A.** (1994). The H-NS protein modulates the activation of the *ilvIH* operon of *Escherichia coli* K12 by Lrp, the leucine regulatory protein. *Molecular General Genetics* **242**: 736-743.
- Lin, R.T., D'Ari, R. y Newman, E.B.** (1990). The leucine regulon of *E. Coli* K-12: a mutation in *rblA* alters expression of L-leucine-dependent metabolic operons. *Journal of Bacteriology* **172**: 4529-4535.
- Lindler, L.E., Klempner, M.S. y Straley, S.C.** (1990). *Yersinia pestis* pH 6 antigen: genetic, biochemical and virulence characterization of a protein involved in the pathogenesis of bubonic plague *Infection and Immunity* **58**: 2569-2577.
- Litwin C.M. y Calderwood, S.B.** (1993). Role of iron regulation of virulence genes. *Clinical Microbiology Reviews* **6**: 137-149.
- Liu, Q. y Richardson, C.** (1993). Gene 5.5 protein of bacteriophage T7 inhibits the nucleoid protein H-NS of *Escherichia coli*. *Proceedings of the National Academy of Sciences of the USA* **90**: 1761-1765.
- Lucht, J.M., Dersch, P., Kempf, B. y Bremer, E.** (1994). Interactions of the nucleoid-associated DNA-binding protein H-NS with the regulatory region of the osmotically controlled *proU* operon of *Escherichia coli*. *The Journal of Biological Chemistry* **269**: 6578-6586.
- Lupas, A.** (1996). Coiled coils: new structures and new functions. *Trends in Biochemistry Science* **21**: 375-382.
- Madrid, C., Nieto, J.M. y Juárez, A.** (2002b). Role of the Hha/YmoA family of proteins in the thermoregulation of the expression of virulence factors. *International Journal of Medical Microbiology* **291**: 425-432.
- Madrid, C., Nieto, J.M., Paytubi, S., Falconi, F., Gualerzi, C.O. y Juárez, A.** (2002a). Temperature- and H-NS-dependent regulation of a plasmid-encoded

- virulence operon expressing *Escherichia coli* haemolysin. *Journal of Bacteriology* **184**: 5058-5066.
- Mahan, M.J., Slauch, J.M. y Mekalanos, J.** (1996). Environmental regulation of virulence gene expression in *Escherichia*, *Salmonella*, and *Shigella* spp. *Escherichia coli and Salmonella: Cellular and Molecular Biology*. Pág: 2803-2815. Neidhart, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umbarger, H.E. (Eds). American Society for Microbiology, Washington.
- Marenne, M.N., Journet, L., Mota, L.J. y Cornelis, G.R.** (2003). Genetic analysis of the formation pore in macrophages by *Yersinia enterocolitica*: role of LcrV, YscF y YopN. *Microbial Pathogenesis* **35**: 243-258.
- Marshal, D. G., Sheenan, B. J. y Dorman, C. J.** (1999). A role for the leucine-responsive regulator protein and integration host factor in the regulation of the *Salmonella* plasmid virulence (*spv*) locus in *Salmonella typhimurium*. *Molecular Microbiology* **34**: 134-145.
- Martínez, E. y De la Cruz, F.** (1988). Transposon Tn2 I encodes a *recA*-independent site-specific integration system. *Molecular General Genetics* **211**: 320-325.
- Martínez, R.J.** (1989). Thermoregulation-dependent expression of *Yersinia enterocolitica* protein 1 imparts serum resistance to *Escherichia coli* K-12. *Journal of Bacteriology* **171**: 3732-3739.
- Maurelli, A.T. y Sansonetti, P.J.** (1988). Identification of a chromosomal gene controlling temperature-regulated expression of *Shigella* virulence. *Proceedings of the National Academy of Sciences of USA* **85**: 2820-2824.
- McFall, E. y Newman, E.B.** (1996). Amino Acids as Carbon Sources. *Escherichia coli and Salmonella: Cellular and Molecular Biology*. Pág: 358-379. Neidhart, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umbarger, H.E. (Eds). American Society for Microbiology, Washington.
- McIver, M.A. y Pike, R.M.** (1934). Chronic glanders-like infection of face caused by an organism resembling *Flavobacterium pseudomallei*. *Clinical Miscellany, Mary Imogene Bassett Hospital, Cooperstown* **1**: 16-21.
- McLeod, S.M. y Johnson, R.C.** (2001). Control of transcription by nucleoid proteins. *Current Opinion in Microbiology* **4**: 152-159.

- Menestrina, G., Moser, C., Pellet, S. y Welch, R.** (1994). Pore-formation by *Escherichia coli* haemolysin (HlyA) and other members of the RTX toxins family. *Toxicology* **87**: 249-267.
- Merino, S. y Tomás, J.** (1988). Characterization of an *Aeromonas hydrophila* strain isolated on a septicemia out-break in a fish-farm of Spain. *Microbiología SEM* **4**: 181-184.
- Michiels, T., Vanooteghem, J.C., Lambert de Rouvroit, C., China, B., Gustin, A., Boudry, P. y Cornelis, G.R.** (1991), Analysis of *virC*, an operon involved in the secretion of Yop proteins by *Yersinia enterocolitica*. *Journal of Bacteriology* **173**: 4994-5009.
- Mikulskis, A.V. y Cornelis, G.** (1994). A new class of proteins regulating gene expression in enterobacteria. *Molecular Microbiology* **11**: 77-86.
- Miller, J.H.** (1992). A Short Course in Bacterial Genetics. *A Laboratory Manual and Handbook for Escherichia coli and Related Bacteria*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
- Morales, P., Rouvière-Yaniv, J. y Dreyfus, M.** (2002). The histone-like protein HU does not obstruct movement of T7 RNA polymerase in *Escherichia coli* cells but stimulates its activity. *Journal of Bacteriology* **184**: 1565-1570.
- Moreira, L.O., Andrade, A.F., Vale, M.D., Souza, S.M., Hirata, R., Asad, L.M. Asad, N.R., Monteiro-Leal, L.H., Previato, J.O. y Mattos-Guaraldi, A.L.** (2003). Effects of iron limitation on adherence and cell surface carbohydrates of *Corynebacterium diphtheriae* strains. *Applied and Environmental Microbiology* **69**: 5907-5913.
- Morschhauser, J., Uhlin, B.E. y Hacker, J.** (1993). Transcriptional analysis and regulation of the *sfa* determinant coding for S fimbriae of pathogenic *Escherichia coli* strains. *Molecular and General Genetics* **238**: 97-105.
- Motin, V.L., Georgescu, A.M., Fitch, J.P., Gu, P.P., Nelson, D.O., Mabery, S.L., Garnham, J.B., Sokhansanj, B.A., Ott, L.L., Coleman, M.A., Elliot, J.M., Kegelmeyer, L.M., Wyrobek, A.J., Sleak, T.R., Brubaker, R.R. y García, E.** (2004). Temporal global changes en gene expression during temperature transition in *Yersinia pestis*. *Journal of Bacteriology* **186**: 6298-6305.
- Mouriño, M., Madrid, C., Balsalobre, C., Prenafreta, A., Muñoa, F.J., Blanco, J., Blanco, M., Blanco, J.E. y Juárez, A.** (1996). The Hha protein as a modulator of

- expression of virulence factors in *Escherichia coli*. *Infection and Immunity* **64**: 2881-2884.
- Mouriño, M., Muñoa, F.J., Balsalobre, C., Díaz, P., Madrid, C. y Juárez, A.** (1994). Environmental regulation of the α-haemolysin expression in *Escherichia coli*. *Microbial Patogenesis* **16**: 249-259.
- Muffler, A., Fischer, D., Altuvia, S., Storz, G. y Hengge-Aronis, R.** (1996). The RNA-binding protein HF-I, known as a host factor for phage Qβ RNA replication, is essential for *rpoS* translation in *Escherichia coli*. *Genes and Development* **10**: 1143-1151.
- Mullis K., Faloona F., Scharf S., Saiki R., Horn G. y Erlich H.** (1986). Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. *Cold Spring Harbor Symposia on Quantitative Biology* **51 Pt 1**: 263-73.
- Muñoa, F.J., Balsalobre, C. y Juárez, A.** (1995). Proteínas tipo histona, topología del ADN y regulación de la expresión genética en bacterias. *Microbiología y genética molecular*. Pág: 373-391. Casadesús, J. (Ed). SEM, Universidad de Huelva, Huelva.
- Naktin, J. y Beavis, K.G.** (1999). *Yersinia enterocolitica* and *Yersinia pseudotuberculosis*. *Clinics in Laboratory Medicine* **19**: 523-536.
- Nataro, J.P., Yikang, D. y Walter, K.** (1994). AggR, a transcriptional activator of aggregative adherente fimbria I expression in enteroaggregative *Escherichia coli*. *Journal of Bacteriology* **175**: 6059-6061.
- Neumeister, B., Körner, K., Schawalbe, B., y Kubanek, B.** (1997). Fatal *Yersinia enterocolitica* septicemia after transfusion of red cells. Case report and review of the literature. Infusther. *Transfusmed* **24**: 14-19.
- Newman, E.B. y Lin, R.** (1995). Leucine-responsive regulatory protein: a global regulator of gene in *Escherichia coli*. *Annual Review of Microbiology* **49**: 747-775.
- Nieto, J.M. y Juárez, A.** (1996). A new member of the Hha/YmoA class of bacterial regulators in plasmid R100 of *Escherichia coli*? *Molecular Microbiology* **19**: 407.
- Nieto, J.M. y Juárez, A.** (1999). The putative Orf4 of broad-host-range conjugative plasmid R446 could be related to the H-NS family of bacterial nucleoid-associated proteins. *Plasmid* **41**: 125-127.
- Nieto, J.M., Bailey, M.J.A., Hughes, C. y Koronakis, V.** (1996). Suppression of transcription polarity in the *Escherichia coli* haemolysin operon by a short

- upstream element shared by polysaccharide and DNA transfer determinants. *Molecular Microbiology* **19**: 705-713.
- Nieto, J.M., Carmona, M., Bolland, S., Jubete, Y., De la Cruz, F. y Juárez, A.** (1991). The *hha* gene modulates haemolysin expression in *Escherichia coli*. *Molecular Microbiology* **5**: 1285-1293.
- Nieto, J.M., Madrid, C., Miquel, E., Parra, J.L., Rodríguez, S. y Juárez, A.** (2002). Evidence for direct protein-protein interaction between members of enterobacterial Hha/YmoA and H-NS families of proteins. *Journal of Bacteriology* **184**: 629-635.
- Nieto, J.M., Madrid, C., Prenafeta, A., Miquel, E., Balsalobre, C., Carrascal, M. y Juárez, A.** (2000). Expression of the haemolysin operon in *Escherichia coli* is modulated by a nucleoid-protein complex that includes proteins Hha and H-NS. *Molecular General Genetics* **263**: 349-358.
- Nieto, J.M., Prenafeta, A., Miquel, E., Torrades, S. y Juárez, A.** (1998). Sequence, identification and effect on conjugation of the *rmoA* gene of plasmid R100-1. *FEMS Microbiology Letters* **169**: 59-66.
- Ninfa, A.J.** (1996). Regulation of gene transcription by extracellular stimuli. *Escherichia coli and Salmonella Cellular and Molecular Biology*. Pág: 1246-1262. Neidhart, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umbarger, H.E. (Eds). American Society for Microbiology, Washington.
- Noegel, A., Rdest, U. y Goebel, W.** (1981). Determinations of the functions of hemolytic plasmid pHly152 of *Escherichia coli*. *Journal of Bacteriology* **145**: 233-247.
- Nye, M.B., Pfau, J.D., Skorupski, K. y Taylor, R.K.** (2000). *Vibrio cholerae* H-NS silences virulence gene expression at multiple steps in the ToxR regulatory cascade. *Journal of Bacteriology* **182**: 4295-4303.
- O'Hanley, P., Marcus, R., Baek, K.Y., Denich, K. y Ji, G.E.** (1993). Genetic conservation of *hly* determinants and serological conservation of HlyA: basis for developing a broadly cross-reactive subunit *Escherichia coli* alpha-haemolysin vaccine. *Infection and Immunity* **61**: 1091-1097.
- Oberto, J. y Rouvière-Yaniv, J.** (1996). *Serratia marcescens* contains a heterodimeric HU protein like *Escherichia coli* and *Salmonella typhimurium*. *Journal of Bacteriology* **178**: 293-297.

- Odijk, T.** (1998). Osmotic compaction of supercoiled DNA into a bacterial nucleoid. *Biophysical Chemistry* **73**: 23-29.
- Ono, S., Goldberg, M.D., Olsson, T., Esposito, D., Hinton, J.C.D. y Ladbury, E.** (2005). H-NS is a part of a thermally controlled mechanism for bacterial gene regulation. *Biochemical Journal* **391**: 203-213.
- Owen-Hughes, T.A., Pavitt, G.D., Santos, D.S., Sidebotham, J.M., Hulton, C.S.J., Hinton, J.C.D. y Higgins, C.F.** (1992). The chromatin-associated protein H-NS interacts with curved DNA to influence DNA topology and gene expression. *Cell* **71**: 255-265.
- Pai, C.H. y Mors, V.** (1978). Production of enterotoxin by *Yersinia enterocolitica*. *Infection and Immunity* **19**: 908-911.
- Paul, L., Blumenthal, R.M. y Matthews, R.G.** (2001). Activation from a distance: roles of Lrp and integration host factor in transcriptional activation of *Gltbf*. *Journal of Bacteriology* **183**: 3910-3918.
- Paytubi, S.** (2004). Regulació de l'expressió gènica a enterobactèries: caracterització d'YdgT, una nova proteïna de la família Hha / YmoA, i interaccions amb altres proteïnes associades al nucleoide. Tesi Doctoral. Facultat de Biologia. Universitat de Barcelona.
- Paytubi, S., Madrid, C., Forns, N., Nieto, J.M., Balsalobre, C., Uhlin, B.E. y Juárez, A.** (2004). YdgT, the Hha parologue in *Escherichia coli*, forms heteromeric complexes with H-NS and StpA. *Molecular Microbiology* **54**: 251-263.
- Pepe, J.C. y Miller, V.L.** (1993). *Yersinia enterocolitica* invasin: a primary role in the initiation of infection. *Proceedings of the National Academy of Sciences of the USA* **90**: 6473-6477.
- Pepe, J.C., Badger, L. y Miller, V.L.** (1994). Growth phase and low pH affect the thermal regulation of *Yersinia enterocolitica* *inv* gene. *Molecular Microbiology* **11**: 123-135.
- Perry, R.D. y Fetherston, J.D.** (1997). *Yersinia pestis*: etiologic agent of plague. *Clinical Microbiology Reviews* **10**: 35-66.
- Pettijohn, D.E.** (1996). The Nucleoid. *Escherichia coli and Salmonella: Cellular and molecular Biology*. Pág: 158-166. Neidhart, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umbarger, H.E. (Eds). American Society for Microbiology, Washington.

- Platko, J.V., Willins, D.A. y Calvo, J.M.** (1990). The *ilvIH* operon of *Escherichia coli* is positively regulated. *Journal of Bacteriology* **172**: 4563-4570.
- Porter, M.E. y Dorman, C.J.** (1997). Differential regulation of the plasmid-encoded genes in the *Shigella flexneri* virulence regulon. *Molecular and General Genetics* **256**: 93-103.
- Pul, Ü., Wurm, R., Lux,B., Meltzer, M., Menzel, A. y Wagner, R.** (2005). Lrp and H-NS – cooperative partners for transcription regulation at *Escherichia coli* rRNA promoters. *Molecular Microbiology* **58**: 864-876.
- Qi, S.Y., Moir, A. y O'Connor, D.** (1996). Proteome of *Salmonella typhimurium* SL1344: Identification of novel abundant cell envelope proteins and assignment to a two-dimensional reference map. *Journal of Bacteriology* **178**: 5032-5038.
- Revell, P.A. y Miller, V.L.** (2000). A chromosomally encoded regulator is required for expression of the *Yersinia enterocolitica* *inv* gene and for virulence. *Molecular Microbiology* **35**: 677-685.
- Rimsky, S.** (2004). Structure of the histone-like protein H-NS and its role in regulation and genome superstructure. *Current Opinion in Microbiology* **7**: 109-114.
- Rimsky, S., Zuber, F., Buckle, M. y Buch, H.** (2001). A molecular mechanism for the repression of transcription by he H-NS protein. *Molecular Microbiology* **42**: 1311-1323.
- Roberts, T.A., Baird-Parker, C.A. y Tompkin, R.B.** (1996). Microorganisms in foods. Pág: 458-478. *Blackie Academic and Professional*. London, United Kingdom.
- Robins-Browne, R.M.** (1997). *Yersinia enterocolitica*. *Food Microbiology: Fundamentals and Frontiers*. Pág: 192-215. Doyle, M.P., Beuchat, L.R. y Montville, T.J. (Eds.). American Society for Microbiology Press. Washington, D.C.
- Robinson, K., McGuire, A.M. y Church, Q.M.** (1998). A comprehensive library of DNA-binding site matrices for 55 proteins applied to the complete *Escherichia coli* K12 genome. *Journal of Molecular Biology* **284**: 241-254.
- Rodríguez, S.** (2005). Interacción entre proteínas de las familias H-NS y Hha / YmoA: regulación de la expresión génica en *Enterobacteriaceae*. Tesis Doctoral. Facultad de Biología. Universidad de Barcelona.

- Rodríguez, S., Nieto, J.M., Madrid, C. y Juárez, A.** (2005). Functional replacement of the oligomerization domain of H-NS by the Hha protein of *Escherichia coli*. *Journal of Bacteriology* **187**: 5452-5459.
- Rohde, J.R., Fox, J.M. y Minnich, S.A.** (1994). Thermoregulation in *Yersinia enterocolitica* is coincident with changes in DNA supercoiling. *Molecular Microbiology* **12**: 187-199.
- Rohde, J.R., Luan, X.S., Rohde, H., Fox, J.M. y Minnich, S.A.** (1999). The *Yersinia enterocolitica* pYV virulence plasmid contains multiple intrinsic DNA bends which melt at 37° C. *Journal of Bacteriology* **181**: 4198-4202.
- Rosqvist, R., Forsberg, A., Rimpilainen, M., Bergman, T. y Wolf-Watz, H.** (1990). The cytotoxic protein YopE of *Yersinia* obstructs the primary host defence. *Molecular Microbiology* **4**: 657-667.
- Rouvière-Yaniv, J. y Gros, F.** (1975). Characterization of a novel, low molecular weight DNA-binding protein from *Escherichia coli*. *Proceedings of the National Academy of Sciences of the USA* **72**: 3428-3432.
- Sambrook, J., Fritsch, E.F. y Maniatis, T.** (1989). *Molecular cloning: A Laboratory Manual*. 2^a Ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
- Sanger, F. y Coulson A.R.** (1975). A rapid method for determining sequences in DNA by primed synthesis with DNA polymerase. *Journal of Molecular Biology* **94**: 441-448.
- Schägger, H. y von Jagow, G.** (1987). Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Analytical Biochemistry* **166**: 368-379.
- Schlicke, M. y Brakmann, S.** (2005). Expression and purification of histidine-tagged bacteriophage T7 DNA polymerase. *Protein Expression and Purification* **39**: 247-253.
- Schneider, R., Travers, A., Kutateladze, T. y Muskhelishvili, G.** (1999). A DNA architectural protein couples cellular physiology and DNA topology in *Escherichia coli*. *Molecular Microbiology* **34**: 953-964.
- Schröder, O. y Wagner, R.** (2002). The bacterial regulatory protein H-NS. A versatile modulator of nucleic acid structures. *Biological Chemistry* **383**: 945-960.
- Sharma, V.K. y Zuerner, R.L.** (2004). Role of *hha* and *ler* in transcriptional regulation of the *esp* operon of enterohemorrhagic *Escherichia coli* O157:H7. *Journal of Bacteriology* **186**: 7290-7301.

- Sheikh, J., Hicks, S., Dall'Agnol, M., Phillips, A.D. y Nataro, J.P.** (2001). Roles for Fis and Yafk in biofilm formation by enteroaggregative *Escherichia coli*. *Molecular Microbiology* **41**: 983-997.
- Sherburne, C.K., Lawley, T.D., Gilmour, M.W., Blattner, F.R., Burland, V., Grotbeck, E., Rose, D.J. y Taylor, D.E.** (2000). The complete DNA sequence and analysis of R27, a large IncHI plasmid from *Salmonella typhi* that is temperature sensitive for transfer. *Nucleic Acids Research* **28**: 2177-2186.
- Sherrat, D.J.** (2003). Bacterial chromosome dynamics. *Science* **301**: 780-785.
- Shi, X. y Bennett, G.N.** (1994). Plasmids bearing *hfq* and the hns-like gene *stpA* complement *hns* mutants in modulating *arginine decarboxilase* gene expression in *Escherichia coli*. *Journal of Bacteriology* **176**: 6769-6775.
- Shimamura, T., Watanabe, S. y Sasaki, S.** (1985). Enhancement of enterotoxin production by carbon dioxide in *Vibrio cholerae*. *Infection and Immunity* **49**: 455-456.
- Shindo, H., Furubayashi, A., Shimizu, M., Miyake, M. y Imamoto, F.** (1992). Preferential binding of *Escherichia coli* histone-like protein HU- α to negatively supercoiled DNA. *Nucleic Acids Research* **20**: 1553-1558.
- Shindo, H., Iwaki, T., Ieda, R., Kurumizaka, H., Ueguchi, C., Mizuno, T., Morikawa, S., Nakamura, H. y Kuboniwa, H.** (1995). Solution structure of the DNA binding domain of a nucleoid-associated protein, H-NS, from *Escherichia coli*. *FEBS Letters* **360**: 125-131.
- Shirano, Y. y Shibata, D.** (1990). Low temperature cultivation of *Escherichia coli* carrying a rice lipoxygenase L-2 cDNA produces a soluble and active enzyme at a high level. *FEBS Letters* **271**: 128-130.
- Simon, R., Priefer, U. y Puhler, A.** (1983). A broad host range mobilization system for *in vivo* genetic engineering: transposon mutagenesis in gram negative bacteria. *Bio/Technology* **1**: 784-791.
- Simonet, M., Richard, S. y Berche, P.** (1990). Electron microscopic evidence for *in vivo* extracellular localization of *Yersinia pseudotuberculosis* harboring the pYV plasmid. *Infection and Immunity* **58**: 841-845.
- Skoko, D., Wong, B., Johnson, R.C. y Marko, J.F.** (2004). Micromechanical analysis of the binding of DNA- bending proteins HMGB1, NHP6A, y HU reveals their ability to form highly stable DNA-protein complexes. *Biochemistry* **43**: 13867-13874.

- Skrzypek, E., Cowan, C. y Straley, S.C.** (1998). Targeting of the *Yersinia pestis* YopM protein into the HeLa cells and intracellular trafficking to the nucleus. *Molecular Microbiology* **30**: 1051-1065.
- Skurnik, M., Bolin, I., Heikkinen, H., Piha, S. y Wolf-Watz, H.** (1984). Virulence plasmid-associated autoagglutination in *Yersinia spp.* *Journal of Bacteriology* **158**: 1033-1036.
- Smyth, C.P., Lundbäck, T., Renzoni, D., Siligardi, G., Beavil, R., Layton, M., Sidebotham, J.M., Hinton, J.C.D., Driscoll, P.C., Higgins, C.F. y Ladbury, J.E.** (2000). Oligomerization of the chromatin-structuring protein H-NS. *Molecular Microbiology* **36**: 962-972.
- Sondén, B. y Uhlin, B.E.** (1996). Coordinated and differential expression of histone-like proteins in *Escherichia coli*: regulation and function of the H-NS analog StpA. *The EMBO Journal* **15**: 4970-4980.
- Sonnenfield, J.M., Burns, C.M., Higgins, C.F. y Hinton, J.C.** (2001). The nucleoid-associated protein StpA binds curved DNA, has a greater DNA-binding affinity than H-NS and is present in significant levels in *hns* mutants. *Biochimie* **83**: 243-249.
- Soutourina, O., Kolb, A., Krin, E., Laurent-Winter, C., Rimsky, S., Danchin, A. y Bertin, P.** (1999). Multiple control of flagellum biosynthesis in *Escherichia coli*: role of H-NS protein and the cyclic AMP-catabolite activator protein complex in transcription of the *flhDC* master operon. *Journal of Bacteriology* **181**: 7500-7508.
- Spassky, A., Rimsky, S., Garreau, H. y Buc. H.** (1984). H1a, an *E. coli* DNA-binding protein which accumulates in stationary phase, strongly compacts DNA *in vitro*. *Nucleic Acids Research* **12**: 5321-5340.
- Spurio, R., Falconi, M., Brandi, A., Pon, C.L. y Gualerzi, C.O.** (1997). The oligomeric structure of nucleoid protein H-NS is necessary for recognition of intrinsically curved DNA and for DNA bending. *The EMBO Journal* **16**: 1795-1805.
- Sriubolmas, N., Panbangred, S., Sriuraitana, S. y Meevootisom, V.** (1997). Localization and characterization of inclusion bodies in recombinant *Escherichia coli* cells overproducing penicillin G acylase. *Applied Microbiology and Biotechnology* **47**: 373-378.

- Stella, S., Falconi, M., Lammi, M., Gualerzi, C.O. y Pon, C.L.** (2006). Environmental control of the *in vivo* oligomerization of nucleoid protein H-NS. *Journal of Molecular Biology* **355**: 169-174.
- Strathdee, C.A. y Lo, R.Y.C.** (1987). Extensive homology between the leucotoxin of *Pasteurella hemolytica* A1 and the α -haemolysin of *Escherichia coli*. *Infection and Immunity* **155**: 3233-3236.
- Studier, F.W.** (1991). Use a bacteriophage T7 lysozyme to improve an inducible T7 expression system. *Journal of Molecular Biology* **219**: 37-44.
- Studier, F.W. y Moffatt, B.A.** (1986). Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes. *Journal of Molecular Biology* **189**: 113-130.
- Studier, F.W., Rosengerg, A.H., Dunn, J.J. y Dubendorff, J.W.** (1990). Use of T7 RNA polymerase to direct expression of cloned genes. *Methods in Enzymology* **185**: 60-89.
- Suttorp, N., Floer, B., Schnittler, H., Seeger, W. Y Bhakdi, S.** (1990). Effects of *Escherichia coli* haemolysin on endothelial cell funtion. *Infection and Immunity* **58**: 3796-3801.
- Swinger, K.K., Lemberg, K.M. Zhang, Y. y Rice, P.A.** (2003). Flexible DNA bending in HU-DNA cocrystal structures. *The EMBO Journal* **22**: 3749-3760.
- Tanaka, I., Appelt, K., Dijk, J., White, S.W. y Wilson, K.S.** (1984). 3-A resolution structure of a protein with histone-like properties in prokaryotes. *Nature* **310**: 376-381.
- Tani, T.H., Khodursky, A., Blumenthal, R.M., Brown, P.O. y Matthews, R.G.** (2002). Adaptation to famine: a family of stationary-phase genes revealed by microarray analysis. *Proceedings of the Natural Academy of Sciences of the USA* **99**: 13471-13476.
- Tapias, A. Lopez, G. y Ayora, S.** (2000). *Bacillus subtilis* LrpC is a sequence-independent DNA-binding and DNA-bending protein which bridges DNA. *Nucleic Acids Research* **28**: 552-559.
- Telang, S., Vimr, E., Mahoney, J.R., Law, I., Lundqvist-Gustafsson, H., Qian, M. y Eaton, J.W.** (2001). Strain-specific iron dependent virulence in *Escherichia coli*. *The Journal of Infectious Diseases* **184**: 159-165.
- Tendeng, C. y Bertin, P.N.** (2003). H-NS in Gram-negative bacteria: a family of multifaceted proteins. *Trends in Microbiology* **11**: 511-518.

- Tendeng, C., Badaut, C., Krin, E., Gounon, P., Ngo, S., Danchin, A., Rimsky, S. y Bertin, P.N.** (2000). Isolation and characterization of *vicH*, encoding a new regulator in *Vibrio cholerae*. *Journal of Bacteriology* **182**: 2026-2032.
- Tendeng, C., Krin, E., Soutourina, O.A., Marin, A., Danchin, A. y Bertin, P.N.** (2003b). A novel H-NS like protein from an antarctic psychrophilic bacterium reveals a crucial role for the N-terminal domain in thermal stability. *The Journal of Biological Chemistry* **278**: 18754-18760.
- Tendeng, C., Soutourina, O.A., Danchin, A. y Bertin, P.N.** (2003a). MvaT proteins in *Pseudomonas spp.*: a novel class of H-NS-like proteins. *Microbiology* **149**: 3047-3050.
- Tenant, S.M., Skinner, N.A., Joe, A. y Robins-Browne, R.M.** (2005). Homologues of insecticidal toxin complex genes in *Yersinia enterocolitica* biotype 1A and their contribution to virulence. *Infection and Immunity* **73**: 6860-6867.
- Thanbichler, M. Wang, S.C. y Shapiro, L.** (2005). The bacterial nucleoid: a highly organized and dynamic structure. *Journal of Cellular Biochemistry* **96**: 506-521.
- Thompson, J.F. Moitoso de Vargas, L., Koch, C., Kahmann, R. y Landy, A.** (1987). Cellular factors couple recombination with growth phase: characterization of a new component in the lambda site-specific recombination pathway. *Cell* **50**: 901-908.
- Tietze, E. y Tschäpe, H.** (1994). Temperature-dependent expression of conjugation pili by IncM plasmid-harbouring bacteria: identification of plasmid-encoded regulatory functions. *Journal of Basic Microbiology* **34**: 105-116.
- Tippner, D. y Wagner, R.** (1995). Fluorescence analysis of the *Escherichia coli* transcription regulator H-NS reveals two distinguishable complexes dependent on binding to specific or nonspecific DNA sites. *The Journal of Biological Chemistry* **270**: 22243-22247.
- Towbin, H., Staehelin, T. y Gordon, J.** (1979). Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: Procedure and some applications. *Proceedings of the National Academy of Sciences of the USA* **76**: 4350-4354.
- Trachman, J.D. y Maas, W.K.** (1998). Temperature regulation of heat-labile enterotoxin (LT) synthesis in *Escherichia coli* is mediated by an interaction of H-NS protein with the LTA-subunit DNA. *Journal of Bacteriology* **180**: 3715-3718.
- Tupper, A.E., Owen-Hughes, T.A., Ussery, D.W., Santos, D.S., Ferguson, D.J.P., Sidebotham, J.M., Hinton, J.C.D. y Higgins, C.F.** (1994). The chromatin-

- associated protein H-NS alters DNA topology in vitro. *The EMBO Journal* **13**: 258-268.
- Ueguchi, C., Kakeda, M. y Mizuno, T.** (1993). Autoregulatory expression of the *Escherichia coli hns* gene encoding a nucleoid protein: H-NS functions as a repressor of its own transcription. *Molecular and General Genetics* **236**: 171-178.
- Ueguchi, C., Suzuki, T., Yoshida, T., Tanaka, K.I. y Mizuno, T.** (1996). Systematic mutational analysis revealing the functional domain organization of *Escherichia coli* nucleoid protein H-NS. *Journal of Molecular Biology* **263**: 149-162.
- Ussery, D. Larsen, T.S. Wilkes, K.T., Friis, C. Worning, P., Krogh, A. y Brunak, S.** (2001). Genome organisation and chromatin structure in *Escherichia coli*. *Biochimie* **83**: 201-212.
- Van Noort, J., Verbrugge, S., Goosen, N., Dekker, C. y Dame, R.T.** (2004). Dual architectural roles of HU: formation of flexible hinges and rigid filaments. *Proceedings of the Natural Academy of Sciences of the USA* **101**: 6969-6974.
- Varshavsky, A.J., Nedospasov, S.A., Bakayev, V.V., Bakayeva, T.G. y Georgiev, G.P.** (1977). Histone-like proteins in the purified *Escherichia coli* deoxyribonucleo-protein. *Nucleic Acids Research* **4**: 2725-2745.
- Venkatesan, M.M., Goldberg, M.B., Rose, D.J., Grotbeck, E.J., Burland, V. y Blattner, F.R.** (2001). Complete DNA sequence and analysis of the large virulence plasmid of *Shigella flexnerii*. *Infection and Immunity* **69**: 3271-3285.
- Viboud, G., So, S., Ryndak, M. y Bliska, J.** (2003). Proinflammatory signalling stimulated by the type III translocation factor YopB is counteracted by multiple effectors in epithelial cells infected with *Yersinia pseudotuberculosis*. *Molecular Microbiology* **47**: 1305-1315.
- Vogel, M. Hess, J., Then, I., Juárez, A. y Goebel, W.** (1988). Characterization of a sequence (*hlyR*) which enhances synthesis and secretion of haemolysin in *Escherichia coli*. *Molecular and General Genetics* **212**: 76-84.
- Wandersman, C. y Delepelaire, P.** (1990). TolC, an *Escherichia coli* outer membrane protein required for haemolysin secretion. *Proceedings of the Natural Academy of Sciences of the USA* **87**: 4776-4780.
- Wauters, G., Kandolo, K. y Janssens, M.** (1987). Revised biogrouping scheme of *Yersinia enterocolitica*. *Contributions to Microbiology and Immunology* **9**: 14-21.

- Weinstein, D.L., Colmes, R.K. y O'Brien, D.** (1988). Effects of iron and temperatura on Shiga-like toxin I production by *Escherichia coli*. *Infection and Immunity* **56**: 106-111.
- Weinstein-Fischer, D., Elgrably-Weiss, M. y Altuvia, S.** (2000). *Escherichia coli* response to hydrogen peroxide: a role for DNA supercoiling, topoisomerase I and Fis. *Molecular Microbiology* **34**: 1413-1420.
- Welch, R.A. y Pellett, S.** (1988). Transcriptional organization of the *Escherichia coli* haemolysin genes. *Journal of Bacteriology* **170**: 1622-1630.
- Welch, R.A., Dellinger, E.P., Minshew, B. y Falkow, S.** (1981). Haemolysin contributes to virulence of extra-intestinal *E. coli* infections. *Nature* **294**: 665-667.
- Welch, T.J., Farewell, A. Neidhardt, F.C. y Bartlett, D.H.** (1993). Stress response of *Escherichia coli* to elevated hydrostatic pressure. *Journal of Bacteriology* **175**: 7170-7177.
- Williams, J.G.K., Wulff, D.L. y Nash, H.A.** (1977). DNA insertion elements, plasmids and episomes. Pág.: 357-361. Bukhari, A., Shapiro, J. y Adhya, S. (Eds.). Cold Spring Laboratory Press, Cold Spring Harbor, N.Y.
- Williams, R.M. y Rimsky, S.** (1997). Molecular aspects of the *E.coli* nucleoid protein H-NS: a central controller of gene regulatory networks. *FEMS Microbiology Letters* **156**: 175-185.
- Williams, R.M., Rimsky, S. y Buc, H.** (1996). Probing the structure, function, and interactions of the *Escherichia coli* H-NS and StpA proteins by using dominant negative derivatives. *Journal of Bacteriology* **178**: 4335-4343.
- Wilson, R.L., Libby, S.J., Freet, A.M., Boddicker, J.D., Fahlen, T.F. y Jones, B.D.** (2001). Fis, a DNA nucleoid-associated protein, is involved in *Salmonella typhimurium SPI-1* invasion gene expression. *Molecular Microbiology* **39**: 79-88.
- Wollmann, P., Zeth, K., Lupas, A.N. y Linke, D.** (2006). Purification of the YadA membrane anchor for secondary structure analysis and crystallization. *International Journal of Biological Macromolecules* (en prensa).
- Wooldridge, K.G. y Williams, P.H.** (1993). Iron uptake mechanisms of pathogenic bacteria. *FEMS Microbiology Reviews* **12**: 325-348.
- Xu, J. y Johnson, R.C.** (1995). Identification of genes negatively regulated by Fis: Fis and RpoS comodulate growth-phase dependent gene expression in *Escherichia coli*. *Journal of Bacteriology* **177**: 938-947.

- Yamada, H., Muramatsu, S. y Sasakawa, C.** (1990). An *Escherichia coli* protein that preferentially binds to sharply curved DNA. *Journal of Biochemistry* **108**: 420-425.
- Yao, T., Mecsas, J., Healy, J.I., Falkow, S. y Chien, Y.** (1999). Supression of T and B lymphocyte activation by a *Yersinia pseudotuberculosis* virulence factor, *yopH*. *The Journal of Experimental Medicine* **190**: 1343-1350.
- Yee, A., Chang, X., Pineda-Lucena, A., Wu, B., Semesi, A., Le, B., Ramelot, T., Lee, G.M., Bhattacharyya, S., Gutierrez, P., Denisov, A., Lee, C.H., Cort, J.R., Kozlov, G., Liao, J., Finak, G., Chen, L., Wishart, D., Lee, W., McIntosh, L.P., Gehring, K., Kennedy, M.A., Edwards, A.M. y Arroxwmith, C.H.** (2002). An NMR approach to structural proteomics. *Proceedings of the Natural Academy of Sciences of the USA* **99**: 1825-30.
- Yother, J., Chamness, T.W. y Goguen, J.** (1986). Temperature-controlled plasmid regulon associated with low calcium response in *Yersinia pestis*. *Journal of Bacteriology* **165**: 704-711.
- Zhang, A. y Belfort, M.** (1992). Nucleotide sequence of a newly-identified *Escherichia coli* gene, *stpA*, encoding an H-NS-like protein. *Nucleic Acids Research* **20**: 67.
- Zhang, A., Derbyshare, V., Galloway Salvo, J.L. y Belfort, M.** (1995). *Escherichia coli* protein StpA stimulates self-splicing by promoting RNA assembly *in vitro*. *RNA* **1**: 783-793.
- Zhang, A., Rimsky, S., Reaban, M.E., Buc, H. y Belfort, M.** (1996). *Escherichia coli* protein analogs StpA and H-NS: regulatory loops, similar and disparate effects on nucleic acid dynamics. *The EMBO Journal* **15**: 1340-1349.
- Zimmerman, S.B. y Murphy, L.D.** (1996). Macromolecular crowding and the mandatory condensation of DNA in bacteria. *FEBS Letters* **390**: 245-248.