

BIBLIOGRAFÍA

VI. BIBLIOGRAFÍA**A**

ADAMS,M., MONTAGUE,C.T., PRINS,J.B., HOLDER,J.C., SMITH,S.A., SANDERS,L., DIGBY,J.E., SEWTER,C.P., LAZAR,M.A., CHATTERJEE,V.K., AND O'RAHILLY,S. (1997). ACTIVATORS OF PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA HAVE DEPOT-SPECIFIC EFFECTS ON HUMAN PREADIPOCYTE DIFFERENTIATION. *J. CLIN. INVEST* 100, 3149-3153.

AGRAWAL,K.C., LARUSSA,V.F., AND MONDAL,D. (2001). SINERGISTIC ANTIADIPOGENIC EFFECTS OF HIV-1 PROTEASE INHIBITORS AND TNFALPHA IN 3T3-L1 CELLS: ROLE OF ECM DEGRADING ENZYMES. *ANTIVIRAL THERPAPY* 6 (SUPL. 4): 18

AILHAUD,G. (1999). CROSS TALK BETWEEN ADIPOCYTES AND THEIR PRECURSORS: RELATIONSHIPS WITH ADIPOSE TISSUE DEVELOPMENT AND BLOOD PRESSURE. *ANN. N. Y. ACAD. SCI.* 892, 127-133.

ALAM,T.I., KANKI,T., MUTA,T., UKAJI,K., ABE,Y., NAKAYAMA,H., TAKIO,K., HAMASAKI,N., AND KANG,D. (2003). HUMAN MITOCHONDRIAL DNA IS PACKAGED WITH TFAM. *NUCLEIC ACIDS RES.* 31, 1640-1645.

ALVAREZ,R., CHECA,M., BRUN,S., VINAS,O., MAMPEL,T., IGLESIAS,R., GIRALT,M., AND VILLARROYA,F. (2000). BOTH RETINOIC-ACID-RECEPTOR- AND RETINOID-X-RECEPTOR-DEPENDENT SIGNALLING PATHWAYS MEDIATE THE INDUCTION OF THE BROWN-ADIPOSE-TISSUE-UNCOUPLING-PROTEIN-1 GENE BY RETINOIDS. *BIOCHEM. J.* 345 PT 1, 91-97.

ALVAREZ,R., DE ANDRES,J., YUBERO,P., VINAS,O., MAMPEL,T., IGLESIAS,R., GIRALT,M., AND VILLARROYA,F. (1995). A NOVEL REGULATORY PATHWAY OF BROWN FAT THERMOGENESIS. RETINOIC ACID IS A TRANSCRIPTIONAL ACTIVATOR OF THE MITOCHONDRIAL UNCOUPLING PROTEIN GENE. *J. BIOL. CHEM.* 270, 5666-5673.

ARATANI,Y., SUGIMOTO,E., AND KITAGAWA,Y. (1987). LITHIUM ION REVERSIBLY INHIBITS INDUCER-STIMULATED ADIPOSE CONVERSION OF 3T3-L1 CELLS. *FEBS LETT.* 218, 47-51.

ARSENIJEVIC,D., ONUMA,H., PECQUEUR,C., RAIMBAULT,S., MANNING,B.S., MIROUX,B., COUPLAN,E., ALVES-GUERRA,M.C., GOUBERN,M., SURWIT,R., BOUILLAUD,F., RICHARD,D., COLLINS,S., AND RICQUIER,D. (2000). DISRUPTION OF THE UNCOUPLING PROTEIN-2 GENE IN MICE REVEALS A ROLE IN IMMUNITY AND REACTIVE OXYGEN SPECIES PRODUCTION. *NAT. GENET.* 26, 435-439.

AUBERT,J., SAINT-MARC,P., BELMONTE,N., DANI,C., NEGREL,R., AND AILHAUD,G. (2000). PROSTACYCLIN IP RECEPTOR UP-REGULATES THE EARLY EXPRESSION OF C/EBPBETA AND C/EBPDELTA IN PREADIPOSE CELLS. *MOL. CELL ENDOCRINOL.* 160, 149-156.

B

BARAK,Y., NELSON,M.C., ONG,E.S., JONES,Y.Z., RUIZ-LOZANO,P., CHIEN,K.R., KODER,A., AND EVANS,R.M. (1999). PPAR GAMMA IS REQUIRED FOR PLACENTAL, CARDIAC, AND ADIPOSE TISSUE DEVELOPMENT. *MOL. CELL* 4, 585-595.

BARBERA,M.J., SCHLUTER,A., PEDRAZA,N., IGLESIAS,R., VILLARROYA,F., AND GIRALT,M. (2001). PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR ALPHA ACTIVATES TRANSCRIPTION OF THE BROWN FAT UNCOUPLING PROTEIN-1 GENE. A LINK BETWEEN REGULATION OF THE THERMOGENIC AND LIPID OXIDATION PATHWAYS IN THE BROWN FAT CELL. *J. BIOL. CHEM.* 276, 1486-1493.

BASTARD,J.P., CARON,M., VIDAL,H., JAN,V., AUCLAIR,M., VIGOUROUX,C., LUBOINSKI,J., LAVILLE,M., MAACHI,M., GIRARD,P.M., ROZENBAUM,W., LEVAN,P., AND CAPEAU,J. (2002). ASSOCIATION BETWEEN ALTERED EXPRESSION OF ADIPOGENIC FACTOR SREBP1 IN

Bibliografía

LIPOATROPHIC ADIPOSE TISSUE FROM HIV-1-INFECTED PATIENTS AND ABNORMAL ADIPOCYTE DIFFERENTIATION AND INSULIN RESISTANCE. *LANCET* 359, 1026-1031.

BASTARD,J.P., CERVERA,P., JAN,V., MAACHI,M., CARON,M., VIGOUROUX,C., VIDAL,H., GIRARD,P.M., LEVAN,P., ROZENBAUM,W. AND CAPEAU,J. (2003). INCREASED IL-6 AND TNFALPHA EXPRESSION IS RELATED TO INCREASED APOPTOSIS IN DECREASED DIFFERENTIATION IN ADIPOSE TISSUE FROM PATIENTS WITH HIV-RELATED LIPODYSTROPHY. *ANTIVIRAL THERAPY* 8,L10.

BEHRENS,G., DEJAM,A., SCHMIDT,H., BALKS,H.J., BRABANT,G., KORNER,T., STOLL,M., AND SCHMIDT,R.E. (1999). IMPAIRED GLUCOSE TOLERANCE, BETA CELL FUNCTION AND LIPID METABOLISM IN HIV PATIENTS UNDER TREATMENT WITH PROTEASE INHIBITORS. *AIDS* 13, F63-F70.

BEHRENS,G.M., STOLL,M., AND SCHMIDT,R.E. (2000). LIPODYSTROPHY SYNDROME IN HIV INFECTION: WHAT IS IT, WHAT CAUSES IT AND HOW CAN IT BE MANAGED? *DRUG SAF* 23, 57-76.

BEN ROMANO,R., RUDICH,A., TOROK,D., VANOUNOU,S., RIESENBERG,K., SCHLAEFFER,F., KLIP,A., AND BASHAN,N. (2003). AGENT AND CELL-TYPE SPECIFICITY IN THE INDUCTION OF INSULIN RESISTANCE BY HIV PROTEASE INHIBITORS. *AIDS* 17, 23-32.

BERTHOLD,H.K., PARHOFER,K.G., RITTER,M.M., ADDO,M., WASMUTH,J.C., SCHLIEFER,K., SPENGLER,U., AND ROCKSTROH,J.K. (1999). INFLUENCE OF PROTEASE INHIBITOR THERAPY ON LIPOPROTEIN METABOLISM. *J. INTERN. MED.* 246, 567-575.

BEZAIRE,V., HOFMANN,W., KRAMER,J.K., KOZAK,L.P., AND HARPER,M.E. (2001). EFFECTS OF FASTING ON MUSCLE MITOCHONDRIAL ENERGETICS AND FATTY ACID METABOLISM IN UCP3(-/-) AND WILD-TYPE MICE. *AM. J. PHYSIOL ENDOCRINOL. METAB* 281, E975-E982.

BIANCO,A.C. AND SILVA,J.E. (1987). INTRACELLULAR CONVERSION OF THYROXINE TO TRIIODOTHYRONINE IS REQUIRED FOR THE OPTIMAL THERMOGENIC FUNCTION OF BROWN ADIPOSE TISSUE. *J. CLIN. INVEST* 79, 295-300.

BONNET,E., RUIDAVETS,J.B., TUECH,J., FERRIERES,J., COLLET,X., FAUVEL,J., MASSIP,P., AND PERRET,B. (2001). APOPROTEIN C-III AND E-CONTAINING LIPOPARTICLES ARE MARKEDLY INCREASED IN HIV-INFECTED PATIENTS TREATED WITH PROTEASE INHIBITORS: ASSOCIATION WITH THE DEVELOPMENT OF LIPODYSTROPHY. *J. CLIN. ENDOCRINOL. METAB* 86, 296-302.

BOSS,O., BACHMAN,E., VIDAL-PUIG,A., ZHANG,C.Y., PERONI,O., AND LOWELL,B.B. (1999). ROLE OF THE BETA(3)-ADRENERGIC RECEPTOR AND/OR A PUTATIVE BETA(4)-ADRENERGIC RECEPTOR ON THE EXPRESSION OF UNCOUPLING PROTEINS AND PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR-GAMMA COACTIVATOR-1. *BIOCHEM. BIOPHYS. RES. COMMUN.* 261, 870-876.

BOSS,O., SAMEC,S., PAOLONI-GIACOBINO,A., ROSSIER,C., DULLOO,A., SEYDOUX,J., MUZZIN,P., AND GIACOBINO,J.P. (1997). UNCOUPLING PROTEIN-3: A NEW MEMBER OF THE MITOCHONDRIAL CARRIER FAMILY WITH TISSUE-SPECIFIC EXPRESSION. *FEBS LETT.* 408, 39-42.

BOUILLAUD,F., RAIMBAULT,S., AND RICQUIER,D. (1988A). THE GENE FOR RAT UNCOUPLING PROTEIN: COMPLETE SEQUENCE, STRUCTURE OF PRIMARY TRANSCRIPT AND EVOLUTIONARY RELATIONSHIP BETWEEN EXONS. *BIOCHEM. BIOPHYS. RES. COMMUN.* 157, 783-792.

BOUILLAUD,F., VILLARROYA,F., HENTZ,E., RAIMBAULT,S., CASSARD,A.M., AND RICQUIER,D. (1988B). DETECTION OF BROWN ADIPOSE TISSUE UNCOUPLING PROTEIN MRNA IN ADULT PATIENTS BY A HUMAN GENOMIC PROBE. *CLIN. SCI. (LOND)* 75, 21-27.

BOUREZANE,Y., THALAMY,B., VIEL,J.F., BARDONNET,K., DROBACHEFF,C., GIL,H., VUITTON,D.A., AND HOEN,B. (1999). INGROWN TOENAIL AND INDINAVIR: CASE-CONTROL STUDY DEMONSTRATES STRONG RELATIONSHIP. *AIDS* 13, 2181-2182.

BOYER,B.B. AND KOZAK,L.P. (1991). THE MITOCHONDRIAL UNCOUPLING PROTEIN GENE IN BROWN FAT: CORRELATION BETWEEN DNASE I HYPERSENSITIVITY AND EXPRESSION IN TRANSGENIC MICE. *MOL. CELL BIOL.* *11*, 4147-4156.

BRAISSANT,O. AND WAHLI,W. (1998). DIFFERENTIAL EXPRESSION OF PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR-ALPHA, -BETA, AND -GAMMA DURING RAT EMBRYONIC DEVELOPMENT. *ENDOCRINOLOGY* *139*, 2748-2754.

BRINKMAN,K., SMEITINK,J.A., ROMIJN,J.A., AND REISS,P. (1999). MITOCHONDRIAL TOXICITY INDUCED BY NUCLEOSIDE-ANALOGUE REVERSE-TRANSCRIPTASE INHIBITORS IS A KEY FACTOR IN THE PATHOGENESIS OF ANTIRETROVIRAL-THERAPY-RELATED LIPODYSTROPHY. *LANCET* *354*, 1112-1115.

BRONNIKOV,G., BENGTSSON,T., KRAMAROVA,L., GOLOZOUBOVA,V., CANNON,B., AND NEDERGAARD,J. (1999). BETA1 TO BETA3 SWITCH IN CONTROL OF CYCLIC ADENOSINE MONOPHOSPHATE DURING BROWN ADIPOCYTE DEVELOPMENT EXPLAINS DISTINCT BETA-ADRENOCEPTOR SUBTYPE MEDIATION OF PROLIFERATION AND DIFFERENTIATION. *ENDOCRINOLOGY* *140*, 4185-4197.

BRONNIKOV,G., HOUSTEK,J., AND NEDERGAARD,J. (1992). BETA-ADRENERGIC, CAMP-MEDIATED STIMULATION OF PROLIFERATION OF BROWN FAT CELLS IN PRIMARY CULTURE. MEDIATION VIA BETA 1 BUT NOT VIA BETA 3 ADRENOCEPTORS. *J. BIOL. CHEM.* *267*, 2006-2013.

BROWN,M.S. AND GOLDSTEIN,J.L. (1997). THE SREBP PATHWAY: REGULATION OF CHOLESTEROL METABOLISM BY PROTEOLYSIS OF A MEMBRANE-BOUND TRANSCRIPTION FACTOR. *CELL* *89*, 331-340.

BRUN,R.P., TONTONOZ,P., FORMAN,B.M., ELLIS,R., CHEN,J., EVANS,R.M., AND SPIEGELMAN,B.M. (1996). DIFFERENTIAL ACTIVATION OF ADIPOGENESIS BY MULTIPLE PPAR ISOFORMS. *GENES DEV.* *10*, 974-984.

BUJALSKA,I.J., KUMAR,S., AND STEWART,P.M. (1997). DOES CENTRAL OBESITY REFLECT "CUSHING'S DISEASE OF THE OMENTUM"? *LANCET* *349*, 1210-1213.

C

CADIGAN,K.M. AND NUSSE,R. (1997). WNT SIGNALING: A COMMON THEME IN ANIMAL DEVELOPMENT. *GENES DEV.* *11*, 3286-3305.

CANNON,B. AND NEDERGAARD,J. (1986). BROWN ADIPOSE TISSUE THERMOGENESIS IN NEONATAL AND COLD-ADAPTED ANIMALS. *BIOCHEM. SOC. TRANS.* *14*, 233-236.

CANNON,B. AND NEDERGAARD,J. (2004). BROWN ADIPOSE TISSUE: FUNCTION AND PHYSIOLOGICAL SIGNIFICANCE. *PHYSIOL. REV.* *84*, 277-359.

CAO,W., DANIEL,K.W., ROBIDOUX,J., PUIGSERVER,P., MEDVEDEV,A.V., BAI,X., FLOERING,L.M., SPIEGELMAN,B.M., AND COLLINS,S. (2004). P38 MITOGEN-ACTIVATED PROTEIN KINASE IS THE CENTRAL REGULATOR OF CYCLIC AMP-DEPENDENT TRANSCRIPTION OF THE BROWN FAT UNCOUPLING PROTEIN 1 GENE. *MOL. CELL BIOL.* *24*, 3057-3067.

CAO,Z., UMEK,R.M., AND MCKNIGHT,S.L. (1991). REGULATED EXPRESSION OF THREE C/EBP ISOFORMS DURING ADIPOSE CONVERSION OF 3T3-L1 CELLS. *GENES DEV.* *5*, 1538-1552.

CARMONA,M.C., IGLESIAS,R., OBREGON,M.J., DARLINGTON,G.J., VILLARROYA,F., AND GIRALT,M. (2002). MITOCHONDRIAL BIOGENESIS AND THYROID STATUS MATURATION IN BROWN FAT REQUIRE CCAAT/ENHANCER-BINDING PROTEIN ALPHA. *J. BIOL. CHEM.* *277*, 21489-21498.

CARON,M., AUCLAIR,M., KORNPROBST,M., AND CAPEAU,J. (2001A). DIFFERENTIAL IN VITRO EFFECTS OF INDINAVIR, NELFINAVIR AND AMPRENAVIR ON CELL DIFFERENTIATION, INSULIN

Bibliografia

SENSITIVITY AND APOPTOSIS IN AN ADAPTED CELL MODEL: PREVENTIVE IMPACT OF ROSIGLITAZONE. *ANTIVIRAL THERAPY* 6 (SUPL. 4): 17-18.

CARON,M., AUCLAIR,M., KORNPROBST,M., AND CAPEAU,J. (2002). INDINAVIR-INDUCED NUCLEAR LAMINA ALTERATIONS ARE CORRELATED WITH ADIPOCYTE DYSFUNCTIONS IN CULTURED ADIPOCYTES. *ANTIVIRAL THERAPY* 7: L1.

CARON,M., AUCLAIR,M., KORNPROBST,M., AND CAPEAU,J. (2003B). EFFECTS OF NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS ON DIFFERENTIATION, RESPONSE TO INSULIN AND APOPTOSIS IN CULTURED ADIPOCYTES. *ANTIVIRAL THERAPY* 8: L11.

CARON,M., AUCLAIR,M., STERLINGOT,H., KORNPROBST,M., AND CAPEAU,J. (2003A). SOME HIV PROTEASE INHIBITORS ALTER LAMIN A/C MATURATION AND STABILITY, SREBP-1 NUCLEAR LOCALIZATION AND ADIPOCYTE DIFFERENTIATION. *AIDS* 17, 2437-2444.

CARON,M., AUCLAIR,M., VIGOUROUX,C., GLORIAN,M., FOREST,C., AND CAPEAU,J. (2001B). THE HIV PROTEASE INHIBITOR INDINAVIR IMPAIRS STEROL REGULATORY ELEMENT-BINDING PROTEIN-1 INTRANUCLEAR LOCALIZATION, INHIBITS PREADIPOCYTE DIFFERENTIATION, AND INDUCES INSULIN RESISTANCE. *DIABETES* 50, 1378-1388.

CARPENTER,C.C., COOPER,D.A., FISCHL,M.A., GATELL,J.M., GAZZARD,B.G., HAMMER,S.M., HIRSCH,M.S., JACOBSEN,D.M., KATZENSTEIN,D.A., MONTANER,J.S., RICHMAN,D.D., SAAG,M.S., SCHECHTER,M., SCHOOLEY,R.T., THOMPSON,M.A., VELLA,S., YENI,P.G., AND VOLBERDING,P.A. (2000). ANTIRETROVIRAL THERAPY IN ADULTS: UPDATED RECOMMENDATIONS OF THE INTERNATIONAL AIDS SOCIETY-USA PANEL. *JAMA* 283, 381-390.

CARR,A. AND COOPER,D.A. (2000). ADVERSE EFFECTS OF ANTIRETROVIRAL THERAPY. *LANCET* 356, 1423-1430.

CARR,A., MILLER,J., LAW,M., AND COOPER,D.A. (2000). A SYNDROME OF LIPOATROPHY, LACTIC ACIDAEMIA AND LIVER DYSFUNCTION ASSOCIATED WITH HIV NUCLEOSIDE ANALOGUE THERAPY: CONTRIBUTION TO PROTEASE INHIBITOR-RELATED LIPODYSTROPHY SYNDROME. *AIDS* 14, F25-F32.

CARR,A., SAMARAS,K., BURTON,S., LAW,M., FREUND,J., CHISHOLM,D.J., AND COOPER,D.A. (1998A). A SYNDROME OF PERIPHERAL LIPODYSTROPHY, HYPERLIPIDAEMIA AND INSULIN RESISTANCE IN PATIENTS RECEIVING HIV PROTEASE INHIBITORS. *AIDS* 12, F51-F58.

CARR,A., SAMARAS,K., CHISHOLM,D.J., AND COOPER,D.A. (1998B). PATHOGENESIS OF HIV-1-PROTEASE INHIBITOR-ASSOCIATED PERIPHERAL LIPODYSTROPHY, HYPERLIPIDAEMIA, AND INSULIN RESISTANCE. *LANCET* 351, 1881-1883.

CARR,A., SAMARAS,K., THORISDOTTIR,A., KAUFMANN,G.R., CHISHOLM,D.J., AND COOPER,D.A. (1999). DIAGNOSIS, PREDICTION, AND NATURAL COURSE OF HIV-1 PROTEASE-INHIBITOR-ASSOCIATED LIPODYSTROPHY, HYPERLIPIDAEMIA, AND DIABETES MELLITUS: A COHORT STUDY. *LANCET* 353, 2093-2099.

CARTER,R.S., BHAT,N.K., BASU,A., AND AVADHANI,N.G. (1992). THE BASAL PROMOTER ELEMENTS OF MURINE CYTOCHROME C OXIDASE SUBUNIT IV GENE CONSIST OF TANDEMLY DUPLICATED ETS MOTIFS THAT BIND TO GABP-RELATED TRANSCRIPTION FACTORS. *J. BIOL. CHEM.* 267, 23418-23426.

CASAS,F., ROCHARD,P., RODIER,A., CASSAR-MALEK,I., MARCHAL-VICTORION,S., WIESNER,R.J., CABELLO,G., AND WRUTNIAK,C. (1999). A VARIANT FORM OF THE NUCLEAR TRIIODOTHYRONINE RECEPTOR C-ERBAALPHA1 PLAYS A DIRECT ROLE IN REGULATION OF MITOCHONDRIAL RNA SYNTHESIS. *MOL. CELL BIOL.* 19, 7913-7924.

CASSARD-DOULCIER,A.M., GELLY,C., FOX,N., SCHREMENTI,J., RAIMBAULT,S., KLAUS,S., FOREST,C., BOUILLAUD,F., AND RICQUIER,D. (1993). TISSUE-SPECIFIC AND BETA-ADRENERGIC REGULATION OF THE MITOCHONDRIAL UNCOUPLING PROTEIN GENE: CONTROL BY CIS-ACTING ELEMENTS IN THE 5'-FLANKING REGION. *MOL. ENDOCRINOL.* 7, 497-506.

- CASSARD-DOULCIER,A.M., LAROSE,M., MATAMALA,J.C., CHAMPIGNY,O., BOUILLAUD,F., AND RICQUIER,D. (1994). IN VITRO INTERACTIONS BETWEEN NUCLEAR PROTEINS AND UNCOUPLING PROTEIN GENE PROMOTER REVEAL SEVERAL PUTATIVE TRANSACTIVATING FACTORS INCLUDING ETS1, RETINOID X RECEPTOR, THYROID HORMONE RECEPTOR, AND A CACC BOX-BINDING PROTEIN. *J. BIOL. CHEM.* 269, 24335-24342.
- CHAMPIGNY,O., HOLLOWAY,B.R., AND RICQUIER,D. (1992). REGULATION OF UCP GENE EXPRESSION IN BROWN ADIPOCYTES DIFFERENTIATED IN PRIMARY CULTURE. EFFECTS OF A NEW BETA-ADRENOCEPTOR AGONIST. *MOL. CELL ENDOCRINOL.* 86, 73-82.
- CHAMPIGNY,O. AND RICQUIER,D. (1990). EFFECTS OF FASTING AND REFEEDING ON THE LEVEL OF UNCOUPLING PROTEIN MRNA IN RAT BROWN ADIPOSE TISSUE: EVIDENCE FOR DIET-INDUCED AND COLD-INDUCED RESPONSES. *J. NUTR.* 120, 1730-1736.
- CHAMPIGNY,O. AND RICQUIER,D. (1996). EVIDENCE FROM IN VITRO DIFFERENTIATING CELLS THAT ADRENOCEPTOR AGONISTS CAN INCREASE UNCOUPLING PROTEIN MRNA LEVEL IN ADIPOCYTES OF ADULT HUMANS: AN RT-PCR STUDY. *J. LIPID RES.* 37, 1907-1914.
- CHANDRAN,M., PHILLIPS,S.A., CIARALDI,T., AND HENRY,R.R. (2003). ADIPONECTIN: MORE THAN JUST ANOTHER FAT CELL HORMONE? *DIABETES CARE* 26, 2442-2450.
- CHAU,C.M., EVANS,M.J., AND SCARPULLA,R.C. (1992). NUCLEAR RESPIRATORY FACTOR 1 ACTIVATION SITES IN GENES ENCODING THE GAMMA-SUBUNIT OF ATP SYNTHASE, EUKARYOTIC INITIATION FACTOR 2 ALPHA, AND TYROSINE AMINOTRANSFERASE. SPECIFIC INTERACTION OF PURIFIED NRF-1 WITH MULTIPLE TARGET GENES. *J. BIOL. CHEM.* 267, 6999-7006.
- CHAWLA,A. AND LAZAR,M.A. (1994). PEROXISOME PROLIFERATOR AND RETINOID SIGNALING PATHWAYS CO-REGULATE PREADIPOCYTE PHENOTYPE AND SURVIVAL. *PROC. NATL. ACAD. SCI. U. S. A* 91, 1786-1790.
- CHERRY,C.L., GAHAN,M.E., MCARTHUR,J.C., LEWIN,S.R., HOY,J.F., AND WESSELINGH,S.L. (2002). EXPOSURE TO DIDEOXYNUCLEOSIDES IS REFLECTED IN LOWERED MITOCHONDRIAL DNA IN SUBCUTANEOUS FAT. *J. ACQUIR. IMMUNE. DEFIC. SYNDR.* 30, 271-277.
- CHOY,L., SKILLINGTON,J., AND DERYNCK,R. (2000). ROLES OF AUTOCRINE TGF-BETA RECEPTOR AND SMAD SIGNALING IN ADIPOCYTE DIFFERENTIATION. *J. CELL BIOL.* 149, 667-682.
- CHUN,T.W., FINZI,D., MARGOLICK,J., CHADWICK,K., SCHWARTZ,D., AND SILICIANO,R.F. (1995). IN VIVO FATE OF HIV-1-INFECTED T CELLS: QUANTITATIVE ANALYSIS OF THE TRANSITION TO STABLE LATENCY. *NAT. MED.* 1, 1284-1290.
- CHUNG,A.B., STEPIEN,G., HARAGUCHI,Y., LI,K., AND WALLACE,D.C. (1992). TRANSCRIPTIONAL CONTROL OF NUCLEAR GENES FOR THE MITOCHONDRIAL MUSCLE ADP/ATP TRANSLOCATOR AND THE ATP SYNTHASE BETA SUBUNIT. MULTIPLE FACTORS INTERACT WITH THE OXBOX/REBOX PROMOTER SEQUENCES. *J. BIOL. CHEM.* 267, 21154-21161.
- CLAYTON,D.A. (1991). REPLICATION AND TRANSCRIPTION OF VERTEBRATE MITOCHONDRIAL DNA. *ANNU. REV. CELL BIOL.* 7, 453-478.
- CLEMENT,K., RUIZ,J., CASSARD-DOULCIER,A.M., BOUILLAUD,F., RICQUIER,D., BASDEVANT,A., GUY-GRAND,B., AND FROGUEL,P. (1996). ADDITIVE EFFECT OF A-->G (-3826) VARIANT OF THE UNCOUPLING PROTEIN GENE AND THE TRP64ARG MUTATION OF THE BETA 3-ADRENERGIC RECEPTOR GENE ON WEIGHT GAIN IN MORBID OBESITY. *INT. J. OBES. RELAT METAB DISORD.* 20, 1062-1066.
- CLOUTHIER,D.E., COMERFORD,S.A., AND HAMMER,R.E. (1997). HEPATIC FIBROSIS, GLOMERULOSCLEROSIS, AND A LIPODYSTROPHY-LIKE SYNDROME IN PEPCK-TGF-BETA1 TRANSGENIC MICE. *J. CLIN. INVEST* 100, 2697-2713.

Bibliografía

COLEMAN,R.A. AND HERRMANN,T.S. (1999). NUTRITIONAL REGULATION OF LEPTIN IN HUMANS. *DIABETOLOGIA* 42, 639-646.

COSSARIZZA,A., MUSSINI,C., AND VIGANO,A. (2001). MITOCHONDRIA IN THE PATHOGENESIS OF LIPODYSTROPHY INDUCED BY ANTI-HIV ANTIRETROVIRAL DRUGS: ACTORS OR BYSTANDERS? *BIOESSAYS* 23, 1070-1080.

D

DANI,C., SMITH,A.G., DESSOLIN,S., LEROY,P., STACCINI,L., VILLAGEOIS,P., DARIMONT,C., AND AILHAUD,G. (1997). DIFFERENTIATION OF EMBRYONIC STEM CELLS INTO ADIPOCYTES IN VITRO. *J. CELL SCI.* 110 (PT 11), 1279-1285.

DARLINGTON,G.J., ROSS,S.E., AND MACDOUGALD,O.A. (1998). THE ROLE OF C/EBP GENES IN ADIPOCYTE DIFFERENTIATION. *J. BIOL. CHEM.* 273, 30057-30060.

DE LUCA,L.M. (1991). RETINOIDS AND THEIR RECEPTORS IN DIFFERENTIATION, EMBRYOGENESIS, AND NEOPLASIA. *FASEB J.* 5, 2924-2933.

DEMONACOS,C., DJORDJEVIC-MARKOVIC,R., TSAWDAROGLU,N., AND SEKERIS,C.E. (1995). THE MITOCHONDRION AS A PRIMARY SITE OF ACTION OF GLUCOCORTICOID: THE INTERACTION OF THE GLUCOCORTICOID RECEPTOR WITH MITOCHONDRIAL DNA SEQUENCES SHOWING PARTIAL SIMILARITY TO THE NUCLEAR GLUCOCORTICOID RESPONSIVE ELEMENTS. *J. STEROID BIOCHEM. MOL. BIOL.* 55, 43-55.

DEMONACOS,C.V., KARAYANNI,N., HATZOGLU,E., TSIRIYIOTIS,C., SPANDIDOS,D.A., AND SEKERIS,C.E. (1996). MITOCHONDRIAL GENES AS SITES OF PRIMARY ACTION OF STEROID HORMONES. *STEROIDS* 61, 226-232.

DESAUTELS,M. (1985). MITOCHONDRIAL THERMOGENIN CONTENT IS UNCHANGED DURING ATROPHY OF BAT OF FASTING MICE. *AM. J. PHYSIOL* 249, E99-106.

DESAUTELS,M. AND HIMMS-HAGEN,J. (1980). PARALLEL REGRESSION OF COLD-INDUCED CHANGES IN ULTRASTRUCTURE, COMPOSITION, AND PROPERTIES OF BROWN ADIPOSE TISSUE MITOCHONDRIA DURING RECOVERY OF RATS FROM ACCLIMATION TO COLD. *CAN. J. BIOCHEM.* 58, 1057-1068.

DEVINE,J.H., EUBANK,D.W., CLOUTHIER,D.E., TONTONOZ,P., SPIEGELMAN,B.M., HAMMER,R.E., AND BEALE,E.G. (1999). ADIPOSE EXPRESSION OF THE PHOSPHOENOLPYRUVATE CARBOXYKINASE PROMOTER REQUIRES PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA AND 9-CIS-RETINOIC ACID RECEPTOR BINDING TO AN ADIPOCYTE-SPECIFIC ENHANCER IN VIVO. *J. BIOL. CHEM.* 274, 13604-13612.

DIASCRO,D.D., JR., VOGEL,R.L., JOHNSON,T.E., WITHERUP,K.M., PITZENBERGER,S.M., RUTLEDGE,S.J., PRESCOTT,D.J., RODAN,G.A., AND SCHMIDT,A. (1998). HIGH FATTY ACID CONTENT IN RABBIT SERUM IS RESPONSIBLE FOR THE DIFFERENTIATION OF OSTEOBLASTS INTO ADIPOCYTE-LIKE CELLS. *J. BONE MINER. RES.* 13, 96-106.

DIMACULANGAN,D.D., CHAWLA,A., BOAK,A., KAGAN,H.M., AND LAZAR,M.A. (1994). RETINOIC ACID PREVENTS DOWNREGULATION OF RAS RECISSION GENE/LYSYL OXIDASE EARLY IN ADIPOCYTE DIFFERENTIATION. *DIFFERENTIATION* 58, 47-52.

DJIAN,P., RONCARI,D.A., AND HOLLENBERG,C.H. (1985). ADIPOCYTE PRECURSOR CLONES VARY IN CAPACITY FOR DIFFERENTIATION. *METABOLISM* 34, 880-883.

DOLCE,V., FIERMONTE,G., RUNSWICK,M.J., PALMIERI,F., AND WALKER,J.E. (2001). THE HUMAN MITOCHONDRIAL DEOXYNUCLEOTIDE CARRIER AND ITS ROLE IN THE TOXICITY OF NUCLEOSIDE ANTIVIRALS. *PROC. NATL. ACAD. SCI. U. S. A* 98, 2284-2288.

DOMINGO,P., MATIAS-GUIU,X., PUJOL,R.M., DOMINGO,J.C., ARROYO,J.A., SAMBEAT,M.A., AND VAZQUEZ,G. (2001). SWITCHING TO NEVIRAPINE DECREASES INSULIN LEVELS BUT DOES NOT

IMPROVE SUBCUTANEOUS ADIPOCYTE APOPTOSIS IN PATIENTS WITH HIGHLY ACTIVE ANTIRETROVIRAL THERAPY-ASSOCIATED LIPODYSTROPHY. *J. INFECT. DIS.* 184, 1197-1201.

DOMINGO,P., MATIAS-GUIU,X., PUJOL,R.M., FRANCIA,E., LAGARDA,E., SAMBEAT,M.A., AND VAZQUEZ,G. (1999A). SUBCUTANEOUS ADIPOCYTE APOPTOSIS IN HIV-1 PROTEASE INHIBITOR-ASSOCIATED LIPODYSTROPHY. *AIDS* 13, 2261-2267.

DOMINGO,P., PEREZ,A., TORRES,O.H., MONTIEL,J.A., AND VAZQUEZ,G. (1999B). LIPODYSTROPHY IN HIV-1-INFECTED PATIENTS. *LANCET* 354, 868.

DOWELL,P., FLEXNER,C., KWITEROVICH,P.O., AND LANE,M.D. (2000). SUPPRESSION OF PREADIPOCYTE DIFFERENTIATION AND PROMOTION OF ADIPOCYTE DEATH BY HIV PROTEASE INHIBITORS. *J. BIOL. CHEM.* 275, 41325-41332.

DREYER,C., KREY,G., KELLER,H., GIVEL,F., HELFTENBEIN,G., AND WAHLI,W. (1992). CONTROL OF THE PEROXISOMAL BETA-OXIDATION PATHWAY BY A NOVEL FAMILY OF NUCLEAR HORMONE RECEPTORS. *CELL* 68, 879-887.

DUBE,M.P., JOHNSON,D.L., CURRIER,J.S., AND LEEDOM,J.M. (1997). PROTEASE INHIBITOR-ASSOCIATED HYPERGLYCAEMIA. *LANCET* 350, 713-714.

DUONG,M., PETIT,J.M., PIROTH,L., GRAPPIN,M., BUISSON,M., CHAVANET,P., HILLON,P., AND PORTIER,H. (2001). ASSOCIATION BETWEEN INSULIN RESISTANCE AND HEPATITIS C VIRUS CHRONIC INFECTION IN HIV-HEPATITIS C VIRUS-COINFECTED PATIENTS UNDERGOING ANTIRETROVIRAL THERAPY. *J. ACQUIR. IMMUNE. DEFIC. SYNDR.* 27, 245-250.

E

EKSTRAND,M.I., FALKENBERG,M., RANTANEN,A., PARK,C.B., GASPARI,M., HULTENBY,K., RUSTIN,P., GUSTAFSSON,C.M., AND LARSSON,N.G. (2004). MITOCHONDRIAL TRANSCRIPTION FACTOR A REGULATES MTDNA COPY NUMBER IN MAMMALS. *HUM. MOL. GENET.* 13, 935-944.

ENERBACK,S., JACOBSSON,A., SIMPSON,E.M., GUERRA,C., YAMASHITA,H., HARPER,M.E., AND KOZAK,L.P. (1997). MICE LACKING MITOCHONDRIAL UNCOUPLING PROTEIN ARE COLD-SENSITIVE BUT NOT OBESE. *NATURE* 387, 90-94.

ENGELMAN,J.A., BERG,A.H., LEWIS,R.Y., LIN,A., LISANTI,M.P., AND SCHERER,P.E. (1999). CONSTITUTIVELY ACTIVE MITOGEN-ACTIVATED PROTEIN KINASE KINASE 6 (MKK6) OR SALICYLATE INDUCES SPONTANEOUS 3T3-L1 ADIPOGENESIS. *J. BIOL. CHEM.* 274, 35630-35638.

ENRIQUEZ,J.A., FERNANDEZ-SILVA,P., GARRIDO-PEREZ,N., LOPEZ-PEREZ,M.J., PEREZ-MARTOS,A., AND MONTOYA,J. (1999A). DIRECT REGULATION OF MITOCHONDRIAL RNA SYNTHESIS BY THYROID HORMONE. *MOL. CELL BIOL.* 19, 657-670.

ENRIQUEZ,J.A., FERNANDEZ-SILVA,P., AND MONTOYA,J. (1999B). AUTONOMOUS REGULATION IN MAMMALIAN MITOCHONDRIAL DNA TRANSCRIPTION. *BIOL. CHEM.* 380, 737-747.

EVANS,M.J. AND SCARPULLA,R.C. (1989). INTERACTION OF NUCLEAR FACTORS WITH MULTIPLE SITES IN THE SOMATIC CYTOCHROME C PROMOTER. CHARACTERIZATION OF UPSTREAM NRF-1, ATF, AND INTRON SP1 RECOGNITION SEQUENCES. *J. BIOL. CHEM.* 264, 14361-14368.

EVANS,M.J. AND SCARPULLA,R.C. (1990). NRF-1: A TRANS-ACTIVATOR OF NUCLEAR-ENCODED RESPIRATORY GENES IN ANIMAL CELLS. *GENES DEV.* 4, 1023-1034.

F

FAIN,J.N., MADAN,A.K., HILER,M.L., CHEEMA,P., AND BAHOUTH,S.W. (2004). COMPARISON OF THE RELEASE OF ADIPOKINES BY ADIPOSE TISSUE, ADIPOSE TISSUE MATRIX, AND ADIPOCYTES FROM VISCERAL AND SUBCUTANEOUS ABDOMINAL ADIPOSE TISSUES OF OBESE HUMANS. *ENDOCRINOLOGY* 145, 2273-2282.

Bibliografía

FAJAS,L., SCHOONJANS,K., GELMAN,L., KIM,J.B., NAJIB,J., MARTIN,G., FRUCHART,J.C., BRIGGS,M., SPIEGELMAN,B.M., AND AUWERX,J. (1999). REGULATION OF PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA EXPRESSION BY ADIPOCYTE DIFFERENTIATION AND DETERMINATION FACTOR 1/STEROL REGULATORY ELEMENT BINDING PROTEIN 1: IMPLICATIONS FOR ADIPOCYTE DIFFERENTIATION AND METABOLISM. *MOL. CELL BIOL.* *19*, 5495-5503.

FALKENBERG,M., GASPARI,M., RANTANEN,A., TRIFUNOVIC,A., LARSSON,N.G., AND GUSTAFSSON,C.M. (2002). MITOCHONDRIAL TRANSCRIPTION FACTORS B1 AND B2 ACTIVATE TRANSCRIPTION OF HUMAN MTDNA. *NAT. GENET.* *31*, 289-294.

FERNANDEZ,J.A., MAMPEL,T., VILLARROYA,F., AND IGLESIAS,R. (1987). DIRECT ASSESSMENT OF BROWN ADIPOSE TISSUE AS A SITE OF SYSTEMIC TRI-iodothyronine PRODUCTION IN THE RAT. *BIOCHEM. J.* *243*, 281-284.

FERNANDEZ-SILVA,P., MARTINEZ-AZORIN,F., MICOL,V., AND ATTARDI,G. (1997). THE HUMAN MITOCHONDRIAL TRANSCRIPTION TERMINATION FACTOR (MTERF) IS A MULTIZIPPER PROTEIN BUT BINDS TO DNA AS A MONOMER, WITH EVIDENCE POINTING TO INTRAMOLECULAR LEUCINE ZIPPER INTERACTIONS. *EMBO J.* *16*, 1066-1079.

FISHER,R.P., LISOWSKY,T., PARISI,M.A., AND CLAYTON,D.A. (1992). DNA WRAPPING AND BENDING BY A MITOCHONDRIAL HIGH MOBILITY GROUP-LIKE TRANSCRIPTIONAL ACTIVATOR PROTEIN. *J. BIOL. CHEM.* *267*, 3358-3367.

FISHER,R.P., PARISI,M.A., AND CLAYTON,D.A. (1989). FLEXIBLE RECOGNITION OF RAPIDLY EVOLVING PROMOTER SEQUENCES BY MITOCHONDRIAL TRANSCRIPTION FACTOR 1. *GENES DEV.* *3*, 2202-2217.

FISHER,R.P., TOPPER,J.N., AND CLAYTON,D.A. (1987). PROMOTER SELECTION IN HUMAN MITOCHONDRIA INVOLVES BINDING OF A TRANSCRIPTION FACTOR TO ORIENTATION-INDEPENDENT UPSTREAM REGULATORY ELEMENTS. *CELL* *50*, 247-258.

FLEURY,C., NEVEROVA,M., COLLINS,S., RAIMBAULT,S., CHAMPIGNY,O., LEVI-MEYRUEIS,C., BOUILLAUD,F., SELDIN,M.F., SURWIT,R.S., RICQUIER,D., AND WARDEN,C.H. (1997). UNCOUPLING PROTEIN-2: A NOVEL GENE LINKED TO OBESITY AND HYPERINSULINEMIA. *NAT. GENET.* *15*, 269-272.

FLIER,J.S., COOK,K.S., USHER,P., AND SPIEGELMAN,B.M. (1987). SEVERELY IMPAIRED ADIPSIN EXPRESSION IN GENETIC AND ACQUIRED OBESITY. *SCIENCE* *237*, 405-408.

FORMAN,B.M., CHEN,J., AND EVANS,R.M. (1997). HYPOLIPIDEMIC DRUGS, POLYUNSATURATED FATTY ACIDS, AND EICOSANOIDS ARE LIGANDS FOR PEROXISOME PROLIFERATOR-ACTIVATED RECEPTORS ALPHA AND DELTA. *PROC. NATL. ACAD. SCI. U. S. A* *94*, 4312-4317.

FORMAN,B.M., TONONZOZ,P., CHEN,J., BRUN,R.P., SPIEGELMAN,B.M., AND EVANS,R.M. (1995). 15-DEOXY-DELTA 12, 14-PROSTAGLANDIN J2 IS A LIGAND FOR THE ADIPOCYTE DETERMINATION FACTOR PPAR GAMMA. *CELL* *83*, 803-812.

FREYTAG,S.O., PAIELLI,D.L., AND GILBERT,J.D. (1994). ECTOPIC EXPRESSION OF THE CCAAT/ENHANCER-BINDING PROTEIN ALPHA PROMOTES THE ADIPOGENIC PROGRAM IN A VARIETY OF MOUSE FIBROBLASTIC CELLS. *GENES DEV.* *8*, 1654-1663.

FRIED,S.K., BUNKIN,D.A., AND GREENBERG,A.S. (1998). OMENTAL AND SUBCUTANEOUS ADIPOSE TISSUES OF OBESE SUBJECTS RELEASE INTERLEUKIN-6: DEPOT DIFFERENCE AND REGULATION BY GLUCOCORTICOID. *J. CLIN. ENDOCRINOL. METAB* *83*, 847-850.

FRIEDMAN,J.M. AND HALAAS,J.L. (1998). LEPTIN AND THE REGULATION OF BODY WEIGHT IN MAMMALS. *NATURE* *395*, 763-770.

FUMERON,F., DURACK-BOWN,I., BETOULLE,D., CASSARD-DOULCIER,A.M., TUZET,S., BOUILLAUD,F., MELCHIOR,J.C., RICQUIER,D., AND APFELBAUM,M. (1996). POLYMORPHISMS OF

UNCOUPLING PROTEIN (UCP) AND BETA 3 ADRENORECEPTOR GENES IN OBESE PEOPLE SUBMITTED TO A LOW CALORIE DIET. *INT. J. OBES. RELAT METAB DISORD.* 20, 1051-1054.

G

GAILLARD,D., NEGREL,R., LAGARDE,M., AND AILHAUD,G. (1989). REQUIREMENT AND ROLE OF ARACHIDONIC ACID IN THE DIFFERENTIATION OF PRE-ADIPOSE CELLS. *BIOCHEM. J.* 257, 389-397.

GAMEZ,J., PLAYAN,A., ANDREU,A.L., BRUNO,C., NAVARRO,C., CERVERA,C., ARBOS,M.A., SCHWARTZ,S., ENRIQUEZ,J.A., AND MONTOYA,J. (1998). FAMILIAL MULTIPLE SYMMETRIC LIPOMATOSIS ASSOCIATED WITH THE A8344G MUTATION OF MITOCHONDRIAL DNA. *NEUROLOGY* 51, 258-260.

GARCIA-MARTINEZ,C., SIBILLE,B., SOLANES,G., DARIMONT,C., MACE,K., VILLARROYA,F., AND GOMEZ-FOIX,A.M. (2001). OVEREXPRESSION OF UCP3 IN CULTURED HUMAN MUSCLE LOWERS MITOCHONDRIAL MEMBRANE POTENTIAL, RAISES ATP/ADP RATIO, AND FAVORS FATTY ACID VS. GLUCOSE OXIDATION. *FASEB J.* 15, 2033-2035.

GARCIA-SILVA,J., ALMAGRO,M., JUEGA,J., PENA,C., LOPEZ-CALVO,S., DEL POZO,J., AND FONSECA,E. (2000). PROTEASE INHIBITOR-RELATED PARONYCHIA, INGROWN TOENAILS, DESQUAMATIVE CHEILITIS AND CUTANEOUS XEROSIS. *AIDS* 14, 1289-1291.

GARG,A. (2000). LIPODYSTROPHIES. *AM. J. MED.* 108, 143-152.

GARLID,K.D., JABUREK,M., AND JEZEK,P. (2001). MECHANISM OF UNCOUPLING PROTEIN ACTION. *BIOCHEM. SOC. TRANS.* 29, 803-806.

GENSLER,S., WEBER,K., SCHMITT,W.E., PEREZ-MARTOS,A., ENRIQUEZ,J.A., MONTOYA,J., AND WIESNER,R.J. (2001). MECHANISM OF MAMMALIAN MITOCHONDRIAL DNA REPLICATION: IMPORT OF MITOCHONDRIAL TRANSCRIPTION FACTOR A INTO ISOLATED MITOCHONDRIA STIMULATES 7S DNA SYNTHESIS. *NUCLEIC ACIDS RES.* 29, 3657-3663.

GERVASONI,C., RIDOLFO,A.L., TRIFIRO,G., SANTAMBROGIO,S., NORBIATO,G., MUSICCO,M., CLERICI,M., GALLI,M., AND MORONI,M. (1999). REDISTRIBUTION OF BODY FAT IN HIV-INFECTED WOMEN UNDERGOING COMBINED ANTIRETROVIRAL THERAPY. *AIDS* 13, 465-471.

GHIVIZZANI,S.C., MADSEN,C.S., NELEN,M.R., AMMINI,C.V., AND HAUSWIRTH,W.W. (1994). IN ORGANELLO FOOTPRINT ANALYSIS OF HUMAN MITOCHONDRIAL DNA: HUMAN MITOCHONDRIAL TRANSCRIPTION FACTOR A INTERACTIONS AT THE ORIGIN OF REPLICATION. *MOL. CELL BIOL.* 14, 7717-7730.

GIRALT,M., MRATIN,I., IGLESIAS,R., VINAS,O., MAMPEL,T., VILLARROYA,F. (1990) UNCOUPLING PROTEIN MRNA EXPRESSION DURING THE PERINATAL PERIOD OF THE RAT. ENDOCRINE AND BIOCHEMICAL DEVELOPMENT OF THE FETUS AND NEONATE. *PLENUM PRESS, NEW YORK.* 137-140.

GLICK,Z., TEAGUE,R.J., AND BRAY,G.A. (1981). BROWN ADIPOSE TISSUE: THERMIC RESPONSE INCREASED BY A SINGLE LOW PROTEIN, HIGH CARBOHYDRATE MEAL. *SCIENCE* 213, 1125-1127.

GOMEZ-AMBROSI,J., FRUHBECK,G., AND MARTINEZ,J.A. (2001). RAPID IN VIVO PGC-1 MRNA UPREGULATION IN BROWN ADIPOSE TISSUE OF WISTAR RATS BY A BETA(3)-ADRENERGIC AGONIST AND LACK OF EFFECT OF LEPTIN. *MOL. CELL ENDOCRINOL.* 176, 85-90.

GOUGEON,M.L., PENICAUD,L., FROMENTY,B., LECLERCQ,P., VIARD,J.P., AND CAPEAU,J. (2004). ADIPOCYTES TARGETS AND ACTORS IN THE PATHOGENESIS OF HIV-ASSOCIATED LIPODYSTROPHY AND METABOLIC ALTERATIONS. *ANTIVIR. THER.* 9, 161-177.

GRAHAM,N.M. (2000). METABOLIC DISORDERS AMONG HIV-INFECTED PATIENTS TREATED WITH PROTEASE INHIBITORS: A REVIEW. *J. ACQUIR. IMMUNE. DEFIC. SYNDR.* 25 SUPPL 1, S4-11.

Bibliografía

GREGOIRE,F., DE BROUX,N., HAUSER,N., HEREMANS,H., VAN DAMME,J., AND REMACLE,C. (1992). INTERFERON-GAMMA AND INTERLEUKIN-1 BETA INHIBIT ADIPOCONVERSION IN CULTURED RODENT PREADIPOCYTES. *J. CELL PHYSIOL* 151, 300-309.

GREGOIRE,F.M., SMAS,C.M., AND SUL,H.S. (1998). UNDERSTANDING ADIPOCYTE DIFFERENTIATION. *PHYSIOL REV.* 78, 783-809.

H

HAASE,A.T. (1999). POPULATION BIOLOGY OF HIV-1 INFECTION: VIRAL AND CD4+ T CELL DEMOGRAPHICS AND DYNAMICS IN LYMPHATIC TISSUES. *ANNU. REV. IMMUNOL.* 17, 625-656.

HADRI,K.E., GLORIAN,M., MONSEMPES,C., DIEUDONNE,M.N., PECQUERY,R., GIUDICELLI,Y., ANDREANI,M., DUGAIL,I., AND FEVE,B. (2004). IN VITRO SUPPRESSION OF THE LIPOGENIC PATHWAY BY THE NONNUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR EFAVIRENZ IN 3T3 AND HUMAN PREADIPOCYTES OR ADIPOCYTES. *J. BIOL. CHEM.* 279, 15130-15141.

HAMMOND,E., NOLAN,D., MCKINNON,E., JAMES,I. AND MALLAL,S. (2003). SUBCUTANEOUS FAT TISSUE MITOCHONDRIAL DNA DEPLETION AND ADIPOSE TOXICITY ARE STRONGLY ASSOCIATED WITH NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI) THERAPY IN HIV-INFECTED PATIENTS. *ANTIVIRAL THERAPY.* 8:L16.

HANDSCHIN,C., RHEE,J., LIN,J., TARR,P.T., AND SPIEGELMAN,B.M. (2003). AN AUTOREGULATORY LOOP CONTROLS PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA COACTIVATOR 1ALPHA EXPRESSION IN MUSCLE. *PROC. NATL. ACAD. SCI. U. S. A* 100, 7111-7116.

HARAGUCHI,Y., CHUNG,A.B., NEILL,S., AND WALLACE,D.C. (1994). OXBOX AND REBOX, OVERLAPPING PROMOTER ELEMENTS OF THE MITOCHONDRIAL F0F1-ATP SYNTHASE BETA SUBUNIT GENE. OXBOX/REBOX IN THE ATPSYN BETA PROMOTER. *J. BIOL. CHEM.* 269, 9330-9334.

HAUNER,H., ENTENMANN,G., WABITSCH,M., GAILLARD,D., AILHAUD,G., NEGREL,R., AND PFEIFFER,E.F. (1989). PROMOTING EFFECT OF GLUCOCORTICOIDS ON THE DIFFERENTIATION OF HUMAN ADIPOCYTE PRECURSOR CELLS CULTURED IN A CHEMICALLY DEFINED MEDIUM. *J. CLIN. INVEST* 84, 1663-1670.

HAVEL,P.J. (2004). UPDATE ON ADIPOCYTE HORMONES: REGULATION OF ENERGY BALANCE AND CARBOHYDRATE/LIPID METABOLISM. *DIABETES* 53 SUPPL 1, S143-S151.

HEATH,K.V., HOGG,R.S., CHAN,K.J., HARRIS,M., MONTESSORI,V., O'SHAUGHNESSY,M.V., AND MONTANERA,J.S. (2001). LIPODYSTROPHY-ASSOCIATED MORPHOLOGICAL, CHOLESTEROL AND TRIGLYCERIDE ABNORMALITIES IN A POPULATION-BASED HIV/AIDS TREATMENT DATABASE. *AIDS* 15, 231-239.

HERNANDEZ,A. AND OBREGON,M.J. (2000). TRIIODOTHYRONINE AMPLIFIES THE ADRENERGIC STIMULATION OF UNCOUPLING PROTEIN EXPRESSION IN RAT BROWN ADIPOCYTES. *AM. J. PHYSIOL ENDOCRINOL. METAB* 278, E769-E777.

HESS,J.F., PARISI,M.A., BENNETT,J.L., AND CLAYTON,D.A. (1991). IMPAIRMENT OF MITOCHONDRIAL TRANSCRIPTION TERMINATION BY A POINT MUTATION ASSOCIATED WITH THE MELAS SUBGROUP OF MITOCHONDRIAL ENCEPHALOMYOPATHIES. *NATURE* 351, 236-239.

HILTON,L.K. AND LOUCKS,A.B. (2000). LOW ENERGY AVAILABILITY, NOT EXERCISE STRESS, SUPPRESSES THE DIURNAL RHYTHM OF LEPTIN IN HEALTHY YOUNG WOMEN. *AM. J. PHYSIOL ENDOCRINOL. METAB* 278, E43-E49.

HIMMS-HAGEN,J., HOGAN,S., AND ZAROR-BEHRENS,G. (1986). INCREASED BROWN ADIPOSE TISSUE THERMOGENESIS IN OBESE (OB/OB) MICE FED A PALATABLE DIET. *AM. J. PHYSIOL* 250, E274-E281.

HOTAMISLIGIL,G.S. (2003). INFLAMMATORY PATHWAYS AND INSULIN ACTION. INT. J. OBES. RELAT METAB DISORD. 27 SUPPL 3, S53-S55.

HOTAMISLIGIL,G.S., SHARGILL,N.S., AND SPIEGELMAN,B.M. (1993). ADIPOSE EXPRESSION OF TUMOR NECROSIS FACTOR-ALPHA: DIRECT ROLE IN OBESITY-LINKED INSULIN RESISTANCE. SCIENCE 259, 87-91.

HOUSTEK,J., ANDERSSON,U., TVRDIK,P., NEDERGAARD,J., AND CANNON,B. (1995). THE EXPRESSION OF SUBUNIT C CORRELATES WITH AND THUS MAY LIMIT THE BIOSYNTHESIS OF THE MITOCHONDRIAL F0F1-ATPASE IN BROWN ADIPOSE TISSUE. J. BIOL. CHEM. 270, 7689-7694.

HOUSTEK,J., KOPECKY,J., BAUDYSOVA,M., JANIKOVA,D., PAVELKA,S., AND KLEMENT,P. (1990). DIFFERENTIATION OF BROWN ADIPOSE TISSUE AND BIOGENESIS OF THERMOGENIC MITOCHONDRIA IN SITU AND IN CELL CULTURE. BIOCHIM. BIOPHYS. ACTA 1018, 243-247.

HOUSTEK,J., KOPECKY,J., RYCHTER,Z., AND SOUKUP,T. (1988). UNCOUPLING PROTEIN IN EMBRYONIC BROWN ADIPOSE TISSUE--EXISTENCE OF NONTHERMOGENIC AND THERMOGENIC MITOCHONDRIA. BIOCHIM. BIOPHYS. ACTA 935, 19-25.

HOUSTEK,J., TVRDIK,P., PAVELKA,S., AND BAUDYSOVA,M. (1991). LOW CONTENT OF MITOCHONDRIAL ATPASE IN BROWN ADIPOSE TISSUE IS THE RESULT OF POST-TRANSCRIPTIONAL REGULATION. FEBS LETT. 294, 191-194.

J

JAN,V., CERVERA,P., MAACHI,M., BAUDRIMONT,M., KIM,M., VIDAL,H., GIRARD,P.M., LEVAN,P., ROZENBAUM,W., LOMBES,A., CAPEAU,J. AND BASTARD,J.P. (2004). ALTERED FAT DIFFERENTIATION AND ADIPOCYTOKINE EXPRESSION ARE INTER-RELATED AND LINKED TO MORPHOLOGICAL CHANGES AND INSULIN RESISTANCE IN HIV-INFECTED LIPODYSTROPHIC PATIENTS. ANTIVIRAL THERAPY. 9, 555-564.

JEZEK,P., ENGSTOVA,H., ZACKOVA,M., VERCESI,A.E., COSTA,A.D., ARRUDA,P., AND GARLID,K.D. (1998). FATTY ACID CYCLING MECHANISM AND MITOCHONDRIAL UNCOUPLING PROTEINS. BIOCHIM. BIOPHYS. ACTA 1365, 319-327.

JOHNSON,J.A., ALBU,J.B., ENGELSON,E.S., FRIED,S.K., INADA,Y., IONESCU,G., AND KOTLER,D.P. (2004). INCREASED SYSTEMIC AND ADIPOSE TISSUE CYTOKINES IN PATIENTS WITH HIV-ASSOCIATED LIPODYSTROPHY. AM. J. PHYSIOL ENDOCRINOL. METAB 286, E261-E271.

JONES,S.P., JANNEH,O., BACK,D.J. AND PIRMOHAMED,M. (2003). ALTERED ADIPOCYTOKINE GENE EXPRESSION IN MURINE 3T3-F442A ADIPOCYTES TREATED WITH PROTEASE INHIBITORS AND NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS. ANTIVIRAL THERAPY 8,L11.

JOYNER,J.M., HUTLEY,L.J., AND CAMERON,D.P. (2000). GLUCOCORTICOID RECEPTORS IN HUMAN PREADIPOCYTES: REGIONAL AND GENDER DIFFERENCES. J. ENDOCRINOL. 166, 145-152.

K

KAKUDA,T.N. (2000). PHARMACOLOGY OF NUCLEOSIDE AND NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITOR-INDUCED MITOCHONDRIAL TOXICITY. CLIN. THER. 22, 685-708.

KANNISTO,K., SUTINEN,J., KORSHENINNIKOVA,E., FISHER,R.M., EHRENBORG,E., GERTOW,K., VIRKAMAKI,A., NYMAN,T., VIDAL,H., HAMSTEN,A., AND YKI-JARVINEN,H. (2003). EXPRESSION OF ADIPOGENIC TRANSCRIPTION FACTORS, PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA CO-ACTIVATOR 1, IL-6 AND CD45 IN SUBCUTANEOUS ADIPOSE TISSUE IN LIPODYSTROPHY ASSOCIATED WITH HIGHLY ACTIVE ANTIRETROVIRAL THERAPY. AIDS 17, 1753-1762.

Bibliografía

- KELLER,H., DREYER,C., MEDIN,J., MAHFOUDI,A., OZATO,K., AND WAHLI,W. (1993). FATTY ACIDS AND RETINOIDS CONTROL LIPID METABOLISM THROUGH ACTIVATION OF PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR-RETINOID X RECEPTOR HETERODIMERS. PROC. NATL. ACAD. SCI. U. S. A 90, 2160-2164.
- KERSHAW,E.E. AND FLIER,J.S. (2004). ADIPOSE TISSUE AS AN ENDOCRINE ORGAN. J. CLIN. ENDOCRINOL. METAB 89, 2548-2556.
- KIM,J.B., SARRAF,P., WRIGHT,M., YAO,K.M., MUELLER,E., SOLANES,G., LOWELL,B.B., AND SPIEGELMAN,B.M. (1998A). NUTRITIONAL AND INSULIN REGULATION OF FATTY ACID SYNTHETASE AND LEPTIN GENE EXPRESSION THROUGH ADD1/SREBP1. J. CLIN. INVEST 101, 1-9.
- KIM,J.B. AND SPIEGELMAN,B.M. (1996). ADD1/SREBP1 PROMOTES ADIPOCYTE DIFFERENTIATION AND GENE EXPRESSION LINKED TO FATTY ACID METABOLISM. GENES DEV. 10, 1096-1107.
- KIM,J.B., SPOTTS,G.D., HALVORSEN,Y.D., SHIH,H.M., ELLENBERGER,T., TOWLE,H.C., AND SPIEGELMAN,B.M. (1995). DUAL DNA BINDING SPECIFICITY OF ADD1/SREBP1 CONTROLLED BY A SINGLE AMINO ACID IN THE BASIC HELIX-LOOP-HELIX DOMAIN. MOL. CELL BIOL. 15, 2582-2588.
- KIM,J.B., WRIGHT,H.M., WRIGHT,M., AND SPIEGELMAN,B.M. (1998B). ADD1/SREBP1 ACTIVATES PPARGAMMA THROUGH THE PRODUCTION OF ENDOGENOUS LIGAND. PROC. NATL. ACAD. SCI. U. S. A 95, 4333-4337.
- KIM,S.J. AND KAHN,C.R. (1994). INSULIN STIMULATES PHOSPHORYLATION OF C-JUN, C-FOS, AND FOS-RELATED PROTEINS IN CULTURED ADIPOCYTES. J. BIOL. CHEM. 269, 11887-11892.
- KLAUS,S., CASSARD-DOULCIER,A.M., AND RICQUIER,D. (1991). DEVELOPMENT OF PHODOPUS SUNGORUS BROWN PREADIPOCYTES IN PRIMARY CELL CULTURE: EFFECT OF AN ATYPICAL BETA-ADRENERGIC AGONIST, INSULIN, AND TRIIODOTHYRONINE ON DIFFERENTIATION, MITOCHONDRIAL DEVELOPMENT, AND EXPRESSION OF THE UNCOUPLING PROTEIN UCP. J. CELL BIOL. 115, 1783-1790.
- KLAUS,S., CHOY,L., CHAMPIGNY,O., CASSARD-DOULCIER,A.M., ROSS,S., SPIEGELMAN,B., AND RICQUIER,D. (1994). CHARACTERIZATION OF THE NOVEL BROWN ADIPOCYTE CELL LINE HIB 1B. ADRENERGIC PATHWAYS INVOLVED IN REGULATION OF UNCOUPLING PROTEIN GENE EXPRESSION. J. CELL SCI. 107 (PT 1), 313-319.
- KLEIN,J., FASSHAUER,M., BENITO,M., AND KAHN,C.R. (2000A). INSULIN AND THE BETA3-ADRENOCEPTOR DIFFERENTIALLY REGULATE UNCOUPLING PROTEIN-1 EXPRESSION. MOL. ENDOCRINOL. 14, 764-773.
- KLEIN,S., HOROWITZ,J.F., LANDT,M., GOODRICK,S.J., MOHAMED-ALI,V., AND COPPACK,S.W. (2000B). LEPTIN PRODUCTION DURING EARLY STARVATION IN LEAN AND OBESE WOMEN. AM. J. PHYSIOL ENDOCRINOL. METAB 278, E280-E284.
- KLETZIEN,R.F., CLARKE,S.D., AND ULRICH,R.G. (1992). ENHANCEMENT OF ADIPOCYTE DIFFERENTIATION BY AN INSULIN-SENSITIZING AGENT. MOL. PHARMACOL. 41, 393-398.
- KLIEWER,S.A., LENHARD,J.M., WILLSON,T.M., PATEL,I., MORRIS,D.C., AND LEHMANN,J.M. (1995). A PROSTAGLANDIN J2 METABOLITE BINDS PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA AND PROMOTES ADIPOCYTE DIFFERENTIATION. CELL 83, 813-819.
- KLIEWER,S.A., SUNDSETH,S.S., JONES,S.A., BROWN,P.J., WISELY,G.B., KOBLE,C.S., DEVCHAND,P., WAHLI,W., WILLSON,T.M., LENHARD,J.M., AND LEHMANN,J.M. (1997). FATTY ACIDS AND EICOSANOIDS REGULATE GENE EXPRESSION THROUGH DIRECT INTERACTIONS WITH PEROXISOME PROLIFERATOR-ACTIVATED RECEPTORS ALPHA AND GAMMA. PROC. NATL. ACAD. SCI. U. S. A 94, 4318-4323.

KLINGENBERG,M. (1990). MECHANISM AND EVOLUTION OF THE UNCOUPLING PROTEIN OF BROWN ADIPOSE TISSUE. *TRENDS BIOCHEM. SCI.* 15, 108-112.

KLINGENSPOR,M., IVEMEYER,M., WIESINGER,H., HAAS,K., HELDMAIER,G., AND WIESNER,R.J. (1996). BIOGENESIS OF THERMOGENIC MITOCHONDRIA IN BROWN ADIPOSE TISSUE OF DJUNGARIAN HAMSTERS DURING COLD ADAPTATION. *BIOCHEM. J.* 316 (PT 2), 607-613.

KLOPSTOCK,T., NAUMANN,M., SCHALKE,B., BISCHOF,F., SEIBEL,P., KOTTLORS,M., ECKERT,P., REINERS,K., TOYKA,K.V., AND REICHMANN,H. (1994). MULTIPLE SYMMETRIC LIPOMATOSIS: ABNORMALITIES IN COMPLEX IV AND MULTIPLE DELETIONS IN MITOCHONDRIAL DNA. *NEUROLOGY* 44, 862-866.

KLOPSTOCK,T., NAUMANN,M., SEIBEL,P., SHALKE,B., REINERS,K., AND REICHMANN,H. (1997). MITOCHONDRIAL DNA MUTATIONS IN MULTIPLE SYMMETRIC LIPOMATOSIS. *MOL. CELL BIOCHEM.* 174, 271-275.

KOMANDURI,K.V., VISWANATHAN,M.N., WIEDER,E.D., SCHMIDT,D.K., BRETT,B.M., JACOBSON,M.A., AND MCCUNE,J.M. (1998). RESTORATION OF CYTOMEGALOVIRUS-SPECIFIC CD4+ T-LYMPHOCYTE RESPONSES AFTER GANCICLOVIR AND HIGHLY ACTIVE ANTIRETROVIRAL THERAPY IN INDIVIDUALS INFECTED WITH HIV-1. *NAT. MED.* 4, 953-956.

KOPECKY,J., BAUDYSOVA,M., ZANOTTI,F., JANIKOVA,D., PAVELKA,S., AND HOUSTEK,J. (1990). SYNTHESIS OF MITOCHONDRIAL UNCOUPLING PROTEIN IN BROWN ADIPOCYTES DIFFERENTIATED IN CELL CULTURE. *J. BIOL. CHEM.* 265, 22204-22209.

KOSMISKI,L.A., KURITZKES,D.R., LICHTENSTEIN,K.A., GLUECK,D.H., GOURLEY,P.J., STAMM,E.R., SCHERZINGER,A.L., AND ECKEL,R.H. (2001). FAT DISTRIBUTION AND METABOLIC CHANGES ARE STRONGLY CORRELATED AND ENERGY EXPENDITURE IS INCREASED IN THE HIV LIPODYSTROPHY SYNDROME. *AIDS* 15, 1993-2000.

KOZAK,L.P., BRITTON,J.H., KOZAK,U.C., AND WELLS,J.M. (1988). THE MITOCHONDRIAL UNCOUPLING PROTEIN GENE. CORRELATION OF EXON STRUCTURE TO TRANSMEMBRANE DOMAINS. *J. BIOL. CHEM.* 263, 12274-12277.

KOZAK,U.C., KOPECKY,J., TEISINGER,J., ENERBACK,S., BOYER,B., AND KOZAK,L.P. (1994). AN UPSTREAM ENHANCER REGULATING BROWN-FAT-SPECIFIC EXPRESSION OF THE MITOCHONDRIAL UNCOUPLING PROTEIN GENE. *MOL. CELL BIOL.* 14, 59-67.

KRUSE,B., NARASIMHAN,N., AND ATTARDI,G. (1989). TERMINATION OF TRANSCRIPTION IN HUMAN MITOCHONDRIA: IDENTIFICATION AND PURIFICATION OF A DNA BINDING PROTEIN FACTOR THAT PROMOTES TERMINATION. *CELL* 58, 391-397.

KUBOTA,N., TERAUCHI,Y., MIKI,H., TAMEMOTO,H., YAMAUCHI,T., KOMEDA,K., SATOH,S., NAKANO,R., ISHII,C., SUGIYAMA,T., ETO,K., TSUBAMOTO,Y., OKUNO,A., MURAKAMI,K., SEKIHARA,H., HASEGAWA,G., NAITO,M., TOYOSHIMA,Y., TANAKA,S., SHIOTA,K., KITAMURA,T., FUJITA,T., EZAKI,O., AIZAWA,S., KADOWAKI,T., AND . (1999A). PPAR GAMMA MEDIATES HIGH-FAT DIET-INDUCED ADIPOCYTE HYPERTROPHY AND INSULIN RESISTANCE. *MOL. CELL* 4, 597-609.

KUBOTA,N., TERAUCHI,Y., MIKI,H., TAMEMOTO,H., YAMAUCHI,T., KOMEDA,K., SATOH,S., NAKANO,R., ISHII,C., SUGIYAMA,T., ETO,K., TSUBAMOTO,Y., OKUNO,A., MURAKAMI,K., SEKIHARA,H., HASEGAWA,G., NAITO,M., TOYOSHIMA,Y., TANAKA,S., SHIOTA,K., KITAMURA,T., FUJITA,T., EZAKI,O., AIZAWA,S., KADOWAKI,T., AND . (1999B). PPAR GAMMA MEDIATES HIGH-FAT DIET-INDUCED ADIPOCYTE HYPERTROPHY AND INSULIN RESISTANCE. *MOL. CELL* 4, 597-609.

KURLANDSKY,S.B., GAMBLE,M.V., RAMAKRISHNAN,R., AND BLANER,W.S. (1995). PLASMA DELIVERY OF RETINOIC ACID TO TISSUES IN THE RAT. *J. BIOL. CHEM.* 270, 17850-17857.

L

Bibliografía

LAMARCO,K., THOMPSON,C.C., BYERS,B.P., WALTON,E.M., AND MCKNIGHT,S.L. (1991). IDENTIFICATION OF ETS- AND NOTCH-RELATED SUBUNITS IN GA BINDING PROTEIN. *SCIENCE* 253, 789-792.

LAROSE,M., CASSARD-DOULCIER,A.M., FLEURY,C., SERRA,F., CHAMPIGNY,O., BOUILLAUD,F., AND RICQUIER,D. (1996). ESSENTIAL CIS-ACTING ELEMENTS IN RAT UNCOUPLING PROTEIN GENE ARE IN AN ENHANCER CONTAINING A COMPLEX RETINOIC ACID RESPONSE DOMAIN. *J. BIOL. CHEM.* 271, 31533-31542.

LARSSON,N.G., WANG,J., WILHELMSSON,H., OLDFORS,A., RUSTIN,P., LEWANDOSKI,M., BARSH,G.S., AND CLAYTON,D.A. (1998). MITOCHONDRIAL TRANSCRIPTION FACTOR A IS NECESSARY FOR MTDNA MAINTENANCE AND EMBRYOGENESIS IN MICE. *NAT. GENET.* 18, 231-236.

LAW,M., EMERY,S., FRENCH,M., CARR,A., CHUAH,J. AND COOPER,D. (2000). LIPODYSTROPHY AND METABOLIC ABNORMALITIES IN A CROSS-SECTIONAL STUDY OF PARTICIPANTS IN RANDOMISED CONTROLLED STUDIES OF COMBINATION ANTIRETROVIRAL THERAPY. 2ND INTERNATIONAL WORKSHOP ON ADVERSED DRUG REACTIONS AND LIPODYSTROPHY IN HIV. TORONTO, CANADA, 13-15 SEPTEMBER, ABSTRACT 028.

LEDRU,E., CHRISTEFF,N., PATEY,O., DE TRUCHIS,P., MELCHIOR,J.C., AND GOUGEON,M.L. (2000). ALTERATION OF TUMOR NECROSIS FACTOR-ALPHA T-CELL HOMEOSTASIS FOLLOWING POTENT ANTIRETROVIRAL THERAPY: CONTRIBUTION TO THE DEVELOPMENT OF HUMAN IMMUNODEFICIENCY VIRUS-ASSOCIATED LIPODYSTROPHY SYNDROME. *BLOOD* 95, 3191-3198.

LEFEBVRE,A.M., LAVILLE,M., VEGA,N., RIOU,J.P., VAN GAAL,L., AUWERX,J., AND VIDAL,H. (1998). DEPOT-SPECIFIC DIFFERENCES IN ADIPOSE TISSUE GENE EXPRESSION IN LEAN AND OBESE SUBJECTS. *DIABETES* 47, 98-103.

LEHMANN,J.M., MOORE,L.B., SMITH-OLIVER,T.A., WILKISON,W.O., WILLSON,T.M., AND KLIEWER,S.A. (1995). AN ANTIDIABETIC THIAZOLIDINEDIONE IS A HIGH AFFINITY LIGAND FOR PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA (PPAR GAMMA). *J. BIOL. CHEM.* 270, 12953-12956.

LEID,M., KASTNER,P., AND CHAMBON,P. (1992). MULTIPLICITY GENERATES DIVERSITY IN THE RETINOIC ACID SIGNALLING PATHWAYS. *TRENDS BIOCHEM. SCI.* 17, 427-433.

LEKSTROM-HIMES,J. AND XANTHOPOULOS,K.G. (1998). BIOLOGICAL ROLE OF THE CCAAT/ENHANCER-BINDING PROTEIN FAMILY OF TRANSCRIPTION FACTORS. *J. BIOL. CHEM.* 273, 28545-28548.

LENHARD,J.M., FURFINE,E.S., JAIN,R.G., ITTOOP,O., ORBAND-MILLER,L.A., BLANCHARD,S.G., PAULIK,M.A., AND WEIEL,J.E. (2000A). HIV PROTEASE INHIBITORS BLOCK ADIPOGENESIS AND INCREASE LIPOLYSIS IN VITRO. *ANTIVIRAL RES.* 47, 121-129.

LENHARD,J.M., WEIEL,J.E., PAULIK,M.A., AND FURFINE,E.S. (2000B). STIMULATION OF VITAMIN A(1) ACID SIGNALING BY THE HIV PROTEASE INHIBITOR INDINAVIR. *BIOCHEM. PHARMACOL.* 59, 1063-1068.

LEVINE,J.A., JENSEN,M.D., EBERHARDT,N.L., AND O'BRIEN,T. (1998). ADIPOCYTE MACROPHAGE COLONY-STIMULATING FACTOR IS A MEDIATOR OF ADIPOSE TISSUE GROWTH. *J. CLIN. INVEST* 101, 1557-1564.

LEWIS,L. AND DALAKAS,M.C. (1995). MITOCHONDRIAL TOXICITY OF ANTIVIRAL ANTIVIRAL DRUGS. *NAT. MED.* 1, 417-422.

LEWIS,W., DAY,B.J., AND COPELAND,W.C. (2003). MITOCHONDRIAL TOXICITY OF NRTI ANTIVIRAL DRUGS: AN INTEGRATED CELLULAR PERSPECTIVE. *NAT. REV. DRUG DISCOV.* 2, 812-822.

- LI,D., LI,T., WANG,F., TIAN,H., AND SAMUELS,H.H. (2002). FUNCTIONAL EVIDENCE FOR RETINOID X RECEPTOR (RXR) AS A NONSILENT PARTNER IN THE THYROID HORMONE RECEPTOR/RXR HETERODIMER. *MOL. CELL BIOL.* 22, 5782-5792.
- LI,K., HODGE,J.A., AND WALLACE,D.C. (1990). OXBOX, A POSITIVE TRANSCRIPTIONAL ELEMENT OF THE HEART-SKELETAL MUSCLE ADP/ATP TRANSLOCATOR GENE. *J. BIOL. CHEM.* 265, 20585-20588.
- LI,R., HODNY,Z., LUCIAKOVA,K., BARATH,P., AND NELSON,B.D. (1996A). SP1 ACTIVATES AND INHIBITS TRANSCRIPTION FROM SEPARATE ELEMENTS IN THE PROXIMAL PROMOTER OF THE HUMAN ADENINE NUCLEOTIDE TRANSLOCASE 2 (ANT2) GENE. *J. BIOL. CHEM.* 271, 18925-18930.
- LI,R., LUCIAKOVA,K., AND NELSON,B.D. (1996B). EXPRESSION OF THE HUMAN CYTOCHROME C1 GENE IS CONTROLLED THROUGH MULTIPLE SP1-BINDING SITES AND AN INITIATOR REGION. *EUR. J. BIOCHEM.* 241, 649-656.
- LI,T.S., TUBIANA,R., KATLAMA,C., CALVEZ,V., AIT,M.H., AND AUTRAN,B. (1998). LONG-LASTING RECOVERY IN CD4 T-CELL FUNCTION AND VIRAL-LOAD REDUCTION AFTER HIGHLY ACTIVE ANTIRETROVIRAL THERAPY IN ADVANCED HIV-1 DISEASE. *LANCET* 351, 1682-1686.
- LIHN,A.S., RICHELSEN,B., PEDERSEN,S.B., HAUGAARD,S.B., RATHJE,G.S., MADSBAD,S., AND ANDERSEN,O. (2003). INCREASED EXPRESSION OF TNF-ALPHA, IL-6, AND IL-8 IN HALS: IMPLICATIONS FOR REDUCED ADIPONECTIN EXPRESSION AND PLASMA LEVELS. *AM. J. PHYSIOL ENDOCRINOL. METAB* 285, E1072-E1080.
- LIN,C.S. AND KLINGENBERG,M. (1982). CHARACTERISTICS OF THE ISOLATED PURINE NUCLEOTIDE BINDING PROTEIN FROM BROWN FAT MITOCHONDRIA. *BIOCHEMISTRY* 21, 2950-2956.
- LIN,F.T. AND LANE,M.D. (1992). ANTISENSE CCAAT/ENHANCER-BINDING PROTEIN RNA SUPPRESSES COORDINATE GENE EXPRESSION AND TRIGLYCERIDE ACCUMULATION DURING DIFFERENTIATION OF 3T3-L1 PREADIPOCYTES. *GENES DEV.* 6, 533-544.
- LIN,F.T. AND LANE,M.D. (1994). CCAAT/ENHANCER BINDING PROTEIN ALPHA IS SUFFICIENT TO INITIATE THE 3T3-L1 ADIPOCYTE DIFFERENTIATION PROGRAM. *PROC. NATL. ACAD. SCI. U. S. A* 91, 8757-8761.
- LIN,F.T., MACDOUGALD,O.A., DIEHL,A.M., AND LANE,M.D. (1993). A 30-KDA ALTERNATIVE TRANSLATION PRODUCT OF THE CCAAT/ENHANCER BINDING PROTEIN ALPHA MESSAGE: TRANSCRIPTIONAL ACTIVATOR LACKING ANTIMITOTIC ACTIVITY. *PROC. NATL. ACAD. SCI. U. S. A* 90, 9606-9610.
- LINDGREN,E.M., NIELSEN,R., PETROVIC,N., JACOBSSON,A., MANDRUP,S., CANNON,B., AND NEDERGAARD,J. (2004). NORADRENALINE REPRESSES PPAR (PEROXISOME-PROLIFERATOR-ACTIVATED RECEPTOR) GAMMA2 GENE EXPRESSION IN BROWN ADIPOCYTES: INTRACELLULAR SIGNALLING AND EFFECTS ON PPARGAMMA2 AND PPARGAMMA1 PROTEIN LEVELS. *BIOCHEM. J.* 382, 597-606.
- LINHART,H.G., ISHIMURA-OKA,K., DEMAYO,F., KIBE,T., REPKA,D., POINDEXTER,B., BICK,R.J., AND DARLINGTON,G.J. (2001). C/EBPALPHA IS REQUIRED FOR DIFFERENTIATION OF WHITE, BUT NOT BROWN, ADIPOSE TISSUE. *PROC. NATL. ACAD. SCI. U. S. A* 98, 12532-12537.
- LIVINGSTONE,D.E., JONES,G.C., SMITH,K., JAMIESON,P.M., ANDREW,R., KENYON,C.J., AND WALKER,B.R. (2000). UNDERSTANDING THE ROLE OF GLUCOCORTICOIDS IN OBESITY: TISSUE-SPECIFIC ALTERATIONS OF CORTICOSTERONE METABOLISM IN OBESE ZUCKER RATS. *ENDOCRINOLOGY* 141, 560-563.
- LLORETA,J., DOMINGO,P., PUJOL,R.M., ARROYO,J.A., BAIXERAS,N., MATIAS-GUIU,X., GILABERTE,M., SAMBEAT,M.A., AND SERRANO,S. (2002). ULTRASTRUCTURAL FEATURES OF HIGHLY ACTIVE ANTIRETROVIRAL THERAPY-ASSOCIATED PARTIAL LIPODYSTROPHY. *VIRCHOWS ARCH.* 441, 599-604.

Bibliografía

LLOYD,D.J., TREMBATH,R.C., AND SHACKLETON,S. (2002). A NOVEL INTERACTION BETWEEN LAMIN A AND SREBP1: IMPLICATIONS FOR PARTIAL LIPODYSTROPHY AND OTHER LAMINOPATHIES. *HUM. MOL. GENET.* *11*, 769-777.

LO,J.C., MULLIGAN,K., TAI,V.W., ALGREN,H., AND SCHAMBELAN,M. (1998). "BUFFALO HUMP" IN MEN WITH HIV-1 INFECTION. *LANCET* *351*, 867-870.

LONCAR,D. (1991). DEVELOPMENT OF THERMOGENIC ADIPOSE TISSUE. *INT. J. DEV. BIOL.* *35*, 321-333.

LOWELL,B.B., SUSULIC,V., HAMANN,A., LAWITTS,J.A., HIMMS-HAGEN,J., BOYER,B.B., KOZAK,L.P., AND FLIER,J.S. (1993). DEVELOPMENT OF OBESITY IN TRANSGENIC MICE AFTER GENETIC ABLATION OF BROWN ADIPOSE TISSUE. *NATURE* *366*, 740-742.

M

MACDOUGALD,O.A. AND LANE,M.D. (1995). TRANSCRIPTIONAL REGULATION OF GENE EXPRESSION DURING ADIPOCYTE DIFFERENTIATION. *ANNU. REV. BIOCHEM.* *64*, 345-373.

MADGE,S., KINLOCH-DE-LOES,S., MERCEY,D., JOHNSON,M.A., AND WELLER,I.V. (1999). LIPODYSTROPHY IN PATIENTS NAIVE TO HIV PROTEASE INHIBITORS. *AIDS* *13*, 735-737.

MALLAL,S.A., JOHN,M., MOORE,C.B., JAMES,I.R., AND MCKINNON,E.J. (2000). CONTRIBUTION OF NUCLEOSIDE ANALOGUE REVERSE TRANSCRIPTASE INHIBITORS TO SUBCUTANEOUS FAT WASTING IN PATIENTS WITH HIV INFECTION. *AIDS* *14*, 1309-1316.

MANCHADO,C., YUBERO,P., VINAS,O., IGLESIAS,R., VILLARROYA,F., MAMPEL,T., AND GIRALT,M. (1994). CCAAT/ENHANCER-BINDING PROTEINS ALPHA AND BETA IN BROWN ADIPOSE TISSUE: EVIDENCE FOR A TISSUE-SPECIFIC PATTERN OF EXPRESSION DURING DEVELOPMENT. *BIOCHEM. J.* *302* (PT 3), 695-700.

MANGELSDORF,D.J. (1994). VITAMIN A RECEPTORS. *NUTR. REV.* *52*, S32-S44.

MANGELSDORF,D.J. AND EVANS,R.M. (1995). THE RXR HETERODIMERS AND ORPHAN RECEPTORS. *CELL* *83*, 841-850.

MAR GONZALEZ-BARROSO,M., PECQUEUR,C., GELLY,C., SANCHIS,D., ALVES-GUERRA,M.C., BOUILLAUD,F., RICQUIER,D., AND CASSARD-DOULCIER,A.M. (2000A). TRANSCRIPTIONAL ACTIVATION OF THE HUMAN UCP1 GENE IN A RODENT CELL LINE. SYNERGISM OF RETINOIDS, ISOPROTERENOL, AND THIAZOLIDINEDIONE IS MEDIATED BY A MULTIPARTITE RESPONSE ELEMENT. *J. BIOL. CHEM.* *275*, 31722-31732.

MAR GONZALEZ-BARROSO,M., RICQUIER,D., AND CASSARD-DOULCIER,A.M. (2000B). THE HUMAN UNCOUPLING PROTEIN-1 GENE (UCP1): PRESENT STATUS AND PERSPECTIVES IN OBESITY RESEARCH. *OBES. REV.* *1*, 61-72.

MARTIN,I., GIRALT,M., VINAS,O., IGLESIAS,R., MAMPEL,T., AND VILLARROYA,F. (1995). COORDINATE DECREASE IN THE EXPRESSION OF THE MITOCHONDRIAL GENOME AND NUCLEAR GENES FOR MITOCHONDRIAL PROTEINS IN THE LACTATION-INDUCED MITOCHONDRIAL HYPOTROPHY OF RAT BROWN FAT. *BIOCHEM. J.* *308* (PT 3), 749-752.

MARTIN,I., VINAS,O., MAMPEL,T., IGLESIAS,R., AND VILLARROYA,F. (1993). EFFECTS OF COLD ENVIRONMENT ON MITOCHONDRIAL GENOME EXPRESSION IN THE RAT: EVIDENCE FOR A TISSUE-SPECIFIC INCREASE IN THE LIVER, INDEPENDENT OF CHANGES IN MITOCHONDRIAL GENE ABUNDANCE. *BIOCHEM. J.* *296* (PT 1), 231-234.

MARTINO,G., COVELLO,C., DE GIOVANNI,R., FILIPPELLI,R., AND PITRELLI,G. (1986). DIRECT IN VITRO ACTION OF THYROID HORMONES ON MITOCHONDRIAL RNA-POLYMERASE. *MOL. BIOL. REP.* *11*, 205-211.

MEI,B., ZHAO,L., CHEN,L., AND SUL,H.S. (2002). ONLY THE LARGE SOLUBLE FORM OF PREADIPOCYTE FACTOR-1 (PREF-1), BUT NOT THE SMALL SOLUBLE AND MEMBRANE FORMS,

- INHIBITS ADIPOCYTE DIFFERENTIATION: ROLE OF ALTERNATIVE SPLICING. *BIOCHEM. J.* 364, 137-144.
- MICHAEL,L.F., WU,Z., CHEATHAM,R.B., PUIGSERVER,P., ADELMANT,G., LEHMAN,J.J., KELLY,D.P., AND SPIEGELMAN,B.M. (2001). RESTORATION OF INSULIN-SENSITIVE GLUCOSE TRANSPORTER (GLUT4) GENE EXPRESSION IN MUSCLE CELLS BY THE TRANSCRIPTIONAL COACTIVATOR PGC-1. *PROC. NATL. ACAD. SCI. U. S. A* 98, 3820-3825.
- MICOL,V., FERNANDEZ-SILVA,P., AND ATTARDI,G. (1997). FUNCTIONAL ANALYSIS OF IN VIVO AND IN ORGANELLO FOOTPRINTING OF HELA CELL MITOCHONDRIAL DNA IN RELATIONSHIP TO ATP AND ETHIDIUM BROMIDE EFFECTS ON TRANSCRIPTION. *J. BIOL. CHEM.* 272, 18896-18904.
- MIKI,H., YAMAUCHI,T., SUZUKI,R., KOMEDA,K., TSUCHIDA,A., KUBOTA,N., TERAUCHI,Y., KAMON,J., KABURAGI,Y., MATSUI,J., AKANUMA,Y., NAGAI,R., KIMURA,S., TOBE,K., AND KADOWAKI,T. (2001). ESSENTIAL ROLE OF INSULIN RECEPTOR SUBSTRATE 1 (IRS-1) AND IRS-2 IN ADIPOCYTE DIFFERENTIATION. *MOL. CELL BIOL.* 21, 2521-2532.
- MILLER,J., CARR,A., SMITH,D., EMERY,S., LAW,M.G., GREY,P., AND COOPER,D.A. (2000). LIPODYSTROPHY FOLLOWING ANTIRETROVIRAL THERAPY OF PRIMARY HIV INFECTION. *AIDS* 14, 2406-2407.
- MILLER,K.D., JONES,E., YANOVSKI,J.A., SHANKAR,R., FEUERSTEIN,I., AND FALLOON,J. (1998). VISCERAL ABDOMINAL-FAT ACCUMULATION ASSOCIATED WITH USE OF INDINAVIR. *LANCET* 351, 871-875.
- MISEREZ,A.R., MULLER,P.Y., AND SPANIOL,V. (2002). INDINAVIR INHIBITS STEROL-REGULATORY ELEMENT-BINDING PROTEIN-1C-DEPENDENT LIPOPROTEIN LIPASE AND FATTY ACID SYNTHASE GENE ACTIVATIONS. *AIDS* 16, 1587-1594.
- MONTOYA,J., GAINES,G.L., AND ATTARDI,G. (1983). THE PATTERN OF TRANSCRIPTION OF THE HUMAN MITOCHONDRIAL RRNA GENES REVEALS TWO OVERLAPPING TRANSCRIPTION UNITS. *CELL* 34, 151-159.
- MONTOYA,J., PEREZ-MARTOS,A., GARSTKA,H.L., AND WIESNER,R.J. (1997). REGULATION OF MITOCHONDRIAL TRANSCRIPTION BY MITOCHONDRIAL TRANSCRIPTION FACTOR A. *MOL. CELL BIOCHEM.* 174, 227-230.
- MORIMOTO,C., TSUJITA,T., AND OKUDA,H. (1997). NOREPINEPHRINE-INDUCED LIPOLYSIS IN RAT FAT CELLS FROM VISCERAL AND SUBCUTANEOUS SITES: ROLE OF HORMONE-SENSITIVE LIPASE AND LIPID DROPLETS. *J. LIPID RES.* 38, 132-138.
- MORY,G., BOUILLAUD,F., COMBES-GEORGE,M., AND RICQUIER,D. (1984). NORADRENALINE CONTROLS THE CONCENTRATION OF THE UNCOUPLING PROTEIN IN BROWN ADIPOSE TISSUE. *FEBS LETT.* 166, 393-396.
- MUKHERJEE,R., JOW,L., CROSTON,G.E., AND PATERNITI,J.R., JR. (1997). IDENTIFICATION, CHARACTERIZATION, AND TISSUE DISTRIBUTION OF HUMAN PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR (PPAR) ISOFORMS PPARGAMMA2 VERSUS PPARGAMMA1 AND ACTIVATION WITH RETINOID X RECEPTOR AGONISTS AND ANTAGONISTS. *J. BIOL. CHEM.* 272, 8071-8076.
- MULLIGAN,K., GRUNFELD,C., TAI,V.W., ALGREN,H., PANG,M., CHERNOFF,D.N., LO,J.C., AND SCHAMBELAN,M. (2000). HYPERLIPIDEMIA AND INSULIN RESISTANCE ARE INDUCED BY PROTEASE INHIBITORS INDEPENDENT OF CHANGES IN BODY COMPOSITION IN PATIENTS WITH HIV INFECTION. *J. ACQUIR. IMMUNE. DEFIC. SYNDR.* 23, 35-43.
- MURATA,H., HRUZ,P.W., AND MUECKLER,M. (2000). THE MECHANISM OF INSULIN RESISTANCE CAUSED BY HIV PROTEASE INHIBITOR THERAPY. *J. BIOL. CHEM.* 275, 20251-20254.
- MURATA,H., HRUZ,P.W., AND MUECKLER,M. (2002). INDINAVIR INHIBITS THE GLUCOSE TRANSPORTER ISOFORM GLUT4 AT PHYSIOLOGIC CONCENTRATIONS. *AIDS* 16, 859-863.

Bibliografía

MUTVEI,A., KUZELA,S., AND NELSON,B.D. (1989). CONTROL OF MITOCHONDRIAL TRANSCRIPTION BY THYROID HORMONE. *EUR. J. BIOCHEM.* *180*, 235-240.

N

NANBERG,E. AND NEDERGAARD,J. (1987). ALPHA 1-ADRENERGIC INOSITOL TRISPHOSPHATE PRODUCTION IN BROWN ADIPOCYTES IS NA⁺ DEPENDENT. *BIOCHIM. BIOPHYS. ACTA* *930*, 438-445.

NAPOLITANO,A., VOICE,M.W., EDWARDS,C.R., SECKL,J.R., AND CHAPMAN,K.E. (1998). 11BETA-HYDROXYSTEROID DEHYDROGENASE 1 IN ADIPOCYTES: EXPRESSION IS DIFFERENTIATION-DEPENDENT AND HORMONALLY REGULATED. *J. STEROID BIOCHEM. MOL. BIOL.* *64*, 251-260.

NECHAD,M., NEDERGAARD,J., AND CANNON,B. (1987). NORADRENERGIC STIMULATION OF MITOCHONDRIOGENESIS IN BROWN ADIPOCYTES DIFFERENTIATING IN CULTURE. *AM. J. PHYSIOL* *253*, C889-C894.

NEDERGAARD,J., CANNON,B. (1985). JOURNAL OF BIOCHEMICAL MECHANISMS OF THERMOGENESIS. CIRCULATING, RESPIRATION AND METABOLISM. ED. R. GUILLES. SPRINGER-VERLAG. BERLIN HEIDELBERG. 502-518

NEDERGAARD,J., GOLOZOUBOVA,V., MATTHIAS,A., ASADI,A., JACOBSSON,A., AND CANNON,B. (2001). UCP1: THE ONLY PROTEIN ABLE TO MEDIATE ADAPTIVE NON-SHIVERING THERMOGENESIS AND METABOLIC INEFFICIENCY. *BIOCHIM. BIOPHYS. ACTA* *1504*, 82-106.

NEDERGAARD,J., HERRON,D., JACOBSSON,A., REHNMARK,S., AND CANNON,B. (1995). NOREPINEPHRINE AS A MORPHOGEN?: ITS UNIQUE INTERACTION WITH BROWN ADIPOSE TISSUE. *INT. J. DEV. BIOL.* *39*, 827-837.

NEGRE-SALVAYRE,A., HIRTZ,C., CARRERA,G., CAZENAVE,R., TROLY,M., SALVAYRE,R., PENICAUD,L., AND CASTEILLA,L. (1997). A ROLE FOR UNCOUPLING PROTEIN-2 AS A REGULATOR OF MITOCHONDRIAL HYDROGEN PEROXIDE GENERATION. *FASEB J.* *11*, 809-815.

NELSON,B.D., LUCIAKOVA,K., LI,R., AND BETINA,S. (1995). THE ROLE OF THYROID HORMONE AND PROMOTER DIVERSITY IN THE REGULATION OF NUCLEAR ENCODED MITOCHONDRIAL PROTEINS. *BIOCHIM. BIOPHYS. ACTA* *1271*, 85-91.

NGUYEN,A.T., GAGNON,A., ANGEL,J.B., AND SORISKY,A. (2000). RITONAVIR INCREASES THE LEVEL OF ACTIVE ADD-1/SREBP-1 PROTEIN DURING ADIPOGENESIS. *AIDS* *14*, 2467-2473.

NICHOLLS,D.G., BERNSON,V.S., AND HEATON,G.M. (1978). THE IDENTIFICATION OF THE COMPONENT IN THE INNER MEMBRANE OF BROWN ADIPOSE TISSUE MITOCHONDRIA RESPONSIBLE FOR REGULATING ENERGY DISSIPATION. *EXPERIENTIA SUPPL* *32*, 89-93.

NICHOLLS,D.G. AND TRAYHURN,P. (1986). BROWN ADIPOSE TISSUE. TRAYHURN P. AND NICHOLLS, D.G. EDITORS. EDWARD ARNOLD PUBL. LONDON.

NICHOLLS,D.G. AND LOCKE,R.M. (1984). THERMOGENIC MECHANISMS IN BROWN FAT. *PHYSIOL REV.* *64*, 1-64.

NISOLI,E., REGIANINI,L., BRISCINI,L., BULBARELLI,A., BUSETTO,L., COIN,A., ENZI,G., AND CARRUBA,M.O. (2002). MULTIPLE SYMMETRIC LIPOMATOSIS MAY BE THE CONSEQUENCE OF DEFECTIVE NORADRENERGIC MODULATION OF PROLIFERATION AND DIFFERENTIATION OF BROWN FAT CELLS. *J. PATHOL.* *198*, 378-387.

NOLAN,D., HAMMOND,E., MARTIN,A., TAYLOR,L., HERRMANN,S., MCKINNON,E., METCALF,C., LATHAM,B., AND MALLAL,S. (2003). MITOCHONDRIAL DNA DEPLETION AND MORPHOLOGIC CHANGES IN ADIPOCYTES ASSOCIATED WITH NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR THERAPY. *AIDS* *17*, 1329-1338.

NOOR,M.A., LO,J.C., MULLIGAN,K., SCHWARZ,J.M., HALVORSEN,R.A., SCHAMBELAN,M., AND GRUNFELD,C. (2001). METABOLIC EFFECTS OF INDINAVIR IN HEALTHY HIV-SERONEGATIVE MEN. *AIDS* 15, F11-F18.

O

OBERKOFER,H., DALLINGER,G., LIU,Y.M., HELL,E., KREMPER,F., AND PATSCH,W. (1997). UNCOUPLING PROTEIN GENE: QUANTIFICATION OF EXPRESSION LEVELS IN ADIPOSE TISSUES OF OBESE AND NON-OBESE HUMANS. *J. LIPID RES.* 38, 2125-2133.

OGEDEGBE,A.E., THOMAS,D.L., AND DIEHL,A.M. (2003). HYPERLACTATAEMIA SYNDROMES ASSOCIATED WITH HIV THERAPY. *LANCET INFECT. DIS.* 3, 329-337.

OHSUMI,J., MIYADAI,K., KAWASHIMA,I., SAKAKIBARA,S., YAMAGUCHI,J., AND ITOH,Y. (1994A). REGULATION OF LIPOPROTEIN LIPASE SYNTHESIS IN 3T3-L1 ADIPOCYTES BY INTERLEUKIN-11/ADIPOGENESIS INHIBITORY FACTOR. *BIOCHEM. MOL. BIOL. INT.* 32, 705-712.

OHSUMI,J., SAKAKIBARA,S., YAMAGUCHI,J., MIYADAI,K., YOSHIOKA,S., FUJIWARA,T., HORIKOSHI,H., AND SERIZAWA,N. (1994B). TROGLITAZONE PREVENTS THE INHIBITORY EFFECTS OF INFLAMMATORY CYTOKINES ON INSULIN-INDUCED ADIPOCYTE DIFFERENTIATION IN 3T3-L1 CELLS. *ENDOCRINOLOGY* 135, 2279-2282.

OPPERS,J.M., VOHL,M.C., CHAGNON,M., DIONNE,F.T., CASSARD-DOULCIER,A.M., RICQUIER,D., PERUSSE,L., AND BOUCHARD,C. (1994). DNA POLYMORPHISM IN THE UNCOUPLING PROTEIN (UCP) GENE AND HUMAN BODY FAT. *INT. J. OBES. RELAT METAB DISORD.* 18, 526-531.

OSTMAN,J., ARNER,P., ENGFELDT,P., AND KAGER,L. (1979). REGIONAL DIFFERENCES IN THE CONTROL OF LIPOLYSIS IN HUMAN ADIPOSE TISSUE. *METABOLISM* 28, 1198-1205.

P

PADBERG,J., SCHURMANN,D., GROBUSCH,M., AND BERGMANN,F. (1999). DRUG INTERACTION OF ISOTRETINOIN AND PROTEASE INHIBITORS: SUPPORT FOR THE CELLULAR RETINOIC ACID-BINDING PROTEIN-1 THEORY OF LIPODYSTROPHY? *AIDS* 13, 284-285.

PALELLA,F.J., JR., DELANEY,K.M., MOORMAN,A.C., LOVELESS,M.O., FUHRER,J., SATTEN,G.A., ASCHMAN,D.J., AND HOLMBERG,S.D. (1998). DECLINING MORBIDITY AND MORTALITY AMONG PATIENTS WITH ADVANCED HUMAN IMMUNODEFICIENCY VIRUS INFECTION. HIV OUTPATIENT STUDY INVESTIGATORS. *N. ENGL. J. MED.* 338, 853-860.

PASTOR-ANGLADA,M., FELIPE,A., AND CASADO,F.J. (1998). TRANSPORT AND MODE OF ACTION OF NUCLEOSIDE DERIVATIVES USED IN CHEMICAL AND ANTIVIRAL THERAPIES. *TRENDS PHARMACOL. SCI.* 19, 424-430.

PECQUEUR,C., ALVES-GUERRA,M.C., GELLY,C., LEVI-MEYRUEIS,C., COUPLAN,E., COLLINS,S., RICQUIER,D., BOUILLAUD,F., AND MIROUX,B. (2001). UNCOUPLING PROTEIN 2, IN VIVO DISTRIBUTION, INDUCTION UPON OXIDATIVE STRESS, AND EVIDENCE FOR TRANSLATIONAL REGULATION. *J. BIOL. CHEM.* 276, 8705-8712.

PEDRAZA,N., SOLANES,G., CARMONA,M.C., IGLESIAS,R., VINAS,O., MAMPEL,T., VAZQUEZ,M., GIRALT,M., AND VILLARROYA,F. (2000). IMPAIRED EXPRESSION OF THE UNCOUPLING PROTEIN-3 GENE IN SKELETAL MUSCLE DURING LACTATION: FIBRATES AND TROGLITAZONE REVERSE LACTATION-INDUCED DOWNREGULATION OF THE UNCOUPLING PROTEIN-3 GENE. *DIABETES* 49, 1224-1230.

PEGORIER,J.P. AND GIRARD,J. (2004). [THIAZOLIDINEDIONES AND INSULIN SENSITIVITY]. *ANN. ENDOCRINOL. (PARIS)* 65, 65-72.

PERELSON,A.S., NEUMANN,A.U., MARKOWITZ,M., LEONARD,J.M., AND HO,D.D. (1996). HIV-1 DYNAMICS IN VIVO: VIRION CLEARANCE RATE, INFECTED CELL LIFE-SPAN, AND VIRAL GENERATION TIME. *SCIENCE* 271, 1582-1586.

Bibliografía

PERIARD,D., TELENTI,A., SUDRE,P., CHESEAU,J.J., HALFON,P., REYMOND,M.J., MARCOVINA,S.M., GLAUSER,M.P., NICOD,P., DARIOLI,R., AND MOOSER,V. (1999). ATHEROGENIC DYSLIPIDEMIA IN HIV-INFECTED INDIVIDUALS TREATED WITH PROTEASE INHIBITORS. THE SWISS HIV COHORT STUDY. *CIRCULATION* 100, 700-705.

PETRUSCHKE,T. AND HAUNER,H. (1993). TUMOR NECROSIS FACTOR-ALPHA PREVENTS THE DIFFERENTIATION OF HUMAN ADIPOCYTE PRECURSOR CELLS AND CAUSES DELIPIDATION OF NEWLY DEVELOPED FAT CELLS. *J. CLIN. ENDOCRINOL. METAB* 76, 742-747.

PILLAR,T.M. AND SEITZ,H.J. (1997). THYROID HORMONE AND GENE EXPRESSION IN THE REGULATION OF MITOCHONDRIAL RESPIRATORY FUNCTION. *EUR. J. ENDOCRINOL.* 136, 231-239.

POLO,R., VERDEJO,J., MARTINEZ-RODRIGUEZ,S., MADRIGAL,P., AND GONZALEZ-MUNOZ,M. (2000). LIPOATROPHY, FAT ACCUMULATION, AND MIXED SYNDROME IN PROTEASE INHIBITOR-NAIVE HIV-INFECTED PATIENTS. *J. ACQUIR. IMMUNE. DEFIC. SYNDR.* 25, 284-286.

POYTON,R.O. AND MCEWEN,J.E. (1996). CROSSTALK BETWEEN NUCLEAR AND MITOCHONDRIAL GENOMES. *ANNU. REV. BIOCHEM.* 65, 563-607.

PRINS,J.B., NIESLER,C.U., WINTERFORD,C.M., BRIGHT,N.A., SIDDLE,K., O'RAHILLY,S., WALKER,N.I., AND CAMERON,D.P. (1997). TUMOR NECROSIS FACTOR-ALPHA INDUCES APOPTOSIS OF HUMAN ADIPOSE CELLS. *DIABETES* 46, 1939-1944.

PUIGSERVER,P., RHEE,J., LIN,J., WU,Z., YOON,J.C., ZHANG,C.Y., KRAUSS,S., MOOHA,V.K., LOWELL,B.B., AND SPIEGELMAN,B.M. (2001). CYTOKINE STIMULATION OF ENERGY EXPENDITURE THROUGH P38 MAP KINASE ACTIVATION OF PPARGAMMA COACTIVATOR-1. *MOL. CELL* 8, 971-982.

PUIGSERVER,P. AND SPIEGELMAN,B.M. (2003). PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR-GAMMA COACTIVATOR 1 ALPHA (PGC-1 ALPHA): TRANSCRIPTIONAL COACTIVATOR AND METABOLIC REGULATOR. *ENDOCR. REV.* 24, 78-90.

PUIGSERVER,P., VAZQUEZ,F., BONET,M.L., PICO,C., AND PALOU,A. (1996). IN VITRO AND IN VIVO INDUCTION OF BROWN ADIPOCYTE UNCOUPLING PROTEIN (THERMOGENIN) BY RETINOIC ACID. *BIOCHEM. J.* 317 (PT 3), 827-833.

PUIGSERVER,P., WU,Z., PARK,C.W., GRAVES,R., WRIGHT,M., AND SPIEGELMAN,B.M. (1998). A COLD-INDUCIBLE COACTIVATOR OF NUCLEAR RECEPTORS LINKED TO ADAPTIVE THERMOGENESIS. *CELL* 92, 829-839.

PURNELL,J.Q., ZAMBON,A., KNOPP,R.H., PIZZUTI,D.J., ACHARI,R., LEONARD,J.M., LOCKE,C., AND BRUNZELL,J.D. (2000). EFFECT OF RITONAVIR ON LIPIDS AND POST-HEPARIN LIPASE ACTIVITIES IN NORMAL SUBJECTS. *AIDS* 14, 51-57.

R

RAASMAJA,A. AND LARSEN,P.R. (1989). ALPHA 1- AND BETA-ADRENERGIC AGENTS CAUSE SYNERGISTIC STIMULATION OF THE IODOTHYRONINE DEIODINASE IN RAT BROWN ADIPOCYTES. *ENDOCRINOLOGY* 125, 2502-2509.

RAASMAJA,A., MOHELL,N., AND NEDERGAARD,J. (1984). INCREASED ALPHA 1-ADRENERGIC RECEPTOR DENSITY IN BROWN ADIPOSE TISSUE OF CAFETERIA-FED RATS. *BIOSCI. REP.* 4, 851-859.

RABELO,R., REYES,C., SCHIFMAN,A., AND SILVA,J.E. (1996A). A COMPLEX RETINOIC ACID RESPONSE ELEMENT IN THE UNCOUPLING PROTEIN GENE DEFINES A NOVEL ROLE FOR RETINOIDS IN THERMOGENESIS. *ENDOCRINOLOGY* 137, 3488-3496.

RABELO,R., REYES,C., SCHIFMAN,A., AND SILVA,J.E. (1996B). INTERACTIONS AMONG RECEPTORS, THYROID HORMONE RESPONSE ELEMENTS, AND LIGANDS IN THE REGULATION

OF THE RAT UNCOUPLING PROTEIN GENE EXPRESSION BY THYROID HORMONE. *ENDOCRINOLOGY* 137, 3478-3487.

RABELO,R., SCHIFMAN,A., RUBIO,A., SHENG,X., AND SILVA,J.E. (1995). DELINEATION OF THYROID HORMONE-RESPONSIVE SEQUENCES WITHIN A CRITICAL ENHANCER IN THE RAT UNCOUPLING PROTEIN GENE. *ENDOCRINOLOGY* 136, 1003-1013.

RAKOTOAMBININA,B., MEDIONI,J., RABIAN,C., JUBAULT,V., JAIS,J.P., AND VIARD,J.P. (2001). LIPODYSTROPHIC SYNDROMES AND HYPERLIPIDEMIA IN A COHORT OF HIV-1-INFECTED PATIENTS RECEIVING TRIPLE COMBINATION ANTIRETROVIRAL THERAPY WITH A PROTEASE INHIBITOR. *J. ACQUIR. IMMUNE. DEFIC. SYNDR.* 27, 443-449.

RANTANEN,A., GASPARI,M., FALKENBERG,M., GUSTAFSSON,C.M., AND LARSSON,N.G. (2003). CHARACTERIZATION OF THE MOUSE GENES FOR MITOCHONDRIAL TRANSCRIPTION FACTORS B1 AND B2. *MAMM. GENOME* 14, 1-6.

RASK,E., OLSSON,T., SODERBERG,S., ANDREW,R., LIVINGSTONE,D.E., JOHNSON,O., AND WALKER,B.R. (2001). TISSUE-SPECIFIC DYSREGULATION OF CORTISOL METABOLISM IN HUMAN OBESITY. *J. CLIN. ENDOCRINOL. METAB* 86, 1418-1421.

REHNMARK,S., ANTONSON,P., XANTHOPOULOS,K.G., AND JACOBSSON,A. (1993). DIFFERENTIAL ADRENERGIC REGULATION OF C/EBP ALPHA AND C/EBP BETA IN BROWN ADIPOSE TISSUE. *FEBS LETT.* 318, 235-241.

REHNMARK,S., NECHAD,M., HERRON,D., CANNON,B., AND NEDERGAARD,J. (1990). ALPHA- AND BETA-ADRENERGIC INDUCTION OF THE EXPRESSION OF THE UNCOUPLING PROTEIN THERMOGENIN IN BROWN ADIPOCYTES DIFFERENTIATED IN CULTURE. *J. BIOL. CHEM.* 265, 16464-16471.

REITMAN,M.L., ARIOGLU,E., GAVRILOVA,O. AND TAYLOR,S.I. (2000). LIPOATROPHY REVISITED. *TRENDS ENDOCRINOL. METAB.* 11 (10), 410-416.

RIAL,E. AND GONZALEZ-BARROSO,M.M. (2001). PHYSIOLOGICAL REGULATION OF THE TRANSPORT ACTIVITY IN THE UNCOUPLING PROTEINS UCP1 AND UCP2. *BIOCHIM. BIOPHYS. ACTA* 1504, 70-81.

RICHMAN,D.D. (2001). HIV CHEMOTHERAPY. *NATURE* 410, 995-1001.

RICQUIER,D. AND BOUILLAUD,F. (2000). THE UNCOUPLING PROTEIN HOMOLOGUES: UCP1, UCP2, UCP3, STUCP AND ATUCP. *BIOCHEM. J.* 345 PT 2, 161-179.

RICQUIER,D., BOUILLAUD,F., TOUMELIN,P., MORY,G., BAZIN,R., ARCH,J., AND PENICAUD,L. (1986). EXPRESSION OF UNCOUPLING PROTEIN MRNA IN THERMOGENIC OR WEAKLY THERMOGENIC BROWN ADIPOSE TISSUE. EVIDENCE FOR A RAPID BETA-ADRENORECEPTOR-MEDIATED AND TRANSCRIPTIONALLY REGULATED STEP DURING ACTIVATION OF THERMOGENESIS. *J. BIOL. CHEM.* 261, 13905-13910.

RICQUIER,D. AND KADER,J.C. (1976). MITOCHONDRIAL PROTEIN ALTERATION IN ACTIVE BROWN FAT: A SODIUM DODECYL SULFATE-POLYACRYLAMIDE GEL ELECTROPHORETIC STUDY. *BIOCHEM. BIOPHYS. RES. COMMUN.* 73, 577-583.

ROCHE,R., POIZOT-MARTIN,I., YAZIDI,C.M., COMPE,E., GASTAUT,J.A., TORRESANI,J., AND PLANELLS,R. (2002). EFFECTS OF ANTIRETROVIRAL DRUG COMBINATIONS ON THE DIFFERENTIATION OF ADIPOCYTES. *AIDS* 16, 13-20.

ROSEN,E.D., SARRAF,P., TROY,A.E., BRADWIN,G., MOORE,K., MILSTONE,D.S., SPIEGELMAN,B.M., AND MORTENSEN,R.M. (1999). PPAR GAMMA IS REQUIRED FOR THE DIFFERENTIATION OF ADIPOSE TISSUE IN VIVO AND IN VITRO. *MOL. CELL* 4, 611-617.

ROSS,S.E., HEMATI,N., LONGO,K.A., BENNETT,C.N., LUCAS,P.C., ERICKSON,R.L., AND MACDOUGALD,O.A. (2000). INHIBITION OF ADIPOGENESIS BY WNT SIGNALING. *SCIENCE* 289, 950-953.

Bibliografía

ROSS,S.R., CHOY,L., GRAVES,R.A., FOX,N., SOLEVJEVA,V., KLAUS,S., RICQUIER,D., AND SPIEGELMAN,B.M. (1992). HIBERNOMA FORMATION IN TRANSGENIC MICE AND ISOLATION OF A BROWN ADIPOCYTE CELL LINE EXPRESSING THE UNCOUPLING PROTEIN GENE. *PROC. NATL. ACAD. SCI. U. S. A* 89, 7561-7565.

ROTHWELL,N.J., STOCK,M.J. (1986). BROWN ADIPOSE TISSUE AND DIET-INDUCED THERMOGENESIS. *BROWN ADIPOSE TISSUE*. ED. P. TRAYHURN, D.G.NICHOLLS. EDWARD ARNOLD PUBLISHERS, LONDON. 9, P.269-298

ROTHWELL,N.J. AND STOCK,M.J. (1986). INFLUENCE OF ENVIRONMENTAL TEMPERATURE ON ENERGY BALANCE, DIET-INDUCED THERMOGENESIS AND BROWN FAT ACTIVITY IN 'CAFETERIA'-FED RATS. *BR. J. NUTR.* 56, 123-129.

RUAN,H. AND LODISH,H.F. (2003). INSULIN RESISTANCE IN ADIPOSE TISSUE: DIRECT AND INDIRECT EFFECTS OF TUMOR NECROSIS FACTOR-ALPHA. *CYTOKINE GROWTH FACTOR REV.* 14, 447-455.

RUAN,H., MILES,P.D., LADD,C.M., ROSS,K., GOLUB,T.R., OLEFSKY,J.M., AND LODISH,H.F. (2002). PROFILING GENE TRANSCRIPTION IN VIVO REVEALS ADIPOSE TISSUE AS AN IMMEDIATE TARGET OF TUMOR NECROSIS FACTOR-ALPHA: IMPLICATIONS FOR INSULIN RESISTANCE. *DIABETES* 51, 3176-3188.

RUDICH,A., VANOUNOU,S., RIESENBERG,K., PORAT,M., TIROSH,A., HARMAN-BOEHM,I., GREENBERG,A.S., SCHLAEFFER,F., AND BASHAN,N. (2001). THE HIV PROTEASE INHIBITOR NELFINAVIR INDUCES INSULIN RESISTANCE AND INCREASES BASAL LIPOLYSIS IN 3T3-L1 ADIPOCYTES. *DIABETES* 50, 1425-1431.

S

SAFONOVA,I., DARIMONT,C., AMRI,E.Z., GRIMALDI,P., AILHAUD,G., REICHERT,U., AND SHROOT,B. (1994). RETINOIDS ARE POSITIVE EFFECTORS OF ADIPOSE CELL DIFFERENTIATION. *MOL. CELL ENDOCRINOL.* 104, 201-211.

SAINT-MARC,T., PARTISANI,M., POIZOT-MARTIN,I., BRUNO,F., ROUVIERE,O., LANG,J.M., GASTAUT,J.A., AND TOURAINE,J.L. (1999). A SYNDROME OF PERIPHERAL FAT WASTING (LIPODYSTROPHY) IN PATIENTS RECEIVING LONG-TERM NUCLEOSIDE ANALOGUE THERAPY. *AIDS* 13, 1659-1667.

SAKAUE,H., OGAWA,W., MATSUMOTO,M., KURODA,S., TAKATA,M., SUGIMOTO,T., SPIEGELMAN,B.M., AND KASUGA,M. (1998). POSTTRANSCRIPTIONAL CONTROL OF ADIPOCYTE DIFFERENTIATION THROUGH ACTIVATION OF PHOSPHOINOSITIDE 3-KINASE. *J. BIOL. CHEM.* 273, 28945-28952.

SANDOUK,T., REDA,D., AND HOFMANN,C. (1993). ANTIDIABETIC AGENT PIOGLITAZONE ENHANCES ADIPOCYTE DIFFERENTIATION OF 3T3-F442A CELLS. *AM. J. PHYSIOL* 264, C1600-C1608.

SANTALUCIA,T., CAMPS,M., CASTELLO,A., MUNOZ,P., NUEL,A., TESTAR,X., PALACIN,M., AND ZORZANO,A. (1992). DEVELOPMENTAL REGULATION OF GLUT-1 (ERYTHROID/HEP G2) AND GLUT-4 (MUSCLE/FAT) GLUCOSE TRANSPORTER EXPRESSION IN RAT HEART, SKELETAL MUSCLE, AND BROWN ADIPOSE TISSUE. *ENDOCRINOLOGY* 130, 837-846.

SAURAT,J.H. (1992). SIDE EFFECTS OF SYSTEMIC RETINOIDS AND THEIR CLINICAL MANAGEMENT. *J. AM. ACAD. DERMATOL.* 27, S23-S28.

SCACCHI,M., PINCELLI,A.I., AND CAVAGNINI,F. (1999). GROWTH HORMONE IN OBESITY. *INT. J. OBES. RELAT METAB DISORD.* 23, 260-271.

SCARPULLA,R.C. (1997). NUCLEAR CONTROL OF RESPIRATORY CHAIN EXPRESSION IN MAMMALIAN CELLS. *J. BIOENERG. BIOMEMBR.* 29, 109-119.

- SCHLUTER,A., BARBERA,M.J., IGLESIAS,R., GIRALT,M., AND VILLARROYA,F. (2002A). PHYTANIC ACID, A NOVEL ACTIVATOR OF UNCOUPLING PROTEIN-1 GENE TRANSCRIPTION AND BROWN ADIPOCYTE DIFFERENTIATION. *BIOCHEM. J.* 362, 61-69.
- SCHLUTER,A., GIRALT,M., IGLESIAS,R., AND VILLARROYA,F. (2002B). PHYTANIC ACID, BUT NOT PRISTANIC ACID, MEDIATES THE POSITIVE EFFECTS OF PHYTOL DERIVATIVES ON BROWN ADIPOCYTE DIFFERENTIATION. *FEBS LETT.* 517, 83-86.
- SCHULMAN,I.G., SHAO,G., AND HEYMAN,R.A. (1998). TRANSACTIVATION BY RETINOID X RECEPTOR-PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA (PPARGAMMA) HETERODIMERS: INTERMOLECULAR SYNERGY REQUIRES ONLY THE PPARGAMMA HORMONE-DEPENDENT ACTIVATION FUNCTION. *MOL. CELL BIOL.* 18, 3483-3494.
- SCHWARZ,E.J., REGINATO,M.J., SHAO,D., KRAKOW,S.L., AND LAZAR,M.A. (1997). RETINOIC ACID BLOCKS ADIPOGENESIS BY INHIBITING C/EBPBETA-MEDIATED TRANSCRIPTION. *MOL. CELL BIOL.* 17, 1552-1561.
- SEARS,I.B., MACGINNITIE,M.A., KOVACS,L.G., AND GRAVES,R.A. (1996). DIFFERENTIATION-DEPENDENT EXPRESSION OF THE BROWN ADIPOCYTE UNCOUPLING PROTEIN GENE: REGULATION BY PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA. *MOL. CELL BIOL.* 16, 3410-3419.
- SEELAN,R.S., GOPALAKRISHNAN,L., SCARPULLA,R.C., AND GROSSMAN,L.I. (1996). CYTOCHROME C OXIDASE SUBUNIT VIIA LIVER ISOFORM. CHARACTERIZATION AND IDENTIFICATION OF PROMOTER ELEMENTS IN THE BOVINE GENE. *J. BIOL. CHEM.* 271, 2112-2120.
- SEELAN,R.S. AND GROSSMAN,L.I. (1997). STRUCTURAL ORGANIZATION AND PROMOTER ANALYSIS OF THE BOVINE CYTOCHROME C OXIDASE SUBUNIT VIIC GENE. A FUNCTIONAL ROLE FOR YY1. *J. BIOL. CHEM.* 272, 10175-10181.
- SEMINARI,E., TINELLI,C., MINOLI,L., SACCHI,P., FILICE,G., ZOCCHETTI,C., MENEGHETTI,G., BRUNO,R., AND MASERATI,R. (2002). EVALUATION OF THE RISK FACTORS ASSOCIATED WITH LIPODYSTROPHY DEVELOPMENT IN A COHORT OF HIV-POSITIVE PATIENTS. *ANTIVIR. THER.* 7, 175-180.
- SERRERO,G., LEPAK,N.M., AND GOODRICH,S.P. (1992). PARACRINE REGULATION OF ADIPOSE DIFFERENTIATION BY ARACHIDONATE METABOLITES: PROSTAGLANDIN F2 ALPHA INHIBITS EARLY AND LATE MARKERS OF DIFFERENTIATION IN THE ADIPOGENIC CELL LINE 1246. *ENDOCRINOLOGY* 131, 2545-2551.
- SHANG,J. AND CLAYTON,D.A. (1994). HUMAN MITOCHONDRIAL TRANSCRIPTION TERMINATION EXHIBITS RNA POLYMERASE INDEPENDENCE AND BIASED BIPOLARITY IN VITRO. *J. BIOL. CHEM.* 269, 29112-29120.
- SHIKUMA,C.M., HU,N., MILNE,C., YOST,F., WASLIEN,C., SHIMIZU,S., AND SHIRAMIZU,B. (2001). MITOCHONDRIAL DNA DECREASE IN SUBCUTANEOUS ADIPOSE TISSUE OF HIV-INFECTED INDIVIDUALS WITH PERIPHERAL LIPOATROPHY. *AIDS* 15, 1801-1809.
- SILVA,J.E. AND RABELO,R. (1997). REGULATION OF THE UNCOUPLING PROTEIN GENE EXPRESSION. *136* (3), 251-264.
- SIITERI,P.K. (1987). ADIPOSE TISSUE AS A SOURCE OF HORMONES. *AM. J. CLIN. NUTR.* 45, 277-282.
- SOLANES,G., PEDRAZA,N., IGLESIAS,R., GIRALT,M., AND VILLARROYA,F. (2000). THE HUMAN UNCOUPLING PROTEIN-3 GENE PROMOTER REQUIRES MYOD AND IS INDUCED BY RETINOIC ACID IN MUSCLE CELLS. *FASEB J.* 14, 2141-2143.
- SPIEGELMAN,B.M., CHOY,L., HOTAMISLIGIL,G.S., GRAVES,R.A., AND TONTONNOZ,P. (1993). REGULATION OF ADIPOCYTE GENE EXPRESSION IN DIFFERENTIATION AND SYNDROMES OF OBESITY/DIABETES. *J. BIOL. CHEM.* 268, 6823-6826.

Bibliografía

STONE,R.L. AND BERNLOHR,D.A. (1990). THE MOLECULAR BASIS FOR INHIBITION OF ADIPOSE CONVERSION OF MURINE 3T3-L1 CELLS BY RETINOIC ACID. *DIFFERENTIATION* 45, 119-127.

SUL,H.S., SMAS,C., MEI,B., AND ZHOU,L. (2000). FUNCTION OF PREF-1 AS AN INHIBITOR OF ADIPOCYTE DIFFERENTIATION. *INT. J. OBES. RELAT METAB DISORD.* 24 SUPPL 4, S15-S19.

SURYAWAN,A. AND HU,C.Y. (1997). EFFECT OF RETINOIC ACID ON DIFFERENTIATION OF CULTURED PIG PREADIPOCYTES. *J. ANIM SCI.* 75, 112-117.

SUSKE,G., ENDERS,C., SCHLERF,A., AND KADENBACH,B. (1988). ORGANIZATION AND NUCLEOTIDE SEQUENCE OF TWO CHROMOSOMAL GENES FOR RAT CYTOCHROME C OXIDASE SUBUNIT VIC: A STRUCTURAL AND A PROCESSED GENE. *DNA* 7, 163-171.

SUTINEN,J., KORSHENINNIKOVA,E., FUNAHASHI,T., MATSUZAWA,Y., NYMAN,T., AND YKI-JARVINEN,H. (2003). CIRCULATING CONCENTRATION OF ADIPONECTIN AND ITS EXPRESSION IN SUBCUTANEOUS ADIPOSE TISSUE IN PATIENTS WITH HIGHLY ACTIVE ANTIRETROVIRAL THERAPY-ASSOCIATED LIPODYSTROPHY. *J. CLIN. ENDOCRINOL. METAB* 88, 1907-1910.

SUZUKI,H., HOSOKAWA,Y., NISHIKIMI,M., AND OZAWA,T. (1991). EXISTENCE OF COMMON HOMOLOGOUS ELEMENTS IN THE TRANSCRIPTIONAL REGULATORY REGIONS OF HUMAN NUCLEAR GENES AND MITOCHONDRIAL GENE FOR THE OXIDATIVE PHOSPHORYLATION SYSTEM. *J. BIOL. CHEM.* 266, 2333-2338.

SUZUKI,H., SUZUKI,S., KUMAR,S., AND OZAWA,T. (1995). HUMAN NUCLEAR AND MITOCHONDRIAL MT ELEMENT-BINDING PROTEINS TO REGULATORY REGIONS OF THE NUCLEAR RESPIRATORY GENES AND TO THE MITOCHONDRIAL PROMOTER REGION. *BIOCHEM. BIOPHYS. RES. COMMUN.* 213, 204-210.

SWEENEY,G., SOMWAR,R., RAMLAL,T., VOLCHUK,A., UEYAMA,A., AND KLIP,A. (1999). AN INHIBITOR OF P38 MITOGEN-ACTIVATED PROTEIN KINASE PREVENTS INSULIN-STIMULATED GLUCOSE TRANSPORT BUT NOT GLUCOSE TRANSPORTER TRANSLOCATION IN 3T3-L1 ADIPOCYTES AND L6 MYOTUBES. *J. BIOL. CHEM.* 274, 10071-10078.

T

TAANMAN,J.W. (1999). THE MITOCHONDRIAL GENOME: STRUCTURE, TRANSCRIPTION, TRANSLATION AND REPLICATION. *BIOCHIM. BIOPHYS. ACTA* 1410, 103-123.

TAI,T.A., JENNERMANN,C., BROWN,K.K., OLIVER,B.B., MACGINNITIE,M.A., WILKISON,W.O., BROWN,H.R., LEHMANN,J.M., KLIEWER,S.A., MORRIS,D.C., AND GRAVES,R.A. (1996). ACTIVATION OF THE NUCLEAR RECEPTOR PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA PROMOTES BROWN ADIPOCYTE DIFFERENTIATION. *J. BIOL. CHEM.* 271, 29909-29914.

TANAKA,T., YOSHIDA,N., KISHIMOTO,T., AND AKIRA,S. (1997). DEFECTIVE ADIPOCYTE DIFFERENTIATION IN MICE LACKING THE C/EBPBETA AND/OR C/EBPDELTA GENE. *EMBO J.* 16, 7432-7443.

TERUEL,T., VALVERDE,A.M., ALVAREZ,A., BENITO,M., AND LORENZO,M. (1995). DIFFERENTIATION OF RAT BROWN ADIPOCYTES DURING LATE FOETAL DEVELOPMENT: ROLE OF INSULIN-LIKE GROWTH FACTOR I. *BIOCHEM. J.* 310 (PT 3), 771-776.

TERUEL,T., VALVERDE,A.M., NAVARRO,P., BENITO,M., AND LORENZO,M. (1998). INHIBITION OF PI 3-KINASE AND RAS BLOCKS IGF-I AND INSULIN-INDUCED UNCOUPLING PROTEIN 1 GENE EXPRESSION IN BROWN ADIPOCYTES. *J. CELL PHYSIOL* 176, 99-109.

THOMPSON,C.C., BROWN,T.A., AND MCKNIGHT,S.L. (1991). CONVERGENCE OF ETS- AND NOTCH-RELATED STRUCTURAL MOTIFS IN A HETEROMERIC DNA BINDING COMPLEX. *SCIENCE* 253, 762-768.

THOMPSON,K., MCCOMSEY,G., PAULSEN,D., CHERRY,C., ET AL,. (2003). IMPROVEMENTS IN BODY FAT AND MITOCHONDRIAL DNA LEVELS ARE ACCOMPANIED BY DECREASED ADIPOSE TISSUE APOPTOSIS AFTER REPLACEMENT OF STAVUDINE THERAPY WITH EITHER ABACAVIR OR

ZIDOVUDINE. 10TH CONFERENCE ON RETROVIRUSES AND OPPORTUNISTIC INFECTIONS. BOSTON, MASS., USA, 10-14 FEBRUARY. ABSTRACT 728.

THONBERG,H., FREDRIKSSON,J.M., NEDERGAARD,J., AND CANNON,B. (2002). A NOVEL PATHWAY FOR ADRENERGIC STIMULATION OF CAMP-RESPONSE-ELEMENT-BINDING PROTEIN (CREB) PHOSPHORYLATION: MEDIATION VIA ALPHA1-ADRENOCEPTORS AND PROTEIN KINASE C ACTIVATION. *BIOCHEM. J.* 364, 73-79.

TIMCHENKO,N.A., HARRIS,T.E., WILDE,M., BILYEU,T.A., BURGESS-BEUSSE,B.L., FINEGOLD,M.J., AND DARLINGTON,G.J. (1997). CCAAT/ENHANCER BINDING PROTEIN ALPHA REGULATES P21 PROTEIN AND HEPATOCYTE PROLIFERATION IN NEWBORN MICE. *MOL. CELL BIOL.* 17, 7353-7361.

TIRABY,C., TAVERNIER,G., LEFORT,C., LARROUY,D., BOUILLAUD,F., RICQUIER,D., AND LANGIN,D. (2003). ACQUIREMENT OF BROWN FAT CELL FEATURES BY HUMAN WHITE ADIPOCYTES. *J. BIOL. CHEM.* 278, 33370-33376.

TOMA,E., DEVOST,D., CHOW,L.N., AND BHAT,P.V. (2001). HIV-PROTEASE INHIBITORS ALTER RETINOIC ACID SYNTHESIS. *AIDS* 15, 1979-1984.

TONTONOZ,P., HU,E., DEVINE,J., BEALE,E.G., AND SPIEGELMAN,B.M. (1995). PPAR GAMMA 2 REGULATES ADIPOSE EXPRESSION OF THE PHOSPHOENOLPYRUVATE CARBOXYKINASE GENE. *MOL. CELL BIOL.* 15, 351-357.

TONTONOZ,P., HU,E., AND SPIEGELMAN,B.M. (1994). STIMULATION OF ADIPOGENESIS IN FIBROBLASTS BY PPAR GAMMA 2, A LIPID-ACTIVATED TRANSCRIPTION FACTOR. *CELL* 79, 1147-1156.

TONTONOZ,P., KIM,J.B., GRAVES,R.A., AND SPIEGELMAN,B.M. (1993). ADD1: A NOVEL HELIX-LOOP-HELIX TRANSCRIPTION FACTOR ASSOCIATED WITH ADIPOCYTE DETERMINATION AND DIFFERENTIATION. *MOL. CELL BIOL.* 13, 4753-4759.

TONTONOZ,P., SINGER,S., FORMAN,B.M., SARRAF,P., FLETCHER,J.A., FLETCHER,C.D., BRUN,R.P., MUELLER,E., ALTIOK,S., OPPENHEIM,H., EVANS,R.M., AND SPIEGELMAN,B.M. (1997). TERMINAL DIFFERENTIATION OF HUMAN LIPOSARCOMA CELLS INDUCED BY LIGANDS FOR PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA AND THE RETINOID X RECEPTOR. *PROC. NATL. ACAD. SCI. U. S. A* 94, 237-241.

TRAYHURN,P., DOUGLAS,J.B., AND MCGUCKIN,M.M. (1982). BROWN ADIPOSE TISSUE THERMOGENESIS IS 'SUPPRESSED' DURING LACTATION IN MICE. *NATURE* 298, 59-60.

TRAYHURN,P. AND JENNINGS,G. (1986). EVIDENCE THAT FASTING CAN INDUCE A SELECTIVE LOSS OF UNCOUPLING PROTEIN FROM BROWN ADIPOSE TISSUE MITOCHONDRIA OF MICE. *BIOSCI. REP.* 6, 805-810.

TSIRIYOTIS,C., SPANDIDOS,D.A., AND SEKERIS,C.E. (1997). THE MITOCHONDRION AS A PRIMARY SITE OF ACTION OF GLUCOCORTICOIDS: MITOCHONDRIAL NUCLEOTIDE SEQUENCES, SHOWING SIMILARITY TO HORMONE RESPONSE ELEMENTS, CONFER DEXAMETHASONE INDUCIBILITY TO CHIMAERIC GENES TRANSFECTED IN. *BIOCHEM. BIOPHYS. RES. COMMUN.* 235, 349-354.

TSUTSUMI,C., OKUNO,M., TANNOUS,L., PIANTEDOSI,R., ALLAN,M., GOODMAN,D.S., AND BLANER,W.S. (1992). RETINOIDS AND RETINOID-BINDING PROTEIN EXPRESSION IN RAT ADIPOCYTES. *J. BIOL. CHEM.* 267, 1805-1810.

U

UMEK,R.M., FRIEDMAN,A.D., AND MCKNIGHT,S.L. (1991). CCAAT-ENHANCER BINDING PROTEIN: A COMPONENT OF A DIFFERENTIATION SWITCH. *SCIENCE* 251, 288-292.

Bibliografía

URSO,R. AND GENTILE,M. (2001). ARE 'BUFFALO HUMP' SYNDROME, MADELUNG'S DISEASE AND MULTIPLE SYMMETRICAL LIPOMATOSIS VARIANTS OF THE SAME DYSMETABOLISM? AIDS 15, 290-291.

V

VALMASEDA,A., CARMONA,M.C., BARBERA,M.J., VINAS,O., MAMPEL,T., IGLESIAS,R., VILLARROYA,F., AND GIRALT,M. (1999). OPPOSITE REGULATION OF PPAR-ALPHA AND -GAMMA GENE EXPRESSION BY BOTH THEIR LIGANDS AND RETINOIC ACID IN BROWN ADIPOCYTES. MOL. CELL ENDOCRINOL. 154, 101-109.

VERNOCHET,C., MILSTONE,D.S., IEHLE,C., BELMONTE,N., PHILLIPS,B., WDZIEKONSKI,B., VILLAGEOIS,P., AMRI,E.Z., O'DONNELL,P.E., MORTENSEN,R.M., AILHAUD,G., AND DANI,C. (2002). PPARGAMMA-DEPENDENT AND PPARGAMMA-INDEPENDENT EFFECTS ON THE DEVELOPMENT OF ADIPOSE CELLS FROM EMBRYONIC STEM CELLS. FEBS LETT. 510, 94-98.

VIDAL-PUIG,A., SOLANES,G., GRUJIC,D., FLIER,J.S., AND LOWELL,B.B. (1997). UCP3: AN UNCOUPLING PROTEIN HOMOLOGUE EXPRESSED PREFERENTIALLY AND ABUNDANTLY IN SKELETAL MUSCLE AND BROWN ADIPOSE TISSUE. BIOCHEM. BIOPHYS. RES. COMMUN. 235, 79-82.

VIGOUROUX,C., AUCLAIR,M., DUBOSCLARD,E., POUCHELET,M., CAPEAU,J., COURVALIN,J.C., AND BUENDIA,B. (2001). NUCLEAR ENVELOPE DISORGANIZATION IN FIBROBLASTS FROM LIPODYSTROPHIC PATIENTS WITH HETEROZYGOUS R482Q/W MUTATIONS IN THE LAMIN A/C GENE. J. CELL SCI. 114, 4459-4468.

VIGOUROUX,C., GHARAKHANIAN,S., SALHI,Y., NGUYEN,T.H., CHEVENNE,D., CAPEAU,J., AND ROZENBAUM,W. (1999). DIABETES, INSULIN RESISTANCE AND DYSLIPIDAEMIA IN LIPODYSTROPHIC HIV-INFECTED PATIENTS ON HIGHLY ACTIVE ANTIRETROVIRAL THERAPY (HAART). DIABETES METAB 25, 225-232.

VILA,M.R., GAMEZ,J., SOLANO,A., PLAYAN,A., SCHWARTZ,S., SANTORELLI,F.M., CERVERA,C., CASALI,C., MONTOYA,J., AND VILLARROYA,F. (2000). UNCOUPLING PROTEIN-1 MRNA EXPRESSION IN LIPOMAS FROM PATIENTS BEARING PATHOGENIC MITOCHONDRIAL DNA MUTATIONS. BIOCHEM. BIOPHYS. RES. COMMUN. 278, 800-802.

VILLARROYA,F., FELIPE,A., AND MAMPEL,T. (1986A). BROWN ADIPOSE TISSUE ACTIVITY IN HYPOCALORIC-DIET FED LACTATING RATS. BIOSCI. REP. 6, 669-675.

VILLARROYA,F., FELIPE,A., AND MAMPEL,T. (1986B). SEQUENTIAL CHANGES IN BROWN ADIPOSE TISSUE COMPOSITION, CYTOCHROME OXIDASE ACTIVITY AND GDP BINDING THROUGHOUT PREGNANCY AND LACTATION IN THE RAT. BIOCHIM. BIOPHYS. ACTA 882, 187-191.

VILLARROYA,F., IGLESIAS,R. AND GIRALT,M. (2004). RETINOIDS AND RETINOIDS RECEPTORS IN THE CONTROL OF ENERGY BALANCE: NOVEL PHARMACOLOGICAL STRATEGIES IN OBESITY AND DIABETES. CURR. MED. CHEM. 11, 1241-1253.

VILLARROYA,F., GIRALT,M., AND IGLESIAS,R. (1999). RETINOIDS AND ADIPOSE TISSUES: METABOLISM, CELL DIFFERENTIATION AND GENE EXPRESSION. INT. J. OBES. RELAT METAB DISORD. 23, 1-6.

VILLENA,J.A., CARMONA,M.C., RODRIGUEZ,D.L.C., ROSSMEISL,M., VINAS,O., MAMPEL,T., IGLESIAS,R., GIRALT,M., AND VILLARROYA,F. (2002). MITOCHONDRIAL BIOGENESIS IN BROWN ADIPOSE TISSUE IS ASSOCIATED WITH DIFFERENTIAL EXPRESSION OF TRANSCRIPTION REGULATORY FACTORS. CELL MOL. LIFE SCI. 59, 1934-1944.

VILLENA,J.A., VINAS,O., MAMPEL,T., IGLESIAS,R., GIRALT,M., AND VILLARROYA,F. (1998). REGULATION OF MITOCHONDRIAL BIOGENESIS IN BROWN ADIPOSE TISSUE: NUCLEAR RESPIRATORY FACTOR-2/GA-BINDING PROTEIN IS RESPONSIBLE FOR THE TRANSCRIPTIONAL REGULATION OF THE GENE FOR THE MITOCHONDRIAL ATP SYNTHASE BETA SUBUNIT. BIOCHEM. J. 331 (PT 1), 121-127.

VIRABEN,R. AND AQUILINA,C. (1998). INDINAVIR-ASSOCIATED LIPODYSTROPHY. *AIDS* 12, F37-F39.

VIRBASIOUS,C.A., VIRBASIOUS,J.V., AND SCARPULLA,R.C. (1993A). NRF-1, AN ACTIVATOR INVOLVED IN NUCLEAR-MITOCHONDRIAL INTERACTIONS, UTILIZES A NEW DNA-BINDING DOMAIN CONSERVED IN A FAMILY OF DEVELOPMENTAL REGULATORS. *GENES DEV.* 7, 2431-2445.

VIRBASIOUS,J.V. AND SCARPULLA,R.C. (1990). THE RAT CYTOCHROME C OXIDASE SUBUNIT IV GENE FAMILY: TISSUE-SPECIFIC AND HORMONAL DIFFERENCES IN SUBUNIT IV AND CYTOCHROME C MRNA EXPRESSION. *NUCLEIC ACIDS RES.* 18, 6581-6586.

VIRBASIOUS,J.V. AND SCARPULLA,R.C. (1991). TRANSCRIPTIONAL ACTIVATION THROUGH ETS DOMAIN BINDING SITES IN THE CYTOCHROME C OXIDASE SUBUNIT IV GENE. *MOL. CELL BIOL.* 11, 5631-5638.

VIRBASIOUS,J.V. AND SCARPULLA,R.C. (1994). ACTIVATION OF THE HUMAN MITOCHONDRIAL TRANSCRIPTION FACTOR A GENE BY NUCLEAR RESPIRATORY FACTORS: A POTENTIAL REGULATORY LINK BETWEEN NUCLEAR AND MITOCHONDRIAL GENE EXPRESSION IN ORGANELLE BIOGENESIS. *PROC. NATL. ACAD. SCI. U. S. A* 91, 1309-1313.

VIRBASIOUS,J.V., VIRBASIOUS,C.A., AND SCARPULLA,R.C. (1993B). IDENTITY OF GABP WITH NRF-2, A MULTISUBUNIT ACTIVATOR OF CYTOCHROME OXIDASE EXPRESSION, REVEALS A CELLULAR ROLE FOR AN ETS DOMAIN ACTIVATOR OF VIRAL PROMOTERS. *GENES DEV.* 7, 380-392.

W

WABITSCH,M., HAUNER,H., HEINZE,E., AND TELLER,W.M. (1995). THE ROLE OF GROWTH HORMONE/INSULIN-LIKE GROWTH FACTORS IN ADIPOCYTE DIFFERENTIATION. *METABOLISM* 44, 45-49.

WALKER,U.A., BICKEL,M., LUTKE VOLKSBECK,S.I., KETELSEN,U.P., SCHOFER,H., SETZER,B., VENHOFF,N., RICKERTS,V., AND STASZEWSKI,S. (2002). EVIDENCE OF NUCLEOSIDE ANALOGUE REVERSE TRANSCRIPTASE INHIBITOR--ASSOCIATED GENETIC AND STRUCTURAL DEFECTS OF MITOCHONDRIA IN ADIPOSE TISSUE OF HIV-INFECTED PATIENTS. *J. ACQUIR. IMMUNE. DEFIC. SYNDR.* 29, 117-121.

WALLI,R., HERFORT,O., MICHL,G.M., DEMANT,T., JAGER,H., DIETERLE,C., BOGNER,J.R., LANDGRAF,R., AND GOEBEL,F.D. (1998). TREATMENT WITH PROTEASE INHIBITORS ASSOCIATED WITH PERIPHERAL INSULIN RESISTANCE AND IMPAIRED ORAL GLUCOSE TOLERANCE IN HIV-1-INFECTED PATIENTS. *AIDS* 12, F167-F173.

WANG,N.D., FINEGOLD,M.J., BRADLEY,A., OU,C.N., ABDELSAYED,S.V., WILDE,M.D., TAYLOR,L.R., WILSON,D.R., AND DARLINGTON,G.J. (1995). IMPAIRED ENERGY HOMEOSTASIS IN C/EBP ALPHA KNOCKOUT MICE. *SCIENCE* 269, 1108-1112.

WASYLYK,B., HAHN,S.L., AND GIOVANE,A. (1993). THE ETS FAMILY OF TRANSCRIPTION FACTORS. *EUR. J. BIOCHEM.* 211, 7-18.

WATANABE,H., IMAI,T., SHARP,P.A., AND HANDA,H. (1988). IDENTIFICATION OF TWO TRANSCRIPTION FACTORS THAT BIND TO SPECIFIC ELEMENTS IN THE PROMOTER OF THE ADENOVIRUS EARLY-REGION 4. *MOL. CELL BIOL.* 8, 1290-1300.

WEI,S., LAI,K., PATEL,S., PIANTEDOSI,R., SHEN,H., COLANTUONI,V., KRAEMER,F.B., AND BLANER,W.S. (1997). RETINYL ESTER HYDROLYSIS AND RETINOL EFFLUX FROM BFC-1BETA ADIPOCYTES. *J. BIOL. CHEM.* 272, 14159-14165.

WEITZEL,J.M., RADTKE,C., AND SEITZ,H.J. (2001). TWO THYROID HORMONE-MEDIATED GENE EXPRESSION PATTERNS IN VIVO IDENTIFIED BY CDNA EXPRESSION ARRAYS IN RAT. *NUCLEIC ACIDS RES.* 29, 5148-5155.

Bibliografía

WENTWORTH,J.M., BURRIS,T.P., AND CHATTERJEE,V.K. (2000). HIV PROTEASE INHIBITORS BLOCK HUMAN PREADIPOCYTE DIFFERENTIATION, BUT NOT VIA THE PPARGAMMA/RXR HETERODIMER. *J. ENDOCRINOL.* 164, R7-R10.

WIEDERER,O. AND LOFFLER,G. (1987). HORMONAL REGULATION OF THE DIFFERENTIATION OF RAT ADIPOCYTE PRECURSOR CELLS IN PRIMARY CULTURE. *J. LIPID RES.* 28, 649-658.

WIESNER,R.J., KUROWSKI,T.T., AND ZAK,R. (1992). REGULATION BY THYROID HORMONE OF NUCLEAR AND MITOCHONDRIAL GENES ENCODING SUBUNITS OF CYTOCHROME-C OXIDASE IN RAT LIVER AND SKELETAL MUSCLE. *MOL. ENDOCRINOL.* 6, 1458-1467.

WILCKE,M. AND NEDERGAARD,J. (1989). ALPHA 1- AND BETA-ADRENERGIC REGULATION OF INTRACELLULAR CA²⁺ LEVELS IN BROWN ADIPOCYTES. *BIOCHEM. BIOPHYS. RES. COMMUN.* 163, 292-300.

WILLIAMS,L.J., LYONS,V., MACLEOD,I., RAJAN,V., DARLINGTON,G.J., POLI,V., SECKL,J.R., AND CHAPMAN,K.E. (2000). C/EBP REGULATES HEPATIC TRANSCRIPTION OF 11BETA - HYDROXYSTEROID DEHYDROGENASE TYPE 1. A NOVEL MECHANISM FOR CROSS-TALK BETWEEN THE C/EBP AND GLUCOCORTICOID SIGNALING PATHWAYS. *J. BIOL. CHEM.* 275, 30232-30239.

WRUTNIAK,C., CASSAR-MALEK,I., MARCHAL,S., RASCLE,A., HEUSSER,S., KELLER,J.M., FLECHON,J., DAUCA,M., SAMARUT,J., GHYSDAEL,J., AND . (1995). A 43-KDA PROTEIN RELATED TO C-ERB A ALPHA 1 IS LOCATED IN THE MITOCHONDRIAL MATRIX OF RAT LIVER. *J. BIOL. CHEM.* 270, 16347-16354.

WU,Z., BUCHER,N.L., AND FARMER,S.R. (1996). INDUCTION OF PEROXISOME PROLIFERATOR-ACTIVATED RECEPTOR GAMMA DURING THE CONVERSION OF 3T3 FIBROBLASTS INTO ADIPOCYTES IS MEDIATED BY C/EBPBETA, C/EBPDELTA, AND GLUCOCORTICIDS. *MOL. CELL BIOL.* 16, 4128-4136.

WU,Z., PUIGSERVER,P., ANDERSSON,U., ZHANG,C., ADELMANT,G., MOOTHA,V., TROY,A., CINTI,S., LOWELL,B., SCARPULLA,R.C., AND SPIEGELMAN,B.M. (1999A). MECHANISMS CONTROLLING MITOCHONDRIAL BIOGENESIS AND RESPIRATION THROUGH THE THERMOGENIC COACTIVATOR PGC-1. *CELL* 98, 115-124.

WU,Z., ROSEN,E.D., BRUN,R., HAUSER,S., ADELMANT,G., TROY,A.E., MCKEON,C., DARLINGTON,G.J., AND SPIEGELMAN,B.M. (1999B). CROSS-REGULATION OF C/EBP ALPHA AND PPAR GAMMA CONTROLS THE TRANSCRIPTIONAL PATHWAY OF ADIPOGENESIS AND INSULIN SENSITIVITY. *MOL. CELL* 3, 151-158.

WU,Z., XIE,Y., BUCHER,N.L., AND FARMER,S.R. (1995). CONDITIONAL ECTOPIC EXPRESSION OF C/EBP BETA IN NIH-3T3 CELLS INDUCES PPAR GAMMA AND STIMULATES ADIPOGENESIS. *GENES DEV.* 9, 2350-2363.

X

XIA,X. AND SERRERO,G. (1999). INHIBITION OF ADIPOSE DIFFERENTIATION BY PHOSPHATIDYLINOSITOL 3-KINASE INHIBITORS. *J. CELL PHYSIOL* 178, 9-16.

XING,H., NORTHROP,J.P., GROVE,J.R., KILPATRICK,K.E., SU,J.L., AND RINGOLD,G.M. (1997). TNF ALPHA-MEDIATED INHIBITION AND REVERSAL OF ADIPOCYTE DIFFERENTIATION IS ACCOMPANIED BY SUPPRESSED EXPRESSION OF PPARGAMMA WITHOUT EFFECTS ON PREF-1 EXPRESSION. *ENDOCRINOLOGY* 138, 2776-2783.

XU,H., SETHI,J.K., AND HOTAMISLIGIL,G.S. (1999). TRANSMEMBRANE TUMOR NECROSIS FACTOR (TNF)-ALPHA INHIBITS ADIPOCYTE DIFFERENTIATION BY SELECTIVELY ACTIVATING TNF RECEPTOR 1. *J. BIOL. CHEM.* 274, 26287-26295.

Y

YAMAUCHI,T., KAMON,J., ITO,Y., TSUCHIDA,A., YOKOMIZO,T., KITA,S., SUGIYAMA,T., MIYAGISHI,M., HARA,K., TSUNODA,M., MURAKAMI,K., OHTEKI,T., UCHIDA,S., TAKEKAWA,S., WAKI,H., TSUNO,N.H., SHIBATA,Y., TERAUCHI,Y., FROGUEL,P., TOBE,K., KOYASU,S., TAIRA,K., KITAMURA,T., SHIMIZU,T., NAGAI,R., AND KADOWAKI,T. (2003). CLONING OF ADIPONECTIN RECEPTORS THAT MEDIATE ANTIDIABETIC METABOLIC EFFECTS. *NATURE* 423, 762-769.

YANG,X., ENERBACK,S., AND SMITH,U. (2003). REDUCED EXPRESSION OF FOXC2 AND BROWN ADIPOGENIC GENES IN HUMAN SUBJECTS WITH INSULIN RESISTANCE. *OBES. RES.* 11, 1182-1191.

YEH,W.C., CAO,Z., CLASSON,M., AND MCKNIGHT,S.L. (1995). CASCADE REGULATION OF TERMINAL ADIPOCYTE DIFFERENTIATION BY THREE MEMBERS OF THE C/EBP FAMILY OF LEUCINE ZIPPER PROTEINS. *GENES DEV.* 9, 168-181.

YUBERO,P., BARBERA,M.J., ALVAREZ,R., VINAS,O., MAMPEL,T., IGLESIAS,R., VILLARROYA,F., AND GIRALT,M. (1998). DOMINANT NEGATIVE REGULATION BY C-JUN OF TRANSCRIPTION OF THE UNCOUPLING PROTEIN-1 GENE THROUGH A PROXIMAL CAMP-REGULATORY ELEMENT: A MECHANISM FOR REPRESSING BASAL AND NOREPINEPHRINE-INDUCED EXPRESSION OF THE GENE BEFORE BROWN ADIPOCYTE DIFFERENTIATION. *MOL. ENDOCRINOL.* 12, 1023-1037.

YUBERO,P., MANCHADO,C., CASSARD-DOULCIER,A.M., MAMPEL,T., VINAS,O., IGLESIAS,R., GIRALT,M., AND VILLARROYA,F. (1994A). CCAAT/ENHANCER BINDING PROTEINS ALPHA AND BETA ARE TRANSCRIPTIONAL ACTIVATORS OF THE BROWN FAT UNCOUPLING PROTEIN GENE PROMOTER. *BIOCHEM. BIOPHYS. RES. COMMUN.* 198, 653-659.

YUBERO,P., VINAS,O., IGLESIAS,R., MAMPEL,T., VILLARROYA,F., AND GIRALT,M. (1994B). IDENTIFICATION OF TISSUE-SPECIFIC PROTEIN BINDING DOMAINS IN THE 5'-PROXIMAL REGULATORY REGION OF THE RAT MITOCHONDRIAL BROWN FAT UNCOUPLING PROTEIN GENE. *BIOCHEM. BIOPHYS. RES. COMMUN.* 204, 867-873.

Z

ZHANG,B., MACNAUL,K., SZALKOWSKI,D., LI,Z., BERGER,J., AND MOLLER,D.E. (1999). INHIBITION OF ADIPOCYTE DIFFERENTIATION BY HIV PROTEASE INHIBITORS. *J. CLIN. ENDOCRINOL. METAB* 84, 4274-4277.

ZHANG,C.Y., BAFFY,G., PERRET,P., KRAUSS,S., PERONI,O., GRUJIC,D., HAGEN,T., VIDAL-PUIG,A.J., BOSS,O., KIM,Y.B., ZHENG,X.X., WHEELER,M.B., SHULMAN,G.I., CHAN,C.B., AND LOWELL,B.B. (2001). UNCOUPLING PROTEIN-2 NEGATIVELY REGULATES INSULIN SECRETION AND IS A MAJOR LINK BETWEEN OBESITY, BETA CELL DYSFUNCTION, AND TYPE 2 DIABETES. *CELL* 105, 745-755.

ZHANG,Y., PROENCA,R., MAFFEI,M., BARONE,M., LEOPOLD,L., AND FRIEDMAN,J.M. (1994). POSITIONAL CLONING OF THE MOUSE OBESE GENE AND ITS HUMAN HOMOLOGUE. *NATURE* 372, 425-432.