

Eyestone WH, Jones JM, First NL. The use of conditioned-medium for culture of bovine oocytes to the blastocyst stage. Theriogenology 1990; 33: 226.

Eyestone WH, Jones JM, First NL. Some factors affecting the efficacy of oviduct tissue-conditioned medium for the culture of early bovine embryos. J Reprod Fert 1991; 92: 59-64.

Farin CE, Hasler JF, Martus NS. Comparison of Menezo B2 and TCM199 media for in vitro production of bovine blastocysts. Theriogenology 1995; 43: 210.

Farrell PB, Foote RH. Beneficial effects of culturing rabbit zygotes to blastocysts in 5% oxygen and 10% carbon dioxide. J Reprod Fert 1995; 103: 127-130.

Feng HL, Wen XH, Amet T, Sandlow JI. Development of human embryos in different culture systems. Theriogenology 1996; 45: 201.

Ferry L, Mermilliod P, Massip A, Dessim F. Bovine embryos cultured in serum-poor oviduct-conditioned medium need cooperation to reach the blastocyst stage. Theriogenology 1994; 42(3): 445-453.

First NL, Parrish JJ. In-vitro fertilization of ruminants. J Reprod Fert 1987; 34: 151-165.

First NL, Parrish JJ. Sperm maturation and in vitro fertilization. 11th Int. Congr. Anim. Reprod. & A.I. Dublin 1988. pp 161-168.

Fischer B, Rose-Hellekant TA, Sheffield LG, Bertics PJ, Bavister BD. Binding of EGF and TGF- α in mammalian preimplantation embryos. Theriogenology 1994; 41(4): 879-887.

Flood MR, Gage TL, Bunch TD. Effect of various growth-promoting factors on preimplantation bovine embryo development in vitro. Theriogenology 1993; 39: 823-833.

Fournier-Delpech S, Thibault C. Acquisition de la fécondance du spermatozoïde: Maturation épидidymaire, Glandes annexes et capacitation. In: La Reproduction chez les mammifères et l'homme. Thibault C,

Levasseur MC (eds.). INRA Edition Marketing, Paris 1991. Cap. 14 pp. 251-272.

Fraser LR, Ahuja KK. Metabolic and surface events in fertilization. *Gamete Res* 1988; 20 : 491-519.

Fujitani Y, Kasai K, Ohtani S, Nishimura K, Matsunaga H. Effects of oxygen tension, free radicals and hypotaurine on development of in vitro-derived bovine embryos. *Theriogenology* 1996; 45:210.

Fukuda Y, Ichikawa M, Naito K, Toyoda Y. Normal development of bovine oocytes matured, fertilized and cultured with cumulus cells in vitro. *11th Int. Congr. Anim. Reprod. & IA*, Dublin 1988.;327-329.

Fukuda Y, Ichikawa M, Naito K, Toyoda Y. Birth of normal calves resulting from bovine oocytes matured, fertilized, and cultured with cumulus cells in vitro up to the blastocyst stage. *Biol Reprod* 1990; 42: 114-119.

Fukui Y. Effects of sera and steroid hormones on development of bovine oocytes matured and fertilized in vitro and co-cultured with bovine oviduct epithelial cells. *J Anim Sci* 1989; 67: 1318-1323.

Fukui Y. Effect of follicle cells on the acrosome reaction, fertilization, and developmental competence of bovine oocytes matured in vitro. *Mol Reprod Dev* 1990; 26: 40-46.

Fukui Y, Ono H. In vitro development to blastocyst of in vitro matured and fertilized bovine oocytes. *The Veterinary Record* 1988; 122: 282.

Fukui Y, Ono H. Effect of sera, hormones and granulosa cells added to culture medium for in vitro maturation, fertilization, cleavage and development of bovine oocytes. *J Reprod Fert* 1989; 86: 501-506.

Fukui Y, Fukushima M, Ono H. Fertilization in vitro of the bovine oocytes after various sperm procedures. *Theriogenology* 1983; 20(6): 651-660.

Fukui Y, Glew AM, Gandolfi F, Moor RM. Ram-specific effects on in vitro fertilization and cleavage of sheep oocytes matured in vitro. *J Reprod Fert* 1988a; 82:337-340.

Fukui Y, Glew AM, Gandolfi F, Moor RM. In vitro culture of sheep oocytes matured and fertilized in vitro. *Theriogenology* 1988b; 29(4): 883-891.

Fukui Y, Urakawa M, Sasaki C, Chikamatsu N, Ono H. Development to the late morula or blastocyst stage following in vitro maturation and fertilization of bovine oocytes. *Anim Reprod Sci* 1989; 18: 139-148.

Fukui Y, McGowan LT, James RW, Pugh PA, Tervit HR. Factors affecting the in vitro development to blastocysts of bovine oocytes matured and fertilized in vitro. *J Reprod Fert* 1991; 92: 125-131.

Fukushima M, Fukui Y. Effects of gonadotropins and steroids on the subsequent fertilizability of extrafollicular bovine oocytes cultured in vitro. *Anim Reprod Sci* 1985; 9: 323-332.

Galli C, Moor RM. Gonadotropin requirements for the in vitro maturation of sheep oocytes and their subsequent embryonic development. *Theriogenology* 1991; 35: 1083-1093.

Gandolfi F. Autocrine, paracrine and environmental factors influencing embryonic development from zygote to blastocyst. *Theriogenology* 1994; 41(1): 95-100.

Gandolfi F. Functions of proteins secreted by oviduct epithelial cells. *Microscopy Research and Technique* 1995; 32: 1-12.

Gandolfi F, Moor RM. Stimulation of early embryonic development in the sheep by co-culture with oviduct epithelial cells. *J Reprod Fert* 1987; 81: 23-28.

Gandolfi F, Moor RM. Interactions between somatic and germinal cells during early development. 11th Int. Congr. Anim. Reprod. & A.I., vol. 5, Dublin 1988.

Gandolfi F, Brevini TAL, Richardson L, Brown CR, Moor M. Characterization of proteins secreted by sheep oviduct epithelial cells and their function in embryonic development. *Development* 1989; 106: 303-312.

Gardner DK, Lane M, Batt PA. Nutrient uptake and enzyme activity of the preattachment goat embryo developed in vivo. *Theriogenology* 1994; 41: 204.

Gonzales DS, Pinheiro JC, Bavister BD. Prediction of the developmental potential of hamster embryos in vitro by precise timing of the third cell cycle. *J Reprod Fert* 1995; 105: 1-8.

Gordon I. Laboratory production of cattle embryos. CAB International: University Press, Cambridge 1994.

Gordon I, Lu KH. Production of embryos in vitro and its impact on livestock production *Theriogenology* 1990; 33:77-87.

Goto K, Iwai N, Takuma Y, Nakanishi Y. Co-culture of in vitro fertilized bovine embryos with different cell monolayers. *J Anim Sci* 1992; 70: 1449-1453.

Goto K, Iwai N, Takuma Y, Nakanishi Y. Viability of one-cell bovine embryos cultured in vitro: comparison of cell-free culture with co-culture. *J Reprod Fert* 1994; 100(1): 239-243.

Greve T, Xu KP, Callesen H, Hyttel P. In vivo development of in vitro fertilized bovine oocytes matured in vivo versus in vitro. *J In Vitro Fert Embryo Transfer* 1987; 4: 281-285.

Greve T, Madison V. In vitro fertilization in cattle: a review. *Reprod Nutr Dev* 1991; 31: 147-157.

Grisart B, Massip A, Dessy F. Cinematographic analysis of bovine embryo development in serum-free oviduct-conditioned medium. *J Reprod Fert* 1994; 101:257-264.

Guyader C, Chupin D. Capacitation of fresh bovine spermatozoa on bovine epithelial oviduct cell monolayers. *Theriogenology* 1991; 36:505-512.

Hamano K, Sasada M, Sueawara S, Masaki J. IVF in goats- of goat oocytes. *Jpn J Anim Reprod* 1985; 528: 32-39.

Hanada A. In vitro fertilization in goats. Jpn J Anim Prod 1985a; 31: 21-26.

Hanada A. In vitro fertilization of cattle: a specific reference to sperm capacitation with ionophore. Jpn J Anim Prod 1985b; 31: 56-61.

Hancock JL. Attempted hybridization of sheep and goats. Proc 5th Int Congr Anim Reprod AI 1964; 3: 445.

Handrow RR, First NL, Parrish JJ. Calcium requirement and increased association with bovine sperm during capacitation by heparin. Journal of Experimental Zoology 1989; 252: 174-182.

Harayama H, Kusunoki H, Kato S. Capacity of goat epididymal spermatozoa to undergo the acrosome reaction and subsequent fusion with the egg plasma membrane. Reprod Fert Dev 1993; 5: 239-246.

Hardy K, Winston RML, Handyside AH. Binucleate blastomeres in preimplantational human embryos in vitro: failure of cytokinesis during early cleavage. J Reprod Fert 1993; 98: 549-558.

Harper MJK. Sperm and egg transport. In: Reproduction in mammals. 1. Germ cells and Fertilization. Austin CR, Short RV (eds). Cambridge University Press, Cambridge 1982; pp 102-127.

Hawk HW, Wall RJ, Conley HH. Survival of DNA-injected cow embryos temporarily cultured in rabbit oviducts. Theriogenology 1989; 32: 243-253.

Hawk HW, Wall RJ. Improved yields of bovine blastocysts from in vitro-produced oocytes. I. Selection of oocytes and zygotes. Theriogenology 1994a; 41(8): 1571-1583.

Hawk HW, Wall RJ. Improved yields of bovine blastocysts from in vitro-produced oocytes. II. Media and co-culture cells. Theriogenology 1994b; 41(8): 1585-1594.

Hernandez-Ledezma JJ, Villanueva C, Sikes JD, Roberts RM. Effects of CZB versus medium 199 and of conditioning culture media with either bovine oviductal epithelial cells or Buffalo Rat Liver cells on the

development of bovine zygotes derived by in vitro maturation-in vitro fertilization procedures. Theriogenology 1993; 39: 1267-1277.

Hernandez-Ledezma JJ, Villanueva C, Sikes JD, Roberts RM. Comparison of co-culture and conditioned medium on expansion and hatching of in vitro-derived bovine blastocysts. Theriogenology 1995; 43: 233.

Heyman Y, Ménézo Y, Chesné P, Camous S, Garnier V. In vitro cleavage of bovine and ovine early embryos: improved development using coculture with trophoblastic vesicles. Theriogenology 1987; 27: 59-68.

Heyner S, Shah N, Smith RM, Watson AJ, Schultz GA. The role of growth factors in embryo production. Theriogenology 1993; 39: 151-161.

Hunter RHF. The timing of capacitation in mammalian spermatozoa- a reinterpretation. Research in Reproduction 1987; 19(2): 3.

Hunter AG, Moor RM. Stage-dependent effects of inhibiting ribonucleic acids and protein synthesis on meiotic maturation of bovine oocytes in vitro. J Dairy Sci 1987; 70: 1646-1651.

Hyttel P, Greve T, Callesen H. Ultrastructure of in-vivo fertilization in superovulated cattle. J Reprod Fert 1988a; 82: 1-13.

Hyttel P, Xu KP, Greve T. Ultrastructural abnormalities of in vitro fertilization of in vitro matured bovine oocytes. Anat Embryol 1988b; 178: 47-52.

Hyttel P, Callesen H, Greve T. A comparative ultrastructural study of in vivo versus in vitro fertilization of bovine oocytes. Anat Embryol 1989a; 179: 435-442.

Hyttel P, Greve T, Callesen H. Ultrastructural aspects of oocyte maturation and fertilization in cattle. J Reprod Fert 1989b; 38: 35-47.

Hyttel P, Grøndahl C, Madison V, Callesen H, Greve T. Cell biological aspects of bovine oocyte maturation, fertilization and initial embryonic development in vivo and in vitro. Arch. Tierz. Berlin 1990; 33(6): 517-529.

Ijaz A, Hunter AG. Evaluation of Calcium-free Tyrode's sperm capacitation medium for use in bovine in vitro fertilization. *J Dairy Sci* 1989; 72: 3280-3285.

Iritani A, Niwa K. Capacitation of bull spermatozoa and fertilization in vitro of cattle follicular oocytes matured in culture. *J Reprod Fert* 1977; 50: 119-121.

Irvine B, Armostrong DT, Earl C, McLean D, Seamek RF. Follicle development and oocyte recovery from calves with repeated gonadotropin stimulation and follicular aspiration. *Theriogenology* 1993; 39:237.

Iwasaki S, Shioya Y, Masuda H, Hanada A, Nakahara T. Incidence of chromosomes anomalies in early bovine embryos derived from in vitro fertilization. *Gamete Research* 1989; 22: 83-91.

Iwasaki S, Hamano S, Kuwayama M, Yamashita M, Ushijima H, Nagaoka S, Nakahara T. Development changes in the incidence of chromosomes anomalies of bovine embryos fertilized in vitro. *J Exp Zool* 1992; 261: 79-85.

Jamshidi MB, Kaye PL. Glutamine transport by mouse inner cell masses. *J Reprod Fert* 1995; 104: 91-97.

Jiang HS, Wang WL, Lu KH, Gordon I, Poldge C. Roles of different cell monolayers in the co-culture of IVF embryos. *Theriogenology* 1991; 35: 216.

Kajihara Y, Blakewood EG, Myers MW, Kometani N; Goto K, Godke RA. In vitro maturation and fertilization of follicular oocytes obtained from calves. *Theriogenology* 1991; 35(1): 220.

Kane M.T. Culture media and culture of early embryos. *Theriogenology* 1987; 27(1): 49-57.

Kane M.T., Carney E.W. and Ellington J.E. The role of nutrients, peptide growth factors and co-culture cells in development of preimplantation embryos in vitro. *Theriogenology* 1992; 38: 297-313.

Kano K, Miyano T, Kato S. Effect of oviductal epithelial cells on fertilization of pig oocytes in vitro. Theriogenology 1994; 42: 1061-1068.

Katska L, Rynska B, Smorag Z. The effect of co-culture system on developmental capacity of bovine IVM/IVF oocytes. Theriogenology 1995; 43: 859-870.

Kauffold P, Torner H, Schmidt D, Blottner S, Rommel P. Fertilization in vitro of bovine oocytes matured in vivo. Theriogenology 1988; 29: 266.

Keefer CL. Development of in vitro produced bovine embryos cultured individually in a simple medium: effects of EGF and TGF β 1. Theriogenology 1992; 37 (1): 236.

Keefer CL, Stice SL, Paprocki AM, Golueke P. In vitro culture of bovine IVM-IVF embryos: cooperative interaction among embryos and the role of growth factors. Theriogenology 1994; 1323-1331.

Kelk DA, Gartley CJ, King WA. Incorporation of 3 H-uridine into goat, sheep and hybrid embryos. J Reprod Fert 1994; Abstr. series 13: 120.

Keskintepe L, Darwish GM, Kenimer AT, Brackett BG. Term development of caprine embryos derived from immature oocytes in vitro. Theriogenology 1994a; 42(3): 527-535.

Keskintepe L, Darwish GM, Younis AI, Brackett BG. In vitro development of morulae from immature caprine oocytes. Zygote 1994b; 2: 97-102.

Keskintepe L, Luvoni GC, Bassiony MM, Brackett BG. Procedural improvements for in vitro production of viable uterine stage caprine embryos. Small Ruminant Research 1996; 20: 247-254.

Kim CI, Ellington JE, Foote RH. Maturation, fertilization and development of bovine oocytes in vitro using TCM199 and a simple defined medium with co-culture. Theriogenology 1990; 33(2): 433-440.

Kim JH, Funahashi H, Niwa K, Okuda K. Glucose requirement at different development stages in vitro fertilized bovine embryos cultured in semi-defined medium. Theriogenology 1993; 39: 875-886.

Kruip TAM, Cran DG, Van Beneden TH, Dieleman SJ. Structural changes in bovine oocytes during final maturation in vivo. *Gamete Res* 1983; 8: 29-47.

Kruip TAM, Pieterse MC, van Beneden TH, Vos P, Wurth YA, Taverne MAM. Increased success rate of IVM and IVF in the bovine after sonographic guided transvaginal collections of the oocytes. *Theriogenology* 1990; 33: 269.

Kumar J, Osborn JC, Cameron AWN, Batt PA, Trounson AO. Premature condensation of chromatin induced in goat (*Capra hircus*) oocytes after gonadotrophin treatment. *Reprod Fertil Dev* 1990; 2: 661-670.

Kurpisz M. Molecular basis for sperm-oocyte interaction. *Folia Histochemica et Cytobiologica* 1993; 31: 103-108.

Kusunoki H, Sakaue M, Kato S, Kanda S. Induction of the Acrosome Reaction in ejaculated goat spermatozoa by preincubation in chemically defined medium. *J Experimental Zoology* 1989; 249: 322-328.

Kuzan FB, Wright RW Jr. Observations on the development of bovine morulae on various cellular and noncellular substrata. *J Anim Sci* 1982; 54(4): 811-816.

Larson R.C., Ignotz G.G. and Currie W.B. Platelet derived growth factor stimulates development of bovine embryos during the fourth cell cycle. *Development* 1992; 115: 821-826.

Laurincik J, Rath D, Niemann H. Differences in pronucleus formation and first cleavage following in vitro fertilization between pig oocytes matured in vivo and in vitro. *J Reprod Fert* 1994; 102: 277-284.

Lawson RAS, Rowson LEA, Adams CE. The development of cow eggs in the rabbit oviduct and their viability after re-transfer to heifers. *J Reprod Fert* 1972a; 28: 313-315.

Lawson RAS, Adams CE, Rowson LEA. The development of sheep eggs in the rabbit oviduct and their viability after re-transfer to ewes. *J Reprod Fert* 1972b; 29: 105-116.

Le Guinne B, Thibault C, Chupin D, Gérard M, Thibier M. Fécondation in vitro chez les mammifères domestiques. El. & Ins. 1988; 225: 13-22.

Leclerc P, Sirard MA, Chafouleas JG, Lambert RD. Decreased binding of calmodulin to bull sperm proteins during heparin-induced capacitation. Biol Reprod 1990; 42:483-489.

Ledda S, Loi P, Cappai P, Filia F, Naitana S. Effects of glucose on early ovine embryos developed in simple serum free medium. J Reprod Fert 1991; 7: 8.

Ledda S, Loi P, Cappai P, Naitana S. Absence of glucose in early cleavage improves the development of ovine embryos cultured in a simple medium. Proc. 12th Int Congr Anim Reprod. The Hague 1992. Vol. 3: 381 (3 pp).

Ledda S, Gallus M, Sini A, Naitana S. In vitro maturation and fertilization of sheep oocytes and embryo culture. Proc. Eur Conf Embryo Techn & Genet Engin in cattle & sheep. Kraków, Poland 1994. pp 127-137.

Ledda S, Bogliolo L, Calvia P, Leoni G, Naitana S. Developmental competence of follicular oocytes from juvenile lambs matured in vitro in different conditions. J Reprod Fert 1996; 17: 28.

Leese HJ. The formation and function of oviduct fluid. J Reprod Fert 1988; 82: 843-856.

Leibfried ML, Bavister BD. Effects of epinephrine and hypotaurine on in vitro fertilization in the golden hamster. J Reprod Fert 1982; 66: 87-93.

Leibfried L, First NL. Characterization of bovine follicular oocytes and their ability to mature in vitro. J Anim Sci 1979; 48(1): 76-86.

Leibfried-Rutledge ML, Critser ES, First NL. Effects of Fetal Calf Serum and Bovine Serum Albumin on in vitro maturation and fertilization of bovine and hamster cumulus-oocyte complexes. Biol Reprod 1986; 35: 850-857.

Leibfried-Rutledge ML, Crister ES, Eyestone WH, Northey DL, First NL. Developmental potential of bovine oocytes matured in vitro or in vivo. *Biol Reprod* 1987; 36: 376-383.

Leibfried-Rutledge ML, Critser ES, Parrish JJ, First NL. In vitro maturation and fertilization of bovine oocytes. *Theriogenology* 1989; 31(1): 61-74.

Lévesque JT, Sirard MA. Proteins in oocytes from calves and adult cows before maturation: relationship with their development capacity. *Reprod Nutr Dev* 1994; 34: 133-139.

Lim JM, Kim JH, Okuda K, Niwa K. The importance of NaCl concentration in a chemically defined medium for the development of bovine oocytes matured and fertilized in vitro. *Theriogenology* 1994a; 42(3): 421-432.

Lim JM, Okitsu O, Okuda K, Niwa K. Effects of fetal calf serum in culture medium on development of bovine oocytes matured and fertilized in vitro. *Theriogenology* 1994b; 41: 1091-1098.

Lim JM, Rocha A, Hansel W. A serum-free medium for use in a cumulus cell co-culture system for bovine embryos derived from in vitro maturation and in vitro fertilization. *Theriogenology* 1996a; 45: 1081-1089.

Lim JM, Reggio BC, Godke RA, Hansel W. Culture of bovine embryos in dynamic culture system: effect of bovine oviduct epithelial cells on the development of 8-cell embryos to the blastocyst stage. *Theriogenology* 1996b; 45:199.

Ling L, Jufen Q, Yong Z. In vitro fertilization of goat ovarian oocytes. *Theriogenology* 1992; 37: 347.

Lonergan P, Vergos E, Kinis A, Sharif H, Gallagher M, Gordon Y. The effect of recovery method on the type of bovine oocyte obtained for in vitro maturation. *Theriogenology* 1991; 35: 231

Long CR, Chase CN, Balise JJ, Duby RT, Robl JM. Effect of sperm removal time, sperm concentration and motility enhancers on fertilization

parameters and development of bovine embryos in vitro. Theriogenology 1993; 39: 261.

Long CR, Damiani P, Pinto-Correia C, MacLean RA, Duby RT, Robl JM. Morphology and subsequent development in culture of bovine oocytes matured in vitro under various conditions of fertilization. J Reprod Fert 1994; 102: 361-369.

Looney CR, Damiani P, Lindsey BR, Long CR, Gonseth CL, Johnson DL, Duby RT. Use of prepuberal heifers as oocyte donors for IVF: effect of age and gonadotrophin treatment. Theriogenology 1995; 43: 269.

Lu KH, Gordon I. Effect of heparin on the capacitation of frozen-thawed bovine spermatozoa used in the in vitro fertilization of the oocytes matured in vitro. 11th Int. Congr. Animal Reprod AI, Dublin 1988; 3: 339

Lu KH, Gordon I, Gallagher M, McGovern H. Pregnancy established in cattle by transfer of embryos derived from in vitro fertilisation of oocytes matured in vitro. The Vet Record 1987; 121: 259-260.

Lu KH, Gordon I, Chen HB, Gallagher M, McGovern H. Birth of twins after transfer of cattle embryos produced by in vitro techniques. The Vet Record 1988a; 122: 539-540.

Lu KH, Gordon I, McGovern H. Development in vitro of bovine morulae derived from in vitro fertilization of follicular oocytes matured in vitro. Proc. 11th Int. Congr Anim Reprod & AI, Dublin 1988b; vol 3: 340 (3pp).

Mahadevan MM, Trounson AO. The influence of seminal characteristics on the success rate of human in vitro fertilization. Fert Steril 1984; 42: 400-405.

Mahmoud AI, Parrish JJ. The role of extracellular calcium during capacitation of bovine sperm by heparin. Theriogenology 1996; 45: 315.

Marquant-Le Guienne B. La fécondation in vitro (FIV): l'exemple des Bovins. Recueil de Médecine Vétérinaire Spécial Reproduction des Ruminants. Mars-Avril 1991. pp 303-311.

Marquant-Le Guienne B, Gérard M, Solari A, Thibault C. In vitro culture of bovine egg fertilized either in vivo or in vitro. *Reprod Nutr Dev* 1989; 29: 559-568.

Martino A, Palomo MT, Mogas T, Paramio MT. Influence of the collection technique of prepubertal goat oocytes on in vitro maturation and fertilization. *Theriogenology* 1994a; 42: 859-873.

Martino A, Mogas T, Palomo MT, Paramio MT. Meiotic competence of prepubertal goat oocytes. *Theriogenology* 1994b; 41: 969-980.

Martino A, Mogas T, Palomo MT, Paramio MT. In vitro maturation and fertilization of prepubertal goat oocytes. *Theriogenology* 1995; 43: 473-485.

Matsuyama K, Miyakoshi H, Fukui Y. Effect of glucose levels during the in vitro culture in synthetic oviduct fluid medium on in vitro development of bovine oocytes matured and fertilized in vitro. *Theriogenology* 1993; 40:595-605.

McCaffrey C, Sreenan. The effect of cell to ovum contact on the development of 1-4 cell cattle ova during co-culture with oviductal cells. *Theriogenology* 1991; 35: 239.

McGinnis LK, Youngs CR. In vitro development of ovine embryos in CZB medium. *Theriogenology* 1992; 37: 559-569.

McLaughlin KJ, McLean DM, Stevens G, Ashman RA, Lewis PA, Bartsch BD, Seemark RF. Viability of one-cell bovine embryos cultured in synthetic oviduct fluid medium. *Theriogenology* 1990; 33(6): 1191-1199.

McLaughlin KJ, Walker SK, Davies L, Mawson B, Seemark RF. Culture and manipulation of early goat embryos. *Theriogenology* 1989; .

Meizel S, WorkingPK. Futher evidence suggesting the hormonal stimulation of hamster sperm acrosome reactions by catecholamines in vitro. *Biol Reprod* 1980; 22: 211-216.

Ménézo Y, Renard JP. Life of the egg before implantation. In: Reproduction in mammals and man. Thibault C, Levasseur MC, Hunter RHF (eds). Edition Marketing; Paris 1993; cap 18: 349-368.

Mermilliod P, Saumande J. Developmental competence of oocytes from small follicles of prepubertal slaughtered calves. V Colloque Franco-Tchécoslovaque sur la Reproduction des Animaux Domestiques, Jouy-en-Josas, France 1992; p. 15.

Mermilliod P, Massip A, Dessy F. In vitro production of cattle embryos: review and Belgian results. Int J Dev Biol 1992a; 36: 185-195.

Mermilliod P., Wils C., Massip A. and Dessy F. Collection of oocytes and production of blastocysts in vitro from individual, slaughtered cows. J Reprod Fert 1992b; 96: 717-723.

Mermilliod P, Mourmeaux JL, Wils C, Massip A, Dessy F. Protein-free oviduct-conditioned medium for complete bovine embryo development. Veterinary Record 1992c; 130: 13.

Mermilliod P, Vansteenbrugge A, Wils C, Mourmeaux J.L, Massip A, Dessy F. Study of the bovine embryotrophic activity of serum free oviduct conditioned medium. Theriogenology 1993a; 39: 267.

Mermilliod P, Vansteenbrugge A, Wils C, Mourmeaux JL, Massip A, Dessy F. Characterization of the embryotrophic activity of exogenous protein-free oviduct-conditioned medium used in culture of cattle embryos. Biol Reprod 1993b; 49: 582-587.

Milovanov C, Herradón PG. In vitro development of IVM/IVF bovine embryos in B2 medium supplemented with albumin (BSA) or polyvinyl alcohol (PVA). Theriogenology 1996; 45: 215.

Miller DJ, Hunter AG. Effect of osmolarity and glycosaminoglycans on motility, capacitation, acrosome reaction and in vitro fertilizability of bovine ejaculated sperm. J Dairy Sci 1986; 69:2915-2924.

Miller DJ, Ax RL. Carbohydrates and fertilization in animals. Mol Reprod Dev 1990; 26: 184-198.

Miller GF, Gliedt DW, Lester TD, Pierson JN, Rakes JM, Rorie RW. Addition of bovine oviductal epithelial cells (BOEC) and/or penicillamine, hypotaurine and epinephrine (PHE) to bovine in vitro fertilization (IVF) medium increases the subsequent embryo cleavage rate. *Theriogenology* 1992; 37: 259.

Miller GF, Gliedt DW, Rakes JM, Rorie RW. Addition of penicillamine, hypotaurine and epinephrine or bovine oviductal epithelial cells alone or in combination to bovine in vitro fertilization medium increases the subsequent embryo cleavage rate. *Theriogenology* 1994; 41: 689-696.

Miyoshi K, Funahashi H, Okuda K, Niwa K. Development of rat one-cell embryos in a chemically defined medium: effects of glucose, phosphate and osmolarity. *J Reprod Fert* 1994; 100: 21-26.

Mogas T. Producció in vitro d'embrions pre-implantacionals en el cabrum. Tesis Doctoral, Universitat Autònoma de Barcelona 1994.

Monget P. Importance des facteurs paracrines dans l'ovaire. 9th scientific meeting A.E.T.E. Lyon 1993.

Moor RM, Gandolfi F. Molecular and cellular changes associated with maturation and early development of sheep eggs. *J Reprod Fert* 1987; 34: 55-69.

Moor RM, Trounson AO. Hormonal and follicular factors affecting maturation of sheep oocytes in vitro and their subsequent developmental capacity. *J Reprod Fert* 1977; 49: 101-109.

Moor RM, Osborn JC, Crosby IM. Gonadotrophin-induced abnormalities in sheep oocytes after superovulation. *J Reprod Fert* 1985; 74: 167-172.

Moore K, Bondioli KR. Altering metabolic substrates of culture media enhances bovine IVM/IVF embryo development beyond the eight cell block. *Biol Reprod* 1990; 42: 55.

Morita M, Miyamoto H, Ishii T, Sugimoto M. The functional morphology of goat oviductal secretory cells. *Theriogenology* 1996; 45: 295.

Motlik J. Cytoplasmic aspects of oocyte growth and maturation in mammals. *J Reprod Fert* 1989; 38:17-25.

Nagai T, Moor RM. Effect of oviduct cells on the incidence of polyspermy in pig eggs fertilized in vitro. *Molecular Reprod Dev* 1990; 26:377-382.

Nagao Y, Saeki K, Hoshi M, Kainuma H. Effects of oxygen concentration and oviductal epithelial tissue on the development of in vitro matured and fertilized bovine oocytes cultured in protein free-medium. *Theriogenology* 1994; 41(3): 681-687.

Nagao Y, Saeki K, Hoshi M, Takahashi Y, Kanagawa H. Effects of water quality on in vitro fertilization and development of bovine oocytes in protein-free medium. *Theriogenology* 1995; 44: 433-444.

Nakao H, Nakatsuji N. Effects of co-culture, medium components and gas phase on in vitro culture of in vitro matured and in vitro fertilized bovine embryos. *Theriogenology* 1990; 33(3): 591-600.

Nakayama T, Noda Y, Goto Y, Mori T. Effects of visible light and other environmental factors on the production of oxygen radicals by hamster embryos. *Theriogenology* 1994; 41(2): 499-510.

Naqvi SMK, Madam ML, Manik RS, Chauhan MS, Singla SK. In vitro development of ovine oocyte matured and fertilized in vitro to compact morula in co-culture system of oviductal cells and conditioned medium. *Proc 12th Int Congr Anim Reprod; The Hague* 1992; vol 3: 386 (3pp).

Nibart M. Le transfert embryonnaire et les biotechnologies appliquées: bissection et sexage. Recueil de Médecine Vétérinaire Spécial Reproduction des Ruminants. Mars-Avril 1991; pp 261-273.

Niwa K, Ohgoda O. Synergistic effect of caffeine and heparine on in vitro fertilization of cattle oocytes matured in culture. *Theriogenology* 1988; 30: 733-741.

Niwa K, Ohgoda O, Yuhara M. Effects of caffeine in media for pretreatment of frozen-thawed sperm on in vitro penetration of cattle oocytes. *Proc 11th Int Congr Anim Reoprod AI; Dublin*, 1988; 3: 346.

Naqvi SMK, Madam ML, Manik RS, Chauhan MS, Singla SK. In vitro development of ovine oocyte matured and fertilized in vitro to compact morula in co-culture system of oviductal cells and conditioned medium. Proc 12th Int Congr Anim Reprod ; The Hague 1992; Vol. 3: 386 (3 pp).

Olson SE, Romero A, Thomas WK, Seidel GE Jr. Effects of FSH and heparin on in vitro maturation, fertilization and development of bovine oocytes. Theriogenology 1990; 33(1): 293.

Olson SE, Seidel GE Jr. Vitamin E improves development of bovine embryos produced in vitro. Theriogenology 1995; 43: 289.

Ouhibi N, Hamidi J, Guillaud J, Ménézo Y. Co-culture of 1-cell mouse embryos on different cell supports. Human Reprod 1990; 5: 737-743.

Overström EW. In vitro assessment of embryo viability. Theriogenology 1996; 45: 3-16.

Palma GA, Clement-Sengewald A, Krefft H. In vitro production of cattle embryos from calf oocytes. Theriogenology 1993; 39: 278.

Palomo MJ. Efecto del tratamiento de los espermatozoides sobre la fecundación in vitro en el caprino. Universitat Autònoma de Barcelona 1995.

Park CK, Ohgoda O, Niwa K. Penetration of bovine follicular oocytes by frozen-thawed spermatozoa in the presence of caffeine and heparin. J Reprod Fert 1989; 86: 577-582.

Park YS, Lin YC. Effect of epidermal growth factor (EGF) and defined simple media on in vitro bovine oocytes maturation and early embryonic development. Theriogenology 1993; 39: 475-484.

Parks JE, Ehrenwald E. Cholesterol efflux from mammalian sperm and its potential role in capacitation In: Fertilization in Mammals. Eds. Bavister BD, Cummins J, Roldan ERS. Serono Symposia, Norwell 1990; pp 155-167.

Parrish JJ, First NL. Bovine in vitro fertilization. En: A comparative overview of Mammalian Fertilization. Dunbar BS, O'Rand MG (eds). Plenum Press, New York 1991. Cap 18.

Parrish JJ, Susko-Parrish JL, First NL. Effect of heparin and chondroitin sulfate on the acrosome reaction and Fertility of bovine sperm in vitro. Theriogenology 1985a; 24: 537-549.

Parrish JJ, Susko-Parrish JL, Leibfried-Rutledge ML, Critser ES, Eyestone WH, First NL. Bovine In vitro Fertilization with frozen thawed semen. Theriogenology 1986; 25: 591-600.

Parrish JJ, Susko-Parrish J, Winer MA, First NL. Capacitation of bovine sperm by heparin. Biol Reprod 1988; 38:1171-1180.

Parrish JJ, Susko-Parrish J, First NL. Capacitation of bovine sperm by heparin: inhibitory effect of glucose and role of intracellular pH. Biol Reprod 1989a; 41:683-699.

Parrish JJ, Susko-Parrish J, Handrow RR, Sims MM, First NL. Capacitation of bovine spermatozoa by oviduct fluid. Biol Reprod 1989b; 40:1020-1025.

Pavasuthipaisit K, Lhuangmahamongkol S, Tocharus C, Kitayanan Y, Prempee P. Porcine oviductal cells support in vitro bovine embryo development. Theriogenology 1994; 41: 1127-1138.

Pavlok A, Torner H, Motlík J, Fulka J, Kauffold P, Duschinski U. Fertilization of bovine oocytes in vitro: effect of different sources of gametes on fertilization rates and frequency of fertilization anomalies. Anim Reprod Sci 1988; 16: 207-213.

Pawshe CH, Appa Rao KBC, Jain SK, Tote SM. Biochemical studies on goat oocytes: Timing of nuclear progression, effect of protein inhibitor and pattern of polypeptide synthesis during in vitro maturation. Theriogenology 1994a; 42(2): 307-320.

Pawshe CH, Tote SM, Jain SK. A comparison of three methods of recovery of goat oocytes for in vitro maturation and fertilization. Theriogenology 1994b; 42: 117-125.

Perrault SD, Barbee RR, Slott VL. Importance of glutathione in the acquisition and maintenance of sperm nuclear decondensing activity in maturing hamster oocyte. *Dev Biol* 1988; 125: 181.

Perrault SD, Wolff, Zirkin BR. The role of disulfide bond reduction during mammalian sperm nuclear decondensation in vivo. *Dev Biol* 1984; 101:160.

Petters RM. Embryo development in vitro to the blastocyst stage in cattle, pigs and sheep. *Anim Reprod Sci* 1992; 28:415-421.

Pincus G, Enzmann EV. The comparative behaviour of mammalian eggs in vivo and in vitro. *J Exp Med* 1935; 62: 665-675.

Pinyopummintr T, Bavister BD. In vitro matured/in vitro fertilized bovine oocytes can develop into morulae/blastocysts in chemically defined protein-free culture media. *Biology of Reproduction* 1991; 45: 736-742.

Pinyopummintr T, Bavister BD. Effect of timing of addition and types of serum supplementation on bovine embryo development in vitro. *Biol Reprod* 1993; 48: 174.

Pinyopummintr T, Bavister BD. Development of bovine embryos in a cell-free culture medium: effects of type of serum, timing of its inclusion and heat inactivation. *Theriogenology* 1994; 41 (6): 1241-1249.

Pinyopummintr T, Bavister BD. Optimum gas atmosphere for in vitro maturation and in vitro fertilization of bovine oocytes. *Theriogenology* 1995; 44: 471-477.

Pivko J, Grafenau P, Kopený V. Nuclear fine structure and transcription in early goat embryos. *Theriogenology* 1995; 44: 661-671.

Plachot M, Mandelbaum J. Oocytes maturation, fertilization and embryonic growth in vitro. *British Medical Bulletin* 1990; 46(3): 675-694.

Polge C, Rowson LEA. Recent progress in techniques for increasing reproductive potential in farm animals. 3rd World Conf Anim Prod; Sydney 1975; pp. 633-643.

Pollard JW, Plante C, King WA, Hansen PJ, Betteridge KJ, Suarez SS. Fertilizing capacity of bovine sperm may be maintained by binding to oviductal epithelial cells. *Biol Reprod* 1991; 44: 102-107.

Pollard JW, Plante C, Leibo SP. Comparison of development of pig zygotes and embryos in simple and complex culture media. *J Reprod Fert* 1995; 103: 331-337.

Pool SH, Wiemer KE, Rorie RW, Godke RA. The use of trophoblastic vesicles and fetal uterine monolayers cells for the culture of precompaction-stage bovine embryos. *Proc 11th Int Congr Anim Reprod & AI*, Dublin 1988; vol 4: 479 (3pp).

Poulin N, Evans G, Cognie Y, Mermilliod P. Successful in vitro production of sheep blastocysts from IVM and IVF oocytes using a serum-free culture system. *10e Réunion AETE*, Lyon 1994; p. 238.

Prichard JF, Pool SH, Blakewood EG, Godke RA. Culture of early stage caprine embryos using goat oviductal and uterine cell monolayer. *Theriogenology* 1990; 33(1): 300.

Prichard JF, Pool SH, Blakewood EG, Menezo Y, Godke RA. Culture of early stage caprine embryos using goat oviductal cell monolayers. *Theriogenology* 1991; 35(1): 259.

Prokofiev MI, Ernst LK, Suraeva NM, Lagutina IS, Udavlenikova NN, Zesyan AZ, Dolgohatskiy AI. Bovine oocytes maturation, fertilization and further development in vitro and after transfer into recipients. *Theriogenology* 1992; 38: 461-469.

Pruitt JA, Forrest DW, Burghardt RC, Evans JW, Kraemer DC. Viability and ultrastructure of equine embryos following culture in a static or dynamic system. *J Reprod Fert* 1991; 44: 405-410.

Pursel VG, Wall RJ, Rexroad CE Jr, Hammer RE, Brinster RL. A rapid whole-mount staining procedure for nuclei of mammalian embryos. *Theriogenology* 1985; 24: 687-691.

Racowsky C. Gamete Resources: Origin and production of oocytes. In: Animal Applications of Research in Mammalian Development. 1991. pp 23-82.

Reed WA, Tae-kwang Suh, Bunch TD, White KL. Culture of in vitro fertilized bovine embryos with bovine oviductal epithelial cells, Buffalo Rat Liver (BRL) cells, or BRL-cell-conditioned medium. Theriogenology 1996; 45: 439-449.

Rehman N, Collins AR, Suh TK, Wright RW Jr. Development of in vitro matured and fertilized bovine oocytes co-cultured with Buffalo Rat Liver cells. Theriogenology 1994; 41: 1453-1462.

Revel F, Mermilliod P, Peynot N, Renard JP, Heyman Y. In vitro production of blastocysts from calf oocytes. 9e Réunion AETE, Lyon 1993; 270.

Revel F, Mermilliod P, Peynot N, Renard JP, Heyman Y. Low developmental capacity of in vitro matured and fertilized oocytes from calves compared with that of cows. J Reprod Fert 1995; 103: 115-120.

Rexroad CE Jr. Co-culture of domestic animal embryos. Theriogenology 1989; 31(1): 105-114.

Rexroad CE Jr, Powell AM. Co-culture of sheep ova and cells from sheep oviduct vesicles. Theriogenology 1986; 25: 187.

Rexroad CE Jr, Powell AM. Co-culture of ovine ova with oviductal cells in M-199. J Anim Sci 1988a; 66: 947-953.

Rexroad CE Jr, Powell AM. Co-culture of ovine eggs with oviductal cells and trophoblastic vesicles. Theriogenology 1988b; 29 (2): 387-397.

Rexroad CE Jr, Powell AM. Effect of serum-free co-culture and synchrony of recipients on development of cultured sheep embryos to fetuses. J Anim Sci 1991; 69: 2066-2072.

Rieger D, Loskutoff NM, Betteridge KJ. Developmentally related changes in the metabolism of glucose and glutamine by cattle embryos produced and co-cultured in vitro. J Reprod Fert 1992; 95: 585-595.

Rieger D, Loskutoff NM. Changes in the metabolism of glucose, pyruvate, glutamine and glycine during maturation of cattle oocytes in vitro. *J Reprod Fert* 1994; 100(1): 257-262.

Rieger D, Grisart B, Semple E, Van Langendonck A, Betteridge KJ, Dessy F. Comparison of the effects of oviductal cell co-culture and oviductal cell-conditioned medium on the development and metabolic activity of cattle embryos. *J Reprod Fert* 1995; 105: 91-98.

Rorie RW, Gliedt DW, Miller GF, Lester TD. Development of in vitro produced bovine embryos in synthetic oviduct fluid (SOF) medium supplemented with different lots of fraction V bovine serum albumin (BSA). *J Anim Sci* 1991a; 69: 47-48.

Rorie RW, Lester TD, Miller FG. In vitro development of bovine embryos cultured in synthetic oviductal fluid (SOF) medium supplemented with either fetal calf serum (FCS) or bovine serum albumin (BSA) and in the presence or absence of oviductal cells. *J Anim Sci* 1991b; 69: 402.

Rorie RW, Lester TD, Miller GF, Gliedt DW, McNew RW. Effects of protein source and co-culture on bovine embryo development in synthetic oviductal fluid medium. *Theriogenology* 1994a; 42(3): 385-395.

Rorie RW, Miller GF, Nasti KB, McNew RW. In vitro development of bovine embryos as affected by different lots of bovine serum albumin and citrate. *Theriogenology* 1994b; 42(3): 397-403.

Saeki K, Kato H, Hosoi Y, Miyake M, Utsumi K, Iritani A. Early morphological events of in vitro fertilized bovine oocytes with frozen-thawed spermatozoa. *Theriogenology* 1991; 35(5): 1051-1058.

Saeki K, Nagao Y, Hoshi M, Kainuma H. Effects of cumulus cells on sperm penetration of bovine oocytes in protein-free medium. *Theriogenology* 1994; 42: 1115-1123.

Saeki K, Nagao Y, Hoshi M, Nagai M. Effects of heparin, sperm concentration and bull variation on in vitro fertilization of bovine oocytes in a protein-free medium. *Theriogenology* 1995; 43: 751-759.

Sakkas D, Batt PA, Cameron AWN. Development of preimplantation goat (*Capra hircus*) embryos in vivo and in vitro. *J Reprod Fert* 1989; 87: 359-365.

Salamone DF, Valdez A, Barañao JB. Development of bovine IVF embryos in a CR-1 culture medium supplemented with albumin or serum. *Theriogenology* 1995; 43: 312.

Sayre BL, Lewis GS. Arachidonic acid metabolism during early development of ovine embryos: a possible relationship to shedding of the zona pellucida. *Prostaglandins* 1993; 45: 557-569.

Schellander K, Fayerer-Hosken RA, Keefer CL, Brown LM, Malter H, McBride CE, Brackett BG. In vitro fertilization of bovine follicular oocytes recovered by laparoscopy. *Theriogenology* 1989; 31(4): 927-934.

Schellander K, Fuhrer F, Brackett BG, Korb H, Schleger W. In vitro fertilization and cleavage of bovine oocytes matured in medium supplemented with estrous cow serum. *Theriogenology* 1990; 33(2): 477-485.

Seidel GE, Glass T, Olson SE. Culture of 1-cell bovine embryos to blastocysts in chemically defined media. *Biol Reprod* 1991; 44: 155.

Seidel GE, Leipold SD, Shawki H. Preparation of bovine sperm for in vitro fertilization by swim-up or centrifugation through Percoll or BSA. *Theriogenology* 1995; 43(1): 319.

Shamsuddin M, Larsson B, Gustafsson H, Gustari S, Bartolome J, Rodriguez-Martinez H. Comparative morphological evaluation of in vivo and in vitro produced bovine embryos. *Proc 12th Int Congr Anim Reprod; The Hague* 1992; vol 3: 388 (3pp).

Shamsuddin M, Larsson B, Rodriguez-Martinez H. Maturation-related changes in bovine oocytes under different culture conditions. *Anim Reprod Sci* 1993a; 31:49-60.

Shamsuddin M, Larsson B, Gustafsson H, Rodríguez-Martínez H. In vitro development up to hatching of bovine in vitro matured and fertilized

oocytes with or without support from somatic cells. *Theriogenology* 1993b; 39: 1067-1079.

Shamsuddin M, Larsson B, Gustafsson H, and Rodriguez-Martinez H. A serum-free, cell-free culture system for development of bovine one-cell embryos up to blastocyst stage with improved viability. *Theriogenology* 1994; 41(5): 1033-1043.

Shi DS, Tan SJ, Huang FL, Lu KH. Effects of glycine and alanine on the in vitro development of early bovine embryos derived from IVM/IVF. *Theriogenology* 1995; 43: 323.

Shorgan B. Fertilization of goat and ovine ova in vitro by ejaculated spermatozoa after treatment with ionophore A 23187. *Bull Nippon Vet Zootech College* 1984; 33:219-221.

Simmen RCM, Ko Y, Simmen FA. Insulin-like growth factors and blastocyst development. *Theriogenology* 1993; 39: 163-175.

Sinha MO, Sinha AK, Singh BK. Effect of methylxanthines on motility and fertility of frozen-thawed goat semen. *Theriogenology* 1995; 44: 907-914.

Sirard MA. Practical aspects of in vitro fertilization in cattle. *J Reprod Fert* 1989; 38: 127-134.

Sirard MA, First NL. In vitro inhibition of oocyte nuclear maturation in the bovine. *Biol Reprod* 1988; 39:229-234.

Sirard MA, Lambert RD. In vitro fertilization of bovine follicular oocytes obtained by laparoscopy. *Biol Reprod* 1985; 33: 487-494.

Sirard MA, Lambert RD, Guay P, Menard DP, Bedoya M. In vivo and in vitro development of in vitro fertilized bovine follicular oocytes obtained by laparoscopy. *Theriogenology* 1985; 23: 230.

Sirard MA, Parrish JJ, Ware CB, Leibfried-Rutledge ML, First NL. The culture of bovine oocytes to obtain developmentally competent embryos. *Biol Reprod* 1988; 39: 546-552.

Sirard MA, Coenen K, Bilodeau S. Effect of fresh or cultured follicular fractions on meiotic in bovine oocytes. Theriogenology 1992; 37: 39-57.

Skinner MK. Mesenchymal (stromal)-epithelial cell interactions in the testis and ovary which regulate gonadal function. Reprod Fertil Dev 1990; 2: 237-244.

Slavík T, Fulka J. In vitro fertilization of intact sheep and cattle oocytes with goat spermatozoa. Theriogenology 1992; 38: 721-726.

Song HB, Iritani A. In vitro fertilization of goat follicular oocytes with epididymal spermatozoa capacitated in a chemically defined medium. Proceed. 3rd AAAP Anim Sci. Congr. Seoul 1985.

Song HB, Iritani A. Studies on in vitro maturation of follicular oocytes in the immature goats. Korean J Anim Sci 1987; 29: 303-309.

Song HB, Kasai M, Miyake M, Niwa K, Iritani A. Maturation culture of follicular oocytes from ovaries of immature goats treated with or without gonadotropins. Korean J Anim Sci 1987; 29: 303-309.

Song HB, Iritani A. In vitro fertilization of goat follicular oocytes with epididymal spermatozoa. Korean J Anim Sci 1988; 30: 636-642.

Staigmiller RB. In vitro methods for production of viable oocytes. J Anim Sci 1988; 66(2): 54-64.

Staigmiller RB, Moor RM. Effect of follicles cells on the maturation and developmental competence of ovine oocytes matured outside the follicle. Gamete Res 1984; 9: 221-229.

Stubblings RB, Wosik CP. Glass wool versus swim up separation of bovine spermatozoa for in vitro fertilization. Theriogenology 1991; 35(1): 276.

Sun FZ, Bradshaw JP, Galli C, Moor RM. Changes in intracellular calcium concentration in bovine oocytes following penetration by spermatozoa. J Reprod Fert 1994; 101: 713-719.

Susko-Parrish JL, Wheeler MB, Ax RL, First NL, Parrish JJ. The effect of penicillamine, hypotaurine, epinephrine and sodium metabisulfite on bovine in vitro fertilization. *Theriogenology* 1990; 33: 333

Süss U, Wüthrich K, Stranzinger G. Chromosome configurations and time sequence of the first meiotic division in bovine oocytes matured in vitro. *Biol Reprod* 1988; 38: 871-880.

Suzuki T, Yamamoto M, Ooe M, Nishikata Y, Okamoto K, Tsukihara T. Effect of media on fertilization and development rates of on vitro fertilized embryos, and of age and freezing of embryos on pregnancy rates. *Theriogenology* 1991; 35: 278.

Széll AZ. The effect of glutamine on the development of sheep embryos in vitro. *Theriogenology* 1995; 44: 673-680.

Szöllösi D. Maturation de l'ovocyte. En: *La Reproduction chez les mammifères et l'homme*. Thibault C, Levasseur MC (eds.). INRA-Editions Marketing, Paris 1991, pp 299-314.

Takagi Y, Mori K, Tomizawa M, Takahashi T, Sugawara S, Masaki J. Development of bovine oocytes matured, fertilized and cultured in a serum-free, chemically defined medium. *Theriogenology* 1991; 35(6): 1197-1207.

Takahashi Y, First NL. In vitro development of bovine one-cell embryos: influence of glucose, lactate, pyruvate, amino acids and vitamins. *Theriogenology* 1992; 37: 963-978.

Tervit HR, Whittingham DG, Rowson LEA. Successful culture of in vitro sheep and cattle ova. *J Reprod Fert* 1972; 30: 493-497.

Thibault C, Gerard M. Facteur cytoplasmique nécessaire à la formation du pronucleus male dans l'ovocyte de lapine. *C.R. Acad. Sci. Paris* 1970; 270: 2025-2026.

Thibault C, Szöllösi D, Gerard M. Mammalian oocyte maturation. *Reprod Nutr Dévelop* 1987; 27: 865-896.

Thibault C, Gérard M. Rôle des cellules folliculaires dans les différents aspects de la maturation de l'ovocyte. Contraception-fertilité-sexualité 1987; 15(3): 319-328.

Thibodeaux JK, Goodeaux LL, Roussel JD, Ménézo Y, Amborski GF, Moreau JD, Godke RA. Effects of stage of the bovine oestrous cycle on in vitro characteristics of uterine and oviductal epithelial cells. Human Reprod 1991; 6(6): 751-760.

Thibodeaux JK, Myers MW, Prough SG, White KL. Effect of a serum extender containing growth factors on development of IVM and IVF bovine embryos. Theriogenology 1995; 44: 423-432.

Thompson JG. Defining the requirements for bovine embryo culture. Theriogenology 1996; 45:27-40.

Thompson JGE, Parton GAJ, Cruickshank GW, Smith JF, Wales RG. Development of sheep preimplantation embryos in media supplemented with glucose and acetate. Theriogenology 1989; 32: 323-330.

Thompson JGE, Simpson AC, Pugh PA, Donnelly PE, Tervit HR. Effect of oxygen concentration on in vitro development of preimplantation sheep and cattle embryos. J Reprod Fert 1990; 89: 573-578.

Thompson JGE, Simpson AC, Pugh PA, Wright RWJ, Tervit HR. Glucose utilization by sheep embryos derived in vivo and in vitro. Reprod Fertil Dev 1991; 3: 571-576.

Thompson JGE, Simpson AC, Pugh PA, Donnelly PE, Tervit HR. Requirement for glucose during in vitro culture of sheep preimplantation embryos. Molecular Reproduction and Development 1992; 31: 253-257.

Thompson JG, Gardner DK, Pugh PA, McMillan WH, Tervit HR. Lamb birth weight following transfer is affected by the culture system used for pre-elongation development of embryos. J Reprod Fert 1994; 13: 25.

Thonon F, Ectors FJ, Delval A, Fontes RS, Touati K, Beckers JF. In vitro maturation, fertilization and development rates of bovine oocytes connected with the reproductive status of the donor. Theriogenology 1993; 39:330.

Torner H, Alm H, Goristanov Y. IVM/IVF of calf oocytes. Proc 12th Int Congr Anim Reprod, The Hague 1992; 1: 381-383

Totev SM, Singh G, Taneja M, Pawshe CH, Talwar GP. In vitro maturation, fertilization and development of follicular oocytes from buffalo (*Bubalus bubalis*). J Reprod Fert 1992; 95: 597-607.

Trounson A. The production of ruminant embryos in vitro. Anim Reprod Sci 1992; 28: 125-137.

Trounson AO, Willadsen SM, Rowson LFA. Fertilization and development capacity of bovine follicular oocytes matured in vitro and in vivo and transferred to the oviducts of rabbits and cows. J Rerprod Fert 1977; 52: 231-237.

Trounson A, Pushett D, Maclellan LJ, Lewis I, Gardner DK. Current status of IVM/IVF and embryo culture in humans and farm animals. Theriogenology 1994; 41(1): 57-66.

Tsafriri A, Channing CP. An inhibitory influence of granulosa cells and follicular fluid upon porcine meiosis in vitro. Endocrinology 1975; 96:922-927

Uguz C, Susko-Parrish JL, Parrish JJ. Cyclic-adenosine monophosphate (cAMP) is elevated during capacitation of bovine sperm by heparin or oviduct fluid. Theriogenology 1992; 37: 311.

Utsumi K, Kato H, Iritani A. Full-term development of bovine follicular oocytes matured in culture and fertilized in vitro. Theriogenology 1991; 35(4): 695-703.

Van Blerkom J, Bell H, Weipz D. Cellular and developmental biological aspects of bovine meiotic maturation, fertilization and preimplantation embryogenesis in vitro. J Electron Microsc Technique 1990; 16:298-323.

Vanderhyden BC, Armstrong DT. Role of cumulus cells and serum on the in vitro maturation, fertilization and subsequent development of rat oocytes. Biol Reprod 1989; 40: 720-728.

Van Inzen WG, van Stekelenburg-Hamers AEP, Weima SM, Kruip TAM, Bevers MM, Mummery CL. Culture of bovine embryos to the blastocyst stage using buffalo rat liver (BRL) cells. *Theriogenology* 1995; 43: 723-738.

Van Langendonckt A, Auquier P, Donnay I, Massip A, Dessy F. Acceleration of in vitro bovine embryo development in the presence of Fetal Calf Serum. *Theriogenology* 1996; 45:194.

Van Soom A, de Kruif A. A comparative study of in vivo and in vitro derived bovine embryos. *Proc 12th Int Congr Anim Reprod*; The Hague 1992; vol. 3: 398 (3pp.).

Van Soom A, Van Vlaenderen I, Mahmoudzadeh AR, Deluyker H, de Kruif A. Compaction rate of in vitro fertilized bovine embryos related to the interval from insemination to first cleavage. *Theriogenology* 1992; 38:905-919.

Van Soom A, Vanroose G, Bols PEJ, Boerjan ML, Ysebaert MT, de Kruif A. Timing of allocation and number of inner cells in in vitro produced bovine embryos cultured in TCM199 or B2. *Theriogenology* 1996; 45:193.

Vansteenberghe A, Van Langendonckt A, Scutenaire C, Massip A, Dessy F. In vitro development of bovine embryos in buffalo rat liver- or bovine oviduct-conditioned medium. *Theriogenology* 1994; 42: 931-940.

Vansteenberghe A, Van Langendonckt A, Donnay Y, Massip A, Dessy F. Effect of high molecular weight factors present in bovine oviduct-conditioned medium on in vitro bovine embryo development. *Theriogenology* 1996; 46: 631-641.

Vergos E. In vitro fertilization and embryo culture in cattle. PhD Thesis, National University of Ireland. Dublin 1990.

Vergos E, Kinis A, Lonergan P, Sharif H, Gallagher M, Gordon I. The effect of culture system on the in vitro development of bovine oocytes matured and fertilized in vitro. *Theriogenology* 1991; 35(1): 290.

Voelkel SA, Hu YX. Effect of gas atmosphere on the development of one-cell bovine embryos in two culture systems. *Theriogenology* 1992; 37: 1117-1131.

Walker SK, Lampe RJ, Seemark RF. Culture of sheep zygotes in synthetic oviduct fluid medium with different concentrations of sodium bicarbonate and hepes. *Theriogenology* 1989; 32(5): 797-804.

Walker SK, Heard TM, Seemark RF. In vitro culture of sheep embryos without co-culture: success and perspectives. *Theriogenology* 1992; 37: 111-126.

Walter I. Culture of bovine oviduct epithelial cells (BOEC). *The Anatomical Record* 1995; 243: 347-356.

Wang WL, Jiang HS, Shi DS, Lu KH, Gordon I, Polge C. The effect of temperature on the in vitro maturation, fertilization and development of bovine oocytes. *Proc 7th Congr European Embryo Transfer Assoc*; Cambridge 1991; 216.

Wassarman PM. Zona pellucida glycoproteins. *Annu Rev Biochem* 1988; 57: 415-442.

Wassarman PM. Profile of a mammalian sperm receptor. *Development* 1990; 108: 1-17.

White LM, Beal WE, Barne JH, Saacke RG, Marshall CE. Characteristics of bovine spermatozoa after migration through bovine serum albumin gradient. *J Anim Sci* 1984; 59: 454-459.

Whittingham DG. Culture of mouse ova. *J Reprod Fert* 1971; 14: 7-21.

Wiemer KE, Watson AJ, Polanski V, McKenna AI, Fick GH, Schultz GA. Effects of maturation and co-culture treatments on the developmental capacity of early bovine embryos. *Molecular Reproduction and Development* 1991; 30: 330-338.

Wilkinson RF, Ming R, Anderson B, Bunch TD, White KL. The use of neural networks in developing novel embryo culture media-formulations. *Theriogenology* 1996; 45:41-49.

Wright RW Jr, Bondioli KR. Aspects of in vitro fertilization and embryo culture in domestic animals. *J Anim Sci* 1981; 53(3): 702-729.

Wright RW, Ellington J. Morphological and physiological differences between in vivo and in vitro produced preimplantation embryos from livestock species. *Theriogenology* 1995; 44: 1167-1189.

Wright RW Jr, Anderson GB, Cupps PT, Drost M, Bradford GE. In vitro culture of embryos from adult and prepuberal ewes. *J Anim Sci* 1976; 42(4): 912-917.

Xu KP, Greve T. A detailed analysis of early events during in vitro fertilization of bovine follicular oocytes. *J Reprod Fert* 1988; 82:127-134.

Xu K.P., Yadav B.R., Rorie RW, Plante L, Betteridge KJ, King WA. Development and viability of bovine embryos derived from oocytes matured and fertilized in vitro and co-cultured with bovine oviductal epithelial cells (BOEC). *J Reprod Fert* 1992; 94: 33-43.

Yamashita S, Satoh T, Hoshi H. Bovine blastocyst formation from IVM/IVF produced zygotes in serum and serum free medium. *Theriogenology* 1996; 45:197.

Yanagimachi R. Mechanisms of fertilization in mammals. In: Fertilization and embryonic development in vitro. Mastroianni L. and Biggers J.D. (eds.) Plenum Publishing Corporation pp. 81-155 (1981).

Yanagimachi R. Mammalian fertilization. In: Phisiology of Reproduction, vol 1. Knobil E, Neill JD (eds). Raven Press, New York 1988. pp 135-185.

Yanagimachi R. Mammalian Fertilization. In: The Physiology of Reproduction (2^a ed.). Knobil E and Neill JD (eds.). Raven Press, Ltd., New York 1994.

Yanagimachi R, Usui N. Calcium dependence of the acrosome reaction and activation of guinea pig spermatozoa. *Exp Cell Res* 1974; 89: 161-174.

Yang BK, Yang X, Foote RH. The effect of growth factors on development of IVM/IVF bovine embryos. *Theriogenology* 1993a; 39: 343.

Yang BK, Yang X, Foote RH. Effect of growth factors on morula and blastocyst development of IVM/IVF bovine oocytes. *Theriogenology* 1993b; 40: 521-530 (1993b).

Younis AI, Brackett BG, Fayerer-Hosken RA. Influence of serum and hormones on bovine oocyte maturation and fertilization in vitro. *Gamete Research* 1989; 23: 189-201.

Younis AI, Zuelke KA, Harper KM, Oliveira MAL, Brackett BG. In vitro fertilization of goat oocytes. *Biology of Reproduction* 1991; 44: 1177-1182.

Younis AI, Keskintepe L, Mackie K, Brackett BG. In vitro maturation and fertilization of Toggenburg goat oocytes. *Theriogenology* 1992; 37: 330.

Zhang L, Denniston RS, Bunch TD, Godke RA. Cows vs heifers for the production of in vitro-matured, in vitro-fertilized embryos. *J Anim Sci* 1991a; 69: 49.

Zang L, Blakewood EG, Denniston RS, Godke RA. The effect of insulin on maturation and development of in vitro fertilized bovine oocytes. *Theriogenology* 1991; 35: 301.