



**Capítol IX**

**REFERÈNCIES BIBLIOGRÀFIQUES**



## IX. Referències bibliogràfiques

Abbas Z., Steenari B., Lindqvist O. (2001). *A study of Cr(VI) in ashes from fluidized bed combustion of municipal solid waste: leaching, secondary reactions and the applicability of some speciation methods*. Waste Management 21: 725-739.

Abbas Z., Anderson B. A., Steenari B. (1999). *Leaching behavior and possible resource recovery from air pollution control residues of fluidized bed combustion of municipal solid waste*. Proceedings of 15th International Conference on Fluidized Bed Combustion, 16-19 maig, Savannah, USA:ASME.

ACEVERSU (2002). Associació Catalana d'empreses de valorització energètica R.S.U. <http://www.aceversu.com>

Agència de Residus de Catalunya (1997). *Esquema d'una incineradora*. <http://www.arc-cat.net> (accés el 2004).

Agència de Residus de Catalunya (2004). *Els residus a Catalunya. Balanç estadístic del 2003*. [http://www.arc-cat.net/publicacions/pdf/agencia/res\\_cat.pdf](http://www.arc-cat.net/publicacions/pdf/agencia/res_cat.pdf)

Agència de Residus de Catalunya (2003). *Estadístiques corresponents a la declaració anual de residus industrials*. <http://www.arc-cat.net/estaddin/Industrials/estadRI1.asp>

Agència de Residus de Catalunya (2004). *Catàleg europeu de residus i catàleg de residus de Catalunya*. <http://www.arc-cat.net/industrials/>

Alba N. (1998). *Estabilització/solidificació de residus d'incineració de RSU en matrius de ciment. Valoració ambiental*. Doctorat d'Enginyeria Ambiental, UPC.

Alkemade M.M.C., Eymael M.M.Th., Mulder E., De Wijs W. (1994). *How to prevent expansion of MSWI bottom ash in road construction?* Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

ALTMAT (2001). *Alternative materials in road construction*. Final Report, European Commission under the Transport RTD Programme.

Amaral de Lima, L. (1999). *Hormigones con escorias de horno eléctrico como áridos: propiedades, durabilidad y comportamiento ambiental*. Tesi doctoral-UPC, Escola Tècnica Superior d'Enginyers de Camins, Canals i Ports de Barcelona.

Antomil Muñoz, M. (2000). *Estabilización de suelos con escorias de acería y cemento para la aplicación en pavimentos de caminos rurales y carreteras con poco tráfico*. Tesina d'especialitat-UPC, Escola Tècnica Superior d'Enginyers de Camins, Canals i Ports de Barcelona.

Avila A., Rodà F. (2002). *Assessing decadal changes in rainwater alkalinity at a rural Mediterranean site in the Montseny Mountains (NE Spain)* Atmospheric Environment 36: 2881-2890.

Bodénan F., Azaroual M., Piantone P. (2000). *Forecasting the long-term behaviour of municipal solid waste incineration bottom ash: rapid combine tests*. Woolley G.R., Goumans J.J.J.M., Wainwright P.J. (eds.) WASCON 2000 Waste materials in construction. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, England 31 May, 1-2 June 2000, Waste Management Series volume 1, Elsevier.

Born J.G.P. (1994). *Quantities and qualities of municipal waste incinerator residues in the Netherlands*. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

Braymand, S. C., P; Pellequer, A. (2000). *Mineralogical, hydraulic and mechanical characterisation of solidified and stabilised MSWI fly ash. Contribution of blast furnace slag*. Woolley G.R., Goumans J.J.J.M., Wainwright P.J. (eds.) WASCON 2000 Waste materials in construction. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, England 31 May, 1-2 June 2000, Waste Management Series volume 1, Elsevier.

Brown S.F., Selig E.T. (1991) *The design of pavement and track foundations*. O'Reilly M.P., Brown S.F. (eds.) Cyclic loading of soil. Blackie, Glasgow.

Bruder-Hubscher V., Lagarde F., Leroy M.J.F., Coughanowr C., Enguehard F. (2002) *Application of a sequential extraction procedure to study the release of elements from municipal solid waste incineration bottom ash*. Analytica Chimica Acta 451:285-295.

Canteras La Ponderosa S.A. (2004) [http://www.ponderosa.es/Marc\\_Productos.htm](http://www.ponderosa.es/Marc_Productos.htm)

Catalunya. Ordre de 15 de febrer de 1996, sobre valorització d'escòries. Departament de Medi Ambient. *Diari Oficial de la Generalitat de Catalunya*. 13 de març de 1996, núm. 2181.

Chandler A.J., Eighmy T. T., Hartlén J., Hjelm O., Kosson D.S., Sawell S.E., van der Sloot H.A., Vehlow J. (The International Ash Working Group) (1997). *Municipal Solid Waste Incinerator Residues*. Studies in Environmental Science 67, Elsevier.

Chimenos J.M., Segarra M., Fernández M.A., Espiell F. (1999). *Characterization of the bottom ash in municipal solid waste incinerator*. Journal of Hazardous Materials A:64: 211-222.

Chimenos J.M., Fernández A. I., Nadal R., Espiell F. (2000). *Short-term natural weathering of MSWI bottom ash*. Journal of Hazardous Materials B:79: 287-299.

Chimenos J.M., Fernández A.I., Miralles L., Segarra M., Espiell F. (2003). *Short-term natural weathering of MSWI bottom ash as a function of particle size*. Waste Management 23(10):887-895.

Comans R.N.J., Meima J. A. (1994). *Modelling Ca-solubility in MSWI bottom ash leachates*. Environmental Aspects of Construction with Waste Materials. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

CoURAgE (1999). *Construction with unbound road aggregates in Europe*. Final report to European Commission - DGVII 4th Framework Programme (1994-1998). Road Transport Research. Dawson A.R., Mundy M. (eds.)

Coutaz L. (1996). *Valorisation des machefers d'usines d'incineration d'ordures menageres*. Thèse. Institut National des Sciences Appliquees de Lyon.

Crannell B.S., Eighmy T.T., Krzanowski J.E., Dykstra Eusden Jr J., Shaw E.L., Francis C.A. (2000). *Heavy metal stabilization in municipal solid waste combustion bottom ash using soluble phosphate*. Waste Management 20: 135-148.

Dana J. D. (1944). *The System of mineralogy of James Dwight Dana and Edward Salisbury Dana*. New York and London, John Wiley and Sons.

Deer W. A. (1986). *Disilicates and ring silicates*; W. A. Deer, R. A. Howie, J. Zussman, Rock-forming minerals ; 1B. Geological Society of London. 2a ed.

Del Val M. A. (1988). *Interpretación de las exigencias sobre calidad de los áridos contenidas en los pliegos de prescripciones técnicas. Características no contempladas habitualmente en los mismos*. Jornadas técnicas sobre áridos en la construcción de firmes flexibles (Madrid, 26 a 28 de Abril de 1988), DL 1989 Madrid Gráficas Topacio.

Demars K.R. et al. (1993). *Municipal waste combustor bottom ash road paving and structural fill demonstration project*. Connecticut resources recovery authority's Shelton landfill, Shelton, Connecticut. Proceedings of the Sixth International Conference on Municipal Solid Waste Combustor Ash Utilization, Arlington, Virginia.

EHE-98: *Instrucción de hormigón estructural*. Real Decreto 2661/1998 de 11 de diciembre.

Eighmy T. T., Gress, D., Zhang, X., Tarr, S., Whitehead, I. (1992). *Bottom ash utilization evaluation for the Concord, New Hampshire waste-to-energy facility*., Environmental research group interim reports, UNH Durham, NH.

Eighmy T.T., Eusden J.D., Marsella K., Hogan J., Domingo D., Krzanowski J.E., Stämpfli D. (1994). *Particle petrogenesis and speciation of elements in MSW incineration bottom ashes*. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

Eline, E., van der Hoek, Frans, J.M.L (1997). *Short leaching test compared to a column leaching test for internal quality control of coal bottom ash*. Goumans J.J.J.M., Senden G.J., Van der Sloot H.A. (eds.) WASCON'97 Waste materials in construction. Putting theory into practice. Proceedings of the International Conference on the Environmental and Technical Implications of Construction with Alternative Materials, The Netherlands 4-6 June 1997, Elsevier.

Entitat Metropolitana del Medi Ambient (2003) *Residus*. <http://www.ema-amb.com>

Espanya. Real Decreto 849/1986, de 11 de abril, por el que se aprueba el Reglamento del Dominio Público Hidráulico, que desarrolla los Títulos Preliminar, I, IV, V, VI y VII de la Ley 29/1985, de 2 de agosto, de Aguas. *Boletín Oficial del Estado*, 30 de abril de 1986, núm.103.

Espanya. Real Decreto 927/1988, de 29 de Julio, por el que se aprueba el Reglamento de la Administración Pública del Agua y de la Planificación Hidrológica, en desarrollo de los títulos II y III de la Ley de Aguas. *Boletín Oficial del Estado*, 31 de agosto de 1988.

Espanya. Real Decreto 995/2000, de 2 de Junio, por el que se fijan objetivos de calidad para determinadas sustancias contaminantes y se modifica el Reglamento de Dominio Público Hidráulico. *Boletín Oficial del Estado*, 21 de junio de 2000, núm.147.

Espanya. Real Decreto 140/2003, de 7 de febrero, por el que se establecen los criterios sanitarios de la calidad del agua de consumo humano. *Boletín Oficial del Estado*, 21 de febrero de 2003, núm.45.

EUPM (2002) *Residus urbans*. <http://www.upc.es/mediambient/gad/Eupm/incineracio.htm>

Eusden J.D.Jr, Eighmy T.T. Hockert K.; Holland E.; Marsella K.. (1999) *Petrogenesis of municipal solid waste combustion bottom ash*. *Applied Geochemistry* 14(8): 1073-1091.

Eymael M.M.Th., De Wijs W., Mahadew D. (1994). *The use of MSWI bottom ash in asphalt concrete*. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

Fällman A.M., Aurell B. (1996). *Leaching tests for environmental assessment of inorganic substances in wastes, Sweden*. *The Science of the Total Environment* 178: 71-84.

Fällman A.M. (2000). *Significance in the results of total composition and potential leachability of screened MSWI BA from different plants and sampling periods*. Woolley G.R., Goumans J.J.J.M., Wainwright P.J. (eds.) WASCON 2000 Waste materials in construction. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, England 31 May, 1-2 June 2000, Waste Management Series volume 1, Elsevier.

Fleischer M., Pabst A., Sampson, J. (1978) *New mineral names*. *American Mineralogists* 63: 793-796.

Flor M.V. (2002) *Estudio experimental de las escorias de incineración de residuos sólidos urbanos (EIRSU). Aplicación en capas ligadas de firmes tratadas con cemento*. Projecte de tesi - UPC.

Fookes P.G., Gourley C.S., Ohikere C. (1988). *Rock weathering in engineering time*. *Quarterly Journal of Engineering Geology* 21: 33-57.

Freyssinet Ph., Piantone P., Azaroual M., Itard Y., Clozel-Leloup B., Guyonnet D., Baubron J.C. (2002). *Chemical changes and leachate mass balance of municipal solid waste bottom ash submitted to weathering*. *Waste Management* 22: 159-172.

Geoteknisk Institut (1992). *Laboratorieunder sogelse: hvidovre*. Auedorevaerket. sag 160 04776, rapport 1, 1992-01-17.

Giordano, P.M.; Behel, A.D., Lawrence, J.E., Solleau, J.M.; Bradford, B.N, (1983). *Mobility in soil and plant availability of metals derived from incinerated municipal refuse*. *Environmental Science and Technology* 17: 193-198

Greenberg R.R.; Zoller, W.H.; Gordon G.E. (1978). *Composition and size distribution of particles released in refuse incineration*. *Environmental Science and Technology* 12: 566.

Greenpeace (2004). *Visita a una planta incineradora*. <http://www.greenpeace.org>

Gress D.L., Zhang X., Tarr S., Paziienza I., Eighmy T.T. (1991). *Municipal solid waste combustion ash as an aggregate substitute in asphaltic concrete*. Goumans J.J.J.M., Van der Sloot H.A., Aalbers Th.G. (eds.) Waste materials in construction. Proceedings of the International Conference on the Environmental Implications of Construction with Waste Materials, The Netherlands 10-14 November 1991, Studies In Environmental Science 48, Elsevier.

Hage J.L.T., Mulder E. (2004) *Preliminary assessment of three new European leaching tests*. Waste Management 24: 165-172.

Hartlén J., Elander P. (1986). *Residues from waste incineration-chemical and physical properties*. Swedish Geotechnical Institute report SGI Varia 172. Linköping, Sweden.

Hartlén J., Lundgren T. (1991). *Utilization of incinerator bottom ash - legal, environmental and engineering aspects*. Goumans J.J.J.M., Van der Sloot H.A., Aalbers Th.G. (eds.) Waste materials in construction. Proceedings of the International Conference on the Environmental Implications of Construction with Waste Materials, The Netherlands 10-14 November 1991, Studies In Environmental Science 48, Elsevier.

Henry, W.M.; Barbour, R.L.; Jakobsen, R.J.; Schumacher, P.M. (1982). *Inorganic compound identification of fly ash emissions from municipal incinerators*. EPA-600/S3-83-095, U.S. EPA.

Hernández Mayor, J. (1985). *Utilización de los residuos tratados de incineradora de basuras domésticas como material para bases de pavimentos*. Tesi doctoral-UPC. Escola Tècnica Superior d'Enginyers Industrials de Barcelona.

Hill A., Dawson A. R., Mundy M. (2001). *Utilisation of aggregate materials in road construction and bulk fill*. Resources, Conservation and Recycling 32(3-4):305-320

Hjelmar E. A. (1996). *Disposal strategies for municipal solid waste incineration residues*. Journal of Hazardous Materials 47: 345-368

IEC-Institut d'Estudis Catalans (1997). *Diccionari de Geologia*. Riba O., dir. Enciclopedia Catalana, Barcelona.

Instrucció de Carreteres (2003). *Norma 6.1-IC Secciones de firme* (Orden FOM/3460/2003)

ITEC-Institut de Tecnologia de la Construcció de Catalunya. (1995). *Aprofitament de residus en la construcció*. Barcelona.

Jiménez Salas, J.A.; Justo Alpañes, J. L.; Serrano González, A.A.; Cañizo Perate, J.A. (1975). *Geotecnia y cimientos*. Madrid, Rueda.

Johansson I., van Bavel B. (2003) *Levels and patterns of polycyclic aromatic hydrocarbons in incineration ashes*. The Science of the Total Environment 211(1-3): 221-231.

Jones R.H., Jones H.A. (1989). *Keynote paper: granular drainage layers in pavement foundations*. Jones R.H.& Dawson A.R. (eds.) Unbound aggregates in roads. Butterworths, London, 55-69.

Kirby, C.S.; Rimstidt, J.D. (1993). *Mineralogy and surface properties of municipal solid waste ash*. Environmental Science and Technology 27(4): 652-660.

Kosson D.S.; van Der Sloot H.A.; Eighmy T.T. (1996). *An approach for estimation of contaminant release during utilization and disposal of municipal waste combustion residues*. Journal of Hazardous Materials 47(1-3): 43-75.

Kraemer C., Morilla. I., del Val M.A. (1999). *Carreteras II*. Madrid, Colegio de Ingenieros de Caminos, Canales y Puertos.

Krzanowski J.E., Taylor Eighmy T., Crannell B.S., Dykstra Eusden J. (1998). *An analytical electron microscopy investigation of municipal solid waste incineration bottom ash*. Journal of Materials Research 13(1).

Lamers F.J.M., Born J.G.P. (1994). *Upgrading techniques for the quality improvement of municipal waste incineration residues*. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

Le Bas M.J., Le Maitre R.W., Streckeisen A., Zannetin B. (1986). *A chemical classification of volcanic rocks based on the total alkali-silica diagram*. Journal of Petrology 27(3): 745-750.

Jerma A. (1997) Áridos reciclados para su aplicación en subbases de carreteras con ligantes hidráulicos y sueltos. Tesina d'especialitat-UPC, Escola Tècnica Superior d'Enginyers de Camins, Canals i Ports de Barcelona.

Lin, K.L; Wang, K.S; Lee, T.Y.; Tzeng B.Y. (2003). *The hydration characteristics of MSWI fly ash slag present in C3S*. Cement and Concrete Research 33: 957-964.

Linak, W.P.; Srivastava, R.K.; Wendt, J.(1993). *Municipal Waste Combustion VIP-32, A and WMA 644*.

LIRPB, Long Island Regional Planning Board. (1992). *The potential for beneficial use of waste-to-energy facility ash - Draft engineering property data report*, LIRPB/NYSERDA.

Mank J.A.M., Brulot J., Janssen Van De Laak W.H. (1991). Incineration slag in road constructions - example of an application. Goumans J.J.J.M., Van der Sloot H.A., Aalbers Th.G. (eds.) Waste materials in construction. Proceedings of the International Conference on the Environmental Implications of Construction with Waste Materials, The Netherlands 10-14 November 1991, Studies In Environmental Science 48, Elsevier.

Meima J.A., Comans R.N.J. (1997). *Geochemical modeling of weathering reactions in municipal solid waste incinerator bottom ash*. Environ. Sci. Technol. 31(5): 1269 -1276.

Meima J.A., Comans R.N.J. (1998). *Reducing Sb-leaching from municipal solid waste incinerator bottom ash by addition of sorbent minerals*. Journal of Geochemical Exploration 62: 299-304.

Meima J.A., Comans R.N.J. (1999). *The leaching of trace elements from municipal solid waste incinerator bottom ash at different stages of weathering*. Applied Geochemistry 14: 159-171.

Meima J.A., van der Weijden R.D., Taylor Eighmy T., Comans R.N.J. (2002). *Carbonation processes in municipal solid waste incinerator bottom ash and their effect on the leaching of copper and molybdenum*. Applied Geochemistry 17: 1503-1513

Melgarejo J.C. (coord.) (1997). *Atlas d'associacions minerals en làmina prima*. Edicions Universitat de Barcelona. Barcelona.

Morilla Abad, I. (1988). *Prospección de yacimientos granulares y canteras para la obtención de áridos utilizables en carreteras*. Jornadas técnicas sobre áridos en la construcción de firmes flexibles, Madrid.

Montepara A., Tebaldi G. (2000). *Use of crushed waste aggregate for DBM road bases*. Woolley G.R., Goumans J.J.J.M., Wainwright P.J. (eds.) WASCON 2000 Waste materials in construction. Proceedings of the International Conference on the Science and Engineering of



Recycling for Environmental Protection, England 31 May, 1-2 June 2000, Waste Management Series volume 1, Elsevier.

Nishida K., Nagayoshi Y., Ota H., Nagasawa H. (2001). *Melting and stone production using MSW incinerated ash*. Waste Management 21: 443-449

Nonneman D.J., Hansen F.A., Coppens M.H.M. (1991). The use of incinerator slag in asphalt for road constructions. Waste materials in construction. Goumans J.J.J.M., Van der Sloot H.A., Aalbers Th.G. (eds.) Waste materials in construction. Proceedings of the International Conference on the Environmental Implications of Construction with Waste Materials, The Netherlands 10-14 November 1991, Studies In Environmental Science 48, Elsevier.

Ojeda Barceló F. (2001) Los residuos sólidos urbanos.  
[http://perso.wanadoo.es/fojedab/losr\\_s.htm](http://perso.wanadoo.es/fojedab/losr_s.htm)

Panina L. I., Sazonov A. M., I Usol'tseva L. M. (2001). Melilitic and monticellite-bearing rocks of the Krestovskaya intrusion (northern Siberian Platform) and their genesis. *Geologiya i Geofizika* 42(9):1306.

Pecqueur G., Crignon C., Quénée B. (2001). *Behaviour of cement-treated MSWI bottom ash*. Waste Management 21: 229-233.

Pfrang-Stotz G., Reichelt J. (1997). *Municipal solid waste incineration (MSWI) bottom ashes as granular base material in road construction*. Goumans J.J.J.M., Senden G.J., Van der Sloot H.A. (eds.) WASCON'97 Waste materials in construction. Putting theory into practice. Proceedings of the International Conference on the Environmental and Technical Implications of Construction with Alternative Materials, The Netherlands 4-6 June 1997, Elsevier.

Pfrang-Stotz G., Reichelt J., Roos R. (2000). *Chemical-mineralogical valuation of the leachate potential of municipal solid waste incineration (MSWI) bottom ashes*. Woolley G.R., Goumans J.J.J.M., Wainwright P.J. (eds.) WASCON 2000 Waste materials in construction. Proceedings of the International Conference on the Science and Engineering of Recycling for Environmental Protection, England 31 May, 1-2 June 2000, Waste Management Series volume 1, Elsevier.

PG-3 (2002) *Artículo 330 Terraplenes - Pliego de Prescripciones Técnicas Generales para Obras de Carreteras y Puentes*. Orden FOM/1382/2002.

PG-3 (2004) *Artículo 510 Zahorras - Pliego de Prescripciones Técnicas Generales para Obras de Carreteras y Puentes*. Orden FOM/891/2004.

Pihl K.A. (1997). *The application of incinerator bottom ash in road construction*. Goumans J.J.J.M., Senden G.J., Van der Sloot H.A. (eds.) WASCON'97 Waste materials in construction. Putting theory into practice. Proceedings of the International Conference on the Environmental and Technical Implications of Construction with Alternative Materials, The Netherlands 4-6 June 1997, Elsevier.

Prat R. (1987). *Caracterització, estudi d'aplicació geotècnica i estabilització química de residus de la planta incineradora d'escombraries de Sant Adrià del Besòs*. Tesis de Licenciatura. Escola Tècnica Superior d'Enginyers de Camins, Canals i Ports de Barcelona. Universitat Politècnica de Catalunya.

Querol X. (1995). *Trace elements in the Teruel mining district coal and their behaviour during combustion*. European Coal and Steel Community Project.

Querol, X.; Umaña, J.C.; Alastuey, A.; Bertrana, C.; Lopez-Soler, A.; Plana, F. (2000). *Extraction of water-soluble impurities from fly ash*. Energy Sources 22: 733-750.

Raask, E. (1985). Mineral impurities in coal combustion : *behaviour, problems and remedial measures*. Washington [etc.], Hemisphere, cop. Springer.

- Ruiz M., Areu A.J., Tcharin W.D., Tello R.E. (2002). *Los Angeles abrasion test properties to regard on the stony aggregates behavior*.  
[http://www.docs.vircomnet.com/mobility/road\\_construction\\_vc/vag-02te.pdf](http://www.docs.vircomnet.com/mobility/road_construction_vc/vag-02te.pdf).
- Sabbas T., Poletini A., Pomi R., Astrup T., Hjelm O., Mostbauer P., Cappai G., Magel G., Salhofer S., Speiser C., Heuss-Assbichler S., Klein R., Lechner P. (2003). *Management of municipal solid waste incineration residues*. Waste Management 23: 61-88
- Sampson L.R. (1991). *Aggregate durability: recommended tests and specification for road base course*. Geotechnics in the Adrican Environment. Blight et al. Balkema, Rotterdam, 197-204.
- Schneider J., Vehlow J., Vogg H. (1994). *Improving the MSWI bottom ash quality by simple in - plant measures*. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.
- Schreurs J.P.G.M. (2003). *Workshop leaching for engineers*. WASCON 2003 Progress on the road to sustainability. Conference Proceedings CD-ROM., Spain 4-6 June 2003.
- Schreurs J.P.G.M., van der Sloot H.A., Hendriks CH. (2000). *Verification of laboratory-field leaching behavior of coal fly ash and MSWI bottom ash as a road material*. Waste Management 20: 193-201.
- Seguí C., Far M., Forteza R., Cerdà V. (2001). *Estudio sobre aprovechamiento de las escorias en obra civil*. Conferencia Internacional Sobre Dioxinas y Residuos, Madrid.
- Selinger A., Schmidt V., Bergfeldt B., Velhow J., Simon F.G. (1997). *Investigation of sintering processes in bottom ash to promote the reuse in civil construction*. Goumans J.J.J.M., Senden G.J., Van der Sloot H.A. (eds.) WASCON'97 Waste materials in construction. Putting theory into practice. Proceedings of the International Conference on the Environmental and Technical Implications of Construction with Alternative Materials, The Netherlands 4-6 June 1997, Elsevier.
- Selinger A. (1997). *The ABB dry ash concept: INREC (TM)*. Goumans J.J.J.M., Senden G.J., Van der Sloot H.A. (eds.) WASCON'97 Waste materials in construction. Putting theory into practice. Proceedings of the International Conference on the Environmental and Technical Implications of Construction with Alternative Materials, The Netherlands 4-6 June 1997, Elsevier.
- Smith M.R., Collis L. (eds.) (1994). *Aridos : áridos naturales y de machaqueo para la construcción* ; editado en versión española por: L. Suárez, M. Regueiro, Madrid : Colegio Oficial de Geólogos de España, 1994.
- Speiser C., Baumann T., Niesser R. (2000). *Morphological and chemical characterization of calcium-hydrate phases formed in alteration processes of deposited municipal solid waste incinerator bottom ash*. Environ. Sci. Technol. 34(23): 5030-5037.
- Suzuki M., Takai K., Ohkura K., Matsumodo G., Murai K. (2001). *Para-eco non metalliferous slag producing system for the safe treatment of municipal solid waste incinerator ash*. International Workshop on Novel Products from Combustion Residues: Opportunities and Limitations. June 6-8, Morella, Spain.
- TAUW (1988). *Veabrin kwaliteitskontrole van AVI-slakken '87-'88*. RAP-305/JJS/avd, Deventer, the Netherlands.

Taylor H.F.W (1978). *La química de los cementos*. Enciclopedia de la química industrial 1-2. Bilbao: Urmo. 469p.

Thipse, S.S.; Dreizin E.L. (2002). *Metal partitioning in products of incineration of municipal solid waste*. Chemosphere 46: 837-849.

Unió Europea. Directiva 2000/60/CE del Parlamento Europeo y del Consejo, de 23 de Octubre de 2000 por la que se establece un marco comunitario de actuación en el ámbito de la política de aguas. *Diario Oficial de las Comunidades Europeas* de 22 de diciembre del 2000, 327/L.

van der Sloot H.A. (1991). *Systematic leaching behaviour of trace elements from construction materials and waste materials*. Goumans J.J.J.M., Van der Sloot H.A., Aalbers Th.G. (eds.) Waste materials in construction. Proceedings of the International Conference on the Environmental Implications of Construction with Waste Materials, The Netherlands 10-14 November 1991, Studies In Environmental Science 48, Elsevier.

van der Sloot H.A., Hiede D, Comans R.N.J. (1994). *The influence of reducing properties on leaching of elements from waste materials and construction materials*. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

Vehlow, J.S., Geisert H. (1993). 3<sup>rd</sup> Int Conference on Municipal Waste Combustion, March 30- April 2, 1993, Williamsburg, VA.

VROM - The Netherlands Ministry of Spatial Planning, Housing and the Environment. (2004) <http://www.vrom.nl/international/>.

Wahlström M. (1996). *Nordic recommendation for leaching tests for granular waste materials*. The Science of the Total Environment 178: 95-102.

WASTE Program. (1993). *Waste analysis, sampling, testing and evaluation program: final report of the mass burn MSW incineration study (Burnaby, B.C)*, Report prepared for Environment Canada, U.S. EPA and the International Lead Zinc Research Organization. Vols 1-4.

Wei, M.; Wey, M.; Hwang, J.; Chen J (1998). *Stability of heavy metals in bottom ash and fly ash under various incinerating conditions*. Journal of Hazardous Materials 57: 145-154.

Wiles C. C. (1996). *Municipal solid waste combustion ash: state-of-knowledge*. Journal of Hazardous Materials 47: 43-75.

Zevenbergen C., Comans R.N.J. (1994). *Geochemical factors controlling the mobilization of major elements during weathering of MSWI bottom ash*. Goumans J.J.J.M., Van Der Sloot H.A., Aalbers Th.G., eds. WASCON 1994 Environmental Aspects of Construction with Waste Materials. Proceedings of the International Conference on the Environmental Implications of Construction and Technology Developments. The Netherlands 1-3 June 1994, Elsevier, Studies In Environmental Science 60.

Zevenbergen C., Van Reeuwijk L.P., Bradley J.P., Comans R.N.J., Schuiling R.D. (1998). *Weathering of MSWI bottom ash with emphasis on the glassy constituents*. Journal of Geochemical Exploration 62: 293-298.

## Normes

Asociación Española de Normalización y Certificación. *UNE 103104:1993 Determinación del límite plástico de un suelo.*

Asociación Española de Normalización y Certificación. *UNE 103503:1995 Determinación "in situ" de la densidad de un suelo por el método de la arena.*

Asociación Española de Normalización y Certificación. *UNE-EN 933-3:1997 Ensayos para determinar las propiedades geométricas de los áridos. Parte 3: Determinación de la forma de las partículas. Índice de lajas.*

Asociación Española de Normalización y Certificación. *UNE-EN 933-1:1998 Ensayos para determinar las propiedades geométricas de los áridos Parte 1: Determinación de la granulometría de las partículas. Método del tamizado.*

Asociación Española de Normalización y Certificación. *UNE-EN 1097-2:1999 Ensayos para determinar las propiedades mecánicas y físicas de los áridos Parte 2: Métodos para la determinación de la resistencia a al fragmentación.*

Asociación Española de Normalización y Certificación. *UNE-EN 1097-3:1999 Ensayos para determinar las propiedades mecánicas y físicas de los áridos Parte 3: Determinación de la densidad aparente y la porosidad.*

Asociación Española de Normalización y Certificación. *UNE-EN 1367-2:1999 Ensayos para determinar las propiedades térmicas y de alteración de los áridos. Parte 2: Ensayo de sulfato de magnesio.*

Asociación Española de Normalización y Certificación. *UNE-EN 1744-1:1999 Ensayos para determinar las propiedades químicas de los áridos Parte 1: Análisis químico.*

Asociación Española de Normalización y Certificación. *UNE 103403:1999 Determinación de la permeabilidad de una muestra de suelo. Método de carga constante.*

Asociación Española de Normalización y Certificación. *UNE 146130:2000 Áridos para mezclas bituminosas y tratamientos superficiales de carreteras, aeropuertos y otras áreas pavimentadas.*

Asociación Española de Normalización y Certificación. *UNE-EN 1097-6:2001 Ensayos para determinar las propiedades mecánicas y físicas de los áridos Parte 6: Determinación de la densidad de las partículas y la absorción de agua.*

Asociación Española de Normalización y Certificación. *PNE-EN 13242:2002 Áridos para materiales tratados con ligantes hidráulicos y materiales no tratados utilizados para los trabajos de ingeniería civil y para la construcción de carreteras.*

Centro de Estudios de Carreteras (CEDEX). NLT-111/87 Índice CBR en el laboratorio.

Centro de Estudios de Carreteras (CEDEX). NLT-113/87 Equivalente de Arena.

Centro de Estudios de Carreteras (CEDEX). NLT 149/91 Resistencia al desgaste de los áridos por medio de la máquina Los Ángeles.

Centro de Estudios de Carreteras (CEDEX). NLT-153/92 Densidad relativa y absorción de áridos gruesos.

Centro de Estudios de Carreteras (CEDEX). NLT-154/92 Densidad relativa y absorción de áridos finos.

Centro de Estudios de Carreteras (CEDEX). NLT 107/98 Apisonado Proctor Normal.

Centro de Estudios de Carreteras (CEDEX). NLT 108/98 Apisonado Proctor Modificado.  
Deutsches Institut für Normung e.V. DIN38414-4 (1984) German standard methods for the examination of water, waste water and sludge; sludge and sediments (group S); determination of leachability by water (S4).

European Committee for Standardization. CEN 12457-1:2002. Characterisation of waste - Leaching - Compliance test for leaching of granular waste materials and sludges - Part 1: One stage batch test at a liquid to solid ratio of 2 l/kg for materials with high solid content and with particle size below 4 mm (without or with size reduction).

European Committee for Standardization. CEN 12457-2:2002 Characterisation of waste - Leaching - Compliance test for leaching of granular waste materials and sludges - Part 2: One stage batch test at a liquid to solid ratio of 10 l/kg for materials with particle size below 4 mm (without or with size reduction).

European Committee for Standardization. CEN 12457-3:2002 Characterisation of waste - Leaching - Compliance test for leaching of granular waste materials and sludges - Part 3: Two stage batch test at a liquid to solid ratio of 2 l/kg and 8 l/kg for materials with high solid content and with particle size below 4mm.

European Committee for Standardization. CEN 12457-4:2002 Characterisation of waste - Leaching - Compliance test for leaching of granular waste materials and sludges - Part 4: One stage batch test at a liquid to solid ratio of 10 l/kg for materials with particle size below 10 mm (without or with size reduction).

Nederlands Normalisatie-instituut. NEN 7341 (1994). Determination of the leaching characteristics of soil, construction materials and wastes - Leaching tests - Determination of the availability of inorganic constituents for leaching from construction materials and waste materials.