

## REFERENCIAS

- Abdrabbo, F.M., El Hansy R.M., and Hamed, K.M. (2000). Collapsibility on Egyptien loess soil. In H. Rahardjo, D.G. Toll and E.C. Leong (eds.) Proc. Of the Asian Conf. on Unsaturated Soils, Singapore, Rotterdam, Balkema: 595-600.
- Abe, H. and Kawakami, H. (1987). Negative pore water pressure and collapse phenomena in unsaturated soils. Proc. of Symp. Engrg. Characteristic of Unsaturated Soils, Japanese Soc. of SMFE: 45-54.
- Adams, B.A., Wulfsohn, D. and Fredlund, D.G. (1996). Air volume change measurement in unsaturated soil testing using a digital pressure-volume controller. Geotechnical Testing Journal, GTJODJ, 19(1): 12-21.
- Aitchison, G.D. and Bishop, A.W. (1960). Discussion in Pore pressure and suction in soil. 150. London: Butterworths.
- Aitchison, G.D. (1965). Discussion in Proc. 6th. Int. Conf. Soil Mech. and Found. Eng. Vol. 3, Montreal: 318-321.
- Aitchison, G.D. & Woodburn, J.A. (1969). Soil suction foundation design. Proc. 7<sup>th</sup> I.C.S.M.F.E., México, Vol. 2: 1-8.
- Alonso, E.E., Gens, A., and Hight, D.W. (1987) Special problem soils. General report. In proceedings of the 9<sup>th</sup> European Conference on Soil Mechanics and Foundation Engineering, Dublin, Vol. 3: 1087-1146.
- Alonso, E.E., Gens, A., Josa, A. (1990). A constitutive model for partially saturated soils. Géotechnique 40, No. 3: 405-430.
- Alonso, E.E., Gens, A. and Josa, A. (1992). Modelling the behaviour of compacted soil upon wetting. Raúl Marsal Volume, S.M.M.S., México: 207-223
- Alonso, E.E. (1993). Constitutive modelling of unsaturated soils. Civil Engineering European Course, Programme of Continuing Education. UPC.
- Alonso, E.E., Gens, A. and Yuk Gehling, W.Y. (1994). Elastoplastic model for unsaturated expansive soils. Proc. 3<sup>rd</sup> European Conf. On Numerical Methods in Geotech. Engrg. Manchester. I. Smith (ed.), Balkema: 11-18.
- Alpan, I. (1957). An apparatus for measuring the swelling pressure in expansive soils. Proc. 4<sup>th</sup> Conf. On Soils Mechanic s Session 5: 5.1-5.60.
- Anderson, W.F., Goodwin, A.K., Pyrah, I.C. and Salman, T.H. (1997). Equipment for one-dimensional compression and triaxial testing of unsaturated granular soils at low stress levels. Geotechnical Testing Journal, GTJODJ, 20 (1): 74-89.
- ASTM STP 977, (1988). Advanced triaxial testing of soils and rock. ASTM Publication, Philadelphia.
- Balmaceda, A.R. (1991). Suelos compactados. Un estudio teórico y experimental. Tesis Doctoral. Universidad Politécnica de Catalunya.
- Barden, L. (1965). Consolidation of compacted and unsaturated clays. Géotechnique, 15 (3): 267-286.
- Barden, L. Madedor, A.O. y Sides, G.R. (1969). Volume change characteristics of unsaturated clays. J. Soil Mech. Found. Div. A.S.C.E. 95, SM1: 33-51.
- Barden, L. & Sides, G.R. (1970). Engineering behaviour and structure of compacted clay. J. SMFE, ASCE, 96, (SM4): 1171-1201.
- Barrera, M., Lloret, A., Vaunat, J. & Gens, A. (1998). Análisis teórico y experimental del efecto de la carga de compactación en los cambios de volumen de un suelo. XI Congreso Brasileño de Mecánica de Suelos en Ingeniería Geotécnica, COBRAMSEG, Brasilia Vol. 3: 835-842.
- Barrera, M., Romero, E., Lloret, A. & Gens, A. (2000). Collapse test on isotropic and anisotropic compacted soils. International Workshop On Unsaturated Soils: Experimental Evidence and Theoretical Approaches in Unsaturated Soils, Trento, Italy. A.A. Balkema, Rotterdam: 33-45.
- Barrera, M., Romero, E., Lloret, A. & Vaunat, J. (2002). Hydro-mechanical behaviour of a clayey silt during controlled-suction shearing. International Conference on Unsaturated Soils, Recife, Brazil, A. A. Balkema, Rotterdam Vol. 2: 485-490.

- Bishop, A.W and Eldin, G. (1950). Undrained triaxial test on saturated sand and their significant in the general theory of shear strength. *Géotechnique*, Vol. 2: 12-22.
- Bishop, A.W. (1959). The principle of effective stress. *Teknik Ukeblad*, 39: 859-863.
- Bishop, A.W., Alpan, I., Blight, G.E. and Donald, I.B. (1960). Factors controlling the strength of partly saturated cohesive soils. *Res. Conf. on Strength of Cohesive Soils*, Boulder: 503-532.
- Bishop, A.W. (1961). The measurement of pore pressure in the triaxial test. *Pore Pressure and Suction in Soils Conference*, Butterworths, London.
- Bishop, A.W. and Donald, I.B. (1961). The experimental study of partly saturated soil in triaxial apparatus. In *Proceedings of the 5<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*, Paris. Vol. 1: 13-21
- Bishop, A.W. and Henkel, D. J. (1962). The measurement of soil properties in the triaxial test. Edward Arnold, London.
- Bishop, A.W. y Blight, G.E. (1963). Some aspects of effective stress in saturated and unsaturated soils. *Géotechnique* 13, No 3: 177-197.
- Bishop, A.W. and Wesley, L. D. (1975). A hydraulic triaxial apparatus for controlled stress path testing. *Géotechnique*, 25 (4): 657-670
- Blight, G.E. (1965). A study of effective stress for volume change, in *Moisture equilibria and moisture changes in soils beneath covered areas*. Sidney Butterworths: 259-269.
- Blight, G.E. (1967). Effective stress evaluation of unsaturated soils. *Proc. Of the American Society of Civil Engineers*, Vol. 93.
- Bocking, K.A. and Fredlund, D.G. (1980). Limitations of the axis translation technique. *Proceedings of 4<sup>th</sup> International Conference on Expansive Soils*, Denver, Colorado, Vol. 1: 117-135.
- Booth, A.R. (1975). The factors influencing collapse settlement in compacted soils. *Proc. 6<sup>th</sup> Reg. Conf. for Africa on S.M.F.E.*, Durban, Vol. 1: 57-63.
- Booth A.R. (1977). Collapse Settlement in Compacted Soils. CSIR Research Report 324, NITRR Bulletin 13, Pretoria, South Africa.
- Brackley, I.J.A. (1973). Swell pressure and free swell in compacted clay. *Proc. 3th I.C.E.S.* Haifa, Israel, Vol. 1: 169-176.
- Brackley, I.J.A. (1975). A model of unsaturated clay structure and its application to swell behaviour. *6<sup>th</sup> Reg. Conf. for Africa on SMFE*, Durban, Vol. 1: 71-78.
- Brull, A. (1980). Caractéristiques Mécaniques des sols de fondation de Chausses en fonction de leur etat d'humidité et compacité. *Int. Conf. Compaction*, Paris, 1 : 113-118.
- Burland, J.B. (1965). Some aspects of mechanical behaviour of partly saturated soils, in *Moisture equilibria and moisture change in soil beneath covered areas*", Sidney: Butterworths: 270-278.
- Burland, J.B. and Symes, M.J. (1982). A simple axial displacement gauge for use in the triaxial apparatus. *Géotechnique*, 32 (1): 62-65.
- Carvalho, L.C. (2001). Estudio experimental del comportamiento mecánico de un suelo cementado no saturado. Ph.D. Tesis, Universidad Politécnica de Cataluña.
- Chang, R.K. (1969). Pressure plate apparatus for volumetric measurement of suction, swelling pressure and consolidation in clay soils. *Canadian Geotechnical J.*, Vol. 6. No. 2: 209-212.
- Charles, W.W. Ng, and Abraham, C.F. Chiu, (2001). Behaviour of a loosely compacted unsaturated volcanic soil. *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 127, No. 12 : 1027-1036.
- Clayton, C.R.I. and Khatrush, S.A. (1986). A new device for measuring local axial strain on triaxial specimens. *Géotechnique*, 36(4): 593-597.
- Clayton, C.R.I., Khatrush, S.A., Bica, A. And Siddique, A. (1989). The use of Hall effect semiconductors in geotechnical instrumentation. *Geotechnical Testing Journal*, GTJODJ, 12 (1): 69-76.
- Cole, D.M. (1978). A technique for measuring radial deformation during repeated load triaxial testing. *Can. Geotech. J.*, 15 : 426-429.
- Coleman, J.D. (1962). Stress strain relations for partly saturated soils. *Correspondence. Géotechnique* 12, No 4: 348-350.
- Cox, D.W. (1978). Volume change of compacted clay fill. *Clay fill*, London, ICE: 79-86.
- Croney, D., Coleman, J.D. and Bridge, P.M. (1952). The suction of moisture held in soil and other porous materials. *Road Research Technical Paper No. 24*, London.

- Croney, D., Coleman, J.D. and Black, W.P.M. (1958). Studies of the movement and distribution of water in soil in relation to highway design and performance. HRB spec. Washington D.C. Report 40: 226-25.
- Cruz, S. (1996). Assaig del sòl no saturat sota càrrega isòtropa i succió controlada. Desenvolupament d'un equip d'assaig i modelització numèrica. Msc Tesis, Universidad Politécnica de Cataluña.
- Cuccovillo, T. and Coop, M.R. (1997). The measurement of local axial strains in triaxial tests using LVDTs. *Géotechnique*, 47 (1): 167-171.
- Cuellar, V. (1978). Análisis de los métodos existentes para el empleo de arcillas expansivas en obras de carreteras y recomendaciones sobre las técnicas más idóneas para su uso habitual en España. Laboratorio de Transporte y Mecánica de Suelos, Madrid: 321.
- Cui, Y. And Delage, P. (1996). Yielding and plastic behaviour of an unsaturated compacted silt. *Géotechnique*, 46 (2): 291-311.
- Das, B.M. (1983b). Advanced soil mechanics. Hemisphere Publishing Corporation, Washington.
- Davies, P. (1975). Creep characteristics of three undisturbed clays. PhD Thesis, University of London.
- Delage, P. and Lefebvre, G. (1984). Study of the structure of a sensitive Champlain clay and of its evolution during consolidation. *Canadian Geotechnical Journal*, 21: 21-35.
- Delage, P., Suraj de Silva, G.P.R. De Laure, E. (1987). Un nouvel appareil triaxial pour les sols non-satures. In Proceedings of the 9<sup>th</sup> European Conference on Soil Mechanics and Foundation Engineering, Dublin, Vol. 1: 25-28
- Delage, P., Howat, M.D. & Cui, Y.J. (1998). The relationship between suction and swelling properties in a heavily compacted unsaturated clay. *Engineering Geology*, 50: 31-48.
- Delgado A. (1986). Influencia de las trayectorias de las tensiones de las arcillas expansivas y de los suelos colapsables en el laboratorio y en el terreno. Tesis Doctoral, Universidad de Sevilla.
- Di Mariano, A., Airò Farulla, C. and Valore, C. (2000). Retention curves and 1-D behaviour of a compacted tectonised unsaturated clay. International Workshop On Unsaturated Soils: Experimental Evidence and Theoretical Approaches in Unsaturated Soils, Trento, Italy. A.A. Balkema, Rotterdam: 33-45.
- Diamond, S. (1970). Pore size distributions in clay. *Clays and Clay Minerals*, 18: 7-23.
- Dimos, A. (1991). Measurent of soil suction using transistor psycrometer. VICROADS Internal Report No IR/91-3.
- Dineen, K. (1997). The influence of soil suction on compressibility and swelling. PhD Thesis, University of London.
- Drumright, E. (1987). Shear strength for unsaturated soils. Ph.D. Thesis, University of Colorado. Fort Collins.
- Dudley, A. (1970). Review of collapsing soils. *Journal of the Soil Mechanics and Foundations Division. Proc. Of the American Society of Civil Engineer*.
- Edil, T.B., Motan, E.S. and Toha, F.X. (1981). Mechanical behaviour and testing method of unsaturated soils. *Laboratory Shear Strength of Soil. ASTM STP40*: 114-129.
- Edil, T.B. and Motan, E.S. (1984). Laboratory evaluation of soil suction components. *Geot. Test. J.*, Vol. 7, No. 4: 173-181.
- El-Hosri, M.S., Biarez, J. and Hicher, P.Y. (1981). Dynamic triaxial and vibratory in-situ behaviour of cohesive soils. *Proc. Int. Conf. on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, St. Louis, 2: 585-590.
- Escario, V. (1965). International panel review engineering effects of moisture changes in soils. 1<sup>st</sup> International Research and Engineering Conference, Texas: 24-25.
- Escario, V. (1967). Measurement of the swelling characteristics of a soil fed with water under tension. *Int. Cooperative Research on the Prediction of Moisture Content under Roads Pavements*, O.C.D.E., Madrid-Metting.
- Escario, V. (1969a). Determination of Geotechnical characteristics of expansive soils. *Proc. Of the 2<sup>nd</sup> International Research and Engineering Conference on Expansive Clay Soils*, Texas: 114-120.
- Escario, V. (1969b). Swelling of soils in contact whit water at a negative pressure. *Proc. Of the 2<sup>nd</sup> International Research and Engineering Conference on Expansive Clay Soils*, Texas: 207-217.
- Escario, V. and Sáez, J. (1973). Measurement of the properties of swelling and collapsing soils under controlled suction. *Proc. 3<sup>rd</sup> Int. Conf. Expansive Soils*, Haifa: 196-200.
- Escario, V. (1980). Suction controlled penetration and shear test. In Proceedings of the 4<sup>th</sup> International Conference on Expansive Soils, Denver, Vol. 2: 781-797.

- Escarío, V. and Sáez, J. (1986). The shear strength of partly saturated soils. *Géotechnique* 36, No. 3: 453-456.
- Escarío, V. and Sáez, J. (1987). The shear strength under high suction values. Written discussion. Session 5, Proc. 9<sup>th</sup> European Conf. On Soil Mech. And Fdn. Eng., Vol. 3. Balkema, Dublin: 1157.
- Escarío, V. and Juca, J.F.T. (1989). Strength and deformation of partly saturated soils. Proc. 12<sup>th</sup> ICSMFE, Rio de Janeiro, Vol. 1: 43-46.
- Fredlund, D.G. (1975). A diffused air volume indicator of soils under high suction values. Written discussion. Session 5, Proc. 9<sup>th</sup> European Conf. On Soil Mech. and Fdn. Eng., Vol. 3. Balkema, Dublin: 1157.
- Fredlund, D.G. y Morgenstern, N.R. (1976). Constitutive relations for volume change in unsaturated soils. *Can. Geotech. J.* 13, No 3: 261-276.
- Fredlund, D.G. y Morgenstern, N.R. (1977). Stress state variables for unsaturated soils. *J. Geotech. Div. A.S.C.E.* 103, GT5: 447-466.
- Fredlund, D.G., Morgenstern, N.R., and Widger, R.A. (1978). The shear strength of unsaturated soils. *Canadian Geotechnical Journal*. 15, No. 3: 313-321.
- Fredlund, D.G. (1979). Appropriate concepts and technology for unsaturated soils. *Can. Geotech. J.* 16 No 1: 121-139.
- Fredlund, D.G. and Rahardjo, H. (1985). Theoretical context for understanding unsaturated residual soil behaviour. Proc. 1<sup>st</sup> Int. Conf. on Geomech. in Tropical, Lateritic and Saprolitic, Brasilia, 1: 295-306.
- Fredlund, D.G., Rahardjo, H. and Gan, J.K.M. (1987). Nonlinearity of strength envelope for unsaturated soils. Proc. 6<sup>th</sup> Int. Conf. Expansive Soils, New Delhi: 49-54.
- Fredlund, D.G. and Rahardjo, H. (1993). Soil mechanics for unsaturated soils. John Wiley & Sons, INC., New York.
- Fredlund, D.G., Xing, A., Fredlund, M.D., and Barbour, S.L. (1996). The relationship of the unsaturated soil shear strength to the soil-water characteristic curve. *Canadian Geotechnical Journal*. 33: 440-448.
- Fung, Y.C. (1965). Foundations of solid mechanics. Prentice-Hall Inc. Englewood Cliffs. New Jersey.
- Fung, Y.C. (1969). A first course in continuum mechanics. Prentice-Hall Inc. Englewood Cliffs. New Jersey.
- Gan, J.K.M., Fredlund, D.G. and Rahardjo, H. (1988). Determination of the shear strength of unsaturated soils. *Can. Geotech. J.*, 25: 500-510.
- Gardner, W.R. (1956). Calculation of capillary conductivity from pressure plate outflow data. *Soil Sci. soc. Am. Proc.*, 20 : 317-320.
- Geiser, F., Laloui, L., and Vulliet, L. (1998). Yielding of a remoulded sandy silt in saturated and unsaturated states. In Proceedings of the 2<sup>nd</sup> International Conference on Unsaturated Soil, Beijing, Vol. 1: 47-53.
- Geiser, F., Laloui, L., and Vulliet, L. (2000). On the volume measurement in unsaturated triaxial test. In H. Rahardjo, D.G. Toll & E.C. Leong, Proc. Of the Asian Conf. on Unsaturated Soils, Singapore, Rotterdam / Balkema: 669-674.
- Gens, A. and Potts, D.M. (1982a). A theoretical model for describing the behaviour of soils not obeying Rendulic's principle. Proc. 1<sup>st</sup> Int. Symp. Num. Mod. Geomech., Zurich: 24-32.
- Gens, A. Alonso, E.E. and Josa, A. (1989). Elasto-plastic modelling of partially saturated soils. Proc. of NUMOG III, edited by Pietruszczak, S. and Pande, G.N.: 163-170.
- Gens, A. and Alonso, E.E. (1992). A framework for behaviour of unsaturated expansive soils. *Canad. Geotech. Jnl.* 29: 1013-1032.
- Gens, A. (1993). Constitutive modelling of expansive soils. *Unsaturated soils: Recent developments and applications*. Civil Engineering Courses, Barcelona.
- Gens, A. (1995). Constitutive modelling. Application to compacted soils. 1st Int. Conf. on Unsaturated Soils, Paris, 1995.
- Gens, A., Alonso, E.E., Suriol, J. & Lloret, A. (1995). Effect of structure on the volumetric behaviour of a compacted soil. Proc. 1<sup>st</sup> Int. Conf. On Unsaturated Soils, Paris. E.E. Alonso and P. Delage (eds.), Balkema / Presses des Ponts et Chaussées, 1: 83-88.
- Gens, A. & Romero, E. (2000). Ensayos de laboratorio. Simposio sobre geotécnica de las infraestructuras del transporte. Barcelona: 17-43
- Gibbs, H.J., Hilf, J.W., Holtz, W.G. and Walker, F.C. (1960). The strength of cohesive soils. Research Conf. on Shear Strength of Cohesive Soils, Boulder, Colorado: 33-162.

- Gili, J. A. (1988). Modelo microestructural para medios granulares no saturados. E.T.S. de Ingenieros de Caminos, Canales y Puertos, U.P.C., Tesis Doctoral, Barcelona.
- Goto, S., Tatsuoka, F., Shibuya, S., Kim, Y.S. and Sato, T. (1991). A simple gauge for local small strain measurement in the laboratory. *Soils and Foundations*, 31 (1): 169-180.
- Griffiths, F.J. and Joshi, R.C. (1989). Change in pore size distribution due to consolidation of clays. *Géotechnique*, 39 (1): 159-167.
- Gromko, G.J. (1974). Review of expansive soils. *Journal of the Geot. Eng. Div. A.S.C.E.*, Vol. 100 GT6: 667-6687.
- Gulhati, S.K. and Satija, B.S. (1981). Shear strength of partially saturated soils. *Proc. 10<sup>th</sup> Int. Conf. Soil Mech.*, Stockholm 1: 609-612.
- Habib, S.A. (1995). Lateral pressure of unsaturated expansive clay in looped stress path. *Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils*, Paris. E.E. Alonso and P. Delage, Balkema / Presses des Ponts et Chaussées, 1: 95-100.
- Habib, S.A., Kato, T. & Karube, D. (1995). Suction controlled one dimensional swelling and consolidation behaviour of expansive soil. *Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils*, Paris. E.E. Alonso and P. Delage, Balkema / Presses des Ponts et Chaussées, 1:101-107.
- Harrison, B.A. and Blight, G.E. (2000). A comparison of in-situ soil suction measurements. In H. Rahardjo, D.G. Toll and E.C. Leong (eds.) *Proc. Of the Asian Conf. on Unsaturated soils*, Singapore, Rotterdam, Balkema: 281-285.
- Hecht, E. (1987). Optics. Addison-Wesley Publishing Company. Reading, Massachusetts, 2<sup>nd</sup> ed.
- Henkel, D.J. ( 1960). The relationships between the effective stresses and water content in saturated clays. *Géotechnique*, Vol. 10 No. 2
- Hilf, J.W. (1956). An investigation of pore-water pressure in compacted cohesive soils. PhD Thesis. Technical Memo No. 654, United Stated Bureau of Reclamation, Denver.
- Hillel, D. (1971). Soil and water: Physical principles and processes. Academic Press, New York.
- Hird, C.C. and Yung, P.C.Y. (1987). Discussion. *Géotechnique*, 37 (3): 413-414.
- Hird, C.C. and Yung, P.C.Y. (1989). The use of proximity transducers for local strain measurement in triaxial tests. *Geotechnical Testing Journal*, GTJODJ, Vol. 12, No. 4: 292-296.
- Ho, D. And Fredlund, D.G. (1982). Strain rates for unsaturated soil shear strength testing. *Proc. 7<sup>th</sup> South-east Asian Geotech. Conf.*, Hong Kong: 787-803.
- Holtz, W.G. (1959). Expansive clays-properties and problem. *Quarterly of the Colorado School of Mines*, Vol. 54, No. 4: 89-125.
- Holubec, I. (1966). The yielding of cohesionless soils. Ph.D. Thesis, University of Waterloo.
- Hoque, E., Sato, T. And Tatsuoka, F. (1997). Performance evaluation of LDTs for use in triaxial tests. *Geotechnical Testing Journal*, GTJODJ, 20 (2): 149-167.
- Houlsby, G.T. (1997). The work input to an unsaturated granular material. *Géotechnique* 47 (1): 193-196.
- Houston, W.N., Mahmoud, H.H. and Houston, S.L. (1995). A laboratory procedure for partial-wetting collapse determination. In S.L. Houston and W.K. Wray (eds.) *Unsaturated Soils Geotechnical Special Publications*, ASCE, No 39, Dallas: 54-63.
- Houston, S.L., Mahmoud, H.H. and Houston, W.N. (1995). Down-hole collapse test system. *J. Geotech. Engrg.*, ASCE, 121(4): 341-349.
- Jaky, J. (1948). Pressure in silos. *Proc. 2<sup>nd</sup> Int. Conf. Soil Mech. And Fdn. Engng.* 1: 103-107.
- Jardine, R.J., Symes, M.J., and Burland, J.B. (1984). The measurement of soil stiffness in the triaxial apparatus. *Géotechnique*, 34 (3): 323-340. *Géotechnique* 12, No 2: 125-144
- Jenning, J.E.B. and Burland, J.B. (1962). Limitations to the use of effective stress in partly saturated soils. *Géotechnique* 12, No 2: 125-144.
- Jenning, J. and Knight, K. (1975). A guide to construction on or with materials exhibiting additional settlement due to collapse of grain structure. Sixth Reg. Conf. for Africa on Soil Mechanics and Foundation Engineering, Durban, South Africa.
- Jiménez Salas, J.A., Justo, J.L., Romana, M. y Faraco, C. (1973). The collapse of gypsum silts and clays of low plasticity in arid and semiarid climates. *Proc. 8<sup>th</sup> I.C.S.M.F.E.*, Moscú : 161-190.
- Jiménez Salas, J.A. y Justo, J.L. (1975). Propiedades de los suelos y de las rocas. *Geotecnia y Cimentaciones I*, Editorial Rueda, Madrid.
- Josa, A., Alonso, E.E.,Lloret, A. and A. Gens (1987). Stress-strain behaviour of partially saturated soils. *Proc. 9<sup>th</sup> ECSMFE*, Dublin: 561-564.

- Josa, A. (1988). Un modelo elastoplástico para suelos no saturados. Ph.D. Tesis, Universidad Politécnica de Cataluña. Barcelona.
- Jucá, J.F.T. and Frydman, S. (1996). Experimental technique. State of the art report. Proc. 1<sup>st</sup> Int. Conf. On Unsaturated Soils, Paris. E.E. Alonso and P. Delage (eds.), Balkema / Presses des Ponts et Chaussées, 3: 1257-1292.
- Justo, J.L., Delgado, A. and Ruiz, J. (1984). The influence of stress-path in the collapse-swelling of soils at the laboratory. Proc. 5<sup>th</sup> Int. Conf. Expansive Soils, Adelaide: 67-71.
- Kaczmarek, M. and Hueckel, T. (1998). Use of porosity in models of consolidation. J. Engrg. Mechanics ASCE 124 (2): 237-239.
- Karube, D. (1983). Effect of suction on soil behaviour. Proc. 7<sup>th</sup> Asian Reg. Onf. on S.M.F.E., Haifa, Vol. 1: 30-35.
- Kassif, G. and Ben Shalom, A. (1970). Apparatus for measuring swell potential under controller moisture intake. ASTM, Journal of Materials, Vol. 5, No. 4: 3-15.
- Kassif, G. and Ben Shalom, A. (1971). Experimental relationship between swell pressure and suction. Géotechnique, Vol. 21, No. 3: 245-255.
- Kato, S., Matsuoka, H. and Sun, D.A. (1995). A constitutive model for unsaturated soil based on extended SMP. 1<sup>st</sup> Int. Conf. on Unsaturated Soils, Paris, 2: 739-744.
- Kato, S. and Kawai, K. (2000). Deformation characteristics of a compacted clay in collapse under isotropic and triaxial stress state. Soils and Foundations 40(5): 75-90.
- Khan, A.H. and Hoag, D.L. (1979). A non-contacting transducer for measurement of lateral strains. Can. J., 16: 409-411.
- Kolymbas, D. and Wu, W. (1989). A device for lateral strain measurement in triaxial tests with unsaturated specimens. Geotechnical Testing Journal, GTJODJ, 12 (3): 227-229.
- Komornik, A., Livneh, M. and Smucha, S. (1980). Shear strength and swelling of clays under suction. Proc. Of the 4<sup>th</sup> Int. Conf. on Expansive Soils, Denver, Colorado: 206-226.
- Kunze, R.J. and Kirkham, D. (1962). Simplified accounting for membrane impedance in capillary conductivity determinations. Soil Sci. Am. Proc., 26: 421-426.
- Lagny, C. (1996). Comportement mécanique des sols fins sous fortes contraintes et fortes pressions négatives. PhD Thesis, Ecole Centrale Paris.
- Lambe, T.W. (1958). The structure of compacted clay. Jnl. of the Soil Mech. and Foundn. Div ASCE, 84 (SM2): 10-34.
- Lambe, T.W. and Whitman, R.V. (1959). The role of the effective stress in the behaviour of expansive soils. Quart. Of the Colo. Sch. Of Mines, Vol. 54 (4): 33-66
- Lambe, T.W. (1960). A mechanistic picture of shear strength in clay. Research Conf. On Shear Strength of Cohesive Soils, Boulder, Colorado: 555-580
- Lang, A.R.G. (1967). Osmotic coefficients and water potentials of sodium chloride solutions from 0 to 40 °C. Australian J. Chem., 20: 2017-2023.
- Lawton, E.C., Fragaszy R.J. and Hardcastle, J.H. (1989). Collapse of compacted Clayey sand. Journal of Geotechnical Engineering, Vol. 115, No 9.
- Lawton, E.C., Fragaszy R.J. and Hardcastle, J.H. (1991). Stress ratio effects on collapse of compacted Clayey sand. Journal of Geotechnical Engineering, Vol. 117, No 5.
- Lee, H.C. and Wray W.K. (1992). Evaluation of soil suction instruments. Proc. 7<sup>th</sup> International Conference on Expansive Soils, Dallas: 307-312.
- Lee, H.C. and Wray W.K. (1995). Techniques to evaluate soil suction – A vital unsaturated soil variable. In E.E. Alonso and P. Delage (eds.) Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils, Paris, Balkema / Presses des Ponts et Chaussées, 2: 615-622.
- Lide, D.R. and Frederikse, H.P.R. (1997). CRC Handbook of chemistry and physics. A ready-reference book of chemical and physical data. CRC Press, New York.
- Lo Presti, D.C.F., Pallara, O. and Puci, I. (1995). A modified commercial triaxial testing system for small strain measurements: preliminary results on Pisa clay. Geotechnical Testing Journal, GTJODJ, 18 (1): 15-30.
- Lloret, A. y E.E. Alonso (1980). Consolidation of unsaturated soils including swelling and collapse behaviour". Géotechnique 30, No 4: 449-447.
- Lloret, A. (1982). Comportamiento deformacional del suelo no saturado bajo condiciones drenadas y no drenadas. Tesis Doctoral, Universidad Politécnica de Catalunya.

- Lloret, A. y E.E. Alonso (1985). State surfaces for partially saturated soils. Proc. 11th Int. Conf. Soil Mech. Fdn. Engng. San Francisco, 2: 557-562.
- Lloret, A. (1993). Métodos de medida y aplicación de succión en laboratorio. Centro Internacional de Métodos Numéricos en Ingeniería, CIMNE, Universidad Politécnica de Catalunya, primera edición: 127-143.
- Lloret, A. (1996). Mecánica de suelo no saturados. Departamento de Ingeniería del Terreno y Cartografía. E.T.S.I. de Caminos. Universidad Politécnica de Catalunya UPC.
- Macari, E.J., Parker, J.K. and Costes, N.C. (1997). Measurement of volume change in triaxial test using digital imaging techniques. Geotechnical Testing Journal, GTJODJ, 20 (1): 103-109.
- Maswoswe, J. (1985). Stress path for compacted soil during collapse due to wetting. Ph.D. Thesis, Imperial college, London.
- Mata, C., Romero, E., and Ledesma, A. (2002). Hidro-chemical effects on water retention in bentonite-sand mixtures. International Conference on Unsaturated Soils, Recife, Brazil, A.A. Balkema, Rotterdam Vol. 1: 283-288.
- Matyas, E.L. y Radhakrishna, H.S. (1968). Volume change characteristics of partially saturated soils. Géotechnique, 18, No 4: 432-448.
- Meyer, K., Lorenz, P., Böhl-Kuhn, B. and Klobes, P. (1994). Porous solids and their characterization. Methods of investigation and application. Cryst. Res. Technol., 29 (7): 903-930.
- Miller, D.J. and Elrick, D.E. (1958). Dynamic determination of capillary conductivity extended for non-negligible membrane impedance. Soil Sci. Soc. Am. Proc. 22: 483-486.
- M.I.T., (1963). Eng. Behaviour of partially saturated soils. Research Report, R.: 63-26.
- Mitchell, J.K. (1993). Fundamentals of soil behaviour. John Wiley & Sons, Inc., New York, 2<sup>nd</sup> ed.
- Mongiovi, L. & Tarantino, A. (1998). An apparatus to investigate on the two effective stresses in unsaturated soils. Proc. 2<sup>nd</sup> Int. Conf. On Unsaturated Soils, Beijing, International Academic Publishers, 1: 442-425.
- Moore, P.J. and Millar, D.V. (1971). The collapse of sands upon saturation. Proc. Of the 1<sup>st</sup> Australia-New Zealand Conf. on Geomechanics, Melbourne 1: 54-60.
- Morel, G. (1980). General Report. International Conference on Compaction, Paris, Vol. 3: 57-76
- Obaidat, M.T. and Attom, M.F. (1998). Computer Vision-based technique to measure displacement in selected soil test. Geotechnical Testing Journal, GTJODJ, Vol. 21, No. 1: 31-37.
- Ohmaki, S. (1982). Stress-strain behaviour of anisotropically, normally consolidated cohesive soil. Proc. 1<sup>st</sup> Int. Symp. Num. Mod. Geomech., Zurich: 250-269.
- Olson, R.E. and Langfelder, L.J. (1965). Pore-water pressures in unsaturated soils. J. Soil Mech. Found. Div., ASCE, 91(4): 127-160
- Poorooshashb, H.B. (1961). The properties of soils and other granular media in simple shear. Ph.D. Thesis, University of Cambridge.
- Prashanth, J.P., Sivapullaiah, P.V. and Sridharan, A. (1998). Compaction curves on volume basis. Geotechnical Testing Journal GTJODJ 21(1): 58-65.
- Proctor, R.R. (1933). Fundamental principles of soil compaction. Engineering News Record 111: 245-248; 286-289; 348-351.
- Rampino, C., Mancuso, C. and Vinale, F. (1999). Laboratory testing on unsaturated soil: equipment, procedures and first experimental results. Canadian Geotechnical Journal, No. 36:1-12.
- Rampino, C., Mancuso, C. and Vinale, F. (2000). Experimental behaviour and modelling of an unsaturated. Canadian Geotechnical Journal, No. 37: 748-763.
- Rengmark, F. and Erikson, R. (1953). Apparatus for investigation of swelling, compression and elastic properties of soils. Proc. 3<sup>rd</sup> International Conference on Soil Mechanics and Foundation Engineering. Vol. 1: 180-183.
- Reséndiz, D. (1977). Compacting conditions, state variables engineering properties of compacted clay. International Conference on Compaction, Paris, Vol. I: 195-202.
- Richards, B.G. (1974). Application of an experimentally based non-linear constitutive model of soils in laboratory test. Aust. Geomech. Jnl. G8: 20-30.
- Richards, B.G. (1984). Finite element analysis of volume change in expansive clays. Proc. 5<sup>th</sup> I.C.E.S. Adelaide, Vol. 2: 355-362.
- Richards, L.A. (1941). A pressure membrane extraction apparatus for soil suction. Soil Sci. 51: 377-386.

- Richards, L.A. and Ogata, G. (1958). A thermocouple for vapour pressure measurement in biological and soil systems at high humidity. *Science*. No. 128: 1089-1090.
- Rico, A. y del Castillo, H. (1976). La ingeniería de suelos en las vías terrestres, No. 1, Limusa, México.
- Ridley, A.M. & Burland, J.B. (1993). A new instrument for the measurement of soil moisture suction. *Géotechnique*, 43 (2): 321-324.
- Ridley, A.M. & Burland, J.B. (1995). Measurement of suction in materials which swell. *Applied Mechanics Reviews*, 48(9).
- Romero, E., Facio, J.A. & Yang, D.Q. (1994). Boom clay: DIT-UPC Data File. Internal Report Universidad Politécnica de Cataluña.
- Romero, E., Facio, J.A., Lloret, A., Gens, A. & Alonso, E.E. (1997). A new suction and temperature controlled triaxial apparatus. In Proc. 14<sup>th</sup> ICSMFE, Hamburg. A.A. Balkema, Rotterdam. Vol.1: 185-188
- Romero, E. (1999). Thermo-hydro-mechanical behaviour of unsaturated Boom clay: an experimental study. Ph. D. Thesis, Technical University of Catalunya, Barcelona.
- Romero, E., Gens, A. and Lloret, A. (1999a). Water retention and microstructure of unsaturated Boom clay. *Engineering Geology*, 54: 117:127.
- Romero, E., Gens, A. and Lloret, A. (2000). Temperature effects on water retention and water permeability of an unsaturated clay. H. Rahardjo, D.G. Toll and E.C. Leong (eds), Proc. Of the Asian Conf. On Unsaturated Soils, Singapore, Rotterdam, Balkema: 433-438.
- Romero, E. and Vaunat, J. (2000). Retention curves of deformable clays. International Workshop On Unsaturated Soils: Experimental Evidence and Theoretical Approaches in Unsaturated Soils, Trento, Italy. A.A. Balkema, Rotterdam: 91-106.
- Romero, E. (2001). Controlled suction techniques. Proc. 4<sup>th</sup> Simposium Brasileiro de Solos Não Saturados, Porto Alegre, Brasil.
- Roscoe, K.H., Schofield, A.N. and Wroth, C.P. (1958). On the yielding of soils. *Geotechnique* 8: 22-52.
- Seed, H. B. and Chan A.M. (1959). Structure and strength characteristics of compacted clays. *Journal of Soil Mechanics and Foundations Division, A.S.C.E.*, Vol. 85, SM5: 87-128.
- Satija, B.S. (1978). Shear behaviour of partially saturated soils. Ph. D. Thesis, Indian Inst. of Tech., Delhi.
- Schofield, A.N. (1935). The pF of the water in soil. *Trans. 3<sup>rd</sup> Int. Cong. Soil Science*, Vol. 2: 37-48.
- Schooley, G.K., Frost, J.D., Lo Presti, D.C.F., Jamiolkowski, M. (1995). A review of instrumentation for measuring small strains during triaxial testing of soil specimens. *Geotechnical Testing Journal*, GTJODJ, 18 (2): 137-156.
- Shibuya, S., Park, C.S., Tatsuoka, F., Abe, F., Teachavorasinskun, S., Kohata, Y. and Sato, T. (1994). The significance of local lateral-strain measurement of soil specimens for a wide range of strain. *Soils and Foundations*, 34 (2): 95-105.
- Schreiner, H.D. (1988). Volume change of compacted highly plastic African clays. Ph.D. Thesis Imperial College, University of London.
- Shoji Kato and Katsuyuki Kawai, (2000). Deformation characteristics of a compacted clay in collapse under isotropic and triaxial stress state. *Soils and Foundations, Japanese Geotechnical Society*. Vol. 40, No. 5: 75-90.
- Sivakumar, V. (1993). A critical state framework for unsaturated soil. Ph. D. Thesis, University of Sheffield, U.K.
- Skempton, A.W. (1961). Effective stress in soils, concrete and rocks. Conference on Pore Pressure and Suction in soils, Butterworths, London: 4-16.
- Skopek, P. And Cyre, G.P. (1995). A resistance wire transducer for circumferential strain measurement in triaxial tests. *Geotechnical Testing Journal*, GTJODJ, 18 (1): 106-111.
- Slatter, E.E., Jungnickel, C.A., Smith, D.W. and Allman, M.A. (2000). Investigation of suction generation in apparatus employing osmotic methods. In H. Rahardjo, D.G. Toll and E.C. Leong (eds). Proc. Of the Asian Conf. on Unsaturated Soils, Singapore, Rotterdam, Balkema: 297-302.
- Spanner, D.C. (1951). The peltier effect and its use in the measurement of suction pressure. *J. Exptl. Botany* No. 2: 145-168
- Stoicescu, J.T., Haug, M.D., and Fredlund, D.G. (1998). The soil-water characteristics of sand-bentonite mixtures used for liners and covers. In Proceedings of the 2<sup>nd</sup> International Conference on Unsaturated Soils. Beijing, Vol. 1: 143-148.

- Symes, M. and Burland, J.B. (1984). Determination of local displacements on soil samples. *Geotechnical Testing Journal*, GTJODJ, 7 (2): 49-50.
- Tang, G.X., Graham, J. and Wan, A.W.L. (1998). On yielding behaviour of an un saturated sand-bentonite mixture. In Proceedings of the 2<sup>nd</sup> International Conference on Unsaturated Soils. Beijing, China, Vol. 1: 149-154.
- Tarantino, A. and Mongiovì, L. (2000). A study of the efficiency of semi-permeable membranes in controlling soil matrix suction using the osmotic technique. In H. Rahardjo, D.G. Toll & E.C. Leong, Proc. Of the Asian Conf. on Unsaturated Soils, Singapore, Rotterdam / Balkema: 303-308.
- Tarantino, A., L. Mongiovì and G. Bosco (2000). An experimental investigation on the independent isotropic stress variables for unsaturated soils. *Géotechnique*, 50(3): 275-282.
- Thomas, H.R. and He, Y. (1998). Modelling the behaviour of unsaturated soil using an elastoplastic constitutive model. *Géotechnique*, 48 (5): 589-603.
- Thomé, J.F.J. (1993). Comportamiento de los suelos parcialmente saturados bajo succión controlada. Tesis Doctoral; Universidad Politécnica de Ingenieros de Caminos, Canales y Puertos. Madrid. CEDEX, 1993.
- Toll, D.G. (1988). The behaviour of unsaturated compacted naturally occurring gravel. Ph.D. Thesis, University of London.
- Toll, D.G. (1990). A framework for unsaturated soil behaviour. *Géotechnique*, Vol. 40, No.1: 31-44.
- Toll, D.G. (1995). A conceptual model for the drying and wetting of soil. In E.E. Alonso and P. Delage, Proc. 1<sup>st</sup> Conf. On Unsaturated Soils, Paris, Rotterdamm:Balkema / Presses des Ponts et Chaussées, 2: 805-810
- Truong, H.V.P. & Holden, J.C. (1995). Soil suction measurement whit transistor psychrometer. Proc. 1<sup>st</sup> Int. Conf. On Unsaturated Soils, Paris. E.E. Alonso and P. Delage (eds.), Balkema 7 Presses des Ponts et Chaussées, 2: 659-995.
- Van Genuchten, M. Th. (1978). Calculating the unsaturated hydraulic conductivity with a new, closed – form analytical model. Research Report 78-WR-08. Water Resources Program, Dep. of Civil Engineering, Princeton University, Princeton.
- Van Genuchten, M. Th. (1980). A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soils Sci. Am. J.* 44: 892-898.
- Vanapalli, S.K., Frellaud, D.G., Pufahl, D.E., and Clifton, A.W. (1996). Model for the prediction of shear strength whit respect to soil suction. *Canadian Geotechnical Journal*, 33: 379-392.
- Vaughan, P.R. (1985). Mechanical and hydraulic properties of in-situ soils. General Report. Sess. 2 Proc. 1<sup>st</sup> Int. Conf. in Geomech. in Tropical Lateritic and saprolitic Soils, Brasilia.
- Vaunat, J., Romero, E. and Jommi, C. (2000). An elastoplastic hydro-mechanical model for unsaturated soils. International Workshop On Unsaturated Soils: Experimental Evidence and Theoretical Approaches in Unsaturated Soils, Trento, Italy. A.A. Balkema: 21-138.
- Vázquez-Suñé, E. (1998). Les Aigües subterràniaies del Plà de Barcelona". Tesis de Master de Hidrología Subterránea. Universitat Politècnica de Catalunya.
- Verbrugge, J.C. (1978). Emploi d'une méthode psychrométrique dans des essais triaxiaux sur limon remainé non saturé. *Can. Geotech. Journal*, 15: 501-509.
- Vicol, T. (1990). Comportement hydraulique et mécanique d'un solfin non saturé. Application à la modélisation, Tesis di Dottorato, Ecole Nationale des Ponts et Chaussée, Paris.
- Vilar, O.M. (1995 ). Suction controlled oedometer tests on a compacted clay. Proc. 1<sup>st</sup> Int. Conf. on Unsaturated Soils, Paris. E.E. Alonso and P. Delage, Balkema / Presses des Ponts et Chaussées, 1: 201-206.
- Wheeler, S.J., (1986). The stress-strain behaviour of soils containing gas bubbles. Ph.D. Thesis, University of Oxford.
- Wheeler, S.J. and Sivakumar, V. (1993). Development and application of a critical state model for unsaturated soil. Predictive soil mechanics. Thomas Telford, London: 709-728.
- Wheeler, S.J. and Karube, D. (1995). State of the art report. Constitutive modelling. In Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils, Paris. Vol. 3: 1323-1356.
- Wheeler, S.J. and Sivakumar, V. (1995). An elasto-plastic critical state framework for unsaturated soil. *Géotechnique*, 45 (1): 35-53.
- Wheeler, S.J. (1996). Inclusion of specific water volume within an elasto-plastic model for unsaturated soil. *Canadian Geotechnical Journal*. 33: 42-57.

- Wheeler, S.J. and Sivakumar, V. (2000). Influence of compaction procedure on the mechanical behaviour of an unsaturated compacted clay. Part 2 : Shearing and constitutive modelling. *Géotechnique* 50 (4): 369-376.
- Willard, H.H., Merritt, L.L. and Dean, J.A. (1974). Instrumental methods for analysis. D. Van Nostrand Company, New York, 5<sup>th</sup> ed.
- Wood, D.M. (1990). Soil behaviour and critical state soil mechanic. Cambridge University Press, Cambridge.
- Woodburn J.A., Holden, J.C. and Peter P. (1993). The transistor psychrometer: a new instrument for measuring soil suction. *Unsaturated Soils Geotechnical Special Publications No. 39*, Dallas. S.L. Houston and W.K. Wray , ASCE: 91-102.
- Wroth, D.M. and Houlsby, G.T. (1985). Soil Mechanics: Property characterization and analysis procedure. Proc. 11<sup>th</sup> ICSMFE, San Francisco, Vol. 1: 1-55.
- Wu, S., Gray, D.M., Richard, F.E.Jr. (1984). Capillary effects on dynamic modulus at high strains. Proc. 11<sup>th</sup> I.C.S.M.F.E., San Francisco.
- Yong, R. N., Japp, R.D. and How, G. (1971). Shear strength of partially saturated clays. Proc. 4<sup>th</sup> Asian Reg. Conf. Soil Mech. Fdn. Engng. Bangkok, 2, 12:183-187.
- Yoshimi, V. and Osterberg, J.O. (1963). Compression of partially saturated cohesive soils. *J. of Soil Mech. And Found. Div. A.S.C.E.*, vol. 89, SM4: 1-24.
- Yudhbir (1982). Collapsing behaviour of residual soils. Proc. 7<sup>th</sup> Southeast Asian Geot. Conf., Hong-Kong, Vol.1: 915-930.
- Yuk Gehling, W.Y. (1994). Suelos expansivos: estudio experimental y aplicación de un modelo teórico. Tesis Doctoral, Universidad Politécnica de Catalunya.