

Brackish springs in coastal aquifers and the role of calcite dissolution by mixing waters

Esteban Sanz Escudé


October 19, 2007

BIBLIOGRAPHY

**PhD Thesis
Department of Geotechnical Engineering and Geo-Sciences (ETCG)
Technical University of Catalonia (UPC)**

**Supervisors:
Dr. Jesús Carrera Ramírez
Dr. Carlos Ayora Ibáñez**

Institute of Earth Sciences 'Jaume Almera', CSIC



Bibliography

- Abarca, E., Carrera, J., Sánchez-Vila, X., Held, R., Kinzelbach, W., Vázquez-Suñé, E., and Dentz, M. (2005) Effective dispersion in seawater intrusion through heterogeneous aquifers. In *18th Salt Water Intrusion Meeting*. Cartagena, Spain,
- Appelo, C.A.J., and Postma, D. (2005) *Geochemistry, groundwater and pollution*. Amsterdam: A.A. Balkema Publishers.
- Arfib, B., and de Marsily, G. (2004) Modeling the salinity of an inland coastal brackish karstic spring with a conduit-matrix model. *Water Resources Research* **40**: 1-10.
- Arfib, B., de Marsily, G., and Ganoulis, J. (2007) Locating the Zone of Saline Intrusion in a Coastal Karst Aquifer Using Springflow Data. *Ground Water* **45**: 28-35.
- Arvidson, R.S., Ertan, I.E., Amonette, J.E., and Luttge, A. (2003) Variation in calcite dissolution rates: A fundamental problem? *Geochimica et Cosmochimica Acta* **67**: 1623-1634.
- Back, W., Hanshaw, B.B., Herman, J.S., and Van Driel, J.N. (1986) Differential dissolution of a Pleistocene reef in the groundwater mixing zone of coastal Yucatan, Mexico. *Geology* **14**: 137-140.
- Back, W., Hanshaw, B.B., Pyle, T.E., Plummer, L.N., and Weidie, A.E. (1979) Geochemical significance of groundwater discharge and carbonate solution to the formation of Caleta Xel Ha, Quintana Roo, Mexico. *Water Resources Research* **15**: 1521-1535.
- Barón, A., and González, C. (1978) Evaluación de los recursos del manantial de S'Almadrava 1972-1977. In: *Servei Hidrologic Balear*, p. 32.
- Bear, J. (1972) *Dynamics of fluids in porous media*. New York: American Elsevier.

- Beekman, H.E. (1991) Ion chromatography of fresh- and seawater intrusion. Multicomponent dispersive and diffusive transport in groundwater. PhD dissert. Vrije Universiteit. Amsterdam:
- Blavoux, B., Gilli, E., and Rousset, C. (2004) Watershed and origin of the salinity of the karstic submarine spring of Port-Miou (Marseille-Cassis-Bouches-du-Rhône). *Comptes Rendus Geosciences* **336**: 523-533.
- Bonacci, O., and Roje-Bonacci, T. (1997) Sea water intrusion in coastal karst springs: example of the Blaz Spring (Croatia). *Hydrological Sciences Journal* **42**: 89-100.
- Breznik, M. (1973) The origin of brackish karstic springs and their development. *Geologija* **16**: 83-186.
- Breznik, M. (1988) Development of the karstic spring Almyros in Greece. *Geologija* **31**: 555-576.
- Brook, G.A., Folkoff, M.E., and Box, E.O. (1983) A world model of soil carbon-dioxide. *Earth Surface Processes And Landforms* **8**: 79-88.
- Cardoso, G. (1997) Comportamiento de los manantiales del karst nororiental de la Serra de Tramuntana, Mallorca. In *Dept. of Civil Engineering*. Barcelona: Technical University of Catalonia.
- Clauzon, G. (1982) The Messinian Rhone canyon as a definite proof of the desiccated deep-basin model of Hsu, Cita and Ryan, 1973. *Bulletin de la Société Géologique de France* **24**: 587-610.
- Corbella, M., and Ayora, C. (2003) Role of fluid mixing in deep dissolution of carbonates. *Geologica Acta* **1**: 305-313.
- Corbella, M., Ayora, C., and Cardellach, E. (2004) Hydrothermal mixing, carbonate dissolution and sulfide precipitation in Mississippi Valley-type deposits. *Mineralium Deposita* **39**: 344.
- Crosby, F.W., and Crosby, W.O. (1896) The sea mills of Cephalonia. *Technology Quarterly* **9**: 6-23.
- Chadwick, A., and Morfett, J. (1998) *Hydraulics in Civil and Environmental Engineering*. New York: E & FN Spon.
- Dentz, M., and Carrera, J. (2003) Effective dispersion in temporally fluctuating flow through a heterogeneous medium. *Physical Review E* **68**.

-
- Encinas, J.A. (1994) *501 grutas del término municipal de Pollença (Mallorca)*. Palma: Ed. Punt gràfic.
- Encinas, J.A. (1997) Inventari espeleològic de les Illes Balears. *ENDINS-Federació Balear d'Espeleologia* **21**: 103-129.
- Fidelibus, M.D., Lambrakis, N., Morell, I., and Zuppi, G.M. (2005) Role of clay sediments in karst coastal aquifers. In *COST Action 621 final report: Groundwater management of coastal karstic aquifers*, pp. 172-180.
- Fleury, P., Bakalowicz, M., and de Marsily, G. (2007a) Submarine springs and coastal karst aquifers: A review. *Journal of Hydrology* **339**: 79-92.
- Fleury, P., Bakalowicz, M., de Marsily, G., and Cortes, J.M. (2007b) Functioning of a coastal karstic system with a submarine outlet, in southern Spain. *Hydrogeology Journal*, in press.
- Fornós, J., and Gelabert, B. (1995) Lithology and tectonics of the Majorcan karst. *ENDINS-Federació Balear d'Espeleologia* **20**: 27-44.
- Fouqué, F. (1867) Rapport sur le tremblement de terre de Céphalonie et de Mételin en 1867. In *Arch. des Miss. Scientifiques*, p. 445.
- Fuster, J. (1973) Informe de recopilación y síntesis. Estudio de los recursos hidráulicos totales de la isla de Mallorca. In *Memoria-Informe*: MOPU/DGOH.
- Gelabert, B. (1997) L'estructura geològica de la meitat occidental de l'illa de Mallorca. In Barcelona: University of Barcelona, p. 372.
- Gelabert, B., Sabat, F., and Rodríguez-Perea, A. (1992) A structural outline of the Serra de Tramuntana of Mallorca (Balearic Islands). *Tectonophysics* **203**: 167-183.
- Ginés, A., and Ginés, J. (2002) Estado actual del conocimiento científico del karst y de las cuevas de las Islas Baleares. *Boletín de la Sociedad Española de Espeleología y Ciencias del Karst* **3**: 26-45.
- Gjurasin, K. (1943) Prilog hidrografiji primorskog krsa. *Technicki vjesnik* **60**: 1-17.
- Gràcia, F., Clamor, B., Landreth, R., Vicens, D., and Watkinson, P. (2001) Evidències geomorfològiques dels canvis del nivell marí. In *El canvi climàtic: passat, present i futur*. Pons, G.X., and Guijarro, J.A. (eds): Societat d'Historia Natural de les Balears.

- Hanshaw, B.B., and Back, W. (1979) Major geochemical processes in the evolution of carbonate-aquifer systems. *Journal Of Hydrology* **43**: 287-312.
- Hanshaw, B.B., and Back, W. (1980) Chemical mass-wasting of the northern Yucatan Peninsula by groundwater dissolution. *Geology* **8**: 222-224.
- Harvie, C.E., Moller, J.H., and Weare, N. (1984) The prediction of mineral solubilities in natural waters: the Na-K-Mg-Ca-H-Cl-SO₄-OH-HCO₃-CO₃-CO₂- H₂O system to high ionic strengths at 25°C. *Geochimica et Cosmochimica Acta* **48**: 723-751.
- Inskeep, W.P., and Bloom, P.R. (1985) An evaluation of rate-equations for calcite precipitation kinetics at PCO₂ less than 0.01 atm and pH greater than 8. *Geochimica Et Cosmochimica Acta* **49**: 2165-2180.
- Kim, Y., Lee, K.S., Koh, D.C., Lee, D.H., Lee, S.G., Park, W.B., Koh, G.W., and Woo, N.C. (2003) Hydrogeochemical and isotopic evidence of groundwater salinization in a coastal aquifer: A case study in Jeju volcanic island, Korea. *Journal of Hydrology* **270**: 282-294.
- Kuscer, I. (1950) *Kraski izviri ob morski obali*. Ljubljana: Razprave SAZU.
- Lambrakis, N., Andreou, A.S., Polydoropoulos, P., Georgopoulos, E., and Bountis, T. (2000) Nonlinear analysis and forecasting of a brackish karstic spring. *Water Resources Research* **36**: 875-884.
- Leontiadis, I.L., Payne, B.R., and Christodoulou, T. (1988) Isotope hydrology of the Aghios Nikolaos area of Crete, Greece. *Journal of Hydrology* **98**: 121-132.
- López-García, J.M. (2000) Geological mapping and tectonical structuration of Pollença bay sector (Majorca). Cartografía geológica y estructuración tectónica del sector comprendido entre Pollença y la Bahía de Pollença (Mallorca)]. *Boletín Geológico y Minero* **111**: 19-32.
- Magaritz, M., and Luzier, J.E. (1985) Water-rock interactions and seawater-freshwater mixing effects in the coastal dunes aquifer, Coos Bay, Oregon. *Geochimica et Cosmochimica Acta* **49**: 2515-2525.
- Maliva, R.G., Missimer, T.M., Walker, C.W., Owsina, E.S., Dickson, J.A.D., and Fallick, A.E. (2001) Carbonate diagenesis in a high transmissivity coastal aquifer, Biscayne Aquifer, Southeastern Florida, USA. *Sedimentary Geology* **143**: 287-301.
- Mandel, S. (1971) The mechanism of sea-water intrusion into coastal aquifers. In: I.A.S.H., Comission of Subterranean Waters, pp. 127-131.

-
- Maramathas, A., Maroulis, Z., and Marinos-Kouris, D. (2003) Brackish Karstic Springs Model: Application to Almiros Spring in Crete. *Ground Water* **41**: 608-619.
- Maramathas, A., Pergialiotis, P., and Gialamas, I. (2006) Contribution to the identification of the sea intrusion mechanism of brackish karst springs. *Hydrogeology Journal* **14**: 657-662.
- Maramathas, A.J., and Boudouvis, A.G. (2006) Manifestation and measurement of the fractal characteristics of karst hydrogeological formations. *Advances in Water Resources* **29**: 112-116.
- Maurin, V., and Zoetl, J. (1967) Salt water encroachment in the low altitude karst water horizons of the island of Kephallinia (Ionian Islands). In *Dubrovnik Symposium: I.A.S.H.*, pp. 423-438.
- Melim, L.A., Westphal, H., Swart, P.K., Eberli, G.P., and Munnecke, A. (2002) Questioning carbonate diagenetic paradigms: Evidence from the Neogene of the Bahamas. *Marine Geology* **185**: 27-53.
- Metz, V., and Ganor, J. (2001) Stirring effect on kaolinite dissolution rate. *Geochimica et Cosmochimica Acta* **65**: 3475-3490.
- Monopolis, D., Sofiou, P., Steiakakis, E., Kleidopoulou, M., and Vavadakis, D. (1995) Study of Hydrological Parameters of Almiros Spring (Crete-Greece) under Technical flow Conditions. In *Procs. 3er Congress of the Greek National Committee of Hydrogeologists*, pp. 132-149 (in Greek).
- Mylroie, J.E., and Carew, J.L. (1990) The Flank margin model for dissolution cave development in carbonate platforms. *Earth Surface Processes And Landforms* **15**: 413-424.
- Mylroie, J.E., Carew, J.L., Sealy, N.E., and Mylroie, J.R. (1991) Cave development on New Providence Island and Long Island, Bahamas. *Cave Science* **18**: 139-141.
- Ng, K.C., and Jones, B. (1995) Hydrogeochemistry Of Grand-Cayman, British-West-Indies - Implications For Carbonate Diagenetic Studies. *Journal Of Hydrology* **164**: 193-216.
- Olivella, S., Carrera, J., Gens, A., and Alonso, E.E. (1994) Nonisothermal multiphase flow of brine and gas through saline media. *Transport In Porous Media* **15**: 271-293.
- Parkhurst, D.L. (1995) User's guide to PHREEQC—a computer program for speciation, reaction path, advective-transport, and inverse geochemical calculations. In *US Geological Survey Report*.

- Parkhurst, D.L., and Appelo, C.A.J. (2006) PHREEQC, A hydrogeochemical transport model. In.
- Pascual, M., and Custodio, E. (1987) Procesos hidrogeoquímicos en la zona de mezcla agua dulce-agua salada en el litoral del extremo meridional del macizo carbonatado del Garraf. *Hidrogeología y Recursos Hidráulicos XI*: 477-492.
- Payne, B.R., Leontiadis, J., Dimitroulas, C., Dounas, A., Kallergis, G., and Morfis, A. (1978) Study of the Kalamos springs in Greece with environmental isotopes. *Water Resources Research* **14**: 653-658.
- Pinault, J.L., Doerfliger, N., Ladouche, B., and Bakalowicz, M. (2004) Characterizing a coastal karst aquifer using an inverse modeling approach: The saline springs of Thau, southern France. *Water Resources Research* **40**: 1-17.
- Plummer, L.N. (1975) Mixing of seawater with calcium carbonate groundwater. *Geological Society of America Memoir* **142**: 219-236.
- Plummer, L.N., Vacher, H.L., Mackenzie, F.T., Bricker, O.P., and Land, L.S. (1976) Hydrogeochemistry of Bermuda: A case history of ground-water diagenesis of biocalcarenites. *Geological Society of America Bulletin* **87**: 1301-1316.
- Price, R.M., and Herman, J.S. (1991) Geochemical investigation of salt-water intrusion into a coastal carbonate aquifer: Mallorca, Spain. *Geological Society of America Bulletin* **103**: 1270-1279.
- Pulido-Leboeuf, P. (2004) Seawater intrusion and associated processes in a small coastal complex aquifer (Castell de Ferro, Spain). *Applied Geochemistry* **19**: 1517-1527.
- Raeisi, E., and Mylroie, J.E. (1995) Hydrodynamic behavior of caves formed in the fresh-water lens of carbonate islands. *Carbonates And Evaporites* **10**: 207-214.
- Rezaei, M., Sanz, E., Raeisi, E., Ayora, C., Vázquez-Suñe, E., and Carrera, J. (2005) Reactive transport modeling of calcite dissolution in the fresh-salt water mixing zone. *Journal of Hydrology* **311**: 282-298.
- Runnells, D.D. (1969) Diagenesis, chemical sediments, and the mixing of natural waters. *Journal of Sedimentary Research* **39**: 1188-1201.
- Ryan, M., and Meiman, J. (1996) An examination of short-term variations in water quality at a karst spring in Kentucky. *Ground Water* **34**: 23-30.

-
- Saaltink, M.W., Ayora, C., and Carrera, J. (1998) A mathematical formulation for reactive transport that eliminates mineral concentrations. *Water Resources Research* **34**: 1649-1656.
- Saaltink, M.W., Batlle, F., Ayora, C., Carrera, J., and Olivella, S. (2004) RETRASO, a code for modeling reactive transport in saturated and unsaturated porous media. *Geologica Acta* **2**: 235-251.
- Sanford, W.E., and Konikow, L.F. (1989) Simulation of calcite dissolution and porosity changes in saltwater mixing zones in coastal aquifers. *Water Resources Research* **25**: 655-667.
- Sanz, E., Ayora, C., and Soler, A. (2007) Tracing salinity sources of S'Almadrava karstic brackish spring (Mallorca, Spain) with sulfur and oxygen isotopes. In *Twelfth International Symposium on Water Rock Interaction*. Bullen, T.D., and Wang, Y. (eds). Kunming (P.R. China), pp. 777-782.
- Sanz, E., Custodio, E., Carrera, J., Ayora, C., Baron, A., and Gonzalez, C. (2002) Modelling coastal salty springs: first approach in carbonate media (S'Almadrava, Mallorca, Spain). In *17th Salt Water Intrusion Meeting*. Delft, The Netherlands.
- Sanz, E., Custodio, E., Carrera, J., Ayora, C., Barón, A., and González, C. (2003) Modeling karst salty springs in coastal carbonate aquifers (S'Almadrava, Mallorca, Spain). In *2nd Salt Water Intrusion and Coastal Aquifers*. Merida, Mexico.
- Singurindy, O., Berkowitz, B., and Lowell, R.P. (2004) Carbonate dissolution and precipitation in coastal environments: Laboratory analysis and theoretical consideration. *Water Resources Research* **40**: 1-12.
- Smart, P.L., Dawans, J.M., and Whitaker, F. (1988) Carbonate dissolution in a modern mixing zone. *Nature* **335**: 811-813.
- Steeffel, C.I., and MacQuarrie, K.T.B. (1996) Approaches to modeling of reactive transport in porous media. In *Reactive Transport In Porous Media*, pp. 83-129.
- Stossell, R.K., Ward, W.C., Ford, B.H., and Schuffert, J.D. (1989) Water chemistry and CaCO₃ dissolution in the saline part of an open-flow mixing zone, coastal Yucatan Peninsula, Mexico. *Geological Society of America Bulletin* **101**: 159-169.
- Stringfield, V.T., and LeGrand, H.E. (1969) Relation of sea water to fresh water in carbonate rocks in coastal areas, with special reference to Florida, U.S.A., and Cephalonia (Kephallinia), Greece. *Journal of Hydrology* **9**: 387-404.

- Tucker, M.P., and Wright, V.P. (1990) *Carbonate Sedimentology*.
- Tulipano, L. (2003) *Overexploitation consequences and management criteria in coastal karstic aquifers*. Madrid: IGME.
- Van Meir, N., Jaeggi, D., Herfort, M., Loew, S., Pezard, P., and Lods, G. (2007) Characterizing flow zones in a fractured and karstified limestone aquifer through integrated interpretation of geophysical and hydraulic data. *Hydrogeology Journal* **15**: 225-240.
- Voss, C.I., and Souza, W.R. (1987) Variable density flow and solute transport simulation of regional aquifers containing a narrow fresh-water-saltwater transition zone. *Water Resources Research* **23**: 1851-1866.
- Whitaker, F.F., and Smart, P.L. (1997) Groundwater circulation and geochemistry of a karstified bankmarginal fracture system, South Andros Island, Bahamas. *Journal of Hydrology* **197**: 293-315.
- Wicks, C.M., and Herman, J.S. (1996) Regional hydrogeochemistry of a modern coastal mixing zone. *Water Resources Research* **32**: 401-407.
- Wicks, C.M., Herman, J.S., Randazzo, A.F., and Jee, J.L. (1995) Water-rock interactions in a modern coastal mixing zone. *Geological Society of America Bulletin* **107**: 1023-1032.
- Wiebel, K.W.M. (1874) Die insel Kephalaria und die Meermühlen von Argostoli.
- Wigley, T.M.L., and Plummer, L.N. (1976) Mixing of carbonate waters. *Geochimica et Cosmochimica Acta* **40**: 989-995.
- Yeh, G.T., and Tripathi, V.S. (1989) A critical-evaluation of recent developments in hydrogeochemical transport models of reactive multichemical components. *Water Resources Research* **25**: 93-108.

