

# References

- Ababneh, A., Xi, Y. & Willam, K.**, “Multiscale modelling of the coupled moisture diffusion and drying shrinkage of concrete”, *Creep, Shrink. Durab. Mech. Concr. other Quasi-brittle Mat.* (Concreep6), eds. Ulm, Bazant & Wittmann, Cambridge, USA, 2001.
- Acker, P.**, “Micromechanical analysis of creep and shrinkage mechanisms”, *Creep, Shrinkage and Durability Mechanics of Concrete and Other Quasi-Brittle Materials* (Concreep6), eds. Ulm, Bazant & Wittmann, Cambridge, USA, 2001.
- Acker, P.**, “Swelling, shrinkage and creep: a mechanical approach to cement hydration”, *M&S*, 37:237-243, 2004.
- Acker, P. & Ulm, F.J.**, “Creep and shrinkage of concrete: physical origins and practical measurements”, *Nuclear Engineering and Design*, 203:143-158, 2001.
- Ahmadi, M.T., Izadinia, M. & Bachmann, H.**, “A discrete crack joint model for nonlinear dynamic analysis of concrete arch dam”, *Comput. & Struct.*, 79:403-20, 2001.
- Akpınar, P.**, “Multi-approach studies on the mechanisms of sulfate-induced degradation of cementitious materials”, PhD thesis, UPC, Barcelona, Spain, 2006.
- Akpınar, P.**, Personal communication, 2009.
- Al-Amoudi, O. S. B.**, “Attack on plain and blended cements exposed to aggressive sulfate environments”, *CCC*, 24:305-316, 2002.
- Aldea, C., Shah, S. P. & Karr, A.**, “Effect of cracking on water and chloride permeability of concrete”, *ASCE J. of Mat. Civil Engng.*, 11:181-187, 1999.
- Alfano, G. & Crisfield, M.**, “Finite element interface models for the delamination analysis of laminated composites: mechanical and computational issues”, *Int. J. Num. Meth. Engng.*, 50:1701-1736, 2001.
- Alfano, G., Marfia, S. & Sacco, E.**, “A cohesive damage–friction interface model accounting for water pressure on crack propagation”, *Comp. Meth. Appl. Mech. Engng.*, 196:192-209, 2006.
- Alfano, G. & Sacco, E.**, “Combining interface damage and friction in a cohesive-zone model”, *Int. J. Num. Meth. Engng.*, 68:542-582, 2006.
- Allix, O., Ladeveze, P. & Corigliano, A.**, “Damage analysis of interlaminar fracture specimens”, *Composite Structures*, 31:61-74, 1995.
- Altoubat, S. A. & Lange, D. A.**, “The Pickett effect at early age and experiment separating its mechanisms in tension”, *M&S*, 35:211-218, 2002.
- Alvaredo, A.**, “Crack formation under hygral or thermal gradients”, *Fracture Mech. Concrete Structures* (FRAMCoS2), Zurich, Switzerland, ed. F. Wittmann, vol. 2:1423-1441, 1995.
- Alvaredo, A. & Wittmann, F. H.**, “Shrinkage as influenced by strain softening and crack formation”, Principal Lecture in *Creep and shrinkage of concrete*, eds. Bazant & Carol, E&FN Spon, pp. 103-113, 1993.
- Andrade, C.**, “Calculation of chloride diffusion coefficients in concrete from ionic migration measurements”, *CCR*, 23:724-742, 1993.
- Andrade, C., Sarría, J. & Cruz Alonso, M.**, “Influence of natural weathering on the relative humidity of concrete”, *Constr. Mat. Theory & Applic.*, Verlag, pp. 233-42, 1999.
- Armero, F. & Oller, S.**, “A general framework for continuum damage models. Part I”, *Int. J. Solids & Struct.*, 37:7409-7436, 2000.

- Arslan, A., Ince, R. & Karihaloo, B. L.**, “Improved Lattice Model for Concrete Fracture”, *Journal of Engineering Mechanics*, 128:57-65, 2002.
- ASTM C1012**, “Standard test method for length change of hydraulic-cement mortars exposed to a sulfate solution”. *Ann. Book ASTM Stand.*, vol. 04.01, ASTM, USA, 1995.
- Atkinson, A. & Hearne, J. A.**, “An assessment of the long-term durability of concrete in radioactive waste repositories”, *AERE-R11465*, Harwell, United Kingdom, 1984.
- Atkinson, A. & Hearne, J. A.**, “Mechanistic model for the durability of concrete barriers exposed to sulphate-bearing groundwaters”, *Mat. Res. Soc. Symp. Proc.*, 176:149-156, 1990.
- Ayano, T. & Wittmann, F. H.**, “Drying, moisture distribution, and shrinkage of cement-based materials”, *M&S*, 35:134-140, 2002.
- Ayora, C., Chinchón, S., Aguado, A. & Guirado, F.**, “Weathering of iron sulfides and concrete alterations: thermodynamic model and observation in dams from central Pyrenees, Spain”, *CCR*, 28:1223-1235, 1998.
- Azmi, M. & Paultre, P.**, “Three-dimensional analysis of concrete dams including contraction joint non-linearity”, *Engng. Structures*, 24:757-771, 2002.
- Barenblatt, G.**, “The mathematical theory of equilibrium of cracks in brittle fracture”, *Advances in Appl. Mech.*, 7:55-129, 1962.
- Baroghel-Bouny, V.**, “Water vapour sorption experiments on hardened cementitious materials. Part I and Part II”, *CCR*, 37:414-454, 2007.
- Baroghel-Bouny, V., Mainguy, M., Lassabatere, T. & Coussy, O.**, “Characterization and identification of equilibrium and transfer moisture properties for ordinary and high-performance cementitious materials”, *CCR*, 29:1225-1238, 1999.
- Bary, B.**, “Simplified modelling and simulation of chemo-mechanical behaviour of cement pastes subjected to combined leaching and external sulphate attack”, *5<sup>th</sup> Int. Conf. on Concr. under Severe Cond. Environ. & Loading (CONSEC’07)*, France, 2007.
- Bary, B.**, “Simplified coupled chemo-mechanical modeling of cement pastes behavior subjected to combined leaching and external sulfate attack”, *Int. J. Numer. Anal. Meth. Geomech.*, 32:1791-1816, 2008.
- Bascoul, A.**, “State of the art report - Part 2: Mechanical micro-cracking of concrete”, *M&S*, 29: 67-78, 1996.
- Basista, M. & Weglewski, W.**, “Micromechanical modelling of sulphate corrosion in concrete: influence of ettringite forming reaction”, *Theor. Appl. Mech.*, 35:29-52, 2008.
- Basista, M. & Weglewski, W.**, “Chemically assisted damage of concrete: a model of expansion under external sulfate attack”, *Int. J. Damage Mechanics*, 18:155-175, 2009.
- Bazant, Z. P.**, “Instability, ductility and size effect in strain softening concrete”, *ASCE J. Eng. Mech.*, 102:331-344, 1976.
- Bazant, Z. P.**, “Input of creep and shrinkage characteristics for a structural analysis program”, *Matériaux et Constructions*, 15(88):283-290, 1982.
- Bazant, Z. P.**, “Design and analysis of concrete reactor vessels - new developments, problems and trends”, *Nuclear Engng. and Design*, 80:181-202, 1984.
- Bazant, Z. P.**, “Mathematical model of creep and shrinkage of concrete”, Ed. Z. P. Bazant, John Wiley & Sons Ltd., 1988.
- Bazant, Z. P.**, “Prediction of concrete creep and shrinkage: past, present and future”, *Nuclear Engineering and Design*, 203:27-38, 2001.
- Bazant, Z. P.**, “Concrete fracture models: testing and practice”, *Engineering Fracture Mechanics*, 69:165-205, 2002.
- Bazant, Z. P. & Baweja, S.**, “Creep and shrinkage prediction model for analysis and design of concrete structures: Model B3”, *M&S*, 28:357-367, 1995.

- Bazant, Z. P. & Chern, J. C.**, “Concrete creep at variable humidity: constitutive law and mechanism”, *M&S*, 18:1-19, 1985.
- Bazant, Z. P., Hauggaard, A. B., Baweja, S. & Ulm, F. J.**, “Microprestress-solidification theory for concrete creep. I: aging and drying effects. II: algorithm and verification”, *ASCE J. Engng. Mech.*, 123:1188-1201, 1997.
- Bazant, Z. P. & Najjar, L. J.**, “Nonlinear water diffusion in nonsaturated concrete”, *M&S*, 1:461-473, 1972.
- Bazant, Z. P. & Oh, L.**, “Crack band theory for fracture in concrete”, *M&S*, 16:155-177, 1983.
- Bazant, Z. P. & Panula, L.**, “Practical prediction of time-dependent deformations of concrete. Part II: basic creep”, *M&S*, 11:317-328, 1978.
- Bazant, Z. P. & Prasannan, S.**, “Solidification theory for concrete creep I: formulation, II: verification and application”, *ASCE J. Engng. Mech.*, 115:1691-1725, 1989.
- Bazant, Z. P. & Raftshol, W. J.**, “Effect of cracking in drying and shrinkage specimens”, *CCR*, 12:209-226, 1982.
- Bazant, Z. P. Sener, S. & Kim, J.**, “Effect of cracking on drying permeability and diffusivity of concrete”, *ACI Materials Journal*, 84:351-357, 1987.
- Bazant Z. P., Tabbara, M., Kazemi, M. & Pijaudier-Cabot, G.**, “Random particle model for fracture of aggregate or fiber composites”, *ASCE J. Engng. Mech.*, 116:1686-1705, 1990.
- Bazant, Z. P. & Wu, S. T.**, “Rate-type creep law of aging concrete based on Maxwell chain”, *M&S*, 7:45-60, 1974.
- Bazant Z. P. & Xi, Y.**, “Drying creep of concrete: constitutive model and new experiments separating its mechanisms”, *M&S*, 27:3-14, 1997.
- Bear, J. & Bachmat, Y.**, “Introduction to Modeling of Transport Phenomena in Porous Media”, Kluwer Academic Publishers, The Netherlands, 1991.
- Beltzung, F & Wittmann, F. H.**, “Role of disjoining pressure in cement based materials”, *CCR*, 35:2364-2370, 2005.
- Belytschko, T. & Black, T.**, “Elastic crack growth in finite elements with minimal remeshing”, *Int. J. Num. Meth. Engng.*, 45:601-620, 1999.
- Belytschko, T., Fish, J. & Engelman, B. E.**, “A finite element with embedded localization zones”, *Comp. Meth. Appl. Mech. Engng.*, 70:59-89, 1988.
- Benboudjema, F.**, “Modelisation des deformations differees du beton sous sollicitacions biaxiales. Application aux enceintes de confinement de batiments reacteurs des centrals nucleaires”, PhD thesis, Université de Marne La Vallee, France (in French), 2002.
- Benboudjema, F., Meftah, F. & Torrenti, J.**, “Interaction between drying, shrinkage, creep, and cracking phenomena in concrete”, *Engng. Struct.*, 27:239-250, 2005a.
- Benboudjema, F., Meftah, F. & Torrenti, J. M.**, “Structural effects of drying shrinkage”, *Journal of Engineering Mechanics*, 131:1195-1199, 2005b.
- Bensted, J.**, “Thaumasite - background and nature in deterioration of cements, mortars and concretes”, *CCC*, 21:117-121, 1999.
- Bentz, D. P., Ehlen, M. A., Ferraris, C. F. & Winpigler, J. A.**, “Service life prediction based on sorptivity for highway concrete exposed to sulfate attack and freeze-thaw conditions”, *FHWA-RD-01-162*, Federal Highway Adm., Washington, USA, 2001.
- Berkowitz, B.**, “Characterizing flow and transport in fractured geological media: A review”, *Advances in Water Resources*, 25:861-884, 2002.
- Bernard, F., Kamali, S. & Prince, W.**, “3D multi-scale modelling of mechanical behaviour of sound and leached mortar”, *CCR*, 38:449-458, 2008.
- Berton, S. & Bolander, J.**, “Crack band model of fracture in irregular lattices”, *Comput. Methods Appl. Mech. Engng.*, 195:7172-7181, 2006.

- Beyea, S., Balcom, B., Bremner, T., Armstrong, R. & Grattan-Bellew, P.**, “Detection of drying-induced microcracking in cementitious materials with space-resolved  $^1\text{H}$  nuclear magnetic resonance relaxometry”, *J. Am. Ceram. Soc.*, 86:800-805, 2003.
- Bisschop, J.**, “Drying shrinkage microcracking in cement-based materials”, PhD thesis, Delft Univ. Tech., Netherlands, 2002.
- Bisschop, J. & van Mier, J. G. M.**, “How to study drying shrinkage microcracking in cement-based materials”, *CCR*, 32:279-287, 2002a.
- Bisschop, J. & van Mier, J. G. M.**, “Effect of aggregates on drying shrinkage micro-cracking in cement-based composites”, *M&S*, 35:453-461, 2002b.
- Bisschop, J. & van Mier, J. G. M.**, “Effect of aggregates and microcracks on the drying rate of cementitious composites”, *CCR*, 38:1190-1196, 2008.
- Bissonnette, B., Pierre, P. & Pigeon, M.**, “Influence of key parameters on drying shrinkage of cementitious materials”, *CCR*, 29:1655-1662, 1999.
- Bolander, J. & Berton, S.**, “Simulation of shrinkage induced cracking in cement composite overlays”, *CCC*, 26:861-871, 2004.
- Bolander, J., Berton, S. & Emerick, E.**, “Inclusion interaction effects on concrete creep”, *Creep, Shrink. Durab. Mech. of Concrete & Other Quasi-Brittle Mat.* (Concreep6), eds. Ulm, Bazant & Wittmann, Cambridge, USA, pp. 89-94, 2001.
- Bolander, J., Hikosaka, H. & He, W. J.**, “Fracture in concrete specimens of differing scale”, *Engineering Computations*, 15:1094-1116, 1998.
- Brooks, J. J.**, “A theory for drying creep of concrete”, *Mag. Concr Res*, 53:51-61, 2001.
- Brown, P. & Hooton, H. F.**, “Ettringite and thaumasite formation in laboratory concretes prepared using sulfate-resisting cements”, *CCC*, 24:361-370, 2002.
- Brown, P. & Taylor, H.**, “The role of ettringite in external sulfate attack”, *Mat. Science of Concrete: Sulfate Attack Mech.*, eds. Marchand & Skalny, Amer. Cer. Soc. Press, pp. 73-98, 1998.
- Burlion, N., Bourgeois, F. & Shao, J.**, “Effects of desiccation on mechanical behaviour of concrete”, *CCC*, 27:367-379, 2005.
- Caballero, A.**, “3D meso-mechanical numerical analysis of concrete fracture using interface elements”, PhD thesis, UPC, Barcelona, Spain, 2005.
- Caballero, A., López, C. M. & Carol, I.**, “3D meso-structural analysis of concrete specimens under uniaxial tension”, *Comp. Meth. Appl. Mech. Eng.*, 195:7182-195, 2006.
- Caballero, A., Willam, K. J. & Carol, I.**, “Consistent tangent formulation for 3D interface modeling of cracking/fracture in quasi-brittle materials”, *Comp. Meth. Appl. Mech. Eng.*, 197:2804-2822, 2008.
- Carlson, R.**, “Drying shrinkage of Large Concrete Members”, *ACI J.*, 33:327-36, 1937.
- Carmeliet, J., Delerue, J. F., Vandersteen, K. & Roels, S.**, “Three-dimensional liquid transport in concrete cracks”, *Int. J. Num. Anal. Meth. Geomech.*, 28:671-687, 2004.
- Carol, I. & Bazant, Z. P.**, “Viscoelasticity with aging caused by solidification of non-aging constituent”, *ASCE J. Engng. Mech.*, 119(11):2252-2269, 1993.
- Carol, I., Gens, A., Prat, P. & Alonso, E. E.**, “FE analysis and safety evaluation of an arch dam founded in fractured rock, using zero-thickness joint elements”, *Int. Conf. on Dam Fracture*, eds. Saouma, Dugar & Morris, Denver, USA:203-217, 1991.
- Carol, I., López, C. & Roa, O.**, “Micromechanical analysis of quasi-brittle materials using fracture-based interface elements”, *Int. J. Num. Meth. Engng*, 52:193-215, 2001.
- Carol, I. & Prat, P.**, “A statically constrained microplane model for smeared analysis of concrete cracking”, *Computer aided analysis and design of concrete structures*, eds. Bicanic & Mang, Pineridge Press, Austria, pp. 919-930, 1990.

- Carol, I., Prat, P. & López, C. M.**, “Normal/shear cracking model. Application to discrete crack analysis”, *ASCE J. Engng. Mech.*, 123(8):765-773, 1997.
- Cerný, R. & Rovnaníková, P.**, “Transport processes in concrete”, Spon Press, 2002.
- Cervenka, J., Chandra Kishen, J. & Saouma, V.**, “Mixed mode fracture of cementitious bimaterial interfaces; part II: numerical simulation”, *Engng. Fracture Mech.*, 60:95-107, 1998.
- Cervera, M. & Chiumenti, M.**, “Smearred crack approach: back to the original track”, *Int. J. Num. Anal. Meth. Geomech.*, 30:1173-1199, 2006.
- Cervera, M., Oliver, J. & Prato, T.**, “Thermo-chemo-mechanical model for concrete. I: Hydration and aging”, *ASCE J. Engng. Mech.*, 125:1018-1027, 1999.
- Chaboche, J. L., Girard, R. & Schaff, A.**, “Numerical analysis of composite systems by using interphase/interface models”, *Comp. Mech.*, 20:3-11, 1997.
- Chatterji, S.**, “Probable mechanisms of crack formation at early ages of concrete”, *Int. Conf. Concrete at Early Ages*, ENPC, Paris, France, pp. 34-38, 1982.
- Chatzigeorgiou, G., Picandet, V., Khelidj, A. & Pijaudier-Cabot, G.**, “Coupling between progressive damage and permeability of concrete: analysis with a discrete model”, *Int. J. Num. Anal. Meth. Geomech.*, 29:1005-1018, 2005.
- Chen, D. & Mahadevan, S.**, “Cracking Analysis of Plain Concrete under Coupled Heat Transfer and Moisture Transport Processes”, *ASCE J. Struct. Engng.*, 133:400-10, 2007.
- Choinska, M., Dufour, F. & Pijaudier-Cabot, G.**, “Matching permeability law from diffuse damage to discontinuous crack opening”, *Fract. Mech. Concr. Struct. (FRAMCoS6)*, eds. Carpinteri, Gambarova, Ferro & Plizzari, pp. 125-131, 2007.
- Ciancio, D., Lopez, C. M. & Carol, I.**, “Mesomechanical investigation of concrete basic creep and shrinkage by using interface elements”, *16<sup>th</sup> AIMETA Congress Theor. & Appl. Mech.*, 2003.
- Clifton, J. R. & Pommersheim, J. M.**, “Sulfate attack of cementitious materials: volumetric relations and expansions”, *NISTIR 5390*, NIST, 1994.
- Cohen, M. D.**, “Theories of expansion in sulfoaluminate-type expansive cements: schools of thought”, *CCR*, 13:809-818, 1983.
- Colleparidi, M.**, “A state-of-the-art review on delayed ettringite attack on concrete”, *CCC*, 25:401-407, 2003.
- Comby, I.**, “Development and validation of a 3D computational tool to describe damage and fracture due to alkali silica reaction in concrete structures”, PhD thesis, École des Mines de Paris, France, 2006.
- Cotterell, B.**, “The past, present, and future of fracture mechanics”, *Engng. Fracture Mech.*, 69:533-553, 2003.
- Coussy, O.**, “Poromechanics”, John Wiley & Sons, 2004.
- Coussy, O., Eymard, R. & Lassabatère, T.**, “Constitutive modelling of unsaturated drying deformable materials”, *Journal of Engng. Mech.*, 124:658-667, 1998.
- Crank, J.**, “The mathematics of diffusion”, Clarendon, Oxford, U.K., 1956.
- Cundall, P.**, “Quantifying the size effect of rock-mass strength”, *ALERT Geomaterials Workshop (Invited Lecture)*, Aussois, France, 2008.
- Cundall, P. & Strack, O.**, “A discrete numerical model for granular assemblies”, *Geotechnique*, 29(1):47-65, 1979.
- Cusatis, G.**, “Tridimensional random particle model for concrete”, PhD thesis, Politecnico di Milano, Italy, 2001.
- Cusatis, G., Bazant, Z. P. & Cedolin, L.**, “Confinement-shear lattice CSL model for fracture propagation in concrete”, *Comp. Meth. Appl. Mech. Engng.*, 195:7154-71, 2006.
- Cusatis, G., Bazant, Z. P. & Cedolin, L.**, “Confinement-shear lattice model for concrete damage in tension and compression: I. theory”, *ASCE J. Engng. Mech.*, 129:1439-1448, 2003.

- Damidot, D. & Le Bescop, P.**, “La stabilité chimique des hydrates et le transport réactif dans les bétons”, *La Durabilité des Bétons - Bases scientif. pour la formul. des bétons durables dans leur environ.*, eds. Ollivier & Vichot, ENPC Press (in French), 2008.
- Daniel, I. M. & Durelli, A. J.**, “Shrinkage stresses around rigid inclusions”, *Experimental Mechanics*, 2:240-244, 1962.
- Day, R. L., Cuffaro, P. & Illston, J.M.**, “The effect of drying on the drying creep of hardened cement paste”, *CCR*, 14(3):329-338, 1984.
- de Borst, R.**, “Fracture in quasi-brittle materials: a review of continuum damaged-based approaches”, *Engineering Fracture Mechanics*, 69:95-112, 2002.
- de Borst, R., Pamin, J., Peerlings, R. & Sluys, L.**, “On gradient-enhanced damage and plasticity models for failure in quasi-brittle and frictional materials”, *Comp. Mech.*, 17:130-141, 1995.
- de Borst, R., Remmers, J., Needleman, A. & Abellan, M.**, “Discrete vs smeared crack models for concrete fracture: bridging the gap”, *Int. J. Num. Anal. Meth. Geomech.*, 28:583-607, 2004.
- de Borst, R., Wells, G. N. & Sluys, L. J.**, “Some observations on embedded discontinuity models”, *Engng. Computations*, 18:241-254, 2001.
- de Sa, C., Benboudjema, F., Thiery, M. & Sicard, J.**, “Analysis of microcracking induced by differential drying shrinkage”, *CCC*, 30:947-956, 2008.
- Dela, B. & Stang, H.**, “Two-dimensional analysis of crack formation around aggregates in high-shrinkage cement paste”, *Engng. Fracture Mech.*, 65:149-164, 2000.
- Delesse, M. A.**, “Procédé mécanique pour déterminer la composition des roches”, *Annales des Mines*, 75:379-388 (in French), 1848.
- Desai, C. S.**, “Mechanics of Materials and Interfaces. The Disturbed State Concept”, CRC Press, 2001.
- Desai, C. S. & Ma, Y.**, “Modelling of joints and interfaces using the disturbed-state concept”, *Int. J. for Num. Anal. Meth. Geomech.*, 16:623-653, 1992.
- de Schutter, G. & Taerwe, L.**, “Random particle model for concrete based on Delaunay triangulation”, *M&S*, 26:67-73, 1993.
- De Xie & Waas, A. M.**, “Discrete cohesive zone model for mixed-mode fracture using finite element analysis”, *Engng. Fracture Mech.*, 73:1783-1796, 2006.
- Diamond, S.**, “Delayed ettringite formation - Processes and problems”, *CCC*, 18:205-215, 1996.
- Djerbi, A., Bonnet, S., Khelidj, A. & Baroghel-Bouny, V.**, “Influence of traversing crack on chloride diffusion into concrete”, *CCR*, 38:877-883, 2008.
- Dugdale, D.**, “Yielding of steel sheets containing slits”, *J. Mech. Phys. Solids*, 8:100-108, 1960.
- Dufour, F., Pijaudier-Cabot, G., Choinska, M. & Huerta, A.**, “How to extract a crack opening from a continuous damage finite element computation?”, *Fract. Mech. Concr. Struct.* (FRAMCoS6), eds. Carpinteri, Gambarova, Ferro & Plizzari, pp. 125-131, 2007.
- Dvorkin, E., No, A. & Gioia, G.**, “Finite element with displacement interpolated embedded localization lines”, *Int. J. Num. Meth. Engng.*, 30:541-564, 1990.
- EH-91**, “Instrucción para el proyecto y la ejecución de obras de hormigón en masa o armado”, *Ministerio de Obras Públicas y Transportes*, Madrid (in Spanish), 1991.
- EHE**, “Instrucción de Hormigón Estructural EHE”, *Min. de Fomento*, Madrid, 1998.
- Escadeillas, G. & Hornain, H.**, “La durabilité des bétons vis-a-vis des environnements chimiquement agressifs”, *La Durabilité des Bétons - Bases scientif. pour la formul. des bétons durables dans environ.*, eds. Ollivier & Vichot, ENPC Press (in French), 2008.
- Ferreti, D. & Bazant, Z. P.**, “Stability of ancient masonry towers: Stress redistribution due to drying, carbonation, and creep”, *CCR*, 36:1389-1398, 2006.
- Flatt, R. J. & Scherer, G. W.**, “Thermodynamics of crystallization stresses in DEF”, *CCR*, 38:325-336, 2008.

- Galíndez, J., Molinero, J., Samper, J. & Yang, C.**, “Simulating concrete degradation processes by reactive transport models”, NUCPERF 2006, Cadarache, France, 2006.
- Gallé, C., Peycelon, H., Le Bescop, P., Bejaoui, S., L’Hostis, V., Bary, B., Bouniol, P & Richet, C.**, “Concrete long-term behaviour in the context of nuclear waste management: experimental and modelling research strategy”, NUCPERF 2006, Cadarache, France, 2006.
- Gambarota, L. & Lagomarsino, S.**, “Damage models for the seismic response of brick masonry shear walls. Part I: the mortar joint model and its applications”, *Earthquake Engng. & Struct. Dyn.*, 26:423-439, 1997.
- Gamble, B. R. & Parrot, L. J.**, “Creep of concrete in compression during drying and wetting”, *Magazine of Concrete Research*, 104(30):129-138, 1978.
- Garboczi, E. J.**, “Stress, displacement and expansive cracking around a single spherical aggregate under different expansive conditions”, *CCR*, 27:495-500, 1997.
- Garboczi, E. J. & Bentz, D. P.**, “Computer simulation of the diffusivity of cement-based materials”, *Journal of Materials Science*, 27: 2083-2092, 1992.
- Gardner, N. J. & Lockman, M. J.**, “Design provisions for drying shrinkage and creep of normal strength concrete” *ACI Materials Journal*, 98, pp.159-167, 2001.
- Garolera D., López, C. M. & Carol. I.**, “Micromechanical analysis of the rock sanding problem”, *Journal of the Mechanical Behavior of Materials*, 16(1-2), 2005.
- Gawin, D., Pesavento, F. & Schrefler, B. A.**, “Modelling creep and shrinkage of concrete by means of effective stresses”, *M&S*, 40(6):579-591, 2007.
- Gdoutos, E. E.**, “Fracture Mechanics. An Introduction”, 2<sup>nd</sup> edition, Springer, 2005.
- Gens, A., Carol, I. & Alonso, E. E.**, “A constitutive model for rock joints. Formulation and numerical implementation”, *Computers & Geotechnics*, 9:3-20, 1990.
- Gérard, B., Breysse, D., Ammouche, A., Houdusse, O. & Didry, O.**, “Cracking and permeability of concrete under tension”, *M&S*, 29:141-151, 1996.
- Gérard, B., Le Bellego, C. & Bernard, O.**, “Simplified modelling of calcium leaching of concrete in various environments”, *M&S*, 35:632-640, 2002.
- Gérard, B. & Marchand, J.**, “Influence of cracking on the diffusion properties of cement-based materials. Part I: Influence of continuous cracks on the steady-state regime”, *CCR*, 30:37-43, 2000.
- Giambianco, G. & Di Gati, L.**, “A cohesive interface model for the structural mechanics of block masonry”, *Mech. Reserch Comm.*, 24:503-512, 1997.
- Giambianco, G. & Mroz, Z.**, “The interphase model for the analysis of joints in rock masses and masonry structures”, *Meccanica*, 36:111-130, 2001.
- Gitman, I. M., Askes, H. & Sluys, L. J.**, “Representative volume: existence and size determination”, *Engng. Fracture Mech.*, 74, pp.2518-2534, 2007.
- Glasser, F. P.**, “The role of sulfate mineralogy and cure temperature in delayed ettringite formation”, *CCC*, 18:187-193, 1996.
- Glasser, F. P., Marchand, J. & Samson, E.**, “Durability of concrete - degradation phenomena involving detrimental chemical reactions”, *CCR*, 38:226-246, 2008.
- Goltermann, P.**, “Mechanical predictions of concrete deterioration. Part 1: eigenstresses in concrete”, *ACI Materials Journal*, 91(6):543-550, 1994.
- Goltermann, P.**, “Mechanical predictions of concrete deterioration. Part 2: classification of crack patterns”, *ACI Materials Journal*, 92(1):58-63, 1995.
- González, M. & Irassar, E. F.**, “Ettringite formation in low C3A Portland cement exposed to sodium sulfate solution”, *CCR*, 27:1061-1072, 1997.
- Gordon, S. & McBride, B. J.**, “Computer program for calculation of complex chemical equilibrium compositions and applications”, *NASA Reference Publ.* 1311, 1994.

- Gospodinov, P., Kazandjiev, R. & Miranova, M.**, “The Effect of sulfate ion diffusion on the structure of cement stone”, *CCC*, 18:401-407, 1996.
- Gospodinov, P., Kazandjiev, R., Partalin, T. & Miranova, M.**, “Diffusion of sulfate ions into cement stone regarding simultaneous chemical reactions and resulting effects”, *CCR*, 29:1591-1596, 1999.
- Gospodinov, P.**, “Numerical simulation of 3D sulfate ion diffusion and liquid push out of the material capillaries in cement composites”, *CCR*, 35:520-526, 2005.
- Granger, L.**, “Comportement différé du béton dans les enceintes de centraux nucléaires: Analyse et modélisation”, PhD thesis, ENPC, France (in French), 1996.
- Granger, L., Torrenti, J. M. & Acker, P.**, “Thoughts about drying shrinkage: Scale effects and modelling”, *M&S*, 30:96-105, 1997a.
- Granger, L., Torrenti, J. M. & Acker, P.**, “Thoughts about drying shrinkage: experimental results and quantification of structural drying creep”, *M&S*, 30:588-598, 1997b.
- Grasberger, S. & Meschke, G.**, “Thermo-hygro-mechanical degradation of concrete: from coupled 3D material modelling to durability-oriented multifield structural analyses”, *M&S*, 37:244-256, 2004.
- Grassl, P., Bazant, Z. P. & Cusatis, G.**, “Lattice-cell approach to quasibrittle fracture modeling”, *Comp. Mod. Concr. Struct.*, eds. Meschke, de Borst, Mang & Bicanic, pp. 263-268, 2006.
- Guidoum, A.**, “Simulation numérique 3D des comportements des bétons en tant que composites granulaires”, PhD thesis, EPFL, Switzerland (in French), 1995.
- Guillon, E.**, “Durabilité des matériaux cimentaires - Modélisation de l'influence des équilibres physico-chimiques sur la microstructure et les propriétés mécaniques résiduelles”, PhD thesis, École Normale Sup. de Cachan, France (in French), 2004.
- Guimarães, L., Gens, A. & Olivella, S.**, “Coupled thermo-hydro-mechanical and chemical analysis of expansive clay subjected to heating and hydration”, *Transport in Porous Media*, 66:341-372, 2007.
- Häfner, S., Eckardt, S. & Könke, C.**, “A geometrical inclusion-matrix model for the finite element analysis of concrete at multiple scales”, *Proc. 16th IKM 2003*, eds. Gürlebeck, Hempel & Könke, Weimar, Germany, 2003.
- Häfner, S., Eckardt, S., Luther, T. & Könke, C.**, “Mesoscale modeling of concrete: geometry and numerics”, *Computers and Structures*, 84:450-461, 2006.
- Haga, K., Shibata, M., Hironaga, M., Tanaka, S., & Nagasaki, S.**, “Change in pore structure and composition of hardened cement paste during the process of dissolution”, *CCR*, 35:943-950, 2005.
- Han, M. Y. & Lytton, R. L.**, “Theoretical prediction of drying shrinkage of concrete”, *ASCE J. of Materials in Civil Engng.*:204-207, 1995.
- Hansen, W.**, “Drying Shrinkage Mechanisms in Portland Cement Paste”, *J. Am. Ceram. Soc.*, 70:323-28, 1987.
- Hearn, N.**, “Effect of shrinkage and load-induced cracking on water permeability of concrete”, *ACI Materials Journal*, 96(2):234-241, 1999.
- Helmuth, R. & Turk, D.**, “The reversible and irreversible drying shrinkage of hardened Portland cement and tricalcium silicate pastes”, *J. PCA Res. Dev. Lab.*, 9:8-21, 1967.
- Herrmann, H. J., Hansen, A. & Roux, S.**, “Fracture of disordered, elastic lattices in two dimensions”, *Phys. Rev. B*, 39, 637-648, 1989.
- Hillerborg, A., Modeer, M., Petersson, P. & Needleman, A.**, “Analysis of crack formation and crack growth in concrete by means of fracture mechanics and finite elements”, *CCR*, 6:773-782, 1976.
- Hime, W. & Matter, B.**, ““Sulfate attack”, or is it?”, *CCR*, 29:789-791, 1999.



- Hohberg, J. M.**, “Concrete joints”, *Mechanics of Geomaterials Interfaces*, eds. Selvadurai & Boulton, Elsevier Science, pp. 421-446, 1995.
- Horsch, T & Wittmann, F. H.**, “Three-dimensional Numerical Concrete applied to investigate effective properties of composite materials”, *Fracture Mech. of Concr. Struct.*, eds. de Borst, Mazars, Pijaudier-Cabot & van Mier, France:57-64, 2001.
- Hsu, T. T.**, “Mathematical analysis of shrinkage stresses in a model of hardened concrete”, *Journal of the American Concrete Institute*, 60(3):371-390, 1963.
- Hsu, T. T., Slate, F., Sturman, G. & Winter, G.**, “Microcracking of plain concrete and the shape of the stress-strain curve”, *ACI Journal*, 60, 209-224, 1963.
- Hua, C., Ehrlacher, A. & Acker, P.**, “Analyses and models of the autogeneous shrinkage of hardening cement paste. II. Modelling at scale of hydrating grains”, *CCR*, 27:245-258, 1997.
- Hubert, F., Burlion, N. & Shao, J. F.**, “Drying of concrete: modelling of a hydric damage”, *M&S*, 36:12-21, 2003.
- Hwang C. L. & Young, J. F.**, “Drying shrinkage of Portland cement pastes. I. Microcracking during drying”, *CCR*, 14:585-594, 1984.
- Idiart, A. E.**, “Análisis numérico de la retracción por secado en muestras de hormigón”, Dissertation, UPC, Barcelona, Spain (in Spanish), 2008.
- Idiart, A. E., López, C. M. & Carol, I.**, “H-M mesostructural analysis of the effect of aggregates on the drying shrinkage microcracking of concrete”, *Computational Plasticity IX* (Complas2007), eds. Owen & Oñate, Barcelona, Spain, 2007.
- Ince, R., Arslan, A. & Karihaloo, B. L.**, “Lattice modelling of size effect in concrete strength”, *Engineering Fracture Mechanics*, 70:2307-2320, 2003.
- Irassar, E. F., Bonavetti, V. L. & González, M.**, “Microstructural study of sulfate attack on ordinary and limestone Portland cements at ambient temperature”, *CCR*, 33:31-41, 2003.
- Ismail, M., Gagné, R., François, R. & Toumi, A.**, “Measurement and modeling of gas transfer in cracked mortars”, *M&S*, 39:43-52, 2006.
- Ismail, M., Toumi, A., François, R. & Gagné, R.**, “Effect of crack opening on the local diffusion of chloride in cracked mortar samples”, *CCR*, 38:1106-1111, 2008.
- Jacobsen, S., Marchand, J. & Boisvert, L.**, “Effect of cracking and healing on chloride transport in OPC concrete”, *CCR*, 26:869-881, 1996.
- Jankovic, D., Küntz, M. & van Mier, J. G. M.**, “Numerical analysis of moisture flow and concrete cracking by means of lattice type models”, *Fracture Mechanics of Concrete Structures*, eds. De Borst, *et al.*, Swets & Zeitlinger, 2001.
- Jankovic, D. & Wolf-Gladrow, D.**, “Lattice Gas Automata: Drying simulation in heterogeneous models”, *Mathem. & Computers in Simul.*, 72:147-155, 2006.
- Jansson, N. E. & Larsson, R.**, “A damage model for simulation of mixed-mode delamination growth”, *Composite Structures*, 53:409-417, 2001.
- Jefferson, A.**, “Tripartite Cohesive Crack Model”, *ASCE J. Engng. Mech.*, 128:644-653, 2002.
- Jennings, H.**, “Refinements to colloid model of C-S-H in cement: CM-II”, *CCR*, 38:275-289, 2008.
- Jennings, H., Thomas, J., Gevrenov, J., Constantinides, G. & Ulm, F.**, “A multi-technique investigation of the nanoporosity of cement paste”, *CCR*, 37:329-336, 2007.
- Jirásek, M. & Bazant, Z. P.**, “Particle model for fracture and statistical micro-macro correlation of material constants”, *Fracture Mechanics of Concrete Structures (FRaMCoS2)*, ed. F. Wittmann, AEDIFICATIO Publ., Freiburg, 1995.
- Jirásek, M. & Belytschko, T.**, “Computational resolution of strong discontinuities”, *Fifth World Congress on Computational Mechanics*, 2002.

- Kanna, V., Olson, R. & Jennings, H.**, “Effect of shrinkage and moisture content on the physical characteristics of blended cement mortars”, *CCR*, 28:1467-1477, 1998.
- Karihaloo, B. L.**, “Fracture mechanics and structural concrete”, Longman Scientific & Technical, Harlow, Essex, England, 1995.
- Kawai, T.**, “New discrete models and their application to seismic response of structures” *Nucl. Eng. Des.*, 48:207-229, 1978.
- Kjellsen, K. & Jennings, H.**, “Observations of microcracking in cement paste upon drying and rewetting by environmental scanning electron microscopy”, *Adv. Cem. Bas. Mat.*, 3:14-19, 1996.
- Koufopoulos, T. & Theocaris, P. S.**, “Shrinkage Stresses in Two-Phase Materials”, *Journal of composite materials*, 3:308-320, 1969.
- Kovler, K.**, “A new look at the problem of drying creep of concrete under tension”, *Journal of materials in civil engineering*, 11(1):84-87, 1999.
- Kovler, K.**, “Drying creep of stress-induced shrinkage?”, *Creep, Shrink. & Durab. Mech. Concr. & other Quasi-Brittle Mat.* (Concreep6), eds. Ulm, Bazant & Wittmann, pp. 67-72, Cambridge, USA, 2001.
- Kovler, K. & Zhutovsky, S.**, “Overview and future trends of shrinkage research”, *M&S*, 39:827-847, 2006.
- Krabbenhoft, K. & Krabbenhoft, J.**, “Application of the Poisson-Nernst-Planck equations to the migration test”, *CCR*, 38:77-88, 2008.
- Krajcinovic, D., Basista, M., Mallick, K. & Sumarac, D.**, “Chemo-micromechanics of brittle solids”, *J. Mech. Phys. Solids*, 40:965-990, 1992.
- Kreijger, P.**, “The skin of concrete. Composition & properties”, *M&S*, 17:275-83, 1984.
- Kropp, J., Hilsdorf, H., Grube, H., Andrade, C. & Nilsson, L.**, “Transport mechanisms and definitions”, *Perf. Criteria Concr. Durab.*, eds. Kropp & Hilsdorf, E&FN Spon, pp. 4-14, 1995.
- Kurtis, K. E. & Monteiro, P. J.**, “Empirical models to predict concrete expansion caused by sulfate attack”, *ACI Materials J.*, 97:156-161 (errata publ. 97:713), 2000.
- Lagneau, V.**, “Influence des processus géochimiques sur le transport en milieu poreux”, PhD thesis, École des Mines de Paris, France (in French), 2000.
- Larsson, R. & Runesson, K.**, “Element-embedded localization band based on regularized displacement discontinuity”, *ASCE J. Engng. Mech.*, 122:402-411, 1996.
- Lasry, D. & Belytschko, T.**, “Localization limiters in transient problems”, *Int. J. Solids Struct.*, 24:581-597, 1988.
- Lau, D., Noruziaan, B. & Razaqpur, A.**, “Modelling of contraction joint and shear sliding effects on earthquake response of arch dams”, *Earthq. Engng. Struct. Dyn.*, 27:1013-1029, 1998.
- Le Bescop, P. & Solet, C.**, “External sulfate attack by ground water. Experimental study on CEM I paste”, *Revue européenne de génie civil*, 10:1127-1145, 2006.
- Lee, S., Hooton, R., Jung, H., Park, D. & Choi, C.**, “Effect of limestone filler on the deterioration of mortars and pastes exposed to sulfate solutions at ambient temperature”, *CCR*, 38:68-76, 2008.
- Leite, J., Slowik, V. & Mihashi, H.**, “Computer simulation of fracture processes of concrete using mesolevel models of lattice structures”, *CCR*, 34:1025-1033, 2004.
- Lewis, R. W. & Schrefler, B. A.**, “The Finite Element Method in the Static and Dynamic Deformation and Consolidation of Porous Media”, John Wiley & Sons, 1998.
- Li, Z., Perez Lara, M. A. & Bolander, J.E.**, “Restraining effects of fibers during non-uniform drying of cement composites”, *CCR*, 36:1643-1652, 2006.
- Li, C., Zheng, J., Zhou, X. & McCarthy, M.**, “A numerical method for the prediction of elastic modulus of concrete”, *Mag. Concr. Res.*, 55:497-505, 2003.

- Lilliu, G. & van Mier, J. G. M.**, “3D lattice type fracture model for concrete”, *Engineering Fracture Mechanics*, 70:927-941, 2003.
- Locoge, P., Massat, M., Ollivier, J. P. & Richet, C.**, “Ion diffusion in microcracked concrete”, *CCR*, 22:431-438, 1992.
- López, C. M.**, “Análisis microestructural de la fractura del hormigón utilizando elementos finitos tipo junta. Aplicación a diferentes hormigones”, PhD thesis, UPC, Barcelona, Spain (in Spanish), 1999.
- López, C. M., Carol, I. & Aguado, A.**, “Meso-structural study of concrete fracture using interface elements. I: numerical model and tensile behavior. II: compression, biaxial and Brazilian test”, *M&S*, 41:583-620, 2008.
- López, C. M., Carol, I. & Murcia, J.**, “Mesostructural modeling of basic creep at various stress levels”. *Creep, Shrinkage & Durab. Mech. Concr. other Quasi-Brittle Mat. (Concreep6)*, eds. Ulm, Bazant & Wittmann, Cambridge, USA, pp. 101-106, 2001.
- López, C. M., Ciancio, D., Carol, I., Murcia, J. & Cuomo, M.**, “Análisis micro-estructural de la fluencia básica del hormigón mediante elementos junta”, *Anales de Mecánica de la Fractura* (in Spanish), vol. 20, 2003.
- López, C. M., Idiart, A. E. & Carol, I.**, “Meso-mechanical analysis of concrete deterioration including time dependence”, *Computational Plasticity VIII*, eds. Owen, Oñate & Suárez, Barcelona, Spain, pp. 1059-1062, 2005a.
- López, C. M., Carol, I. & Idiart, A. E.**, “Formulación de una ley constitutiva de junta con envejecimiento. Aplicación al comportamiento meso-estructural del hormigón”, *VIII Congreso Argentino de Mecánica Computacional*, BA, Argentina (in Spanish), 2005b.
- López, C. M., Idiart, A. E. & Carol, I.**, “Análisis meso-estructural de la fisuración del hormigón debido al efecto de los áridos en la retracción por secado”. *CMNE/CILAMCE 2007*, Porto, Portugal (in Spanish), 2007.
- López, C. M., Segura, J. M., Idiart, A. E. & Carol, I.**, “Mesomechanical modeling of drying shrinkage using interface elements”. *Creep, Shrink Durab Concr & Concr Struct. (Concreep7)*, eds. Pijaudier-Cabot, Gérard & Acker, Nantes, France, pp. 107-12, 2005b.
- Lotfi, H. R. & Shing, P. B.**, “Embedded representation of fracture in concrete with mixed elements”, *Int. J. Num. Meth. Engng.*, 38:1307-25, 1995.
- Lothenbach, B. & Wieland, E.**, “A thermodynamic approach to the hydration of sulphate-resisting Portland cement”, *Waste Management*, 26:706-719, 2006.
- Lothenbach, B. & Winnefeld, F.**, “Thermodynamic modelling of the hydration of Portland cement”, *CCR*, 36:209-226, 2006.
- Lourenço, P. J.**, “Computational strategies for masonry structures”, PhD thesis, Delft Univ. Tech., The Netherlands, 1996.
- Luccioni, B., Oller, S. & Danesi, R.**, “Coupled plastic-damaged model”, *Comput. Methods Appl. Mech. Engrg.*, 129:81-89, 1996.
- Lura, P. & Bisschop, J.**, “On the origin of eigenstresses in lightweight aggregate concrete”, *CCC*, 26:445-452, 2004.
- Macphee, D. & Diamond, S.**, “Thaumasite in cementitious materials”, *CCC*, 25:805-807, 2003.
- Marchand, J., Beaudoin, J. & Pigeon, M.**, “Influence of calcium hydroxide dissolution on the engineering properties of cement-based materials”, *Mat. Science of Concrete: Sulfate Attack Mech.*, eds. Marchand & Skalny, Amer. Cer. Soc. Press, pp. 283-93, 1998.
- Marchand, J., Samson, E., Maltais, Y. & Beaudoin, J.**, “Theoretical analysis of the effect of weak sodium sulfate solutions on the durability of concrete” *CCC*, 24:317-329, 2002.
- Martinola, G., Sadouki, H. & Wittmann F. H.**, “Numerical model for minimizing risk of damage in repair system”, *J. of Mat. in Civil Engng.*, 13:121-129, 2001.

- Mainguy, M.**, “Modeles de diffusion non-lineaires en milieux poreux. Applications a la dissolution et au sechage des materiaux cimentaires”, PhD thesis, ENPC, Paris, France (in French), 1999.
- Mainguy, M., Coussy, O. & Baroghel-Bouny, V.**, “Role of air pressure in drying of weakly permeable materials”, *ASCE J. Engng. Mech.*, 127:582-592, 2001.
- Mainguy, M. & Ulm, F. J.**, “Coupled diffusion-dissolution around a fracture channel: the solute congestion phenomenon”, *Transp. Porous Media*, 80:481-497, 2001.
- Matschei, T.**, “Thermodynamics of Cement Hydration”, PhD thesis, Univ. of Aberdeen, Scotland, 2007.
- Mc Creath, D. R., Newman, J. B. & Newman, K.**, “The influence of aggregate particles on the local strain distribution and fracture mechanism of cement paste during drying shrinkage”, *M&S*, 2(7):73-85, 1969.
- Mehta, P. K. & Monteiro, P. J.**, “*Concrete: Microstructure, Properties, and Materials*”, Mc Graw-Hill, 3<sup>rd</sup> edition, 2006.
- Meschke, G. & Grasberger, S.**, “Numerical modeling of coupled hygromechanical degradation of cementitious materials”, *ASCE J. Engng. Mech.*, 129:383-392, 2003.
- Mobasher, B. & Ferraris, C.**, “Simulation of expansion in cement based materials subjected to external sulfate attack”, *Concrete Sci. & Engng.: A Tribute to Arnon Bentur, Proc. Int. RILEM Symp.*, Evanston, USA, pp. 1-12, 2004.
- Monteiro, P. J. M. & Kurtis, K. E.**, “Time to failure for concrete exposed to severe sulfate attack”, *CCR*, 33:987-993, 2003.
- Moonen, P., Carmeliet, J. & Sluys, L. J.**, “Coupled modeling of moisture transport and damage in porous materials”, *Comp. Mod. of Concr. Struct.(EURO-C)*, eds. Meschke, de Borst, Mang & Bicanic, pp. 617-622, 2006.
- Moussy, F.**, “Physique et mecanique de l’endommagement (chapter II)”, *EDP Sci.*, eds. Montheillet & Moussy (in French), 1988.
- Nagai, K., Sato, Y. & Ueda, T.**, “Mesoscopic simulation of failure of mortar and concrete by 2D RBSM”, *Journal of Adv. Concrete Tech.*, 3:385-402, 2005.
- Naik, N., Jupe, A., Stock, S., Wilkinson, A., Lee, P. & Kurtis, K.**, “Sulfate attack monitored by microCT and EDXRD: influence of cement type, water-to-cement ratio, and aggregate”, *CCR*, 36:144-159, 2006.
- Nakamura, H., Srisoros, W., Yashiro, R. & Kunieda, M.**, “Time-dependent structural analysis considering mass transfer to evaluate deterioration process of RC structures”, *Journal of Adv. Concrete Tech.*, 4:147-158, 2006.
- Neville, A. M.**, “Properties of concrete”, Pearson Prentice Hall, 4<sup>th</sup> edition, 2002.
- Neville, A. M.**, “The confused world of sulfate attack on concrete”, *CCR*, 34:1275-96, 2004.
- Ngo, D. & Scordelis, A.**, “Finite element analysis of reinforced concrete beams”, *Journal of the ACI*, 64(14):152-163, 1967.
- Nguyen, V. H.**, “Couplage dégradation chimique-comportement en compression du béton”, PhD thesis, ENPC, Paris, France (in French), 2005.
- Nilsson, L. O.**, “The relation between the composition, moisture transport and durability of conventional and new concretes”, *Concr. Tech.: New Trends, Industrial Appl.*, eds. Aguado, Gettu & Shah, E&FN Spon, pp. 63-82, 1994.
- Norling, K.**, “Self-desiccation in concrete”, Licenciate Thesis, Chalmers Univ. of Technology, Goteborg, Sweden, 1994.
- Norling, K.**, “Moisture Conditions in High Performance Concrete”, PhD Thesis, Chalmers Univ. Tech., Goteborg, Sweden, 1997.

- Odler, I. & Colán-Subauste, J.**, “Investigations on cement expansion associated with ettringite formation”, *CCR*, 29:731-735, 1999.
- Oh, B. & Jang, S.**, “Effects of material and environmental parameters on chloride penetration profiles in concrete structures”, *CCR*, 37:47-53, 2007.
- Oliver, J.**, “Modelling strong discontinuities in solid mechanics via strain softening constitutive equations. Part I: Fundamentals; Part II”, *Int. J. Num. Meth. Engng.*, 39:3575-3623, 1996.
- Ortiz, M., Leroy, Y. & Needleman, A.**, “A finite element method for localized failure analysis”, *Comp. Meth. Appl. Mech. Engng.*, 61:189-214, 1987.
- Ouyang, C., Nanni, A. & Chang, W. F.**, “Internal and external sources of sulfate ions in Portland cement mortar- two types of chemical attack”, *CCR*, 18:699-709, 1988.
- Ozbolt, J. & Reinhardt, H. W.**, “Creep-cracking interaction of concrete - three dimensional finite element model”, *Creep, Shrink. Durab. Mech. Concr. other Quasi-brittle Mat.* (Concreep6), eds. Ulm, Bazant & Wittmann, Cambridge, USA, pp. 221-228, 2001.
- Pel, L.**, “Moisture transport in porous building materials”, PhD thesis, Tech. Univ. Eindhoven, The Netherlands, 1995.
- Pérez-Foguet, A., Rodríguez-Ferrán, A. & Huerta, A.**, “Consistent tangent matrices for substepping schemes”, *Comp. Meth. Appl. Mech. Eng.*, 190:4627-47, 2001.
- Peerlings, R. H.**, “Enhanced damage modelling for fracture and fatigue”, PhD thesis, Tech. Univ. Eindhoven, The Netherlands, 1999.
- Pickett, G.**, “The effect of change in moisture content on the creep of concrete under a sustained load”, *ACI Journal*, 38:333-356, 1942.
- Pihlajavaara, S. E. & Väisänen, M.**, “Numerical solution of diffusion equation with diffusivity concentration dependent”, Publ. n° 87, State Inst. Tech. Res., Helsinki, 1965.
- Pihlajavaara, S. E.**, “A review of some of the main results of a research on the ageing phenomena of concrete, effect of moisture conditions on strength, shrinkage and creep of mature concrete”, *CCR*, 4:761-771, 1974.
- Pijauder-Cabot, G. & Bazant, Z. P.**, “Nonlocal damage theory”, *ASCE J. Engng. Mech.*, 113:1512-1533, 1987.
- Planel, D.**, “Les effets couplés de la précipitation d’espèces secondaires sur le comportement mécanique et la dégradation chimique des bétons”, PhD thesis, Univ. Marne-la-Vallée, France (in French), 2002.
- Planel, D., Sercombe, J., Le Bescop, P., Sellier, A., Capra, B., Adenot, F. & Torrenti, J.**, “Experimental and numerical study on the effect of sulfates on calcium leaching of cement paste”, *Fracture Mech. Concr. Struct.* (FraMCoS-4), eds. de Borst, Mazars, Pijaudier-Cabot & van Mier, ENS Cachan, France, pp. 287-292, 2001.
- Planel, D., Sercombe, J., Le Bescop, P., Adenot, F. & Torrenti, J. M.**, “Long-term performance of cement paste during combined calcium leaching–sulfate attack: kinetics and size effect”, *CCR*, 36:137-143, 2006.
- Plesha, M. E.**, “Constitutive models for rock discontinuities with dilatancy and surface degradation”, *Int. J. Num. Anal. Meth. Geomech.*, 11:345-362, 1987.
- Prat, P., Gens, A., Carol, I., Ledesma, A. & Gili, J.**, “DRAC: A computer software for the analysis of rock mechanics problems”, *Applic. of Computer Meth. in Rock Mech.*, ed. H. Liu, Xian, China. Shaanxi Sci. & Tech. Press, pp. 1361-1368, 1993.
- Puatatsananon, W., Saouma, V. & Slowik, V.**, “Numerical modeling of heterogeneous material”, *Computers and Structures*, 5:175-194, 2008.
- Puntel, E.**, “Experimental and numerical investigation of the monotonic and cyclic behaviour of concrete dam joints.” Ph.D. thesis, Politecnico di Milano, Italy, 2004.
- Puntel, E., Bolzon, G. & Saouma, V.**, “Fracture Mechanics Based Model for Joints under Cyclic Loading”, *ASCE J. of Engng. Mech.*, 132:1151-1159, 2006.

- Qiu, X., Plesha, M., Huang, X. & Haimson, B.**, “An investigation of the mechanics of rock joints. Part II”, *Int. J. Rock Mech. Min. Sci. Geomech. Abstr.*, 30:271-287, 1993.
- Rashid, Y. R.**, “Analysis of prestressed concrete pressure vessels”, *Nuclear Engng. Design*, 7:334-344, 1968.
- Reid, S. G.**, “Deformation of concrete due to drying creep”, *Creep and shrinkage of concrete*, eds. Bazant & Carol, E&FN Spon:39-44, 1993.
- Remmers, J. J. C., de Borst R. & Needleman, A.**, “A cohesive segments method for the simulation of crack growth”, *Computational Mechanics*, 31:69–77, 2003.
- Revil, A. & Jougnot, D.**, “Diffusion of ions in unsaturated porous materials”, *Journal of Colloid and Interface Science*, 319:226-235, 2008.
- Richards, L. A.**, “Capillary conduction of liquids through porous mediums”, *Physics*, 1:318-333, 1931.
- Roa, O.**, “Análisis microestructural del comportamiento mecánico del hueso trabecular”, PhD thesis, UPC, Barcelona, Spain (in Spanish), 2004.
- Rodríguez, M., López, C. M. & Carol, I.**, “Análisis meso-estructural de la fractura del hormigón en modo mixto”, *Anales de Mecánica de la Fractura* (in Spanish), 2009.
- Roelfstra, P., Sadouki, H. & Wittmann, F.**, “Le béton numerique”, *M&S*, 18:327-335, 1985.
- Roels, S., Vandersteen, K. & Carmeliet, J.**, “Measuring and simulating moisture uptake in a fractured porous medium”, *Advn. in Water Res.*, 26, pp.237-246, 2003.
- Romanova, V., Soppa, E., Schmauder, S. & Balokhonov, R.**, “Mesomechanical analysis of the ELASTO-PLASTIC behavior of a 3D composite-structure under tension”, *Comput. Mech.*, 36:475-483, 2005.
- Roncero, J.**, “Effect of superplasticizers on the behavior of concrete in the fresh and hardened states: implications for high performance concretes”, PhD thesis, UPC, Barcelona, Spain, 1999.
- Rots, J. G.**, “Computational modeling of concrete fracture”, PhD thesis, Delft Univ. Tech., The Netherlands, 1988.
- Russ, J. C.**, “Practical Stereology”, 1<sup>st</sup> edition, Plenum Press, New York, 1986.
- Sadouki, H. & van Mier, J. G. M.**, “Meso-level analysis of moisture flow in cement composites using a lattice-type approach”, *M&S*, 30:579-587, 1997.
- Sadouki, H. & Wittmann, F. H.**, “Damage in a composite material under combined mechanical and hygral load”, *Lecture Notes in Physics, Cont. & Discont. Mod. of Cohesive-frictional Mat.*, Springer-Verlag Berlin Heidelberg, 568/2001, pp. 293-307, 2001.
- Saetta, A. & Vitaliani, R.**, “Experimental investigation and numerical modeling of carbonation process in reinforced concrete structures Part II. Practical applications”, *CCR*, 35:958-967, 2005.
- Sakata, K. & Shimomura, T.**, “Recent progress in research on and code evaluation of concrete creep and shrinkage in Japan”, *J. Adv. Concr. Tech.*, 2:133-140, 2004.
- Samaha, H. R. & Hover, K. C.**, “Influence of microcracking on the mass transport properties of concrete”, *ACI Mat. Journal*, 89:416-424, 1992.
- Samson, E. & Marchand, J.**, “Modeling the transport of ions in unsaturated cement-based materials”, *Computers and Structures*, 85:1740-1756, 2007.
- Samson, E., Marchand, J. & Beaudoin, J.**, “Modeling the influence of chemical reactions on the mechanisms of ionic transport in porous materials-An overview”, *CCR*, 30:1895-1902, 2000.
- Samson, E., Marchand, J., Robert, J. L. & Bournazel, J. P.**, “Modelling ion diffusion mechanisms in porous media”, *Int. J. Num. Meth. Engng.*, 46:2043-2060, 1999.
- Samson, E., Marchand, J., Snyder, K. & Beaudoin, J.**, “Modeling ion and fluid transport in unsaturated cement systems in isothermal conditions”, *CCR*, 35:141-153, 2005.
- Samson, E., Marchand, J. & Snyder, K.**, “Calculation of ionic diffusion coefficients on the basis of migration test results”, *M&S*, 36:156-165, 2003.

- Santhanam, M.**, “Studies on sulfate attack: mechanisms, test methods, and modeling”, PhD thesis, Purdue Univ., USA, 2001.
- Santhanam, M., Cohen, M. D. & Olek, J.**, “Sulfate attack research - whither now?”, *CCR*, 31:845-851, 2001.
- Santhanam, M., Cohen, M. D. & Olek, J.**, “Mechanism of sulfate attack: a fresh look. Part 1: Summary of experimental results”, *CCR*, 32:325-332, 2002.
- Santhanam, M., Cohen, M. & Olek, J.**, “Effects of gypsum formation on the performance of cement mortars during external sulfate attack?”, *CCR*, 33:325-332, 2003a.
- Santhanam, M., Cohen, M. D. & Olek, J.**, “Mechanism of sulfate attack: a fresh look. Part 2: Proposed mechanisms”, *CCR*, 33:341-346, 2003b.
- Savage, B. & Janssen, D.**, “Soil physics principles validated for use in predicting unsaturated moisture movement in Portland cement concrete”, *ACI Mat. J.*, 94:63-70, 1997.
- Schellekens, J. C. & de Borst, R.**, “Free edge delamination in carbon-epoxy laminates: a novel numerical/experimental approach”, *Comp. Struct.*, 28, pp 357-373, 1994.
- Scherer, G. W.**, “Theory of drying”, *J. Am. Ceram. Soc.*, 73:3-14, 1990.
- Schlangen, E.**, “Experimental and numerical analysis of fracture processes in concrete”, PhD thesis, Delft Univ. Tech., The Netherlands, 1993.
- Schlangen, E., Koenders, E. A. & van Breugel, K.**, “Influence of internal dilation on the fracture behaviour of multi-phase materials”, *Engng. Fract. Mech.*, 74:18-33, 2007.
- Schlangen, E. & van Mier, J. G. M.**, “Micromechanical analysis of fracture of concrete”, *Int. J. Damage Mech.*, 1(4): 435-454, 1992.
- Schmidt, T.**, “Sulfate attack and the role of internal carbonate on the formation of thaumasite”, PhD thesis, EPFL, Lausanne, Switzerland, 2007.
- Schmidt, T., Lothenbach, B., Romer, M., Scrivener, K., Rentsch, D. & Figi, R.**, “A thermodynamic and experimental study of the conditions of thaumasite formation”, *CCR*, 38:337-349, 2008.
- Schmidt-Döhl, F. & Rostásy, F.**, “A model for the calculation of combined chemical reactions and transport processes and its application to the corrosion of mineral-building materials Part I. Simulation model. Part II. Experimental verification”, *CCR*, 29:1039-1053, 1999.
- Scrivener, K.**, “Review of expansive processes in cementitious materials”, *Presentation in NANOCEM Workshop on Expansive Processes*, Morges, Switzerland, 2008.
- Segura, J. M.**, “Coupled HM analysis using zero-thickness interface elements with double nodes”, PhD thesis, UPC, Barcelona, Spain, 2007.
- Segura, J. M. & Carol, I.**, “On zero-thickness interface elements for diffusion problems”, *Int. J. Numer. Anal. Meth. Geomech.*, 28(9):947-962, 2004.
- Segura, J. M. & Carol, I.**, “Coupled HM analysis using zero-thickness interface elements with double nodes. Part I: Theoretical model. Part II: Verification and application”, *Int. J. Numer. Anal. Meth. Geomech.*, 32:2083-2123, 2008.
- Sellier, A., Bary, B. & Capra, B.**, “Rotating smeared crack and orthotropic damage modeling for concrete”, *Fracture Mech. Concr. Struct. (FramCoS4)*, eds. de Borst, Mazars, Pijaudier-Cabot & van Mier, ENS Cachan, France, pp. 629-636, 2001.
- Shah, V. N. & Hookham, C.**, “Long-term aging of light water reactor concrete containments”, *Nuclear Engineering and Design*, 185:51-81, 1998.
- Shazali, M., Baluch, M. & Al-Gadhib, A.**, “Predicting residual strength in unsaturated concrete exposed to sulfate attack”, *ASCE J. Mat. Civil Engng.*, 18:343-354, 2006.
- Shiotani, T., Bisschop, J. & van Mier, J. G. M.**, “Temporal and spatial development of drying shrinkage cracking in cement-based materials”, *Engng. Fract. Mech.*, 70:1509-1525, 2003.

- Sicard, V., Cubaynes, J. & Pons, G.**, “Modélisation des déformations différées des bé-tons à hautes performances: relation entre le retrait et le fluage”, *M&S*, 29:345-53 (in French), 1996.
- Sicard, V., François, R., Ringot, E. & Pons, G.**, “Influence of creep and shrinkage on cracking in high strength concrete”, *CCR*, 22:159-168, 1992.
- Simo, J. C., Oliver, J. & Armero, F.**, “An analysis of strong discontinuities induced by softening relations in rate-independent solids”, *Comp. Mech.*, 12:277-96, 1993.
- Sisavath, S., Al-Yaarubi, A., Pain, C. & Zimmerman, R.**, “A simple model for deviations from the cubic law for a fracture undergoing dilation or closure”, *Pure and Applied Geophysics*, 160:1009-1022, 2003.
- Skalny, J., Marchand, J. & Odler, I.**, “Sulfate Attack on Concrete”, Spon Press, 2002.
- Sluys, L. J. & Berends, A. H.**, “Discontinuous failure analysis for mode-I and mode-II localization problems”, *Int. J. Solids Struct.*, 35:4257-4274, 1998.
- Snow, D.**, “A parallel plate model of fractured permeable media”, PhD Thesis, Univ. of California, Berkeley, USA, 1965.
- Soroka, I.**, “Concrete in Hot Environments”, E&FN Spon Press, 1993.
- Speziale, S., Jiang, F., Mao, Z., Monteiro, P. J., Wenk, H., Duffy, T. & Schilling, F.**, “Single-crystal elastic constants of natural ettringite”, *CCR*, 38:885-889, 2008.
- Stankowski, T.**, “Numerical simulation of progressive failure in particle composites”, PhD thesis, University of Colorado, Boulder, USA, 1990.
- Stora, E.**, “Multi-scale modelling and simulations of the chemo-mechanical behavior of degraded cement-based materials”, PhD thesis, Univ. Paris-Est, Paris, France, 2007.
- Stroeven, P. & Hu, J.**, “Review paper – stereology: historical perspective and applicability to concrete technology”, *M&S*, 39:127-135, 2006.
- Sugiyama, D. & Fujita, T.**, “A thermodynamic model of dissolution and precipitation of calcium silicate hydrates”, *CCR*, 36:227-237, 2006.
- Suwito, A., Ababneh, A., Xi, Y. & Willam, K.**, “The coupling effect of drying shrinkage and moisture diffusion in concrete”, *Comp. Concr.*, 3:103-122, 2006.
- Tamtsia, B. T. & Beaudoin, J. J.**, “Basic creep of hardened cement paste. A re-examination of the role of water”, *CCR*, 30:1465-1475, 2000.
- Taylor, H., Famy, C. & Scrivener, K.**, “Delayed ettringite formation”, *CCR*, 31:683-693, 2001.
- Thelandersson, S., Martensson, A. & Dahlblom, O.**, “Tension softening and cracking in drying concrete”, *M&S*, 21:416-424, 1988.
- Thiery, M.**, “Modélisation de la carbonatation atmosphérique des matériaux cimentaires”, PhD thesis, LCPC, France (in French), 2005.
- Tian, B. & Cohen, M. D.**, “Does gypsum formation during sulfate attack on concrete lead to expansion?”, *CCR*, 30:117-123, 2000a.
- Tian, B. & Cohen, M. D.**, “Expansion of alite paste caused by gypsum formation during sulfate attack”, *J. Mater. Civ. Engng.*, 12:24-25, 2000b.
- Tijssens, M., Sluys, L. J. & van der Giessen, E.**, “Numerical simulation of quasibrittle fracture using damaging cohesive surfaces”, *Eur. J. Mech. A/Sol.*, 19:761-779, 2000.
- Tijssens, M., Sluys, L. & van der Giessen, E.**, “Simulation of fracture cementitious composites with explicit modeling of microstructural features”, *Engng. Fract. Mech.*, 68:1245-1263, 2001.
- Tixier, R.**, “Microstructural development and sulfate attack modeling in blended cement-based materials”, Arizona State Univ., USA, 2000.
- Tixier, R. & Mobasher, B.**, “Modeling of damage in cement-based materials subjected to external sulfate attack. I: Formulation. II: Comparison with experiments”, *ASCE J. Mat. Civil Engng.*, 15:305-322, 2003.



- Torrenti, J. M., Granger, L., Diruy, M. & Genin, P.**, “Modelling concrete shrinkage under variable ambient conditions”, *ACI Mat. J.*, 96:35-39, 1999.
- Torrenti, J. M. & de Sa, C.**, “Finite element modeling of drying shrinkage”, *ASCE Conference on Engng. Mech.*, Austin, USA, 2000.
- Truc, O., Ollivier, J. P. & Nilsson, L. O.**, “Numerical simulation of multi-species diffusion”, *M&S*, 33:566-573, 2000.
- Tsubaki, T., Das, M. & Shitaba, K.**, “Cracking and damage in concrete due to nonuniform shrinkage”, *Fracture Mechanics of Concrete Structures (FraMCoS1)*, Colorado, USA, ed. Z. P. Bazant, pp. 971-976, 1992.
- Tumidajski, P. J., Chan, G. W. & Philipose, K.**, “An effective diffusivity for sulfate transport into concrete”, *CCR*, 25:1159-1163, 1995.
- Tvergaard, V. & Needleman, A.**, “Effects of non-local damage in porous plastic solids”, *Int. J. Solids Struct.*, 32:1063-1077, 1995.
- Ulm, F. J., Le Maou, F. & Boulay, C.**, “Creep and shrinkage coupling: new review of some evidence”, *Revue Française de Génie Civil*, 3:21-37, 1999a.
- Ulm, F. J., Rossi, P., Schaller, I. & Chauvel, D.**, “Durability scaling of cracking in HPC structures subject to hygromechanical gradients”, *ASCE J. Struct. Engng.*, 125:693-702, 1999b.
- van der Lee, J. & De Windt, L.**, “Present state and future directions of modeling of geochemistry in hydrogeological systems”, *J. Contam. Hydrol.*, 47:265-282, 2001.
- van der Lee, J. & De Windt, L., Lagneau, V. & Goblet, P.**, “Module-oriented modeling of reactive transport with HYTEC”, *Computers & Geosciences*, 29:265-275, 2003.
- van Mier, J. G. M.**, “Fracture Processes of Concrete”, CRC Press, 1997.
- van Mier, J. G. M. & van Vliet, M. R.**, “Influence of microstructure of concrete on size/scale effects in tensile fracture”, *Engng. Fract Mech.*, 70:2281-2306, 2003.
- van Mier, J. G. M., van Vliet, M. R. & Wang, T. K.**, “Fracture mechanisms in particle composites: statistical aspects in lattice type analysis”, *Mech. Mat.*, 34:705-724, 2002.
- van Zijl, G. P.**, “Computational modelling of masonry creep and shrinkage”, PhD thesis, Delft Univ. Tech., The Netherlands, 1999.
- Vervuurt, A.**, “Interface fracture in concrete”, PhD thesis, Delft Univ., The Netherlands, 1997.
- Vonk, R.**, “Softening of concrete loaded in compression”, PhD thesis, Tech. Univ. Eindhoven, The Netherlands, 1992.
- Walraven, J. C.**, “Aggregate interlock: a theoretical and experimental analysis”, PhD thesis, Delft Univ. Tech., Delft Univ. Press, The Netherlands, 1980.
- Wang, J. G.**, “Sulfate attack on hardened cement paste”, *CCR*, 24:735-42, 1994.
- Wang, J. & Huet, C.**, “A numerical model for studying the influences of pre-existing microcracks and granular character on the fracture of concrete materials and structures”, *Micromechanics of Concrete and Cementitious Composites*, ed. C. Huet, Press Politechniques et Universitaires Romandes, Lausanne, Switzerland, pp. 229-240, 1993.
- Wang, J. & Huet, C.**, “Numerical analysis of crack propagation in tension specimens of concrete considered as a 2D multicroaked granular composite”, *M&S*, 30:11-21, 1997.
- Wang, Z. M., Kwan, A.K. & Chan, H.**, “Mesoscopic study of concrete I: generation of random aggregate structure and finite element mesh”, *Comp. Struct.*, 70:533-544, 1999.
- Wells, G. N.**, “Discontinuous modelling of strain localisation and failure”, PhD thesis, Delft Univ. Tech., The Netherlands, 2001.
- Willam, K., Rhee, I. & Beylkin, G.**, “Multiresolution analysis of elastic degradation in heterogeneous materials”, *Meccanica*, 36:131-150, 2001.
- Willam, K., Rhee, I. & Shing, B.**, “Interface damage model for thermomechanical degradation of heterogeneous materials”, *Comp. Meth. Appl. Mech. Engng.*, 193:3327-3350, 2004.

- Willam, K., Rhee, I. & Xi, Y.**, “Thermal degradation of heterogeneous concrete materials”, *ASCE J. Mat. Civ. Eng.*, 17:276-285, 2005.
- Witasse, R.**, “Contribution à la compréhension du comportement d’une coque d’aéroréfrigérant vieilli: définition d’un état initial, influence des effets différés sous sollicitations hydromécaniques”, PhD thesis, INSA, Lyon, France (in French), 2000.
- Wittmann, F. H.**, “Surface tension, shrinkage and strength of hardened cement paste”, *M&S*, 1:547-552, 1968.
- Wittmann, F. H.**, “Interaction of hardened cement paste and water”, *J. American Ceramic Society*, 56:409-415, 1973.
- Wittmann, F. H.**, “Creep and shrinkage mechanisms”, *Creep and shrinkage in concrete structures*, chapter 6, eds. Bazant & Wittmann, 1982.
- Wittmann, F. H.**, “On the influence of stress on shrinkage of concrete”, *Creep and shrinkage of concrete*, eds. Bazant & Carol, E&FN Spon, pp. 151-157, 1993.
- Wittmann, F. H.**, “Influence of drying induced damage on the hygral diffusion coefficient”, *Fract. Mech. Concr. Struct. (FraMCoS2)*, ed. F. H. Wittmann, Freiburg, 2:1519-24, 1995.
- Wittmann, F. H.**, “Mechanisms and mechanics of shrinkage”, *Creep, Shrink. Durab. Mech. Concr. & Other Quasibr. Mat. (Concreep6)*, eds. Ulm, Bazant & Wittmann, 2001.
- Wittmann, F. H. & Roelfstra, P. E.**, “Total deformation of loaded drying concrete”, *CCR*, 10:601-610, 1980.
- Wriggers, P. & Moftah, S. O.**, “Mesoscale models for concrete: homogenisation and damage behaviour”, *Finite Elements in Analysis and Design*, 42:623-636, 2006.
- Xi, Y., Bazant, Z. P. & Jennings, H. M.**, “Moisture diffusion in cementitious materials: adsorption isotherms”, *Adv. Cem. Based Mat.*, 1:248-257, 1994a.
- Xi, Y., Bazant, Z. P., Molina, L. & Jennings, H.**, “Moisture diffusion in cementitious materials: moisture capacity and diffusivity”, *Adv. Cem. Based Mat.*, 1:258-266, 1994b.
- Xi, Y. & Nakhi, A.**, “Composite damage models for diffusivity of distressed materials”, *ASCE J. Mat. Civil Engng.*:286-295, 2005.
- Yuan, Y. & Wan, Z. L.**, “Prediction of cracking within early-age concrete due to thermal, drying and creep behavior”, *CCR*, 32:1053-1059, 2002.
- Yurtdas, I., Burlion, N. & Skoczylas, F.**, “Triaxial mechanical behaviour of mortar: Effects of drying”, *CCR*, 34:1131-1143, 2004.
- Yurtdas, I., Burlion, N. & Skoczylas, F.**, “Microcracking of mortars during drying: effects on delayed behaviours”, *Creep, Shrinkage & Durability of Concrete & Concrete Struct. (Concreep7)*, eds. Pijaudier-Cabot, Gérard & Acker, Nantes, France, 2005.
- Yurtdas, I., Peng, H., Burlion, N. & Skoczylas, F.**, “Influence of water by cement ratio on mechanical properties of mortars submitted to drying”, *CCR*, 36:1286-1293, 2006.
- Zheng, J., Li, C. & Zhao, L.**, “Simulation of two-dimensional aggregate distribution with wall effect”, *ASCE J. Mat. Civil Engng.*, 15:506-510, 2003.
- Zienkiewicz, O. C., Humpheson, C. & Lewis, R. W.**, “A unified approach to soil mechanics problems (including plasticity and visco-plasticity)”, *Finite Elements in Geomechanics*, ed. Gudehus, Wiley, New York, 151-179, 1977.
- Zohdi, T. I. & Wriggers, P.**, “Aspects of the computational testing of the mechanical properties of microheterogeneous material samples”, *Int. J. Num. Meth. Engng.*, 50:2573-2599, 2001.
- Zubelewicz, A. & Bazant, Z. P.**, “Interface element modeling of fracture in aggregate composites”, *ASCE J. Engng. Mech.*, 113:1619-1630, 1987.