

## BIBLIOGRAFIA

- ADAMS, C.A. (1996) Flavours and sweeteners - simple function, complex structure. *Feed Mix.* 5: 3: 8-11.
- ADRON, J.W. (1972) A design for automatic and demand feeders for experimental fish. *J. Cons. Int. Explor. Mer,* 34:300-305.
- ADRON, J.W. & A.M. MACKIE (1978) Studies on the chemical nature of feeding stimulants for rainbow trout, *Salmo gairdneri* Richardson. *J. Fish Biol.*, 12: 303-310.
- ADRON, J.W., P.T. GRANT & C.B. COWEY (1973) A system of quantitative study of learning capacity of rainbow trout and its application to the study of food preferences and behaviour. *J. Fish Biol.* 5: 625-636.
- ALANÄRÄ, A. & E. BRÄNNÄS (1993) A test of the individual feeding activity and food size preference in rainbow trout using demand feeders. *Aquaculture International*, 1: 47-54.
- ALDERSON, R. (1979) The effect of ammonia on the growth of juvenile Dover sole, *Solea solea* (L.) and turbot, *Scophthalmus maximus* (L.) *Aquaculture*, 17: 291-309.
- AMBROSIO, P.P. & R. FLOS (2000) Effect of enzyme enriched feed on the endogenous trypsin daily secretion in *Solea senegalensis*. En FLOS, R. & L. CRESWELL (Eds.) *Responsible Aquaculture for the new millennium*. AQUA 2000 (Nice, France, May 2-6 2000) *E.A.S. Special Publication* n. 28: pp. 23.
- ANDRADE, J.P. (1989) The flatfishes of the Ria Formosa, southern Portugal: results of a three-year survey. *Sci. Mar.* 53 (2): 671-676.
- ANDRADE, J.P. (1992) Age, growth and population structure of *Solea senegalensis* Kaup 1858 (Pisces, Soleidae) in the Ria Formosa (Algarve, Portugal). *Sci. Mar.* 56 (1): 35-41.
- APPELBAUM, S. (1985) Rearing of Dover sole, *Solea solea* L., through its larval stages using artificial diets. *Aquaculture*, 49: 209-221.
- APPELBAUM, S. & CH. SCHEMMEL (1983) Dermal sense organs and their significance in the feeding behaviour of common sole, *Solea vulgaris*. *Mar.Ecol.Prog.Ser.* 13: 29-36.

- 
- APPELBAUM, S., J.W.ADRON, S.G.GEORGE, A.M.MACKIE & B.J.S.PIRIE (1983) On the development of the olfactory and the gustatory organs of the Dover Sole, *Solea solea*, during metamorphosis. *J. Mar. Biol.*, 63: 97-108.
- ARIAS, A.M. & P. DRAKE (1993) Evolution of fish production in salt-marsh fish ponds of the Bay of Cadiz (Spain) En: CARRILLO, M., L. DAHLE, J. MORALES, P. SORGELOOS, N. SVENNING & J. WYBAN (Eds.) *World Aquaculture '93* Torremolinos Spain, May 26-28 1993. E.A.S. Special Publication n.19: 308.
- ATEMA, J. (1985) Chemoreception in the sea: adaptations of chemoreceptors and behaviour to aquatic stimulus conditions. En LAVERAK, M.S. (Ed.) *Physiological adaptations of marine animals*. Symposia of the Society for Experimental Biology, n. XXXIX. Cambridge, UK. pp. 386-423.
- BALASCH, I. (1995) Disseny d'un sistema de vídeo gravació per a l'estudi del comportament alimentari de llenguado (*Solea solea*) en captivitat. *T.F.C. Escola Superior d'Agricultura de Barcelona*. 99 pp.
- BARAHONA-FERNANDES, M.H. (1990) Size dispersion problem in cultured Dover sole (*Solea vulgaris*) En: LANDÍN, A. & A CERVIÑO (Eds.) *Actas III Congreso Nacional de Acuicultura*, Santiago de Compostela, 24-27 septiembre 1990: 215-218.
- BARAS, E., C. MALBROUCK, M. HOUART, P. KESTEMONT & C. MELARD (2000) The effect of PIT tags on growth and physiology of age-0 cultured Eurasian perch *Perca fluviatilis* of variable size. *Aquaculture*, 185: 159-173.
- BARNABÉ, G. (1986) *Aquaculture*. Vol II. Technique et Documentation - Lavoisier, France. 1115 pp.
- BARNABÉ, G. & A.GUSSI (1994) Adaptations of the feeding behaviour of larvae of the sea bass, *Dicentrarchus labrax* (L.) to an alternating live-food compound-food feeding regime. *Aquaculture and Fisheries Management*, 25: 537-546.
- BAYNES, S.M. & B.R. HOWELL (1993) Observations on the growth, survival and disease resistance of juvenile common sole, *Solea solea* (L.) fed *Mytilus edulis* (L.). *Aquaculture and Fisheries Management*, 24 (1): 95-100.
- BATTY, R.S. & R.D. HOYTT (1995) The role of sense organs in the feeding behaviour of juveniles sole and plaice. *J. of Fish Biol.* 47: 931-939.
- BEN-TUVIA, A. (1990) A taxonomic reappraisal of the Atlanto-Mediterranean soles: *Solea solea*, *Solea senegalensis* and *Solea lascaris*. *J. of Fish Biol.*, vol. 90:267-277

- BOUJARD, T., & J.F. LEATHERLAND (1992) Circadian rhythms and feeding time in fishes. *Environ. Biol. Fish.*, 35: 109-131.
- BOUJARD, T., X. DUGY, D. GENNER, C. GOSSET & G. GRIG (1992) Description of a modular, low cost, eater meter for the study of feeding behaviour and food preferences in fish. *Physiology and Behaviour*, 52: 1101-1106.
- BOWERS A.B. & P.J. LANDLESS (1969) Feeding experiments on sole and turbot. Marine Biological Station University of Liverpool. *Annual Report* n.81 for 1968: 37-45.
- BRABER, L. & S.J. DE GROOT (1973) The food of five flatfishes species (Pleuronectiformes) in the Southern North Sea. *Neth. J. Sea Res.*, 6: 163-172.
- BRADLEY, B. (1983) Flavour utilization in feeds. Part I: The nature and purpose of feed flavours. *Feed International*, may 1983: 34-38.
- BRÄNNÄS, E. & A. ALANÄRÄ (1992) Feeding behaviour of the Arctic charr in comparison with the rainbow trout. *Aquaculture*, 105:53-59.
- BRÄNNÄS, E. & A. ALANÄRÄ (1993) Monitoring the feeding activity of individual fish with a demand feeding system. *J. of Fish Biol.*, 42: 209-215.
- BROMLEY, P.J. (1974) The effects of dietary water content on the growth of hatchery-reared turbot (*Scophthalmus maximus* L.) and sole (*Solea solea* L.). *I.C.E.S. C.M.* 1974/E:18: 1-5.
- BROMLEY, P.J. (1977) Methods of weaning juvenile hatchery reared sole (*Solea solea* L.) from live foods to prepared diets. *Aquaculture*, 12: 337-347.
- BROMLEY, P.J. (1979) The weaning of turbot (*Scophthalmus maximus* L.) and sole (*Solea solea* L.) on dry diets. En *Proc. World Symp. on Fish Nutr. and Fish Feed Tech.* I, 449-455.
- BROMLEY, P.J. & P.A. SYKES (1985) Weaning diets for turbot (*Scophthalmus maximus* L.) and sole (*Solea solea* L.) and cod (*Gadus morhua* L.) En: COWEY, C.B., A.M. MACKIE & J.G. BELL. (Eds.) *Nutrition and Feeding in fish*. Academic Press, London, UK.: 191-212.
- BRUZON, M.A. (1995) Cultivo de lenguados: tecnología aplicada y avance sobre la alimentación de *Solea senegalensis* (K.) En: CASTELLÓ, F. & A. CALDERER (Eds.) *Actas del V. Congreso Nacional de Acuicultura*. 461-465.

---

BUSACKER, G.P., I.R. ADELMAN & E.M. GOOLISH (1990) en *Methods for Fish Biology*. SCHRECK,C.B. & P.B. MOYLE (Eds.) American Fisheries Society. USA. pp.363-387

CADENA ROA, M. (1983) Étude expérimentale de l'alimentation de la sole (*Solea vulgaris*) en élevage intensif. *These doctoral*. Université de Bretagne Occidentale. 124 pp.

CADENA ROA, M., C. HUELVAN, Y. Le BORGNE & R. METAILLER (1982) Use of rehydratable extruded pellets and attractive substances for the weaning of sole (*Solea vulgaris*). *Meeting of World Aquaculture Society*. Charleston, USA, 28 Feb - 4 Mar 1982.

CAHU, C.L. & J.L. ZAMBONINO-INFANTE (1994) Early weaning of sea bass (*Dicentrarchus labrax*) larvae with a compound diet: effect on digestive enzymes. *Comp. Biochem. Physiol. Vol. 109A*, n.2: 213-222.

CAHU, C.L. & J.L. ZAMBONINO-INFANTE (1995) Effect of the molecular form of dietary nitrogen supply in sea bass larvae: Response of pancreatic enzymes and intestinal peptidases. *Fish Physiol. & Biochem. Vol. 14 (3)*: 209-214.

CAMPBELL, A.C. & J.A. BUSWELL (1982) An investigation into the bacterial aetiology of 'black patch necrosis' in Dover sole (*Solea solea L.*) *J. of Fish Diseases*, 5: 495-508.

CARBÓ, R. (1994) Influencia en el crecimiento del lenguado adulto (*Solea senegalensis*) según el tipo de técnica utilizada en el transporte y la presencia o ausencia de fondo de arena en el tanque de cultivo. *T.F.C. Escuela Superior de Agricultura de Barcelona (UPC)* 193 pp.

CÁRDENAS, S. (1981) Biometría y alimentación de los lenguados del golfo de Cádiz. I. *Jornadas de Ictiología Ibérica*, León.

CARR, W.E.S. (1982) Chemical stimulation of feeding behaviour. En Hara, T.J. (Ed.). *Chemoreception in Fishes*. Elsevier, New York: 259-273.

CARR, W.E.S. (1988) The molecular nature of chemical stimuli in the aquatic environment. En: FAY, J., R.R. POPPER & W. TAVOLGA (Eds.) *Sensory Biology of Aquatic Animals*, Atema, Springer-Verlag, New York: 3-27.

CASTELBON, C., G. CHAMPALBERT, L. LE DIREACH-BOURSIER, C. MACQUART-MOULIN & G. PATRITI (1991) Variations de l'activité natatoire de la sole (*Solea solea L.*) au cours de l'ontogenèse: étude expérimentale du rôle de quelques facteurs internes et externes. *Cybium*, 15 (3): 175-183.

- CHAMPALBERT, G. & C. CASTELBON (1989) Swimming activity rhythms in *Solea vulgaris* (Q) juveniles. *Mar. Behav. Physiol.* Vol. 14: 201-209.
- CLARK, J., N.L. MACDONALD & J.R. STARK (1985a) Metabolism in marine flatfish - II. Protein digestion in Dover sole (*Solea solea* L.) *Comp. Biochem. Physiol.* Vol. 81B, 1: 217-222.
- CLARK, J., N.L. MACDONALD & J.R. STARK (1985b) Development of proteases and an examination of procedures for analysis of elastase activity in Dover sole (*Solea solea* L.) En: COWEY, C.B., A.M. MACKIE & J.G. BELL (Eds.) *Nutrition and Feeding in Fish* Academic Press, London UK. 217-222.
- CLARK, J., J.E. MCNAUGHTON & J.R. STARK (1984) Metabolism in marine flatfish - I. Carbohydrate digestion in Dover sole (*Solea solea* L.) *Comp. Biochem. Physiol.* Vol. 77B, 4: 821-827.
- CLARK, J., K.R. MURRAY & J.R. STARK (1986) Protease development in Dover sole [*Solea solea* (L.)]. *Aquaculture*, 53: 253-262.
- COLGAN, P. (1986) The motivational basis of fish behaviour. En: PITCHER, T.J. (Ed.) *Behaviour of Teleost Fishes*. Chapman & Hall, London: 31-50.
- COSTA, M.J. & A. BRUXELAS (1989) The structure of fish communities in the Tagus Estuary, Portugal, and its role as a nursery for commercial fish species. *Sci. Mar.* 53 (2-3): 561-566.
- COWEY, C.B., J. ADRON & A. BLAIR (1970) Studies on the nutrition of marine flatfish: The essential amino acid requirements of plaice and sole. *J. Mar. Biol. Ass. UK*, 50: 87-95.
- CUENCA, E.M. & M. DE LA HIGUERA (1994) A microcomputer-controlled demand feeder for the study of feeding behaviour in fish. *Physiology and Behaviour* 55: 1135-1136.
- DABROWSKI, K. & J. GLOGOWSKI (1977) Studies on the role of exogenous proteolytic enzymes in digestion processes in fish. *Hydrobiologia*, 54: 129-134.
- DALLA VIA, J., G. VAN DER THILLART, O. CATANI & P. CORTESI (1998) Behavioural responses and biochemical correlates in *Solea solea* to gradual hypoxic exposure. *Can J. Zool.* 76: 2108-2113.
- DAY, O.J., D.A. JONES & B.R. HOWELL (1993) Trypsin activity in Dover sole (*S. solea*) larvae after ingesting Artemia nauplii, a microencapsulated diet, microalgae and

---

polyester beads. En: CARRILLO, M., L. DAHLE, J. MORALES, P. SORGELOOS, N. SVENNING & J. WYBAN (Eds.) *World Aquaculture '93* Torremolinos Spain, May 26-28 1993. E.A.S. Special Publication n.19: 345.

DAY, O.J., B.R. HOWELL & D.A. JONES (1997) The effect of hydrolysed fish protein concentrate on the survival and growth of juvenile Dover sole, *Solea solea* (L.) during and after weaning. *Aquaculture Research*. Vol. 28 (12): 911-921.

DINIS, M.T. (1986) Quatre Soleidae de l'Estuaire du Tage. Reproduction et croissance. Essai d'elevage de *Solea senegalensis* Kaup. Tesis doctoral. Université de Bretagne Occidental. 348 pp.

DINIS, M.T. (1992) Aspects of the potential of *Solea senegalensis* Kaup for aquaculture: larval rearing and weaning to an artificial culture. *Aquaculture and Fisheries Management*, 23:515-520.

DINIS, M.T. & J. REIS (1995) Culture of *Solea* spp. *Cahiers Options Méditerranées*, Marine Aquaculture Finfish Species Diversification, 16: 9-19.

DINIS, M.T., L. RIBEIRO, F. SOARES & C. SARASQUETE (1999) A review on the cultivation potential of *Solea senegalensis* in Spain and Portugal. *Aquaculture* 176: 27-38.

DRAKE, P., A.M. ARIAS & A. RODRIGUEZ (1984) Cultivo extensivo de peces marinos en los esteros de la bahía de San Fernando (Cádiz): II. Características de la producción de peces. *Inf. Tec. Inst. Inv. Pesq.* 116, 1-23.

ELLIS, T., B.R. HOWELL & R.N. HUGHES (1997) The cryptic responses of hatchery-reared sole to a natural sand substratum. *J. Fish Biol.* 51 (2): 389-401.

ERIKSSON, L-O. & A. ALANÄRÄ (1992) Timing of feeding behaviour in salmonids. En: THORPE, J.E. AND F.A. HUNTINGFORD (Editors). *The importance of Feeding Behaviour for the Efficient Culture of Salmonid Fishes*. World Aquaculture Workshops, The World Aquaculture Society, 2: 41-48.

ESTEBAN, J.C., J.A. CALDERON, M. CARRASCOSA & F. PECCI (1995) Cría larvaria, destete y preengorde del lenguado (*Solea senegalensis*) realizado en el departamento de cultivos marinos del I.E. Sancti Petri En: CASTELLÓ, F. & A. CALDERER (Eds.) *Actas del V Congreso Nacional de Acuicultura*, pp. 426-431.

ESTEBAN, J.C., J.A. CALDERON, I.R. SANTAELLA, J.M. GARCIA DE LOMAS & F. PECCI (1997) Preengorde y engorde en cautividad del lenguado (*Solea*

- senegalensis* (K.) En: COSTA DE, J., E. ABELLÁN, B. GARCÍA, A. ORTEGA & S. ZAMORA (Eds.) *Actas del VI Congreso Nacional de Acuicultura*: 861-866.
- FAO (1998) Aquaculture Production Statistics 1987-1996. *FAO Fisheries Circular* n.815, Rev. 10, 197 pp.
- FLOS, R., J. HUSSENOT & F. LAGARDÈRE (1998) Les soles, quelles recherches, pour quels types d'élevage et de production ? Actes du Colloque 19 'Marais Maritimes et Aquaculture : activité durable pour la préservation et l'exploitation des zones humides littorales'. IFREMER : 155-164.
- FLOS, R., L. REIG, J.V. FERNANDEZ, P.P. AMBROSIO & R. CARBO (1995) Ensayos preliminares para el cultivo intensivo de lenguado. En: CASTELLÓ, F. & A. CALDERER (Eds.) *Actas del V Congreso Nacional de Acuicultura*: 839-844.
- FLÜCHTER, J. & H. TROMMSDORF (1974) Nutritive stimulation of spawning in common sole (*Solea solea* L.) *Ber. dt. wiss. Kommn. Meeresforsch*, 23: 125-147.
- FONDS, M. (1975) The influence of temperature and salinity on growth of young sole *Solea solea* L. *10th European Symposium on Marine Biology*, Osteende, Belgium, Sept. 17-23, 1975. Vol 1: 109-125.
- FONDS, M. & V.P. SAKSENA (1977) The daily food intake of young soles (*Solea solea* L.) in relation to their size and the water temperature. 3<sup>rd</sup> Meeting of the I.C.E.S. Working Group on Mariculture, Brest, France, May 10-13 1977. *Actes du Colloque du C.N.E.X.O*, 4.
- FUCHS, J. (1978) Influence de la photopériode sur la croissance et la survie de la larve et du juvénile de sole (*Solea solea*) en élevage. *Aquaculture*, 15: 63-74.
- FUCHS, J. (1981/1982a) Production de juvéniles de sole (*Solea solea*) en conditions intensives. I. Le premier mois d'élevage. *Aquaculture*, 26: 321-337
- FUCHS, J. (1981/1982b) Production de juvéniles de sole (*Solea solea*) en conditions intensives. II. Techniques de sevrage entre 1 et 3 mois. *Aquaculture*, 26: 339-358.
- GARCIA-FRANQUESA, E. (1996) Influència de la estació, de l'edat i del sexe en l'alimentació natural i la composició corporal del llenguado senegalés, *Solea senegalensis* (Kaup 1858). Tesis doctoral. Universitat Politècnica de Catalunya. 278 pp.
- GARCIA-FRANQUESA, E., A. MOLINERO & R. FLOS (1991) Growth comparative study in two species of sole: *Solea solea* and *Solea senegalensis* in the Mediterranean

---

Sea. En: PAW, N. DE & J. JOYCE (Eds.) *Aquaculture and Environment*. E.A.S. Dublin 10-12.

GARCIA-FRANQUESA, E., A. MOLINERO, J. VALERO & R. FLOS (1996) Influence of sex, age and season on the feeding habits of the flatfish *Solea senegalensis*. *Environmental Biology of Fishes* 47: 289-298.

GATESOUPE, F.J. & P. LUQUET (1981/1982) Weaning of the sole (*Solea solea*) before metamorphosis. *Aquaculture*, 26: 359-368.

GERKING, S.D. (1994) *Feeding ecology of fish*. Academic Press, Inc. USA. pp.416.

GIRIN, M., R. METAILLER & J. NEDELEC (1977) Accoutumance de jeunes soles (*Solea solea*) a differents aliments inertes apres achievement de la metamorphose. *Actes de Colloque du C.N.E.X.O.*, 4:35-50.

GROOT, S.J. DE (1969) Digestive system and sensorial factors in relation to the feeding behaviour of flatfish (Pleuronectiformes). *J.Cons.Int.Explor.mer*, 32, n.3: 385-395.

GROOT, S.J. DE (1971) On the interrelationships between morphology of the alimentary tract food and feeding behaviour in flatfishes (Pisces: Pleuronectiformes). *Neth. J. of Sea Research*, 5 (2) p: 121-196.

GUINEA, J. (1989) Modelos de crecimiento, alimentación y respiración de la trucha arco iris, salmón, tenca, anguila, rodaballo, lenguado, lubina, dorada y seriola. *Tesis Doctoral*. Universidad de Madrid, 207 pp.

GWYTHHER, D. & D.J. GROVE (1981 ) Gastric emptying in *Limanda limanda* (L.) and the return of appetite. *J. of Fish Biol.* 18:245-259.

HARA, T.J. (Ed.) (1982) *Chemoreception in Fishes*. Elsevier, Amsterdam: 433 pp.

HARA, T.J. (Ed.) (1992) *Fish Chemoreception*. Chapman and may, London: 373 pp.

HARA, T.J. (1993) Role of olfaction in fish behaviour. En PITCHER, T.J. (Ed.) *The Behaviour of Teleost Fishes* (2nd. edition) Fish and Fisheries Science Series 7. Chapman & Hall, London, UK. pp: 171-200.

HARADA, K. (1986) Feeding attraction activities of nucleic acid-related compounds for abalone, oriental weatherfish and yellowtail. *Bull. of Jap. Soc. of Scientific Fisheries*, 52 (11): 1961-1986.

- HARVEY, R. (1996) The olfactory epithelium in plaice (*Pleuronectes platessa*) and sole (*Solea solea*), two flatfishes with contrasting feeding behaviour. *J. mar. biol. Ass. U.K.* 76: 127-139.
- HOWELL, B.R. (1997) A re-appraisal of the potential of the sole *Solea solea* (L.), for commercial cultivation. *Aquaculture* 155: 355-365.
- HOWELL, B.R. & A.V.M. CANARIO (1987) The influence of sand on the estimation of resting metabolic rate of juvenile sole, *Solea solea*. *J. of Fish Biol.*, 31:277-280.
- HOWELL, B.R. & T.S. TZOUMAS (1991) The nutritional value of *Artemia* nauplii for larval sole, *Solea solea* L. with respect to their (n-3) HUFA content. En: LAVENS, P., P. SORGELOOS, E. JASPERS & F. OLLEVIER (Eds.) *Larvi'91 – Fish and Crustacean Larviculture Symposium*. Gent, Belgium, EAS Special Publication N.15: 63-65.
- HUNTINGFORD, F.A. (1986) Development of behaviour in fish. En PITCHER, T.J. (Ed.) *Behaviour of Teleost Fishes* Fish and Fisheries Science Series 7. Chapman & Hall, London, UK. pp: 57-80.
- IRVIN, D.N. (1973) The growth and survival of Dover sole, *Solea solea* (L.) (syn. *Solea vulgaris* Quensel 1806) and some observations on the growth and survival of juvenile plaice, *Pleuronectes platessa* L., considered at various temperatures. Ph.D. Thesis. University of Liverpool, UK 186 pp. Citado en HOWELL (1997) *Aquaculture* 155: 355-365.
- JINADASA, J., B.R. HOWELL & S.M.BAYNES (1991) Preliminary experiments on the development of extensive culture methods for juveniles sole, *Solea solea* (L.). *Aquaculture and Fisheries Management*, 22: 25-36.
- JOBLING, M. (1994) *Fish Bioenergetics*. Chapman & Hall. Fish and Fisheries Series, n.13. Londres, UK: 309 pp.
- JOBLING, M., A.M. ARNESEN, B.M. BAARDVIK, J.S. CHRISTIANSEN, E.H. JØRGENSEN (1995) Monitoring feeding behaviour and food intake: methods and applications. Review article. *Aquaculture Nutrition*, 1: 131-143
- JOHNSTON, W.L., J.L. ATKINSON & G.T. GLANVILLE (1994) A technique using sequential feedings of different coloured food to determine food intake by individual rainbow trout, *Oncorhynchus mykiss*: effect of feeding level. *Aquaculture*, 120: 123-133.

- 
- KENTOURI, M., L. LEON, L. TORT & P. DIVANACH (1994) Experimental methodology in aquaculture: modification of the feeding rate of the gilthead sea bream *Sparus aurata* at a self-feeder after weighing. *Aquaculture*, 119: 191-200.
- KENYON, M.M. & R.J. ANDERSON (1988) Maltodextrins and Low-Dextrose-Equivalence Corn Syrup Solids: production and technology for the flavour industry. In: RISCH, S.J. & G.A. REINECCIU (Eds.) *Flavour Encapsulation*. ACS Symposium Series 370: 7-11
- KETOLA, G. (1982) Amino acid nutrition of fishes: requirements and supplementation of diets. *Comp. Biochem. Physiol.*, 73 B(1):17-24.
- KOLKOVSKI, S., A. TANDLER, G.Wm. KISSIL & A. GERTLER (1993) The effect of dietary exogenous digestive enzymes on ingestion, assimilation, growth and survival of gilthead seabream (*Sparus aurata*, *Sparidae*, Linnaeus) larvae. *Fish Physiol. & Biochem.* Vol 12(3): 203-209.
- KOSKELA, J., J. PIRHONEN & E. VIRTANEN (1991) Effect of attractants on feed choice of rainbow trout *Oncorhynchus mykiss*. *Fish Nutrition in Practice*, Biarritz (France), June 24-27 1991. De. INRA, Paris 1993 (Les Colloques n.61): 419-427
- KRUUK, H. (1963) Diurnal periodicity in the activity of the common sole, *Solea vulgaris* Quensel. *Netherlands Journal of Sea Research*, 2, 1, p: 1-28.
- KUENTZEL, H. & D. BAHRI (1991) Synthetic Ingredients of Food Flavourings. En: ASHURST, P.R. (Ed.) *Food Flavouring*, Blackie & Son, Ltd. UK: 115-157
- LAGARDÈRE, J.P. (1987) Feeding ecology and daily food consumption of Common sole *Solea vulgaris* Quensel, juveniles on the French Atlantic coast. *J. of Fish Biol.* 30: 91-104.
- LAGARDÈRE, J.P. & M.L. BÉGOUT (1994) Influence of Wind-produced Noise on Orientation in the Sole (*Solea solea*) *Can. J. Fish Aquat. Sci.* Vol.51:1258-1264.
- LANDLESS, P.J. (1976) Demand-feeding behaviour of rainbow trout. *Aquaculture* 7: 11-25.
- LAUFF, M. & R. HOFER (1984) Proteolytic enzymes in fish development and the importance of dietary enzymes. *Aquaculture*, 37: 335-346.
- LEAL, L., F. SOARES & T. DINIS (2000) Effects of photoperiod on survival and pigmentation of *Solea senegalensis*. En: FLOS, R. & L. CRESWELL (Eds.)

- Responsible Aquaculture in the new millennium. AQUA 2000 (Nice, France, May 2-6 2000) E.A.S. Special Publication n. 28: pp. 375.
- LEE, P.G. & S.P. MEYERS (1996) Chemoattraction and feeding stimulation in crustaceans. *Aquaculture Nutrition*, 2: 157-164.
- LEHNER, P.N. (1979) *Handbook of ethological methods*. Garland STPM Press, New York & London. 403 pp.
- LIEWES, E.W. (1984) *Culture, feeding and diseases of commercial flatfish species*. A.A.Balkema. Netherlands. 104 pp.
- LONSDALE, C. (1997) The potential for feed flavour use in cattle diets. *Feed Compounder*, 17: 6: 26-28.
- LOVE, R.M. (1980) *The Chemical Biology of Fishes*. Academic Press, London & New York. 547 pp.
- LUQUET, P. & G.L. RUMSLEY (1978) Formulation et technologie des aliments secs pour poissons. En HALVER, J.E. & TIEWS, K. (Eds.) *Proc. World Symposium on Finfish Nutrition and Fishfeed Technology* (Hamburg, Germany, June 20-23, 1978) Vol. II: 622 pp.
- MAARSE, H. & R. BELZ (1985) *Isolation, separation and identification of volatile compounds in aroma research*. Reidel Publishing Co., Holland. 289 pp.
- MACKIE, A.M. (1982) Identification of gustatory feeding stimulants. En: HARA, T.J. (Ed.) *Chemorception in fishes*. Elsevier Science Publ. Co. Amsterdam : 275-291
- MACKIE, A.M. & J.W. ADRON. (1978) Identification of inosine and inosine 5'-monophosphate as the gustatory feeding stimulants for the turbot, *Scophthalmus maximus*. *Comp. Biochem. Physiol.* Vol. 60A: 79-83.
- MACKIE, A.M. & A.I. MITCHELL (1985) Identification of gustatory feeding stimulants for fish applications in aquaculture. In: COWEY, C.B., A.M. MACKIE & J.G. BELL (Eds.) *Nutrition and Feeding in Fish*. Academic Press London (UK): 177-190.
- MACKIE, A.M., J.W. ADRON & P.T. GRANT (1980) Chemical nature of feeding stimulants for the juvenile Dover sole, *Solea solea*, L. *J. Fish Biol.* 16: 701-708.
- MACQUART-MOULIN, C.; G. CHAMPALBERT, B.R. HOWELL, G. PATRITI & C. RANAIVOSON (1991) La relation alimentation-fixation benhique chez les

---

jeunes soles *Solea solea* L. métamorphosées. Évidences expérimentales.  
*J.Exp.Mar.Biol.Ecol.* 153: 195-205

MADRID, J.A., M. AZZAYDI, S. ZAMORA & F.J. SANCHEZ-VAZQUEZ (1997) Continuous recording of uneaten food pellets and demand-feeding activity: a new approach to studying feeding rhythms in fish. *Physiology & Behaviour*. Vol. 62 (3): 1-7.

MARIN-MAGAN, V., V. ANGUIS & J.P. CAÑAVATE (1995) Uso de alimento inerte en larvas y juveniles del lenguado *Solea senegalensis*. En: CASTELLÓ, F. & A. CALDERER (Eds.) *Actas del V.Congreso Nacional de Acuicultura*. 432-436

McVICAR, A.H. (1987) Black patch necrosis of the skin of Solea solea (L.): the role of sand in prophylaxis and treatment. *J. of Fish Diseases*, 10: 59-63.

McVICAR, A.H. & P.G.WHITE (1979) Fin and skin necrosis of cultivated Dover sole *Solea solea* (L.). *J. of Fish Diseases*. 2: 557-562.

McVICAR, A.H. & P.G.WHITE (1981/1982) The prevention and cure of an infectious disease in cultivated juvenile Dover sole, *Solea solea* (L.) *Aquaculture*, 26: 213-222.

METAILLER, T. (1990) The flatfish adaptation to artificial diet and the value of chemical attractants. En : FLOS, R., LL. TORT & P. TORRES (Eds.) *Mediterranean Aquaculture*. Ellis Horwood Ltd. UK : 73-82.

METAILLER, R. & M. GIRIN (1976) Croissance de jeunes soles (*Solea solea*) nées en laboratoire et conditionnées à l'aliment composé. *ICES, 2nd meeting of the Working Group on Mariculture*, Hamburg, 4-6 May 1976.

METAILLER, R., M.CADENA-ROA & J.PERSON-LE-RUYET (1983) Attractive chemical substances for the weaning of Dover sole (*Solea vulgaris*): Qualitative and quantitative approach. *J. World Mar. Soc.*, 14: 679-684.

MIGLAVS, I. & M. JOBLING (1989) The effects of feeding regime on proximate body composition and patterns of energy deposition in juvenile artic charr, *Salvelinus alpinus*. *J. Fish Biol.*, 35:1-11.

MOLINERO, A. (1986) Contribución al conocimiento de la biología de la familia Soleidae en el delta del Ebro. Tesis doctoral. Universidad de Barcelona. 314 pp.

MOLINERO, A. & R.FLOS (1991) Influence of sex and age on the feeding habits of the common sole *Solea solea*. *Marine Biology*, 111: 493-501.

- MOLINERO, A. & R.FLOS (1992) Influence of season on the feeding habits of the common sole *Solea solea*. *Marine Biology*, 113: 499-507.
- MOLINERO, A. & J. GONZALEZ (1995) Comparative effects of MS 222 and 2-phenoxyethanol on gilthead sea bream (*Sparus aurata* L.) during confinement. *Comp. Biochem. Physiol.* Vol 111 A (3) : 405-414.
- MORINIERE, P. (1983) Étude de la croissance de la sole (*Solea vulgaris* Q.) en élevage intensif. *Thèse doctoral*. Université de Bretagne Occidentale. 80 pp.
- MOYANO, F.J., M. DÍAZ, F.J. ALARCÓN & M.C. SARASQUETE (1996) Characterization of digestive enzyme activity during larval development of gilthead seabream (*Sparus aurata*). *Fish Physiol. & Biochem.* Vol 15(2): 121-130.
- MUNILLA-MORAN, R., J.R. STARK & A. BARBOUR (1990) The role of exogenous enzymes in digestion in cultured turbot larvae (*Scophthalmus maximus* L.) *Aquaculture*, 88: 337-350.
- NARCISO, L., S. MORAIS, E. DORES & P. POUSAO-FERREIRA (2000) The lipid nutrition of the Senegal sole (*Solea senegalensis* Kaup, 1858). En FLOS, R. & L. CRESWELL (Eds.) *Responsible Aquaculture in the new millennium*. AQUA 2000 (Nice, France, May 2-6 2000) *E.A.S. Special Publication* n. 28: pp. 503.
- N.R.C. (1993) Nutritional Requirements of Fish. National Academic Press. Washington D.C. (USA) 113 pp.
- OTTESEN , O.H. & H.K. STRAND (1996) Growth, development, and skin abnormalities of halibut (*Hippoglossus hippoglossus* L.) juveniles kept on different bottom substrates. *Aquaculture* 146: 17-25.
- PANAGIOTAKI, P., A.J, GEFFEN, R.H.K DE MANN & J.E. THORPE (1992) Parental effects on size variation in fish larvae. *J. of Fish. Biol.* 41: Suppl. B: 37-42.
- PARRA, G. & M. YÚFERA (1999) Tolerance response to ammonia and nitrite exposure in larvae of two marine fish species (Gilthead seabream *Sparus aurata* L. and Senegal sole *Solea senegalensis* Kaup). *Aquaculture Res.* 30 (11/12): 857-863.
- PENDÓN, C., J.P. MARTINEZ-BARBERÁ, J. PEREZ-SANCHEZ, R-B-RODRIGUEZ, H.GRENETT & M.M. VALDIVIA (1994a) Cloning of the Sole (*Solea senegalensis*) growth hormone-encoding cDNA. *Gene*, 145 : 237-240.
- PENDÓN, C., J.P. MARTINEZ-BARBERÁ & M.M. VALDIVIA (1994b) Cloning of a somatolactin-encoding cDNA from Sole (*Solea senegalensis*). *Gene*, 147 : 227-230.

---

PERSON-LE-RUYET, J. (1986) L'élevage des poissons plats : sole, turbot. En BARNABE, G. (Ed.) *Aquaculture* Vol. 2. Technique et Documentation-Lavoisier, Paris : 667-712.

PERSON-LE-RUYET, J., B.MENU, M.CADENA-ROA, R.METAILLER (1983) Use of expanded pellets supplemented with attractive chemical substances for the weaning of turbot (*Scophthalmus maximus*) *J.World Mar. Soc.* 14: 676-678.

PEYRAUD, C. & R. LABAT (1962) Réactions cardio-respiratoires observées chez la sole en cours d'ensablement. *Hydrobiologia* 19: 351-356.

PITTET, A.O., J.C. ELLIS & P.G. LEE (1996) Methodology for the identification and quantitative measurement of chemical stimulants for penaeid shrimp. *Aquaculture Nutrition*, 2:175-182.

QUIRÓS, M. & B.R. HOWELL (1993) Size variation in cultured sole (*Solea solea* L.) En: CARRILLO, M., L. DAHLE, J. MORALES, P. SORGELOOS, N. SVENNING & J. WYBAN (Eds.) *World Aquaculture '93* Torremolinos Spain, May 26-28 1993. E.A.S. Special Publication n.19: 441

RAMIREZ, A.B. & V.R. CERQUEIRA (1994) Feeding behaviour of young robalo (*Centropomus undecimalis* Bloch 1792) I. The effect of chemical attractants. *Aquaculture*, 124: 289-290.

RAMOS, J. (1979) Fisiología de la reproducción y biología del lenguado *Solea solea* (Linneo 1758) (Pisces, Soleidae) *Tesis doctoral*. Universidad Complutense de Madrid. 264 pp.

RAMOS, J. (1981) Régimen y comportamiento alimentario del lenguado (*Solea solea*, L.) (Pisces, Soleidae). *Inf. Téc. Inst. Inv. Pesq.* 83: 1-15

RAMOS, J. (1982). Estudio de la edad y crecimiento del lenguado *Solea solea* (Linneo, 1758) (Pisces, Soleidae). *Inv. Pesq.* 46 (1):15-28.

REIG, L., J. OCA & R. FLOS (2000) Trading perspectives of a potential farmed sole (*Solea* sp.) evaluated at the Central Fish Market of Barcelona (Spain) En FLOS, R. & L. CRESWELL (Eds.) *Responsible Aquaculture for the new millennium*. AQUA 2000 (Nice, France, May 2-6 2000) E.A.S. Special Publication n. 28: pp. 596

REINECCIUS, G.A. (1988) Spray-Drying of Food Flavours. In: *Flavour Encapsulation*. Risch, S.J. & Reineccius, G.A. (Eds.) ACS Symposium Series 370: 55-66

- REYS, J.P. (1960) Étude de la nourriture de quelques poissons démersaux du golfe de Lion. *Rev. Trav. Stat. Mar. Endoume*, 33: 65-97.
- RIBEIRO, L., J.L. ZAMBONINO-INFANTE, C. CAHU & M.T. DINIS (1999) Development of digestive enzymes in larvae of *Solea senegalensis*, Kaup 1858. *Aquaculture* 179: 465-473.
- RISCH, S.J. & G.A. REINECCIUS (Editors) (1988) *Flavour encapsulation*. ACS Symposium Series 370. 202 pp.
- RIVERO, L.E. & M.T. VIANA (1996) Effect of pH, water stability and toughness of artificial diets on the palatability for juvenile abalone *Haliotis fulgens*. *Aquaculture*, 144: 353-362.
- RODRIGUEZ, R.B. (1984) Biología y cultivo de *Solea senegalensis* Kaup 1858, en el golfo de Cádiz. Tesis doctoral. Universidad de Sevilla. 207 pp.
- RODRIGUEZ, A. & R.B. RODRIGUEZ (1980) First record of *Solea senegalensis* Kaup, 1858 (Heterosomata, Soleidae) from the Mediterranean Sea. *Inv. Pesq.* 44: 291-295.
- RODRIGUEZ-GOMEZ, F.J., C. RENDÓN, J.A. MUÑOZ-CUETO, M.L. GONZALEZ DE CANALES, C. PIÑUELA & C. SARASQUETE (1997) The hypophysis of *Solea senegalensis*: an immunocytochemical and histochemical approach. En: COSTA DE, J., E. ABELLÁN, B. GARCÍA, A. ORTEGA & S. ZAMORA (Eds.) *Actas del VI Congreso Nacional de Acuicultura*, 9-11 julio. 6 pp.
- ROSELL, V. (1994) Dry Feed production. En *Nutrition and Feeding Management in Aquaculture: A training manual for the aquaculture industry*. Desarrollado por E.A.S en asociación con COMETT y AQUA TT UETP: 11 pp.
- SANCHEZ-VAZQUEZ, F.J., M. MARTINEZ, S. ZAMORA & J.A. MADRID (1994) Design and performance of an accurate demand feeder for the study of feeding behaviour in sea bass, *Dicentrarchus labrax* L. *Physiol. & Behav.* 56 (4): 789-794.
- SANCHEZ-VAZQUEZ, F.J., J.A. MADRID & S. ZAMORA (1995) Circadian Rhythms of feeding activity in sea bass, *Dicentrarchus labrax* L.: Dual phasing capacity of diel demand-feeding pattern. *J. of Biol. Rhythms*, 10 (3): 256-266.
- SANCHEZ-VAZQUEZ, F.J., J.A. MADRID, S. ZAMORA, M. IIGO & M. TABATA (1996) Demand feeding and locomotor circadian rhythms in the goldfish, *Carassius auratus*: dual and independent phasing. *Physiol. & Behav.* 60 (2): 665-674.

- 
- SANCHEZ-VAZQUEZ, & M. TABATA (1998) Circadian rhythms of demand-feeding and locomotor activity in rainbow trout. *J. of Fish Biol.* 52 (2): 255-267.
- SANCHEZ-VAZQUEZ, F.J., T. YAMAMOTO, T. AKIYAMA, J.A. MADRID, S. ZAMORA & M. TABATA (1997) Auto-selección de macronutrientes mediante comederos a demanda: un nuevo método para estudiar el comportamiento alimentario en peces. En: COSTA DE, J., E. ABELLÁN, B. GARCÍA, A. ORTEGA & S. ZAMORA (Eds.) *Actas del VI Congreso Nacional de Acuicultura*. 671-676
- SARASQUETE, M.C., J.A. MUÑOZ-CUETO, M.L. GONZALEZ DE CANALES, A. GARCIA GARCIA, R.B. RODRÍGUEZ (1993) Histological, histochemical and immunohistochemical characteristics during oogenesis of *Solea senegalensis* (Kaup, 1858) in the Gulf of Cadiz (Spain) En: Cervino, A., A. LANDIN, A. De COO, A. GUERRA & M. TORRE (Eds.) *Actas del IV. Congreso Nacional de Acuicultura*. 49-54.
- SKIFTEVIK, A.B. (1992) Changes in behaviour at onset of exogenous feeding in marine fish larvae. *Can. J. Fish. Aquat. Sci.* 49: 1570-1572.
- SMITH, J.C. & M.E. RASHOTTE. (1978) Methodology of behavioural testing associated with development in animal foods. *ACS Symposium Series* 67, American Chemical Society, Washington, D.C., pp.43-65
- SORENSEN, P.W. & J. CAPRIO (1998) Chemoreception. En : EVANS, D.H. (Ed.) The Physiology of Fishes, CRC Press. : 375-405.
- SOSTOA, A. DE (1990) Els pleuronectiformes. In: *Història Natural dels Països Catalans*. Vol. 11: Peixos. Fundació Enciclopedia Catalana, Barcelona: 361-373.
- STOREBAKKEN, T., E. AUSTRENG & K. STEENBERG (1981) A method for determination of feed intake in salmonids using radioactive isotopes. *Aquaculture*, 24: 133-142.
- STRADMEYER, L. (1989) A behavioural method to test feeding responses of fish to pelleted diets. *Aquaculture*, 79: 303-310.
- STRADMEYER, L., N.B. METCALFE & J.E. THORPE (1988) Effect of food pellet shape and texture on the feeding response of juvenile Atlantic salmon. *Aquaculture*, 73: 217-228.
- SYVRET, M. Le Q., C.J. POND, O.J. DAY, C. NYS & P. COUTTEAU (2000) New feed development in the early weaning of larval and juvenile Dover sole, *Solea solea* L. En

- FLOS, R. & L. CRESWELL (Eds.) *Responsible Aquaculture in the new millennium.* AQUA 2000 (Nice, France, May 2-6 2000) E.A.S. Special Publication n. 28: pp. 693.
- TALBOT, C. & P.J. HIGGINS (1983) A radiographic method for feeding studies on fish using metallic iron powder as a marker. *J. Fish Biol.* 23: 211-220.
- TOFTEN, H., E.H. JØRGENSEN & M. JOBLING (1995) The study of feeding preferences using radiography: oxytetracycline as a feeding deterrent and squid extract as a stimulant in diets for Atlantic Salmon. *Aquaculture Nutrition,* 1:145-149
- TRIBBLE. T.B. (1973) Psychological and physiological responses to animal feed smells and tastes. Agriails Inc. Research & Development. 24 p.
- TUKEY, J.W. (1949) Comparing individual means in the analysis of variance. *Biometrics,* 5, p.9
- VAN DER THILLART, G., J. DALLA VIA, G. VITALI & P. CORTESI (1994) Influence of long-term hypoxia exposure on the energy metabolism of *Solea solea*. I. Critical O<sub>2</sub> levels for aerobic and anaerobic metabolism. *Mar. Ecol. Prog. Ser.* Vol 104: 109-117.
- VAZQUEZ, R., M.L. CHACARTEGUI & F. HERNANDEZ (1994) Biochemical composition and fatty acid content of fertilized eggs, yolk sac stage larvae and first-feeding larvae of the Senegal Sole (*Solea senegalensis* Kaup) *Aquaculture,* 119: 273-286.
- VAZQUEZ, R., M.L. CHACARTEGUI & F. HERNANDEZ (1995) Puesta natural y cría larvaria de *Solea senegalensis* Kaup 1958 en las instalaciones del C.I.C.E.M. "El Toruño" (Cádiz) En: CASTELLÓ, F. & A. CALDERER (Eds.) *Actas del V Congreso Nacional de Acuicultura:* 443-448.
- VENIZELOS, A. & D.D. BENETTI (1999) Pigment abnormalities in flatfish. *Aquaculture,* 176, Issue 1-2: 181-188.
- VIANA, M.T., M. CERVANTES-TRUJANO & R. SOLANA-SANOSORES (1994) Attraction and palatability activities in juvenile abalone (*Haliotis fulgens*): Nine ingredients used in artificial diets. *Aquaculture,* 127: 19-28
- WEATHERLEY, A.H. & H.S. GILL (1987) *The biology of fish growth.* Academic Press, London (UK): 443 pp.

---

WILSON, R.P. (1985) Amino acid and protein requirements of fish. In: COWEY, C.B., A.M. MACKIE & J.G. BELL (Eds.) *Nutrition and Feeding in Fish*. Academic Press London (UK): 1-16.

WILSON, R.P. & C.B. COWEY (1985) Amino acid composition of whole body tissue of rainbow trout and Atlantic salmon. *Aquaculture*, 48: 373-376.

ZAMBONINO-INFANTE, J.L. & C. CAHU (1994a) Development and response to a diet change of some digestive enzymes in sea bass (*Dicentrarchus labrax*) larvae. *Fish Physiol. & Biochem.* Vol 12 (5): 399-408.

ZAMBONINO-INFANTE, J.L. & C. CAHU (1994b) Influence of diet on pepsin and some pancreatic enzymes in sea bass (*Dicentrarchus labrax*) larvae. *Comp. Biochem. & Physiol.* Vol 109 A (2): 209-212.