

## **REFERENCIAS**



## Referencias

1. Ames, A., Mattuci, N., Macdonald, S. Szonyi, G. y Hawkins, D. (1997) "Quality Loss Functions for Optimization Across Multiple Response Surfaces". *Journal of Quality Technology*
2. Anderson, V. (1970) "Restriction Errors for Linear Models". *Biometrics*
3. Anderson, V. y McLean, R. (1974) "Design of Experiments: A Realistic Approach". *Dekker*.
4. Arvidsson, M., Kammerlind, P., Hynén, A. y Bergman, B. (2001) "Identification of Factor Influencing Dispersion in Split-plot Experiment". *Journal of Applied Statistics*
5. Atkinson, A. y A.N. Donev, (1992) "Optimum experimental designs". *Oxford Clarendon Press*
6. Atkinson, A.C. (1995) "Beyond Response Surface: Recent Developments in optimal experimental design". *Chemometrics and Intelligent Laboratory Systems*
7. Atkinson, A. y Cook, R. (1995) "D-Optimum Designs for Heterocedastic linear Models". *Journal of the American Statistical Association*
8. Atkinson, A. y Donev, A. (1996) "Experimental Designs Optimally Balanced for Trend". *Technometrics*
9. Bailey, R.A. (1983) "Restricted Randomization". *Biometrika*
10. Bailey, R.A. (1987) "Restricted Randomization. A Practical Example". *Journal of the America Statistical Association*
11. Barrentine, L. B. (1996) "Illustration of Confounding in Plackett-Burman Designs". *Quality Engineering*
12. Barrentine, L- B. (1999) "An Introduction to Design of Experiment, A Simplified Approach". *ASQ Quality Press*

13. Bartlett, M. y Kendall, D. (1946) "The Statistical Analysis of Variance-Heterogeneity and Logarithmic Transformation". *Journal of the Royal Statistical Society*
14. Berger, J. (2003) "Could Fisher, Jeffrey and Neyman Have Agreed on Testing?". *Statistical Science*
15. Berger, P. (1972) "On Yates' Order in Fractional Factorial Designs". *Technometrics*
16. Bergman, B. y Hynén, A. (1997) "Dispersion Effects from Unreplicated Designs in the  $2^{k-p}$  Series". *Technometrics*
17. Bérubé, J. y Nair, V. (1998) "Exploiting the Inherent Structure in Robust Parameter Design Experiments". *Statistica Sinica*
18. Bérubé, J. y Wu, C. (1998) "Signal-to-Noise Ratio and Related Measures in Parameter Designs". *University of Michigan*
19. Bhattacharya, B. y Habtzghi, D. (2002) "Median of the p Value Under the Alternative Hypothesis". *The American Statistician*
20. Bisgaard, S. y Ankenman, B. (1995) "Analytic Parameter Design". *Quality Engineering*
21. Bisgaard, S. (2000) "The Design and Analysis of  $2^{k-p} \times 2^{q-r}$  Split Plot Experiments". *Journal of Quality Technology*
22. Bisgaard, S. y Kulachi, M. (2001) "Robust Product Design: Saving Trials with Split-Plot Confounding". *Quality Engineering*
23. Blomquist, H.J. (1999) "Setting on Target and Reducing Variation (Or Vice Versa)". *Quality Engineering*
24. Borowski, J. y Lucas, J. (1997) "Designs of Mixed Resolution for Process Robustness Studies". *Technometrics*
25. Borror, C., Montgomery, D. y Myers, R. (2002) "Evaluation of Statistical Designs for Experiments Involving Noise Variables", *Journal of Quality Technology*
26. Box, G. y Wilson K. (1951) "On the Experimental Attainment of Optimum Conditions". *Journal of the Royal Statistical Society*.
27. Box, G. y Hunter, J. (1954) "A Confidence Region for the Solution of a Set of Simultaneous Equations with an Application to Experimental Design". *Biometrika*
28. Box, G. y Cox, D. (1964) "An Analysis of Transformations", *Journal of the Royal Statistical Society*.
29. Box, G. y Guttman, I. (1966) "Some Aspects of Randomization". *University of Wisconsin*

30. Box, G. (1982) "Choice of Response Surface Design and Alphabetic Optimality". *Utilitas Mathematica*
31. Box, G. y Draper, N. (1982) "Empirical Model-Building and Response Surfaces", *Wiley*
32. Box, G. y Fung, C. (1983) "Some Considerations in Estimating Data Transformations". *University of Wisconsin-Madison*.
33. Box, G. y Fung, C. (1986) "Studies in Quality Improvement: Minimizing Transmitted Variation by Parameter Design". *University of Wisconsin*
34. Box, G. y Myers, R. (1986) "Dispersion Effects from Fractional Designs". *Technometrics*
35. Box, G. y Myers, R. (1986) "An Analysis for Unreplicated Fractional Factorials". *Technometrics*
36. Box, G., Bisgaard, S. y Fung, C. (1988) "An Explanation and Critique of Taguchi's Contributions to Quality Engineering". *University of Wisconsin*
37. Box, G. (1988) "Signal-to-Noise Ratios, Performance Criteria, and Transformations". *Technometrics*
38. Box, G. y Jones, S. (1990) "Designing Products that are Robust to Environment". *Tesis Doctoral, University of Wisconsin*
39. Box, G. (1990) "Must We Randomize Our Experiment?" *Quality Engineering*
40. Box, G. y Jones, S. (1992) "Split-Plot Designs for Robust Product Experimentation". *Journal of Applied Statistics*
41. Box, G. y Myers, R. (1993) "Finding the Active Factors in Fractionated Screening Experiments". *Journal of Quality Technology*
42. Box, G., Hunter, W. y Hunter, J (1993) "Estadística para Investigadores, Introducción al Diseño de Experimentos, Análisis de Datos y Construcción de Modelos", *Editorial Reverte*
43. Box, G. y Fung, C. (1994) "Is your Robust Design procedure Robust?" *Quality Engineering*
44. Box, M. y Draper, N. (1971) "Factorial Designs, the  $|X'X|$  Criterion, and Some Related Matters". *Technometrics*
45. Carlstein, E. (1986), "Simultaneous Confidence Regions for Predictions", *The America Statistician*
46. Carter, W., Chinchilli, V., Myers, R. y Campbell, E. (1986) "Confidence Intervals and an Improved Ridge Analysis of Response Surfaces". *Technometrics*
47. Casella, G. y Berger, R. (1990) "Statistical Inference". *Duxbury*

48. Chapman, R. E. (1999) "Designed Experiment to stabilize Blood Glucose Levels". *Quality Engineering*
49. Chapman, R. y Masinda, K. (2003) "Response Surface Designed Experiment for Door Closing Effort". *Quality Engineering*
50. Cheng, Ch. y Jacroux, M. (1988) "The Construction of Trend-Free Run Orders of Two-Level Factorial Designs". *Journal of the America Statistical Association*
51. Chiao, C. y Hamada, M. (2001) "Analyzing Experiments with Correlated Multiple Response". *Journal of the America Statistical Association*
52. Coster, D. D. y Cheng, Ch (1988) "Minimum Cost Trend-free Run Orders of Fractional Factorial Designs". *The Annals of Statistics*
53. Cox, D. R. (1952) "Some Recent Work on Systematic Experimental Design", *Journal of Royal Statistical Society*"
54. Daniel, C. (1959) "Use of Half-Normal Plots Interpreting Factorial Two-Level Experiments". *Technometrics*
55. Daniel, C. y Wilcoxon, F. (1966) "Factorial  $2^{p+q}$  Plans Robust Against Linear and Quadratic trends". *Technometrics*
56. del Castillo, E. y Montgomery, D. (1993) "A Nonlinear Programming Solution to the Dual Response Problem". *Journal of Quality Technology*
57. del Castillo, E. (1996) "Multiresponse Process Optimization via Constrained Confidence Regions", *Journal of Quality Technology*
58. del Castillo, E., Fan, S. y Semple, J. (1997) "The Computation of Global Optima in Dual Response Systems". *Journal of Quality Technology*
59. Dickinson, A. W. (1974) "Some Run Orders Requiring a Minimum Number of Factor Level Changes for the  $2^4$  and  $2^5$  Main Effect Plans". *Technometrics*
60. Draper, N. y Stoneman, D. (1968) "Factor Changes and Linear Trends in Eight-Run Two-Level Factorial Designs". *Technometrics*
61. Draper, N. y Guttman, I. (1995) "Confidence Intervals vesus regions" *The Statistician*
62. Easterling, R. G. (1985) "Discussion of Kacker's Paper". *Journal of Quality Technology*
63. Engel, J. (1992) "Modelling Variation in Industrial Experiment". *Applied Statistics*
64. Fathi, Y. (1991) "A nonlinear Programming Approach to the Parameter Design Problem". *European Journal of Operational Research*
65. Federov, V. V. (1972) "Theory of Optimal Experiments". *Academic Press*

66. Ferrer, A. y Romero, R. (1993) “Small Samples Estimation of Dispersion Effects from Unreplicated Data”. *Communications in Statistics: Simulation and Computation*
67. Ferrer, A. y Romero V., R. (1994) “Sensibilidad frente a datos anómalos de tres estimadores de efectos de dispersión con datos no necesariamente replicados”. *Estadística Española*.
68. Ferrer, A. y Romero V., R. (1995) “A simple Method to Study dispersion effects from Non-Necessarily Replicated Data in Industrial Context”. *Quality Engineering*
69. Ferrer, A. (2002) “Estudio de Efectos de Dispersión en Ausencia de Replicaciones: Revisión del Estado del Arte y Perspectivas de Futuro”. *Estadística Española*
70. Grego, J. (1993) “Generalized Linear Models and Process Variation”. *Journal of Quality Technology*
71. Grima, P. (1993) “Aportaciones Metodológicas al Diseño de Productos Robustos”. *Tesis Doctoral, Universitat Politècnica de Catalunya*
72. Grima, P. (2000) “Método Taguchi”. *Universitat Politècnica de Catalunya*
73. Hader, R. H. (1973) “An Improper Method of Randomization in Experimental Design”, *The American Statistician*
74. Hamada, M. y Wu, C. (1992) “Analysis of Designed Experiments with Complex Aliasing”. *Journal of Quality Technology*
75. Hamada, M. y Nelder, J. (1997) “Generalized Linear Models for Quality-Improvement Experiments”. *Journal of Quality Technology*
76. Hader, R. J. (1973) “An improper Method of Randomization in Experimental Design”. *The American Statistician*
77. Harvey, A. (1976) “Estimating Regression Models with Multiplicative Heterocedasticity”. *Econometrica*
78. Harville D. A. (1975) “Experimental Randomization: Who Need it?” *The American Statistician*
79. Hill, H. (1960) “Experimental Designs to Adjust for Time Trends”. *Technometrics*
80. Hoel, P. (1965) “Minimax Designs in Two-dimensional Regression”. *Annals of Mathematical Statistics*.
81. Hou, X. y Wu, C. (1997) “On the Determination of Robust Setting in Parameter Desing Experiments”. *University of Michigan*
82. Hubbard, R. y Bayarri, M. (2003) “Confusion Over Measures of Evidence ( $p$ 's) Versus Errors ( $\alpha$ 's) in Classical Statistical Testing”. *The America Statistician*

83. Hurly, P. (1994) "Interactions: Ignore Them at Your Own Risk (How Taguchi's Confirmation Run Strategy Can Lead to Trouble)". *Quality Engineering*
84. Hurly, P. (1995) "The conservative Nature of the Effect Sparsity Assumption for Saturated Fractional Factorial Experiments.". *Quality Engineering*
85. John, P. (1988) "Time Trends and Screening Experiments". *University of Texas*
86. Joiner, B. y Campbell, C. (1976) "Designing Experiments when Run Order is Important". *Technometrics*
87. Ju, H. y Lucas, J. (2002) "L<sup>k</sup> Factorial Experiments with Hard to Change and Easy to Change Factors". *Journal of Quality Technology Journal of Quality Technology*
88. Kacker, R. N. (1985) "Off-line Quality Control, Parameter Design, and the Taguchi Method". *Journal of Quality Technology*
89. Kacker, R., Lagergren, E. y Filliben, J. (1991) "Taguchi's Fixed-Element Arrays are Fractional Factorials". *Journal of Quality Technology*
90. Kacker, R., (1992) "Taguchi's Parameter Design: A Panel Discussion". *Technometrics*
91. Kattreee, R. (1996) "Robust Parameter Design; A Response Surface Approach". *Journal of Quality Technology*
92. Kieffer, J. y Wolfowitz, J. (1959) "Optimum Designs in Regression Problems", *The Annals of Mathematical Statistics*.
93. Kim, K. y Lin, D. (1998) "Dual Response Surface Optimization: A Fuzzy Modelling Approach". *Journal of Quality Technology*
94. Köksoy, O. y Doganaksoy, N. (2003) "Joint Optimization of Mean and Standard Deviation Using Response Surface methods". *Journal of Quality Technology*
95. Kunert, J. (1990) "On the Power of Test for Multiple Comparison of Three Normal Means", *Journal of the American Statistical Association*
96. Lawson, J. y Helps, R (1996) "Detecting Undesirable Interactions in Robust Design Experiments". *Quality Engineering*
97. Lee, A. y Gurland, J. "Size and Power of test for Equality of Means of Two Normal Populations with Unequal Variances". *Journal of the American Statistical Association*
98. León, R., Shoemaker, A. y Kacker, R. (1987) "Performance Measures Independent of Adjustment". *Technometrics*
99. Lenth R. V. (1989) "Quick and Easy Analysis of Unreplicated Factorials". *Technometrics*

100. Limam, M. y Thomas, D. (1988) "Simultaneous Tolerance Intervals for the Linear Regression Model", *Journal of the American Statistical Association*
101. Lin, P., Sullivan, L. y Taguchi, G. (1990) "Using Taguchi Methods in Quality Engineering". *Quality Progress*
102. Lochner, R. (1991) "Pros and Cons of Taguchi". *Quality Engineering*
103. Loh, W. (1992) "Identification of Active Contrast in Unreplicated Factorial". *University of Michigan*
104. Lorenzen, T. J. y Villalobos, M. A. (1990) "Understanding Robust Design, Loss Function and Signal to Noise Ratios". *Proceeding Sec. Stat. America Statistical Association*
105. Lucas Disel (1992) "Método Taguchi". *Documento Departamento de Calidad*
106. Lucas, J. M. (1976) "Which Response Surface Design is Best" *Technometrics*
107. Lucas, J. M. (1989) "Achieving a Robust Process Using Response Surface Methodology". *Proceedings of The America Statistical Association*
108. Lucas, J. M. (1994) "How to Achieve a Robust Process Using Response Surface Methodology". *Journal of Quality Technology*
109. McCullagh, P. y Nelder, J. (1989) "Generalized Linear Models". *Chapman and Hall*.
110. Maghsoodloo, S. (1990) "The Exact Relation of Taguchi's Signal-to-Noise Ratio to its Quality Loss Function". *Journal of Quality Technology*
111. Mays, D. y Easter, S (1997) "Optimal Response Surface Design in the Presence of Dispersion Effects". *Journal of Quality Technology*
112. Mays, D. (1999) "Optimal Central Composite Designs in the Presence of Dispersion Effects". *Journal of Quality Technology*
113. Michaels, S. E. (1964) "The Usefulness of Experimental Design". *Journal of the Royal Statistical Society*
114. Miller, A., Sitter, R., Wu, C.F.J. y Long, D. (1993) "Are Large Taguchi-Style Experiments Necessary?". *Quality Engineering*
115. Miró, G. y del Castillo, E. (2002) "Dual Response Approach to the Multivariate Robust Parameter Design Problem" *Penn State University*
116. Mitchell, T. y Box, P.O. (1974) "An Algorithm for the Construction of "D-Optimal" Experiment Designs". *Technometrics*
117. Montgomery, D. C. (1990) "Using Fractional Factorial Design for Robust Process Development". *Quality Engineering*
118. Montgomery, D. C. (1997) "Design and Analysis of Experiments". *John Wiley*
119. Montgomery, D. C. (2001) "Introduction to Statistical Quality Control". *John Wiley*

120. Myers, R. H. y Carter, W. H. (1973) "Response Surface Techniques for Dual Response Systems". *Technometrics*
121. Myers, R., Khuri, A. y Vining, G. (1992) "Response Surface Alternatives to the Taguchi Robust Parameter Design Approach". *The American Statistician*
122. Myers, R., Kim, Y., y Griffiths, K. (1997) "Response Surface Methods and the Use of Noise Variables". *Journal of Quality Technology*
123. Myers, R. y Montgomery, R. (2002) "Response Surface Methodology". *John Wiley*
124. Nair, V. y Pregibon, D. (1988) "Analyzing Dispersion from Replicated Factorial Experiments.". *Technometrics*
125. Nair, et al (1992) "Taguchi's Parameter Design: A Panel Discussion". *Technometrics*
126. Nair, V., Taam, W y Ye, K. (2002) "Analysis of Functional Responses From Robust Design Studies". *Journal of Quality Technol*
127. Nelder, J. (1988) "Taguchi versus Statisticians", *The Royal Statistical Society News & Notes*.
128. Nelder, J. (1992) "Taguchi's Parameter Design: A Panel Discussion". *Technometrics*
129. Nelson, L. (1985) "What Do Low F Ratios Tell You?". *Journal of Quality Technology*
130. Neyman, J. y Tokarska, B. (1936). Errors of the Second Kind in Testing "Student's" Hypothesis. *Journal of the American Statistical Association*
131. Owen, D. (1965). The Power of Student's t-Test *Journal of the American Statistical Association*
132. Peterson, J., Cahya, S. y del Castillo, E. (2002) "A General Approach to Confidence Regions for Optimal Factor Levels of Response Surface". *Biometrics*
133. Phadke, M. S. (1992) "Taguchi's Parameter Design: A Panel Discussion". *Technometrics*
134. Plackett, R. y Burman, J. (1946) "The Design of Optimum Multifactorial Experiments". *Biometrika*.
135. Pledger, M. (1996) "Observable Uncontrollable Factors in Parameter Design". *Journal of Quality Technology*
136. Pozueta, M. L. (2001) "Errores en la Búsqueda de Condiciones Robustas, Metodología Para Evitarlos", *Tesis Doctoral, Universitat Politècnica de Catalunya*
137. Prat, A., Tort-Martorell, X., Grima, P. Y Pozueta, L (1997) "Métodos Estadísticos; Control y Mejora de la Calidad", *Edicions UPC*

138. Prat, A. y Grima, P. (1999) "A Bivariate Plot Useful in Selecting a Robust Design". *Quality Improvement Through Statistical Methods*, Ed. Bovas Abraham
139. Romero Zunica, R. (2002) "Planes Experimentales Ds-Óptimos en Diseño Robusto de Parámetros". *Tesis Doctoral, Universidad Politécnica de Valencia*
140. Rosenbaum, P. (1996) "Some Useful Compound Dispersion Experiments in Quality Design". *Technometrics*
141. Sanders, D. y Coleman, J. (1999) "Considerations Associated with Restriction in Randomization in Industrial Experimentation". *Quality Engineering*
142. Sanders, D. y Coleman, J. (2003) "Rognition and Importante of Restictions on Randomization in Industrial Experimentation". *Quality Engineering*
143. Scibilia, B., Kobi, A., Chassagnon, R., y Barreau, A. (2001) "Robust Design: A Simple Alternative to Taguchi's Parameter Design Approach". *Quality Engineering*
144. Schervish, M. (1996) "P Values: What They Are and What They Are Not". *The America Statistician*
145. Shoemaker, A., Tsui, K-L., Wu, C.F.J. (1991) "Economical Experimentation Methods for Robust Design". *Technometrics*
146. Snee, R. D. (1985) "Computer-Aided Design of Experiments – Some Practical Experiences". *Journal of Quality Technology*
147. Steinberg, D. y Hunter, W. (1984) "Experimental Design: Review and Comment". *Technometrics*
148. Steinberg, D. (1988) "Factorial Experiments with Time Trends". *Technometrics*
149. Steinberg, D. y Bursztyn, D. (1994) "Dispersion Effects in Robust-Design Experiments with Noise Factors". *Journal of Quality Technology*
150. Steinberg, D. y Bursztyn, D. (1998) "Noise Factors, Dispersion Effects, and Robust-Design". *Statistica Sinica*
151. Taguchi, G. y Wu, Y. (1985) "Introduction to Off-Line Quality Control". *Central Japan Quality Association*
152. Tay, K. y Butler, C. (1999) "Methodologies for Experimental Design: A Survey, Comparison, and Future Predictions". *Quality Engineering*
153. Tiahrt K. J. (1970) "A Method of Constrained Randomization for  $2^n$  Factorials". *Technometrics*
154. Vining, G.y Myers, R. (1990) "Combining Taguchi and Response Surface Philosophies: A Dual Response Approach". *Journal of Quality Technology*
155. Vining, G., y Schaub, D. (1996) "Experimental Design for Estimating Both Mean and Variance Functions". *Journal of Quality Technology*

156. Vining, G. (1998) "A Compromise Approach to Multiresponse Optimization", *Journal of Quality Technology*
157. Welch, W. (1982) "Branch-and-Bound search for Experimental Design Based on D Optimality and Other Criteria". *Technometrics*
158. Welch, W. (1984) "Computer-Aided Design of Experiments for Response Estimation". *Technometrics*
159. Welch, W., Yu, T-K., Kang, S.M. y Sacks, J. (1990) "Computer Experiments for Quality Control by Parameter Design". *Journal of Quality Technology*
160. Wooding, W. (1973) "The Split-Plot Design". *Journal of Quality Technology*
161. Wu, C. (1992) "Taguchi's Parameter Design: A Panel Discussion". *Technometrics*
162. Wurl, R. y Albin, S. (1999) "A Comparison of Multiresponse Optimization: Sensitivity to Parameter Selection". *Quality Engineering*
163. Youden, W. J. (1972) "Randomization and Experimentation". *Technometrics*
164. Zunica, L.R., y Romero, R. (1988) "Un Modelo Para el Estudio de Efectos Sobre la Dispersion en Ausencia de Replicaciones". *Estadística Española*