

## BIBLIOGRAFÍA

- Anselmet, F., Gagne, Y., Hopfinger, E. J., and Antonia, R. A. (1984). High-order velocity structure functions in turbulent shear flow. *J. Fluid Mech.*, 140:63–89.
- Babiano, A. (2000). On particle dispersion processes in two-dimensional turbulence. No publicado.
- Babiano, A., Basdevant, C., Le Roy, P., and Sadourny, R. (1987a). Single particle dispersion, lagrangian anergy spectrum in two-dimensional incompressible turbulence. *J. Mar. Res.*, 45:107–131.
- Babiano, A., Basdevant, C., Le Roy, P., and Sadourny, R. (1990). Relative dispersion in two-dimensional turbulence. *J. Fluid Mech.*, 214:535–557.
- Babiano, A., Basdevant, C., Legras, B., and Sadourny, R. (1987b). Vorticity and passive-scalar dynamics in two-dimensional turbulence. *J. Fluid Mech.*, 183:379–397.
- Babiano, A., Basdevant, C., and Sadourny, R. (1985). Structure functions and dispersion laws in two-dimensional turbulence. *J. Atm. Sci.*, 42(9):941–949.
- Babiano, A., Dubrulle, B., and Frick, P. (1995). Scaling properties of numerical two-dimensional turbulence. *Phys. Rev. E*, 52(4):3719–3729.
- Baldwin, B. S. and Barth, T. J. (Agosto 1990). A one-equation turbulence transport model for high reynolds number wall-bounded flows. *NASA-TM-102847*.
- Basdevant, C., Legras, B., Sadourny, R., and Beland, M. (1981). A study of barotropic model flows: Intermittency waves and predictability. *J. Atmos. Sci.*, 38:2305–2326.
- Batchelor, G. K. (1952). Diffusion in a field of homogeneous turbulence. *Proc. Cambridge Phil. Soc.*, 48:345.
- Batchelor, G. K. (1982). *The theory of homogeneous turbulence*. Cambridge University Press.

- Batchelor, G. K. (1990). Kolmogorov's work in turbulence. *Bull. London Math. Soc.*, 22:47–51.
- Benzi, R., Ciliberto, S., Baudet, C., and Ruiz Chavarria, G. (1995). On the scaling of three dimensional homogeneous and isotropic turbulence. *Physica D*, 80:385–398.
- Benzi, R., Ciliberto, S., Baudet, C., Ruiz Chavarria, G., and Tripicciono, C. (1993a). Extended self-similarity in the dissipation range of fully developed turbulence. *Europhys. Lett.*, 24:275–279.
- Benzi, R., Ciliberto, S., Tripicciono, R., Baudet, C., Massaioli, F., and Succi, S. (1993b). Extended self-similarity in turbulent flows. *Phys. Rev. E*, 48:R29–R32.
- Boffetta, G., Celani, A., Crisanti, A., and Vulpiani, A. (1999). Relative dispersion in fully developed turbulence: Lagrangian statistics in synthetic flows. *Europhysics Letters*, 46(2):177–182.
- Bradshaw, P. (1978). *Turbulence*. Springer-Verlag.
- Careta, A., Sagués, F., and Sancho, J. M. (1993). Stochastic generation of homogeneous isotropic turbulence with well-defined spectra. *Physical Rev. E*, 48(3):2279–2287.
- Castilla, R. (2000). Numerical simulations of particles diffusion in isotropic and homogeneous turbulent flows. In Redondo, J. and Babiano, A., editors, *Turbulent Diffusion in the Environment*, pages 69–76, Barcelona. Xarxa Temàtica de Dinàmica de Fluids i Turbulència Geofísica.
- Dávila, J. and Hunt, J. C. R. (2001). Settling of small particles near vortices and in turbulence. *J. Fluid. Mech.*, 440:117–145.
- Dávila, J., Polo, D., Bravo-León, E., and Vassilicos, J. C. (2000). Trajectories of particles in homogeneous isotropic turbulence. In *Conference on Dynamics of Particle-Laden Flows, Kappel (Suiza)*. ERCOFTAC.
- De Boor, C. (1978). *A practical guide to splines*, volume 27 of *Applied Mathematical Sciences*. Springer-Verlag.
- Deigaard, R. and Hansen, E. A. (1994). Simulation of turbulent diffusion of suspended sediment by a random walk model. *Prog. Rep. (Inst. Hydrodyn. and Hydraulic Eng. - Tech. Univ. of Denmark)*, 75:1–17.

- 
- Drummond, L. T., Duane, S., and Horgan, R. R. (1984). Scalar diffusion in simulated helical turbulence with molecular diffusivity. *J. Fluid Mech.*, 138:75–94.
- Dubrulle, B. (1994). Intermittency in fully developed turbulence: log-poisson statistics and generalized scale-covariance. *Phys. Rev. Lett.*, 73:959.
- Elhmaïdi, D., Provenzale, A., and Babiano, A. (1993). Elementary topology of two-dimensional turbulence from a lagrangian viewpoint and single-particle dispersion. *J. Fluid. Mech.*, 257:533–558.
- Favre, A., Kovasznay, L. S. G., Dumas, R., Gaviglio, J., and Coantic, M. (1976). *La Turbulence en Mécanique des Fluides*. Gauthier-Villars.
- Flohr, P. and Vassilicos, J. C. (2000). A scalar subgrid model with flow structure for large-eddy simulations of scalar variances. *J. Fluid Mech.*, 407:315–349.
- Frick, P., Dubrulle, B., and Babiano, A. (1995). Scaling properties of a class of shells models. *Phys. Rev. E*, 51(6):5582–5593.
- Frisch, U. (1995). *Turbulence*. Cambridge University Press.
- Frisch, U., Sulem, P. L., and Nelkin, N. (1978). A simple dynamical model of intermittent fully developed turbulence. *J. Fluid Mech.*, 87:719–736.
- Fung, J. C. H. (1990). *Kinematic simulation of turbulent flow and particle motion*. PhD thesis, University of Cambridge.
- Fung, J. C. H., Hunt, J. C. D., Malik, N. A., and Perkins, R. J. (1992). Kinematic simulation of homogeneous turbulence by unsteady random fourier modes. *J. Fluid Mech.*, 236:281.
- Fung, J. C. H. and Vassilicos, J. C. (1998). Two-particle dispersion in turbulentlike flows. *Phys. Rev. E*, 52:1677–1690.
- Gagne, Y. (1987). *Etude expérimentale de l'intermittence et des singularités dans le plan complexe en turbulence développée*. PhD thesis, Université de Grenoble.
- Gardiner, C. W. (1985). *Handbook of Stochastic Methods*. Springer-Verlag, Berlin.
- Gleick, J. (1996). *Chaos*. Minerva.

- González Barras, R. M. (1993). *Modelo Lagrangiano de Difusión de Partículas por el Método de Montecarlo*. PhD thesis, Fac. de Ciencias Físicas. Universidad Complutense de Madrid.
- Hanjalic, K. (1994). Advanced turbulence closure models: A view of current status and future prospects. *Int. J. Heat Fluid Flow*, 15:178.
- Hinze, J. O. (1975). *Turbulence*. McGraw-Hill.
- Hoffmann, K. A. and Chiang, S. T. (1998). *Computational Fluid Dynamics.*, volume II. Engineering Education System, Kansas, USA, third edition.
- Hua, B. L. and Klein, P. (1998). An exact criterion for the stirring properties of nearly two-dimensional turbulence. *Physica D*, 113:98–110.
- Hua, B. L., McWilliams, J., and Klein, P. (1998). Lagrangian accelerations in geostrophic turbulence. *J. Fluid Mech.*, 366:87–108.
- Iliopoulos, I. and Hanratty, T. J. (1999). Turbulent dispersion in a non-homogeneous field. *J. Fluid Mech.*, 392(45-71).
- Jiménez, J. (2000). Intermittency and cascades. *J. Fluid Mech.*, 409:99–120.
- Jou, D. (1997). Intermittent turbulence: a short introduction. *Sci. Mar.*, 61 (Supl. 1):57–62.
- Kármán, T. v. and Howarth, L. (1938). On the statistical theory of isotropic turbulence. *Proc. R. Soc. Lond. A*, 164:192–215.
- Kiehn, R. M. (1999). 2-d turbulence is a myth. *Geophysical Research Abstracts*, 1(4):814.
- Kolmogorov, A.Ñ. (1941a). The local structure of turbulence in incompressible viscous fluid for very large Reynolds numbers. *Dokl. Akad. Nauk. SSSR*, 30:301–305.
- Kolmogorov, A.Ñ. (1941b). On degeneration of isotropic turbulence in an incompressible viscous liquid. *Dokl. Akad. Nauk. SSSR*, 31:538–541.
- Kolmogorov, A.Ñ. (1942). The equation of turbulent motion in an incompressible viscous fluid. *Izv. Akad. Nauk SSSR*, VI:56–58.
- Kolmogorov, A.Ñ. (1962). A refinement of previous hypotheses concerning the local structure of turbulence in a viscous incompressible fluid at high Reynolds number. *J. Fluid Mech.*, 12:82–85.

- Kraichnan, R. H. (1966). Dispersion of particle pairs in homogeneous turbulence. *Phys. Fluids*, 9:1937.
- Kraichnan, R. H. (1967). Inertial ranges in two-dimensional turbulence. *Phys. Fluids*, 10:1417.
- Kraichnan, R. H. (1968). Small-scale structure convected by turbulence. *Phys. Fluids*, 11:945–953.
- Kraichnan, R. H. (1970). Diffusion by a random velocity field. *The Physics of Fluids*, 13(1):22–31.
- Kraichnan, R. H. (1975). Remarks on turbulence theory. *Adv. in Mathematics*, 16:305–331.
- Kraichnan, R. H. (1976). Eddy viscosity in two and three dimensions. *J. Atmos. Sci.*, 33:1521–1536.
- Kraichnan, R. H. and Montgomery, D. (1980). Two-dimensional turbulence. *Reports on Progress in Physics*, 43:547–619.
- Landahl, M. T. and Mollo-Christensen, E. (1986). *Turbulence and random processes in fluid mechanics*. Cambridge University Press.
- Landau, L. D. and Lifshitz, E. M. (1986). *Física Teórica, Mecánica de Fluidos*. Edit. Reverté.
- Larchevêque, M. and Lesieur, M. (1981). The application of eddy-damped markovian closures to the problem of dispersion of particle pairs. *J. Mécanique*, 20:113–134.
- Launder, B. E. (1990). *Lecture Notes in Physics*, chapter Phenomenological modelling: Present... and future? Springer-Verlag, Berlin.
- Launder, B. E. and Spalding, D. B. (1974). The numerical computation of turbulent flows. *Computer Method in Applied Mechanics and Engineering*, 3:269–289.
- Leith, C. E. (1968). Diffusion approximation for two-dimensional turbulence. *Phys. Fluids*, 11:671–673.
- Lesieur, M. (1983). Introduction to two-dimensional turbulence. *Two-dimensional turbulence, J. Mec. Th. Appl., Suppl.*, pages 5–20.

- Lesieur, M. (1997). *Turbulence in fluids*. kluwer Academic, 3rd. edition.
- Lesieur, M., Comte, P., and Métais, O. (1995). Numerical simulations of coherent vortices in turbulence. *Appl. Mech. Rev.*, 48(3):121–149.
- Libby, P. A. (1996). *Introduction to Turbulence*. Combustion: An International Series. Taylor & Francis.
- Lin, C. C. (1953). On taylor's hypothesis and the acceleration terms in the navier-stokes equation. *Quart. Appl. Math.*, 10:295.
- Lin, C. C. and Reid, W. H. (1963). *Handbuch der Physik*, volume VIII/2, chapter Turbulent Flow. Theoretical Aspects., pages 438–523. Springer-Verlag.
- Lin, J. T. (1972). Relative dispersion in the enstrophy cascading inertial range of homogeneous two-dimensional turbulence. *J. Atmos. Sci.*, 29:394–396.
- Lu, Q. Q. (1995). An approach to modelling particle motion in turbulent flows- i. homogeneous, isotropic turbulence. *Atmospheric Environment*, 29(3):423–436.
- Lumley, J. L. (1970). *Stochastic tools in turbulence*. Academic Press.
- Mahjoub, O. B. (2000). *Non-Local Dynamics and Intermittency in Non-Homogeneous Flows*. PhD thesis, Dept. de Física Aplicada. Universitat Politècnica de Catalunya., Barcelona.
- Malik, N. A. (1991). *Studies in turbulent dispersion using kinematic simulation*. PhD thesis, University of Cambridge.
- Malik, N. A. and Vassilicos, J. C. (1999). A lagrangian model for turbulent dispersion with turbulent-like flow structure: Comparison with direct numerical simulation for two-particle statistics. *Physics of Fluids*, 11(6):1572–1580.
- Mandelbrot, B. B. (1982). *The fractal geometry of nature*. Freeman, San Francisco.
- Martí Pérez, A. C. (1997). *Stochastic Generation of Turbulence and Applications*. PhD thesis, Universitat de Barcelona, Barcelona.
- McComb, W. D. (1990). *The Physics of Fluid Turbulence*. Oxford Engineering Science. Oxford University Press.

- McWilliams, J. C. (1984). The emergence of isolated coherent vortices in turbulent flow. *J. Fluid Mech.*, 146:21–43.
- McWilliams, J. C. (1990a). The vortices of geostrophic turbulence. *J. Fluid Mech.*, 219:387–404.
- McWilliams, J. C. (1990b). The vortices of two-dimensional turbulence. *J. Fluid Mech.*, 219:361–385.
- Menter, F. R. (1992). Assessment of higher order turbulence models for complex two- and three-dimensional flowfields. *NASA-TM-103944*.
- Monin, A. S. and Yaglom, A. M. (1975). *Statistical Fluid Mechanics*, volume 2. The MIT Press.
- Nicolleau, F. and Vassilicos, J. (1998). Kinematic simulation for stratified flows. In Frisch, U., editor, *Advances in Turbulence VII*, pages 543–546. Kluwer Academics.
- Okubo, A. (1970). Horizontal dispersion of floatable particles in the vicinity of velocity singularities such as convergences. *Deep-sea Res.*, 17:445–454.
- Ott, S. and Mann, J. (2000). An experimental investigation of the relative diffusion of particle pairs in three-dimensional turbulent flow. *J. Fluid Mech.*, 422:207–223.
- Paladin, G. and Vulpiani, A. (1987). Anomalous scaling laws in multifractal objects. *Phys. Rep.*, 156:539–600.
- Pedlosky, J. (1986). *Geophysical Fluid Dynamics*. Springer-Verlag, New-York.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P. (1992). *Numerical Recipes in Fortran. The Art of Scientific Computing*. Cambridge University Press, 2nd. edition.
- Protas, B., Babiano, A., and Kevlahan, N.-R. (1999). On geometrical alignment properties of two-dimensional forced turbulence. *Physica D*, 128:169–179.
- Provenzale, A. (1999). Transport by coherent barotropic vortices. *Annu. Rev. Fluid Mech.*, 31:55–93.

- Reynolds, O. (1895). On the dynamical theory of incompressible viscous fluid and the determination of the criterion. *Phil. Trans. of the Royal Soc. of London, Series A*, 186:123.
- Richardson, L. F. (1926). Atmospheric diffusion shown on a distance-neighbour graph. *Proc. Roy. Soc. London*, A110:709–737.
- Sadourny, R. and Basdevant, C. (1985). Parametrization of subgrid scale barotropic eddies in quasi-geostrophic models: anticipated potential vorticity method. *J. Atmos. Sci.*, 42:1353–1363.
- Sakai, Y., Hunt, J. C. R., Fung, J. C. H., Pedrezetti, G., and Perkins, R. J. (1993). Modelling of the diffusion of fluid particles in turbulent flows approaching a circular cylinder by random fourier modes and random flight. *Applied Scientific Research. Advances in Turbulence IV.*, 51:547–553.
- Sakate, S., Kunugi, T., and Himeno, R. (2000). Reynolds number effect on turbulent structures in a pipe flow via dns. In *Advances in Turbulence VIII*, pages 663–666, Barcelona, Spain. CIMNE.
- She, Z. S. and Léveque, E. (1994). Universal scaling laws in fully developed turbulence. *Phys. Rev. Lett.*, 72:336.
- Smagorinsky, J. (1963). General circulation experiments with the primitiva equations. *Mon. Weath. Rev.*, 91:99–164.
- Spalart, P. R. and Allmaras, S. R. (1992). A one-equation turbulence model for aerodynamics flows. *AIAA-92-0439*.
- Spalding, D. B. (1991). Kolmogorov's two-equation model of turbulence. *Proc. R. Soc. Lond.*, A 434:165–182.
- Tatarski, V. I. (1960). Radiophysical methods of investigating atmospheric turbulence. *Izv. Vyssh. Uchebn. Zaved. Radiofiz.*, 5:551.
- Taylor, G. I. (1921). Diffusion by continuous movements. *Proc. Lond. Math. Soc.*, 20(2):196–212.
- Taylor, G. I. (1935). Statistical theory of turbulence. *I. Proc. R. Soc. London A*, 151:421–444.



- Tennekes, H. and Lumley, J. (1972). *A first course in turbulence*. The MIT Press, Cambridge, Mass.
- Thomson, D. J. (1990). A stochastic model for the motion of particles pairs in isotropic high-reynolds-number turbulence, and its application to the problem of concentration variance. *J. Fluid Mech.*, 210:113–153.
- Townsend, A. A. (1976). *The structure of turbulent shear flow*. Cambridge University Press.
- van der Water, W. and Herweijer, J. A. (1999). High-order structure functions of turbulence. *J. Fluid Mech.*, 387:3–37.
- Vassilicos, J. C. (1990). *Fractal and moving interfaces in turbulent flow*. PhD thesis, University of Cambridge, Saint Edmund's College.
- Vassilicos, J. C., Malik, N. A., Dávila, J., and Sakai, Y. (1998). Kinematic simulation. *Advances in Turbulence VII*, pages 581–584.
- Weiss, J. (1991). The dynamics of enstrophy transfer in two-dimensional hydrodynamics. *Physica D*, 48:273–294. Escrito en 1981 como un preprint de La Jolla Inst.
- Wilcox, D. C. (1988). Reassessment of the scale-determining equation for advanced turbulence models. *AIAA Journal*, 26:1299–1310.
- Wilson, K. G. (1971a). Renormalisation group and critical phenomena: I renormalisation group and the kaudoff scaling picture. *Physics Review E*, 4(9):3174–3189.
- Wilson, K. G. (1971b). Renormalisation group and critical phenomena: II phase-space cell analysis of critical behaviour. *Physics Review E*, 4(9):3184–3205.
- Yaglom, A. M. (1994). A. n. kolmogorov as a fluid mechanician and founder of a school in turbulence research. *Ann. Rev. Fluid Mech.*, 26:1–22.
- Yeung, P. K. (1994). Direct numerical simulations of two-particle relative diffusion on isotropic turbulence. *Phys. Fluids*, 6:3416.
- Zeidler, R. B. (1976). Coastal dispersion of pollutants. *J. of the Waterways Harbors and Coastal Eng. Division*, WW2:235–253.

Zouari, N. and Babiano, A. (1990). Expériences numériques lagrangiennes à partir de modèles eulériens. *Atmosphere-Ocean*, 28(3):345–364.

Zouari, N. and Babiano, A. (1994). Derivation of the relative law in the inverse energy cascade of two-dimensional turbulence. *Physica D*, 76:318.