

## REFERENCIAS BIBLIOGRÁFICAS

Abdinnour-Helm, S y M.A. Venkataramanan (1995). A hybrid heuristic for the uncapacitated hub location problem. *European Journal of Operational Research* 106, 489-499

Abdinnour-Helm, S y M.A. Venkataramanan (1996). Solution approaches to hub location problems. *Annals of Operation Research*, 78, 31-50.

Abdinnour-Helm, S. (1999). Network design in supply chain management. *International Journal of Agile Management Systems* 1/2,99-106

Aykin, T. (1990). On the location of hub facilities, *Transportation Science* 22, 155-157.

Aykin, T y G.F. Brown (1992). Interacting new facilities and location-allocation problems. *Transportation Science* 26:3, 212-222.

Aykin, T. (1994). Lagrangian relaxation based approaches to capacited hub-and-spoke network design problem. *European Journal of Operations Research* 79, 501-523.

Aykin, T. (1995a). The hub location and routing problems, *European Journal of Operational Research* 83, 200-219.

Aykin, T. (1995b). Networking policies for hub-and-spoke systems with application to the Air Transportation System, *Transportation Science* 29, 201-221.

Ballou, Ronald H. (1991). *Logística empresarial. Control y Planificación*. Ediciones Díaz de Santos, S.A. , Madrid, España. ISBN 84-87189-68-7.

Barcos, L. (2002). *Optimización de rutas de transporte de carga de muchos orígenes a muchos destinos mediante colonias de hormigas*. Tesis doctoral dirigida por el Dr. Francesc Robusté (UPC) y la Dra. Maria Jesús Álvarez (UN). Escuela Superior de Ingenieros de la Universidad de Navarra. San Sebastián, España.

Blumenfeld, D.E., L. D. Burns, J.D. Diltz y C.F. Daganzo (1985). Analyzing trade-offs between transportation inventory and production costs on freight networks. *Transportation Research Part B* 19B:5, 361-380.

Brandao, J. (2006). A new tabu search algorithm for the vehicle routing problem with backhauls, *European Journal of Operational Research* 173:2, 540–555.

Burns, L.D., R.W. Hall, D.E.Blumenfeld, C.F. Daganzo (1985). Distribution Strategies that minimize Transportation and Inventory Costs. *Operations Research* 33:3, 469-490.

Campbell, J.F. (1986). Dynamic location of facilities. PhD Thesis. University of California at Berkeley.

Campbell, J.F. (1997). Hub location and the p-hub median problem. *Location Science* 5:3, 203-203.

Cordeau J-F, M. Gendreau, G.Laporte (1997). A tabu search heuristic for periodic and multi-depot vehicle routing problems. *Networks* 30, 10–19.

Cordeau J.F., G. Laporte (2003). A tabu search heuristic for the static multi-vehicle dial-a-ride problem. *Transportation Research Part B* 37, 579–594

Crainic, T.G. (2003). Long Haul Freight Transportation. Capítulo en: R.W. Hall, *Handbook of Transportation Science*, Second Edition. Kluwer Academic Publishers.

Crevier, B., J.F. Cordeau, G. Laporte (2005). The multi-depot vehicle routing problem with inter-depot routes. *European Journal of Operational Research* 176:2, 756–773.

Daganzo, C.F. (1984a). The length of tours in zones of different shapes. *Transportation Research B* 18B:2, 135-145.

Daganzo, C.F. (1984b). The distance travelled to visit N points with a maximum of C stops per vehicle: An analytic model and an application. *Transportation Science* 18:4, 331-350.

Daganzo, C.F. (1988). A comparison of in-vehicle and out-of-vehicle freight consolidation strategies. *Transportation Research Part B* 22:3, 173-180.

Daganzo, C.F. (2005). *Logistics System Analysis*. Fourth Edition. Editorial Springer.

Desaulniers, G., J. Desrosiers, I. Ioachim, M.M. Solomon, F. Soumis y D. Villeneuve (2002). A unified framework for deterministic time constrained vehicle routing and crew scheduling problems. Capítulo en: Crainic, T.G. y G. Laporte, *Fleet Management and Logistics*, Kluwer academic publishers.

Dorigo, M. y L.M. Gambardella (1996). A Study of Some Properties of Ant-Q, *Proceedings of the 4th International Conference on Parallel Problem Solving from Nature*, 656 - 665, ISBN:3-540-61723-X

Ebery, J., M. Krishnamoorthy, A. Ernst y N. Boland (2000). The capacited multiple allocation hub location problem: Formulations and algorithms. *European Journal of Operational Research* 120, 614-631.

Ernst, A.T. y M. Krishnamoorthy (1998). Exact and heuristic algorithms for the uncapacitated multiple allocation p-hub median problem. *European Journal of Operations Research* 104, 100-112.

Ernst, A.T. y M. Krishnamoorthy (1999). Solution algorithms for the capacitated single allocation hub location problem. *Annals of Operations Research* 86, 141-159.

Generalitat de Catalunya (2005). *Observatori de costos de transport de mercaderies per Carretera a Catalunya núm 36*. Octubre 2005. Direcció General de Ports i Transports.

Glover, F. (1986). Future paths for integer programming and links to artificial intelligence. *Computers and Operations Research*, 5, 533-549.

Glover, F. y M. Laguna (2002). *Tabu Search*, Kluwer Academia Publishers, Boston.

Golden, B.L. y A.A. Assad (1988). *Vehicle routing: Methods and studies*. Nort-Holland, Amsterdam.

Golden, B.L., E.A. Wasil, J.P. Kelly, I-M.Chao (2002). The impact of metaheuristics on solving the vehicle routing problem: Algorithms, problem sets, and computational results.

Capítulo en: *Fleet Management and Logistics* edited by T.G. Crainic y G. Laporte, Kluwer academic publishers.

Hall, R.W. (1987). Direct versus terminal freight routing on a network with concave costs. *Transportation Research Part B* 21: 4, 287-298.

Hall, R.W., (1989). Configuration of an overnight package air network. *Transportation Research Part A* 23:2, 139-149.

Hall, R.W. (1990). Characteristics of multi-stop/multi-terminal delivery routes, with backhauls and unique items. *Transportation Research Part B* 25B:6, 391-403.

Hall, R.W. (1996). Pickup and delivery systems for overnight carriers. *Transportation Research Part A* 30:3, 173-187.

Handler, G., y Mirchandani, P. (1979). *Location on Networks: Theory and Algorithms*, The MIT Press, Cambridge, MA.

Holguín-Veras, J. (2007). *New paradigms of freight demand modelling*. Working paper. Rensselaer Polytechnical Institute, New York.

Hillier, F.S. y G.J. Lieberman (2001) *Investigación de operaciones*. Séptima edición. Editorial McGraw-Hill.

Kirkpatrick S., C.D. Gelatt, y M.P Vecchi (1983). Optimization by simulated annealing, *Science* 220:4598, 671-680.

Klincewicz, J.G. (1991). Heuristics for the p-hub location problem. *European Journal of Operational Research* 53, 25-37. North-Holland.

Larson, R.C. y A.R. Odoni (1981). *Urban operations research*. Prentice-Hall.

Martinez, O. y P. Barea (2000). Internet como factor determinante de la evolución de la demanda de servicios logísticos. Actas del IV Congreso de Ingeniería del Transporte, Valencia.

Monma, C.L. y D.D. Sheng (1986). Backbone network design and performance analysis: A methodology for packet switching networks. *IEEE Journal on Selected Areas in Communications* 4/6, 946-965.

Muro, M.A. (1988). Descripción logística del Mercado español, *Revista TTC*, 30, 44-50.

Nancy, W.P., J.W. Barnes (2000). Solving the pickup and delivery problem with time windows using reactive tabu search. *Transportation Research Part B* 34 , 107-121.

O'Kelly, M.E. (1986). The location of interacting hub facilities, *Transportation Science* 20, 92-106.

O'Kelly, M.E. (1987). A quadratic integer program for the location of interacting hub facilities, *European Journal of Operational Research* 32, 393-404.

O'Kelly, M.E.(1992). Hub facility location with fixed cost. *Papers in regional size. The Journal of Regional Size Association International* 71, 93-306.

O'Kelly, M.E. y H.J. Miller (1994). The hub network design problem. *Journal of Transport Geography* 2(1), 31-40.

O'Kelly, M.E., D. Bryan, D. Skorin-Kapov and J. Skorin-Kapov (1996). Hub network design with single and multiple allocation: A computational study. *Location Science* 4:3, 125-138.

O'Kelly, M.E., D.L. Bryan (1998). Hub location with flow economies of scale. *Transportation Research Part B* 32:8, 605-616.

Perl, J, M. Daskin (1985). A warehouse location-routing problem. *Transportation Research Part B* 19B:5, 381-396.

Robusté, F. (2005). *Logística del transporte*. Ediciones UPC, Barcelona. ISBN: 84-8301-773-3, 1-207.

Robusté, F., C.F. Daganzo y R.R. Souleyrette (1990). Implementing vehicle routing models. *Transportatin Research Part B* 24B4, 263-286.

Rodriguez, V. (2002). *Metodología para determinar la ubicación de hubs con capacidad limitada*. Tesis Doctoral dirigida por el Dr. Francesc Robusté (UPC) y la Dra. Maria Jesús Álvarez (UN). Escuela Superior de Ingenieros de la Universidad de Navarra.

Salhi, S., G.K. Rand (1989). The effect of ignoring routes when locating depots. *European Journal of Operational Research* 39, 150-156.

Scheuerer, S. (2006) A tabu search heuristic for the truck and trailer routing problem, *Computers & Operations Research* 33, 894–909.

Skorin-Kapov, D., J. Skorin-Kapov and M. O’Kelly (1994), Tight linear programming relaxations of uncapacitated p-hub median problems, *Proceedings of the National Decision Science Conference*. Boston.

Sum, M., J.E. Aronson, P.G. McKeown y D. Drinka (1998) A tabu search heuristic procedure for the fixed charge transportation problem, *European Journal of Operational Research* 106, 441-456.

Taillard, E.D., P. Badeau, M. Gendreau, F. Guertin and J.-Y. Potvin (1997). A tabu search heuristic for the vehicle routing problem with soft time windows. *Transportation Science* 31, 170–186.

Wasner, M., y G. Zäpfel (2004). An integrated multi-depot hub-location vehicle routing model for network planning of parcel service. *International Journal Production Economics* 90, 403-419.

Yaged, B. (1971). Minimum Cost Routing for Static Routing Models. *Network*, Vol 1, 139-172.



