UNIVERSITAT DE
BARCELONA

# SIMSAFADIM-CLASTIC: Modelización 3D de transporte y sedimentación clástica subacuática

Òscar Gratacós Torrà

# Capitulo 8

*Bibliografía*

Allen, J. (1978): Studies in fluviatile sedimentation: An exploratory quantitative model for the architecture of avulsion controlled suites. Sedimentary Geology, 21, p. 129-147.

Allen, J. (1985): Principles of physical sedimentology. George Allen & Unwin. 272 p.

Anderson, M. (1989): Hydrogeologic facies models to delineate large-scale spatial trends in glacial and glaciofluvial sediments. Geol. Soc. Am. Bull., 101, p. 501-511.

Anderson, M. y Bates, P. (2001): Model Validation: Perspectives in Hydrological Science. John Wiley & Sons, 500 p.

Bagnold, R. (1988): The Physics of Sediment Transport by Wind and Water: A collection of Hallmark papers. American Society of Civil Engineers, New York, 359 p.

Bartrina, M. T.; Cabrera, L.; Jurado, M. J.; Guimerà, J. y Roca, E. (1992): Evolution of the central margin of the Valencia trough (western Mediterranean). Tectonophysics, 203, p. 219-247.

Bice, D. M. (1991): Computer simulation of carbonate platform and basin systems. Kansas Geological Survey Bulletin, 233, p. 431-447.

Bigg, G. (1996): The oceans and climate. Cambridge University Press, 266 p.

Bitzer, K. y Harbaugh, J. W. (1987): DEPOSIM: A Macintosh computer model for two-dimensional simulation of transport, deposition, erosion and compaction of clastic sediments. Computers & Geosciences, 13, p. 611-637.

Bitzer, K. y Pflug, R. (1990): DEPO3D: A three dimensional model for simulating clastic sedimentation and isostatic compensation in sedimentary basins. *En:* Cross, T. (*ed.*): Quantitative Dynamic Stratigraphy. Prentice Hall, Englewood Cliffs, p. 335-348.

Bitzer, K. (1996): Modeling consolidation and fluid flow in sedimentary basins. Computers & Geosciences, 22, (5), p. 467-478.

Bitzer, K. (1997): BASIN: A finite-element model for simulation of consolidation, fluid flow, solute transport and heat flow in sedimentary basins. *En:* Pawlowsky-Glahn, V. (*ed.*): Proceedings of the Third Annual Conference of the International Association for Mathematical Geology. Part I, p. 444-449.

Bitzer, K. (1999): Two-dimensional simulation of clastic and carbonate sedimentation, consolidation, subsidence, fluid flow, heat flow and solute transport during the formation of sedimentary basins. Computers & Geosciences, 25, (4), p. 431-447.

Bitzer, K. y Salas, R. (2001): Simulating carbonate and mixed carbonate-clastic sedimentation using predator-prey models. *En:* Merriam, D. y Davis, J. C. (*eds.*): Geologic Modeling and Simulation: Sedimentary Systems. Kluwer Academic / Plenum Publ., p. 169-204.

Bitzer, K. y Salas, R. (2002): SIMSAFADIM: three-dimensional simulation of stratigraphic architecture and facies distribution modeling of carbonate sediments. Computers & Geosciences, 28, p. 1177-1192.

Bitzer, K. (2004): Modelización de flujo, transporte y sedimentación de evaporitas con el programa SIMSAFADIM: aplicación a la secuencia evaporítica del Vallès-Penedès (Catalunya). *En:* Liesa, C.; Pocovi, A.; Sancho, C.; Colombo, F.; González, A. y Soria, A. (*eds.*), Geo-temas, vol. 6(2), p. 333-336.

Bjørlykke, K. (1989): Sedimentology and Petroleum Geology. Springer Verlag, 363 p.

Bonham-Carter, G. y Sutherland, A. J. (1968): Mathematical model and FORTRAN IV program for computer simulation of deltaic sedimentation. Computer Contribution 24, Kansas Geological Survey, 56 p.

Bosence, D. y Waltham, D. (1990): Computer modeling the internal architecture of carbonate platforms. Geology, 18, p. 26-30.

Bredehoeft, J. D. y Konikow, L. F. (1993): Ground-water models: validate or invalidate. Ground Water, 31, 2, p. 178-179.

Bridge, J. y Leeder, M. (1979): A simulation model of alluvial stratigraphy. Sedimentology, 26, p. 617-644.

Briggs, L. I. y Pollack, H. N. (1967): Digital model of evaporite sedimentation. Science, 155, p. 453-456.

Cabrera, Ll.; Calvet, F.; Guimerà, J. y Permanyer, A. (1991): El registro sedimentario miocénico en los semigrabens del Vallès-Penedès y de El Camp: Organización secuencial y relaciones tectónica sedimentación. I Congreso del Grupo Español del Terciario, Vic, 1991, Libro-Guía Excursión nº 4, Colombo, F. (*ed*), 132 p.

Casamor, J. (1992): Transporte y sedimentación del material en suspensión en embalses: el embalse de Camarasa (río Noguera Pallaresa, Lleida). Tesis de Licenciatura, Universitat de Barcelona, 134 p.

Chien, N. y Wan, Z. (1998): Mechanics of Sediment Transport. ASCE Press, Reston, Virginia, 913 p.

Cookman, J. y Flemings, P. (2001): STORMSED1.0: hydrodynamics and sediment transport in a 2-D, steady-state, wind- and wave-driven coastal circulation model. Computers & Geosciences, 27, 6, p. 647-674.

Costa, E. (2003): Estimació dels ritmes de sedimentació de l'embassament de Camarasa. Trabajo de investigación, Universitat Autònoma de Barcelona, 100 p.

Cox, D.; Lindquist, S.; Bargas, C.; Havholm, K. y Srivastava, R. (1994): Integrated modeling for optimum management of a giant gas condensate reservoir, Jurassic Eolian Nugget Sandstone, Anschutz Ranch East Field, Utha Overthrust (USA). *En:* Yarus, J. y Chambers, R. (*eds.*): Stochastic Modeling and Geostatistics. AAPG Comput. Appl. Geol., 3, p. 287-321.

Cross, T. y Harbaugh, J. (1989): Quantitative dynamic stratigraphy: a workshop, a philosophy, a methodology. *En:* Cross, T. (*ed.*): Quantitative Dynamic Stratigraphy. Prentice Hall, Englewood Cliffs, p. 3-20.

Culling, W. (1960): Analytical theory of erosion. Journal of Geology, 68, p. 336-344.

Danby, J. M. A. (1985): Computing applications to differential equations. Reston Publishing, Reston, Virginia, 257 p.

Deutsch, C. y Journel, A. (1992): GSLIB: Geostatical Software Library. Oxford Univ. Press., New York, 369 p.

Domenico, P. A. y Schwartz, F. W. (1990): Physical and Chemical Hydrogeology. John Wiley & Sons, 824 p.

Dyer, K. (1986): Coastal and Estuarine Sediment Dynamics. John Wiley & Sons, 342 p.

Euzen, T.; Joseph, P.; Du Fornel, E.; Lesur, S.; Granjeon, D. y Guillocheau, F. (2004): Three-dimensional stratigraphic modelling of the Grès d'Annot system, Eocene-Oligocene, SE France. *En:* Joseph, P. y Lomas, S. (*eds.*) 2004: Deep-Water Sedimentation in the Alpine Basin of SE France: New perspectives on the Grès

d'Annot and related systems. Geological Society, London, Special Publications, 221, p. 161-180.

Ewing, R. E. y Wang, H. (2001): A summary of numerical methods for time-dependent advection-dominated partial differential equations. Journal of Computational and Applied Mathematics, 128, p. 423-445.

Fernández, O. (2004): Reconstruction of geological structures in 3D: An example from the Southern Pyrenees. Tesis Doctoral, Universitat de Barcelona, 321 p.

Flemings, P. B. y Jordan, T. E. (1989): A Synthetic Stratigraphic Model of Foreland Basin Development. Journal of Geophysical Research, Vol. 94, p. 3851-3866.

Flemings, P. B. y Grotzinger, J. P. (1996a): STRATA: freeware for solving classic stratigraphic problems. GSA Today, Vol. 6, num. 12, p. 1-7.

Flemings, P. B.; Grotzinger, J. P. y Morris, J. E. (1996b): STRATA: a stratigraphic modeling package (user manual). http://hydro.geosc.psu.edu/Strata_html/man.html.

Fogg, G. (1986): Groundwater flow and sand body interconnectedness in a thick multiple aquifer system. Water Resources Research, 22, p. 679-694.

Freeze, R. A. y Cherry, J. A. (1979): Groundwater. Prentice Hall, 604 p.

Gawthorpe, R.; Hardy, S. y Ritchie, B. (2003): Numerical modelling of depositional sequences in half-graben rift basins. Sedimentology, 50, p. 169-185.

Goldhammer, R. K., Dunn, P. A. y Hardy, L. A. (1987): High frequency glacio-eustatic sealevel oscillations with Milankovitch characteristics recorded in middle Triassic platform carbonates in Northern Italy. Amer. J. Sci., 287, p. 853-892.

González, A. (2001): El reompliment sedimentari dels embassaments de la Noguera Pallaresa. Trabajo fin de carrera, Universitat de Barcelona, 73 p.

Granjeon, D. y Joseph, P. (1999): Concepts and applications of a 3-D multiple lithology, diffusive model in stratigraphic modeling. *En:* Harbaugh, J.; Watney, W.; Rankey, E.; Slingerland, R.; Goldstein, R. y Franseen, E. (*eds.*): Numerical experiments in Stratigraphy: Recent Advances in Stratigraphic and Sedimentologic Computer Simulations, Kansas Geological Survey, SEPM Special Publications, 62, p. 197-210.

Gross, M. y Gross, E. (1996): Oceanography. A View of Earth. Prentice Hall. 7ª ed. 472 p.

Haefner, F.; Boy, S.; Wagner, S.; Behr, A.; Piskarev, V. y Palatnik, B. (1997): The 'front limitation' algorithm. A new and fast finite-difference method for groundwater pollution problems. Journal of Contaminant Hydrology, 27, p. 43-61.

Harbaugh, J. W. (1966): Mathematical simulation of marine sedimentation with IBM 7090/7094 computers. Computer Contribution 1, Kansas Geological Survey, 52 p.

Harbaugh, J. W. y Wahlstedt, W. J. (1967): FORTRANIV program for mathematical simulation of marine sedimentation with IBM 7040/7094. Computer Contribution 9, Kansas Geological Survey, 40 p.

Harbaugh, J. W. y Bonham-Carter, G. (1970): Computer simulation in Geology. John Wiley & Sons, New York, 574 p.

Hardy, S.; Dart, C. y Waltham, D. (1994): Computer modelling of the influence of tectonics on sequence architecture of coarse-grained fan deltas. Marine and Petroleum Geology, 11, 5, p. 561-574.

Hardy, S. y Gawthorpe, R. (1998): Effects of variations in fault slip rate on sequence stratigraphy in fan deltas: insights from numerical modeling. Geology, 26, 10, p. 911-914.

Haupt, B.; Chr. Schäfer-Neth y Stattegger, K. (1994): Modelling Sediment Drifts; A Coupled Oceanic Circulation-Sedimentation Model of the Northern North Atlantic. Paleoceanography, 9/6, p. 897-916.

Haupt, B.; Chr. Schäfer-Neth y Stattegger, K. (1995): 3-D Numerical Modelling of Late Quaternary Paleoceanography and Sedimentation in the Northern North Atlantic. Geologische Rundschau, 84, p. 137-150.

Haupt, B.; Stattegger, K. y Seidov, D. (1999): SEDLOB and PATLOB: Two Numerical Tools for Modeling Climatically-Forced Sediment and Water Volume Transport in Large Ocean Basins. *En:* Harff, J.; Lemke, W. y Stattegger, K. (*eds.*): Computerized Modeling of Sedimentary Systems. Springer, p. 115-147.

Hinkelmann, R. y Helmig, R. (2002): Numerical modelling of transport processes in the subsurface. *En:* Wefer, G.; Billett, D.; Hebbeln, D.; Jørgensen, B.; Schlüter, M. y Weering, T. (*eds.*): Ocen Margin Systems, Springer, p. 269-294.

Hjülstrøm, F. (1935): Studies of the Morphological Activity of Rivers as Illustrated by the River Fyris. Upsala University, Geological Institution Bulletin, 25, p. 221-527.

Isaaks, E. y Srivastava, R. (1989): An Introduction to Applied Geostatistics. Oxford Univ. Press., New York, 561 p.

Jervey, M. (1988): Quantitative Geologic Modeling of siliciclastic rock sequences and their seismic expression. *En:* Wilgus, C.; Hastings, B.; Posamentier, H.; Wagoner, J.; Ross, C. y Kendall, C. (*eds.*): Sealevel changes – An integrated approach. SEPM Special Publication, 42, p. 42-69.

Kaufman, P.; Grotzinger, J. y McCormick, D. (1991): Depth-dependent diffusion algorithm for simulation of sedimentation in shallow marine depositional systems. *En:* Franseen, E.; Watney, W.; Kendall, C. y Ross, W. (*eds.*): Sedimentary modelling: computer simulations and methods for improved parameter definition. Kansas Geological Survey, Bulletin 233, p. 489-508.

Kinzelbach, W. (1986): Groundwater modeling: an introduction with sample programs in BASIC. Elsevier Publ. Co., Amsterdam, 331 p.

Kleijnen, J. (1995): Verification and validation of simulation models. European Journal of Operational Research, 82, p. 145-162.

Koltermann, E. y Gorelick, S. (1996): Heterogeneity in sedimentary deposits: A review of structure-imitating, process-imitating, and descriptive approaches. Water Resources Research, 32, 9, p. 2617-2658.

Komar, P. (1973): Computer models of delta growth due to sediment input from rivers and longshore transport. Geol. Soc. Am. Bull., 84, p. 2217-2226.

Konikow, L. y Bredehoeft, J. (1992): Ground-water models cannot be validated. Advances in Water Resources, 15, p. 75-83.

Konikow, L. (1996): Numerical models of groundwater flow and transport. *En:* Manual on Mathematical Models in Isotope Hydrogeology. International Atomic Energy Agency Rept. IAEA-TECDOC-910, Vienna, Austria, p. 59-112.

Krumbein, W. (1962): The computer in Geology. Science, 136, p. 1087-1092.

Lawrence, D.; Doyle, M. y Aigner, T. (1990): Stratigraphic simulation of sedimentary basins: Concepts and Calibration. AAPG Bulletin, 74, 3, p. 273-295.

Lerche, I. (1990): Basin Analysis: Quantitative methods, Volume 1. Academic Press, New York, 562 p.

Maloszewski, P. y Zuber, A. (1992): On the calibration and validation of mathematical models for the interpretation of tracer experiments in groundwater. Advances in Water Resources, 15, p. 47-62.

Maron, M. y López, R. (1991): Numerical analysis: a practical approach. Wadsworth. 3ª ed. 743 p.

Massel, S. (1999): Fluid mechanics for marine ecologists. Springer, 566 p.

Martinez, P. A. y Harbaugh, J. W. (1994): Simulating near-shore environments, Van Nostrand Reinhold, 265 p.

Nielsen, P. (1992): Coastal bottom boundary layers and sediment transport. World Scientific. Advanced Series on Ocean Engineering, V. 4, 324 p.

Oral, M. y Kettani, O. (1993): The facets of the modeling and validation process in operations research. European Journal of Operational Research, 66, 2, p. 216-234.

Oreskes, N; Shrader-Frechette, K. y Belitz, K. (1994): Verification, validation, and confirmation of numerical models in the earth sciences. Science, 263, 4, p. 641-646.

Paola, C. (1988): Subsidence and gravel transport in alluvial basins. *En:* Kleinspehn, K. y Paola, C. (*eds.*): New Perspectives in Basin Analysis. Springer, p. 231-243.

Paola, C. (1990): A simple basin-filling model for coarse-grained alluvial systems. *En:* Cross, T. (*ed.*): Quantitative Dynamic Stratigraphy. Prentice Hall, Englewood Cliffs, p. 363-374.

Paola, C. (2000): Quantitative models of sedimentary basin filling. Sedimentology, 47 (suppl. 1), p. 121-178.

Pearson, M. y Garven, G. (1994): A sensivity study of driving forces on fluid flow during continental-rift basin evolution. Geol. Soc. Amer. Bull., 106, p. 461-475.

Perlmutter, M.; De Boer, P. y Syvitski, J. (1999): Geological observations and parameterisations. *En:* Harbaugh, J.; Watney, W.; Rankey, E.; Slingerland, R.; Goldstein, R. y Franseen, E. (*eds.*): Numerical experiments in Stratigraphy: Recent Advances in Stratigraphic and Sedimentologic Computer Simulations, Kansas Geological Survey, SEPM Special Publications, 62, p. 25-28.

Permanyer, A. (1990): Sedimentologia i diagènesis dels esculls miocènics de la conca del Penedès. Institut d'Estudis Catalans. Arxius de la Secció de Ciències, XCII. Barcelona. 324 p.

Pomar, L. (2001): Types of carbonate platforms: a genetic approach. Basin Research, Vol. 13, nº 3, p. 313-334.

Quiquerez, A.; Allemand, P. y Dromart, G. (2000): DIBAFILL: a 3-D two-lithology diffusive model for basin infilling. Computers & Geosciences, 26, p. 1029-1042.

Rasós, N. (2002): Dinàmica I fluxos de partícules a l'embassament de Camarasa. Trabajo fin de carrera, Universitat de Barcelona, 65 p.

Read, J. F.; Grotzinger, J. P.; Bova, J. A. y Koerschner, W. F. (1986): Models of generation of carbonate cycles. Geology, 14, p. 107-110.

Ritchie, B.; Hardy, S. y Gawthorpe, R. (1999): Three-dimensional numerical modeling of coarse-grained clastic deposition in sedimentary basins. Journal of Geophysical Research, 104, B8, p. 17759-17780.

Rivenaes, J. (1992): Application of a dual-lithology, depth-dependent diffusion equation in stratigraphic simulation. Basin Research, 4, p. 133-146.

Roca, E.; Sans, M.; Cabrera, L. y Marzo, M. (1999): Oligocene to Middle Miocene evolution of the central Catalan margin (northwestern Mediterranean). Tectonophysics, 315, p. 209-233.

Saaltink, M.; Carrera, J. y Ayora, C. (2000): A comparison of two approaches for reactive transport modelling. Journal of Geochemical Exploration 69-70, p. 97-101.

Saaltink, M.; Batlle, F.; Ayora, C.; Carrera, J. y Olivella, S. (2004): RETRASO, a code for modeling reactive transport in saturated and unsaturated porous media. Geologica Acta, Vol. 2, nº 3, p. 235-251.

Schwarzacher, W. (1975): Sedimentation models and quantitative stratigraphy. Developments in sedimentology 19. Elsevier, Amsterdam, 382 p.

Steefel, C. y MacQuarrie, K. (1996): Approaches to modeling of reactive transport in porous media. *En:* Lichtner, P.; Steefel, C. y Oelkers, E. (*ed.*): Reactive transport in porous media. Reviews in Mineralogy, 34, Pgs. 83-130.

Strobel, J.; Soewito, F.; Kendall, C.; Biswas, G.; Bezedk, J. y Cannon, R. (1989): Interactive (SEDPAK) simulation of clastic and carbonate sediments in shelf to basin settings. Computers & Geosciences, 15, 8, p. 1279-1290.

Syvitski, J. (1989): The process-response model in quantitative dynamic stratigraphy. *En:* Cross, T. (*ed.*): Quantitative Dynamic Stratigraphy. Prentice Hall, Englewood Cliffs, p. 309-334.

Syvitski, J. y Hutton, E. (2001): 2D SEDFLUX 1.0C: an advanced process-response numerical model for the fill of marine sedimentary basins. Computers & Geosciences, 27, 6, p. 731-753.

Tetzlaff, D. y Harbaugh, J. W. (1989): Simulating clastic sedimentation. Van Nostrand Reinhold, New York, 202 p.

Thurman, H. y Trujillo, A. (2002): Essentials of Oceanography. Prentice Hall. 7ª ed. 424 p.

Tyler, K.; Henriquez, A. y Svanes, T. (1994): Modeling heterogeneities in fluvial domains: A review of the influence on production profiles. *En:* Yarus, J. y Chambers, R. (*eds.*): Stochastic Modeling and Geostatistics. AAPG Comput. Appl. Geol., 3, p. 77-89.

Vanoni, V. (1975): Sedimentation engineering. American Society of Civil Engineers, Manual nº 54.

Venikov, V. A. (1969): Theory of similarity and simulation. MacDonald Technical & Scientific, London, 494 p.

Waltham, D. (1992): Mathematical modelling of sedimentary basin processes. Marine and Petroleum Geology, 9, p. 265-273.

Warrlich, G.; Waltham, D. y Bosence, D. (2002): Quantifying the sequence stratigraphy and drowning mechanisms of atolls using a new 3-D forward stratigraphic modelling program (CARBONATE 3D). Basin Research, 14, 3, p. 379-400.

Watney, W.; Rankey, E. y Harbaugh, J. (1999): Perspectives on stratigraphic simulation models: current approaches and future opportunities. *En:* Harbaugh, J.; Watney, W.; Rankey, E.; Slingerland, R.; Goldstein, R. y Franseen, E. (*eds.*): Numerical experiments in Stratigraphy: Recent Advances in Stratigraphic and Sedimentologic

Computer Simulations, Kansas Geological Survey, SEPM Special Publications, 62, p. 3-21.

Webb, E. y Davis, J. (1998): Simulation of the spatial heterogeneity of geologic properties: an overview. *En:* Fraser, G. y Davis, J. (*eds*.): SEPM Concepts in Hydrogeology and Enviromental Geology nº 1: Hydrogeologic Models of Sedimentary Aquifers. Tulsa, Oklahoma, p. 1-24.

Wendebourg, J. (1997): Simulating oil entrapment in clastic sequences. Pergamon, 199 p.

Wendebourg, J. y Harbaugh, J. (1996): Sedimentary process simulation: A new approach for describing petrophysical properties in three dimensions for subsurface flow simulations. *En:* Forster, A. y Merriam, D. (*eds*.): Geologic modeling and mapping. Plenum Press, New York, p. 1-25.

Whitaker, F.; Smart, P.; Hague, Y.; Waltham, D. y Bosence, D. (1997): Coupled two-dimensional diagenetic and sedimentological modeling of carbonate platform evolution. Geology, 25, 2, p. 175-178.

Wright, V. y Cherns, L. (2004): Are there "black holes" in carbonate deposystems?. Geologica Acta, Vol. 2, nº 4, p. 285-290.

**Direcciones web:**

Real Academia de la Lengua Española: http://www.rae.es/
Golden Software Inc. : http://www.goldensoftware.com/
T-surf: http://www.t-surf.com o http://www.ensg.inpl-nancy.fr/GOCAD/
Buscador para la comunidad científica: http://www.scirus.com/srsapp/

Índice ⋀