



UNIVERSITAT DE
BARCELONA

**Reconstrucció climàtica
dels darrers 2.700 anys a la Mediterrània
occidental: sediments marins i estalagmites**

Mercè Cisneros Bermejo




Aquesta tesi doctoral està subjecta a la llicència [Reconeixement 4.0. Espanya de Creative Commons](#).

Esta tesis doctoral está sujeta a la licencia [Reconocimiento 4.0. España de Creative Commons](#).

This doctoral thesis is licensed under the [Creative Commons Attribution 4.0. Spain License](#).

CAPÍTOL 6

BIBLIOGRAFIA



“Cridem qui som i que tothom ho escolti. I, en acabat, que cadascú es vesteixi com bonament li plagui, i via fora, que tot està per fer i tot és possible.”

Miquel Martí i Pol
Ara mateix

- Abrantes, F., Lebreiro, S., Rodrigues, T., Gil, I., Bartels-Jónsdóttir, H., Oliveira, P., Kissel, C. and Grimalt, J. O., 2005. Shallow-marine sediment cores record climate variability and earthquake activity of Lisbon (Portugal) for the last 2000 years. *Quat. Sci. Rev.* 24, 2477–2494, Doi:10.1016/j.quascirev.2004.04.009
- Adloff, F., Somot, S., Sevault, F., Jordà, G., Aznar, R., Déqué, M., Herrmann, M., Marcos, M., Dubois, C., Padorno, E., Alvarez-Fanjul, E., and Gomis, D., 2015. Mediterranean Sea response to climate change in an ensemble of twenty first century scenarios. *Climate Dynamics* 45, 2775–2802. <https://doi.org/10.1007/s00382-015-2507-3>
- Agrawal, Y.C., McCave, I.N. and Riley, J.B., 1991. Laser diffraction size analysis. In: Syvitski, J. P.M. (Eds.). *Principles, Methods, and Application of Particle Size Analysis*. Cambridge University Press, Cambridge, 119-129.
- Alcover, J.A., 2008. The first Mallorcans: prehistoric colonization in the western Mediterranean. *J. World Prehist.* 21, 19–84. Doi:10.1007/s10963-008-9010-2.
- Altamirano García, M. and Alarcón García, E., 2018. Bone tools for the deceased: Approaches to the worked osseous assemblage from the Bronze Age funerary cave of Biniadris (Menorca, Spain). *Quat. Int.*, 472, 108-114. Doi:10.1016/j.quaint.2017.12.052.
- Álvarez, M.C., Flores, J.A., Sierro, F.J., Diz, P., France, G., Pelejero, C. and Grimalt, J., 2005. Millennial surface water dynamics in the Ría de Vigo during the last 3000 years as revealed by coccoliths and molecular biomarkers. *Palaeogeo., Palaeoclim., Palaeoeco.* 218, 1e13. <http://dx.doi.org/10.1016/j.palaeo.2004.12.002>.
- Ammann, C.M., Joos, F., Schimel, D.S., Otto-Bliesner, B.L. and Tomas, R.A., 2007. Solar influence on climate during the past millennium: results from transient simulations with the NCAR climate system model. *Proceedings National Academy of Sciences of the USA* 104, 3713–3718.
- Anand, P., Elderfield, H. and Conte, M.H., 2003. Calibration of Mg/Ca thermometry in planktonic foraminifera from a sediment trap time series. *Paleoceanography* 18, 1050, Doi:10.1029/2002PA000846.
- André, G., Garreau, P., Garnier, V. and Fraunié, P., 2005. Modelled variability of the sea surface circulation in the North-western Mediterranean Sea and in the Gulf of Lions. *Ocean Dynam.* 55, 294-308.
- Appleby, P.G. and Oldfield, F., 1992. *Application of Lead-210 to Sedimentation Studies*. Clarendon Press, Oxford, Chapt. 21, 731-778.
- Archer, D. and Ganopolski, A., 2005. A movable trigger: Fossil fuel CO₂ and the onset of the next glaciation. *Geochim, Geophys, Geosyst.* 6, Q05003, Doi:10.1029/2004GC000891
- Armstrong, H. and Brasier, M., 2005. Foraminifera. In: *Microfossils*, Blackwell Publishing, 142-187.
- Ausín, B., Flores, J.A., Sierro, F.J., Cacho, I., Hernández-Almeida, I., Martrat, B. and Grimalt, J.O., 2015. Atmospheric patterns driving Holocene productivity in the Alboran Sea (Western Mediterranean): a multiproxy approach. *Holocene* 25, 1-13, Doi:10.1177/0959683614565952.
- Bárcena, M.A., Flores, J.A., Sierro, F.J., Pérez-Folgado, M., Fabres, J., Calafat, A. and Canals, M., 2004. Planktonic response to main oceanographic changes in the Alboran Sea (Western Mediterranean) as documented in sediment traps and surface sediments. *Mar. Micropaleontol.* 53, 423-445, Doi:10.1016/j.marmicro.2004.09.009.
- Badertscher, S., Borsato, A., Frisia, S., Cheng, H., Edwards, R.L., Tüysüz, O. and Fleitmann, D., 2014. Speleothems as sensitive recorders of volcanic eruptions—the Bronze Age Minoan eruption recorded in a stalagmite from Turkey. *Earth and Planetary Science Letters* 392, 58-66. <https://doi.org/10.1016/j.epsl.2014.01.041>.
- Baker, A., Hellstrom, J., Kelly, B.F.J., Mariethoz, G. and Trouet, V., 2015. A composite annual-resolution stalagmite record of North Atlantic climate over the last three millennia. *Scientific Reports* 5. Doi:10.1038/srep10307.

- Balasch, J.C., Pino, D., Ruiz-Bellet, J.L., Tuset, J., Barriendos, M., Castelltort, X. and Peña, J.C., 2019. The extreme floods in the Ebro River basin since 1600 CE. *Science of the Total Environment* 646, 645-660. <https://doi.org/10.1016/j.scitotenv.2018.07.325>.
- Baldini, J.U.L., McDermott, F., and Fairchild, I.J., 2006. Spatial variability in cave drip water hydrochemistry: Implications for stalagmite paleoclimate records. *Chemical Geology* 235, 390-404. <https://doi.org/10.1016/j.chemgeo.2006.08.005>
- Bard, E., Raisbeck, G., Yiou, F. and Jouzel, J., 2000. Solar irradiance during the last 1200 years based on cosmogenic nuclides. *Tellus B* 52, 985-992.
- Barker, S., Greaves, M. and Elderfield, H., 2003. A study of cleaning procedures used for foraminiferal Mg/Ca paleothermometry. *Geochem. Geophys. Geosy.* 4, 8407, Doi:10.1029/2003GC000559.
- Barker, S., Cacho, I., Benway, H. and Tachikawa, K., 2005. Planktonic foraminiferal Mg/Ca as a proxy for past oceanic temperatures: a methodological overview and data compilation for the Last Glacial Maximum. *Quat. Sci. Rev.* 24, 821-834, Doi:10.1016/j.quascirev.2004.07.016.
- Bar-Matthews, M., Ayalon, A. and Kaufman, A., 1997. Late Quaternary paleoclimate in the eastern Mediterranean region from stable isotope analysis of speleothems at Soreq Cave, Israel. *Quat. Res.* 47, 155-168.
- Bar-Matthews, M., Ayalon, A., Gilmour, M., Matthews, A. and Hawkesworth, C.J., 2003. Sea-land oxygen isotopic relationships from planktonic foraminifera and speleothems in the Eastern Mediterranean region and their implication for paleorainfall during interglacial intervals. *Geochimica et Cosmochimica Acta* 67, 3181-3199.
- Barnston, A. G. and Livezey, R.E., 1987. Classification, seasonality and persistence of low-frequency atmospheric circulation patterns, *Mon. Weather Rev.*, 115, 1083-1126. Doi:10.1175/1520-0493(1987)115<1083:CSAPOL>2.0.CO2.
- Barriendos, M. and Martin-Vide, J., 1998. Secular climatic oscillations as indicated by catastrophic floods in the Spanish mediterranean coastal area (14th–19th centuries). *Climatic Change* 38, 473-491.
- Bassetti, M.A., Berné, S., Sicre, M.A., Dennielou, B., Alonso, Y., Buscail, R., Jalali, J., Hebert, B. and Christophe Menniti, C., 2016. Holocene hydrological changes of the Rhone River (NW Mediterranean) as recorded in the marine mud belt. *Climate of the past* 12, 1539-1553.
- Bé, A.W.H. and Hutson, W.H., 1977. Ecology of planktonic foraminifera and biogeographic patterns of life and fossil assemblages in the Indian Ocean. *Micropaleon*. 23, 369-414.
- Bemis, B. E., Spero, H.J., Bijma, J. and Lea, D.W., 1998. Reevaluation of the oxygen isotopic composition of planktonic foraminifera: Experimental results and revised paleotemperature equations. *Paleoceanography* 13, 150–160, Doi:10.1029/98PA00070.
- Benito, G., Sopeña, A., Sánchez-Moya, Y., Machado, M.J. and Pérez-González, A., 2003. Palaeoflood record of the Tagus River (Central Spain) during the Late Pleistocene and Holocene. *Quaternary Sci. Rev.* 22, 1737–1756, Doi:10.1016/S0277-3791(03)00133-1.
- Bergamasco, A. and Malanotte-Rizzoli, P., 2010. The circulation of the Mediterranean Sea: a historical review of experimental investigations. *Advances in Oceanography and Limnology* 1, 1, 11-28, Doi: 10.1080/19475721.2010.491656.
- Bermejo, J., Mateu, T., López, B., Minguillón, R., Herráez, G. and Villar, A., 2014. Cova de sa Balma des Quartó (Manacor, Mallorca). Endins: publicació d'espeleologia, 59-64.
- Bertler, N.A.N, Mayewski, P.A. and Carter, L., 2011. Cold conditions in Antarctica during the Little Ice Age: implications for abrupt climate change mechanisms. *Earth. Planet. Sc. Lett.* 308, 41-51.
- Béthoux, J. P., 1980. Mean water fluxes across sections in the Mediterranean Sea, evaluated in the basis of water and salt budgets and of observed salinities. *Oceanol. Acta* 3, 79-88.

- Bethoux, J., Gentili, B., Morin, P., Nicolas, E., Pierre, C. and Ruiz-Pino, D., 1999. The Mediterranean Sea: a miniature ocean for climatic and environmental studies and a key for the climatic functioning of the North Atlantic. *Progress in Oceanography* 44, 131-146. Doi:10.1016/S0079-6611(99)00023-3.
- Bethoux, J.P., Durrieu de Madron, X., Nyffeler, F. and Tailliez, D., 2002. Deep water in the western Mediterranean: Peculiar 1999 and 2000 characteristics, shelf formation hypothesis, variability since 1970 and geochemical inferences. *Journal of Marine Systems* 33-34, 117-131. Doi:10.1016/S0924-7963(02)00055-6.
- Blaauw, M. and Christen, J. A., 2011. Flexible paleoclimate age-depth models using an autoregressive gamma process. *Bayesian Anal.* 6, 457-474, Doi:10.1214/11-BA618.
- Blunier, T., Chappellaz, J., Schwander, J., Dallenbach, A., Stauffer, B., B., Stocker, T.F., Raynaud, D., Jouzel, J., Clausen, H.B., Hammer, C.U. and Johsen, S.J., 1998. Asynchrony of Antarctic and Greenland climate change during the last glacial period. *Nature* 394, 739-743.
- Blyth, A.J. and Schouten, S., 2013. Calibrating the glycerol dialkyl glycerol tetraether temperature signal in speleothems. *Geochimica et Cosmochim. Acta* 109, 312-328. <https://doi.org/10.1016/j.gca.2013.02.009>
- Boada, M. i Saurí, D., 2002. El canvi global. Ed. Rubes, Barcelona.
- Boch, R., Cheng, H., Spötl, C., Edwards, R.L., Wang, X. and Häuselmann, P., 2011. NALPS: a precisely dated European climate record 120-60 ka. *Climate of the Past* 7, 1247-1259. <https://doi.org/10.5194/cp-7-1247-2011>.
- Bolòs, O. de, 1996. La vegetació de les Illes Balears. Institut d'Estudis Catalans, Barcelona, 269 pp.
- Bond, G., Heinrich, H., Broecker, W.S., Labeyrie, L., McManus, J., Andrews, J.T., Huon, S., Jantschik, R., Clasen, S., Simet, C., Tedesco, K., Klas, M., Bonani, G. and Ivy, S., 1992. Evidence for massive discharges of icebergs in the North Atlantic ocean during the last glacial period. *Nature* 360, 245-249.
- Bond, G., Broecker, W.S., Johnsen, S.J., McManus, J., Labeyrie, L., Jouzel, J and Bonani, G., 1993. Correlations between climate records from North Atlantic sediments and Greenland ice. *Nature* 365, 143-147.
- Bond, G., Showers, W., Elliot, M., Evans, M., Lotti, R., Hajdas, I., Bonani, G. and Johnson, S., 1999. The North Atlantic's 1-2 kyr Climate Rhythm: Relation to Heinrich Events, Dansgaard/Oescher Cycles and the Little Ice Age. Mechanisms Of Global Climate at Millennial Time Scales. *Geophysical Monograph* 112. American Geophysical Union.
- Bond, G., Kromer, B., Beer, J., Muscheler, R., Evans, M.N., Showers, W., Hoffmann, S., Lottibond, R., Hajdas, I. and Bonani, G., 2001. Persistent solar influence on North Atlantic climate during the holocene, *Science* 294, 2130-2136, Doi:10.1126/science.1065680.
- Borsato, A., Quinif, Y., Bini, A. and Dublyansky, Y., 2003. Open-system alpine speleothems: implications for U-series dating and paleoclimate reconstructions. *Studi Trentini di Scienze Naturali, Acta Geologica*, 80: 71-83.
- Bosc, E., Bricaud, A. and Antoine, D. 2004. Seasonal and interannual variability in algal biomass and primary production in the Mediterranean Sea, as derived from 4 years of SeaWiFS observations. *Global Biogeochem. Cy.* 18, 2003-2034, Doi:10.1029/2003GB002034.
- Bosse, A., Testor, P., Houpert, L., Damien, P., Prieur, L., Hayes, D., Taillandier, V., Durrieu de Madron, X., d'Ortenzio, F., Coppola, L., Karstensen, J. and Mortier, L., 2016. Scales and dynamics of Submesoscale Coherent Vortices formed by deep convection in the northwestern Mediterranean Sea: Vortices in the NW Mediterranean Sea. *J. Geophys. Res.: Oceans* 121, 7716-7742. Doi:10.1002/2016JC012144.
- Bosse, A., Testor, P., Mayot, N., Prieur, L., D'Ortenzio, F., Mortier, L., Le Goff, H., Gourcuff, C., Coppola, L., Lavigne, H. and Raimbault, P., 2017. A submesoscale coherent vortex in the

Ligurian Sea: From dynamical barriers to biological implications. *J. Geophys. Res.: Oceans.* Doi:10.1002/2016JC012634.

- Bover, P. and Alcover, J.A., 2003. Understanding Late Quaternary extinctions: the case of *Myotragus balearicus* Bate 1909. *J. of Biogeogr.* 30, 771-78.
- Bover, P. and Alcover, J.A., 2008. Extinction of the autochthonous small mammals from Mallorca (Gymnesic Islands, Western Mediterranean Sea) and its ecological consequences. *J. of Biogeogr.* 35, 1112-1122.
- Boyle, E.A., 1983. Manganese carbonate overgrowths on foraminifera tests, *Geochim. Cosmochim. Ac.* 47, 1815-1819.
- Brassell, S.C., Eglington, G., Marlowe, I.T., Pflaumann, U. and Samthein, M., 1986. Molecular stratigraphy: a new tool for climatic assesment. *Nature* 320, 129-133.
- Brauer, A., Haug, G.H., Dulski, P., Sigman, D.M. and Negendank, J.F.W., 2008. An abrupt wind shift in western Europe at the onset of the Younger Dryas cold period. *Nature Geosci.*, 1, 520-523.
- Broecker, W.S., 2000. Was a change in thermohaline circulation responsible for the Little Ice Age? *Proceedings National Academy of Sciences of the USA* 97, 1339-1342.
- Broecker, W.S., 2001. Paleoclimate: was the medieval warm period global? *Science* 291, 1497-1499.
- Broecker, W.S. and Denton, G.H., 1989. The role of ocean-atmosphere reorganizations in glacial cycles. *Geochimica et Cosmochiica Acta* 53, 2465-2501.
- Broecker, W.S., Bond, G., Klas, M., Clark, E. and McManus, J., 1992. Origin of the North Atlantic's Heinrich Events; *Climate Dynamics*, 6, 265-273.
- Brohan, P., Kennedy, J.J., Harris, I., Tett, S.F.B. and Jones, P.D., 2006. Uncertainty estimates in regional and global observed temperature changes: A new data set from 1850. *J. Geophysical Res.* 111. <https://doi.org/10.1029/2005JD006548>.
- Brown, J., Colling, A., Park, D., Phillips, J., Rothery, D. and Wright, J., 1991. *The Ocean Basins: Their Structure and Evolution*. The Open University. Oxford, Pergamon Press.
- Bryden, H.L. and Stommel, H. M., 1984. Limiting processes that determine basic features of the circulation in the Mediterranean Sea. *Oceanol. Acta* 7, 3, 289-296.
- Budillon, F., Lirer, F., Iorio, M., Macri, P., Sagnotti, L., Vallefuoco, M., Ferraro, L., Innangi, S., Sahabi, M. and Tonielli, R., 2009. Integrated stratigraphic reconstruction for the last 80 kyr in a deep sector of the Sardinia Channel (Western Mediterranean). *Deep-Sea Res Pt. II*, 56, 725-737.
- Bueh, C. and Nakamura, H., 2007. Scandinavian pattern and its climatic impact. *Q. J. R. Meteorol. Soc.* 133, 2117-2131. Doi:10.1002/qj.173.
- Büntgen, U., Tegel, W., Nicolussi, K., McCormick, M., Frank, D., Trouet, V., Kaplan, J.O., Herzog, F., Heussner, K.U., Wanner, H., Luterbacher, J. and Esper, J., 2011. 2500 years of European climate variability and human susceptibility. *Science* 331, 578-82, Doi:10.1126/science.1197175.
- Büntgen, U., Myglan, V.S., Ljungqvist, F.C., McCormick, M., Di Cosmo, N., Sigl, M., Jungclaus, J., Wagner, S., Krusic, P.J., Esper, J., Kaplan, J.O., de Vaan, M.A.C., Luterbacher, J., Wacker, L., Tegel, W. and Kirdyanov, A.V., 2016. Cooling and societal change during the Late Antique Little Ice Age from 536 to around 660 AD. *Nature Geoscience* 9, 231-236. <https://doi.org/10.1038/ngeo2652>
- Cacho, I., Pelejero, C., Grimalt, J.O., Calafat, A. and Canals, M., 1999a. C37 alkenone measurements of sea surface temperature in the Gulf of Lions (NW Mediterranean). *Org. Geochem.* 30, 557-566.
- Cacho, I., Grimalt, J.O., Pelejero, C., Canals, M., Sierro, F.J., Flores, J.A., and Shackleton, N., 1999b. Dansgaard-Oeschger and Heinrich event imprints in Alboran Sea paleotemperatures. *Paleoceanography* 14, 698-705.

- Cacho, I., Grimalt, J.O., Sierro, F.J., Shackleton, N. and Canals, M., 2000. Evidence for enhanced Mediterranean thermohaline circulation during rapid climatic coolings. *Earth Planet. Sc. Lett.* 183, 417-429, Doi:10.1016/S0012-821X(00)00296-X.
- Cacho, I., Grimalt, J., Canals, M., Sbaffi, L., Shackleton, N.J., Schönfeld, J. and Zahn, R., 2001. Variability of the western Mediterranean Sea surface temperature during the last 25 000 years and its connection with the Northern Hemisphere climatic changes. *Paleoceanography* 16, 40-52.
- Cacho, I., Shackleton, N., Elderfield, H., Sierro, F.J. and Grimalt, J. O., 2006. Glacial rapid variability in deep-water temperature and $\delta^{18}\text{O}$ from the Western Mediterranean Sea. *Quat. Sci. Rev.* 25, 3294-3311, Doi:10.1016/j.quascirev.2006.10.004.
- Caesar, L., Rahmstorf, S., Robinson, A., Feulner, G. and Saba, V., 2018. Observed fingerprint of a weakening Atlantic Ocean overturning circulation. *Nature* 556, 191-196. <https://doi.org/10.1038/s41586-018-0006-5>.
- Cai, Y., Zhang, H., Cheng, H., An, Z., Lawrence Edwards, R., Wang, X., Tan, L., Liang, F., Wang, J. and Kelly, M., 2012. The Holocene Indian monsoon variability over the southern Tibetan Plateau and its teleconnections. *Earth and Planetary Science Letters* 335-336, 135-144. <https://doi.org/10.1016/j.epsl.2012.04.035>.
- Calafat, A.M., Casamor, J., Canals, M. and Nyeler, F., 1996. Distribución y composición elemental de la materia particulada en suspensión en el Mar Catalano-Balear. *Geogaceta* 20, 370-373.
- Calvert, S. and Pedersen, T., 1996. Sedimentary geochemistry of manganese: implications for the environment of formation of manganeseiferous black shales. *Econ. Geol.* 91, 36-47.
- Calvo, M. and Guerrero, V.M., 2011. "La Cultura Talayótica". M. Calvo i A. Agüerales (Eds.). *Calvià. Patrimoni Cultural*. Ajuntament de Calvià, Palma, I, 89-112.
- Campaner y Fuertes, A., 1881. *Cronicón Mayoricens*. J. Colomer y Salas. Palma. 611 pp.
- Camuffo, D., 1987. Freezing of the Venetian Lagoon since the 9th century A.D. in comparison to the climate of Western Europe and England. *Climatic Change* 19, 43-66.
- Camuffo, D. and Enzi, S., 1995. Climatic Features during the Spörer and Maunder Minima. In: Frenzel, B., (Eds.). "Solar Output and Climate during the Holocene". *Paleoclimate Research, Special Issue 16*. Fischer Verlag, Stuttgart, 105-125.
- Canals, M., Puig, P., De Madron, X.D., Heussner, S., Palanques, A. and Fabres, J., 2006. Flushing submarine canyons. *Nature*, 444, 354-357, Doi:10.1038/nature05271.
- Caseldine, C.J., McGarry, S.F., Baker, A., Hawes worth, C. and Samrt, P., 2008. *J. of Quat. Sci.* 23, 2, 193-200. Doi:10.1002/jqs.1121.
- Cassou, C., Minvielle, M., Terray, L. and Périgaud, C., 2010. A statistical dynamical scheme for reconstructing ocean forcing in the Atlantic. Part I: weather regimes as predictors for ocean surface variable, *Climate Dynamics* 36, 1-2, 19-39.
- Cau, M.A., 2012. Urban Change in Late Antiquity in the Balearic Islands. In Christie, N. and Augenti, A., (Eds.). *Vrbes Extinctae. Approaches to archaeologies of abandoned classical towns*, Ashgate Publishing Company, Aldershot-Burlington, 115-144.
- Celle-Jeanton, H., Travi, Y. and Blavoux, B., 2001. Isotopic typology of the precipitation in the Western Mediterranean region at three different time scales. *Geophys. Res. Lett.* 28, 1215-1218.
- Ceppi, P., Zappa, G., Shepherd, T.G. and Gregory, J.M., 2018. Fast and slow components of the Extratropical Atmospheric Circulation Response to CO₂ Forcing. *Journal of Climate* 31, 3, 1091-1105. Doi:10.1175/JCLI-D-17-0323.1
- Chen, L., Zonneveld, K.A.F. and Versteegh, G.J.M., 2013. The Holocene Paleoclimate of the Southern Adriatic Sea region during the "Medieval Climate Anomaly" reflected by organic walled dinoflagellate cysts. *Holocene* 23, 645-655, Doi:10.1177/0959683612467482.

- Chen, X. and Tung, K.K., 2018. Global surface warming enhanced by weak Atlantic overturning circulation. *Nature* 559, 387-391. Doi:10.1038/s41586-018-0320-y
- Cheng, H., Edwards, L.R., Chou Shen, C., Polyak, V.J., Asmerom, Y., Woodhead, Jon, Hellstrom, J., Wang, Y., Kong, X., Spötl, C., Wang, X. and Calvin Alexander J.R., E., 2013. Improvements in ^{230}Th dating, ^{230}Th and ^{234}U half-life values, and U-Th isotopic measurements by multi-collector inductively coupled plasma mass spectrometry. *Earth Planetary Science Letters* 371-372, 82-91.
- Cheng, H., Sinha, A., Verheyden, S., Nader, F.H., Li, X.L., Zhang, P.Z., Yin, J.J., Yi, L., Peng, Y.B., Rao, Z.G., Ning, Y.F. and Edwards, R.L., 2015. The climate variability in northern Levant over the past 20,000 years: Climate Variability in Northern Levant. *Geophysical Res. Lett.* 42, 8641-8650. <https://doi.org/10.1002/2015GL065397>
- Chu, G., Sun, Q., Wang, X. and Sun, J., 2008. Snow anomaly events from historical documents in eastern China during the past two millennia and implication for low-frequency variability of AO/NAO and PDO. *Geophys. Res. Lett.* 35. Doi:10.1029/2008GL034475.
- Cléroux, C., Cortijo, E., Anand, P., Labeyrie, L., Bassinot, F., Caillon, N. and Duplessy, J. C., 2008. Mg/Ca and Sr/Ca ratios in planktonic foraminifera: proxies for upper water column temperature reconstruction. *Paleoceanography* 23, PA3214, Doi:10.1029/2007PA001505.
- Cisneros, M., Cacho, I., Frigola, J., Canals, M., Masqué, P., Martrat, B., Casado, M., Grimalt, J.O., Pena, L.D., Margaritelli, G. and Lirer, F., 2016. Sea surface temperature variability in the central-western Mediterranean Sea during the last 2700 years: A multi-proxy and multi-record approach. *Clim. of the Past* 12, 849-869. Doi:10.5194/cp-12-849-2016.
- Cisneros, M., Cacho, I., Frigola, J., Sanchez-Vidal, A., Pedrosa-Pàmies, R., Rumín-Caparrós and A., Canals, M., 2019. Deep-water formation variability in the north-western Mediterranean Sea during the last 2500 yr: a proxy validation with present-day data. *Glob. and Planetary Change* 177, 56-68. Doi:10.1016/j.gloplacha.2019.03.012
- Cisneros, M., Cacho, I., et al., (*in prep.*). Hydroclimate variability reconstruction during the last 2700 years in the western Mediterranean: five stalagmites multi-proxy methodology. Extreme rain event recorded during the XVII century.
- Colom Palmer, M.J., 2015. El tribunal de Inquisición de Mallorca (1578-1700). PhD Thesis, Dept. of Modern History, University of Barcelona, Spain.
- Comas-Bru, L. and McDermott, F., 2014. Impacts of the EA and SCA patterns on the European twentieth century NAO-winter climate relationship: Impacts of EA and SCA patterns on NAO-winter climate relationship. *Quarterly Journal of the Royal Meteorological Society* 140, 354–363. Doi:10.1002/qj.2158.
- Comas-Bru, L., McDermott, F. and Werner, M., 2016. The effect of the East Atlantic pattern on the precipitation $\delta^{18}\text{O}$ -NAO relationship in Europe. *Climate Dynamics* 47, 2059–2069. <https://doi.org/10.1007/s00382-015-2950-1>
- Combourieu Nebout, N., Turon, J., Zahn, R., Capotondi, L., Londeix, L. and Pahnke, K., 2002. Enhanced aridity and atmospheric high-pressure stability over the western Mediterranean during the North Atlantic cold events of the past 50 k.y. *Geology* 30, 863-866.
- Combourieu Nebout, N., Peyron, O., Dormoy, I., Desprat, S., Beaudouin, C., Kotthoff, U. and Marret, F., 2009. Rapid climatic variability in the west Mediterranean during the last 25 000 years from high resolution pollen data. *Clim. Past.* 5, 503-521, Doi:10.5194/cp-5-503-2009.
- Condron, A. and Renfrew, I.A., 2013. The impact of polar mesoscale storms on northeast Atlantic Ocean circulation. *Nature Geoscience* 6, 34-37.
- Conte, M., Giuffrida, A. and Tedesco, S., 1989. The Mediterranean Oscillation. Impact on precipitation and hydrology in Italy Climate Water. *Publications of the Academy of Finland*, Helsinki.
- Conte, M.H., Sicre, M.A., Röhleemann, C., Weber, J.C., Schulte, S., Schulz-Bull, D. and Blanz, T., 2006. Global temperature calibration of the alkenone unsaturation index (U^k_{37}) in surface waters

- and comparison with surface sediments. *Geochem. Geophys. Geosy.* 7, Q02005, Doi:10.1029/2005GC001054.
- Coplen, T., 1996. New guidelines for reporting stable hydrogen, carbon, and oxygen isotope-ratio data. *Geochim. Cosmochim. Ac.* 60, 3359-3360.
- Corella, J.P., Moreno, A., Morellón, M., Rull, V., Giralt, S., Rico, M.T., Pérez-Sanz, A. and Valero-Garcés, B.L., 2011. Climate and human impact on a meromictic lake during the last 6000 years (Montcortés Lake, Central Pyrenees, Spain). *J. Palaeolimn.* 46, 351-367.
- Corella, J.P., Stefanova, V., El Anjoumi, A., Rico, E., Giralt, S., Moreno, A., Plata-Montero, A. and Valero-Garcés, B.L., 2013. A 2500-year multi-proxy reconstruction of climate change and human activities in northern Spain: The Lake Arreo record. *Palaeogeography, Palaeoclimatology, Palaeoecology* 386, 555-568. <https://doi.org/10.1016/j.palaeo.2013.06.022>
- Corella, J.P., Valero-Garcés, B.L., Vicente-Serrano, S.M., Brauer, A. and Benito, G., 2016. Three millennia of heavy rainfalls in Western Mediterranean: frequency, seasonality and atmospheric drivers. *Scientific Reports* 6. <https://doi.org/10.1038/srep38206>.
- Corcoran, P.L., Moore, C.J. and Jazvac, K., 2014. An anthropogenic marker horizon in the future rock record. *GSA Today* 4-8. <https://doi.org/10.1130/GSAT-G198A.1>.
- Craig, H., 1965. The measurement of oxygen isotope paleotemperatures, in: *Stable Isotopes in Oceanographic Studies and Paleotemperatures*. Edited by: Tongiorgi, E., Consiglio Nazionale delle Ricerche, Laboratorio di Geologia Nucleare, Pisa, 1-24.
- Criado-Aldeanueva, F., Soto-Navarro, F.J. and García-Lafuente, J., 2014. Large-Scale Atmospheric Forcing Influencing the Long-Term Variability of Mediterranean Heat and Freshwater Budgets: Climatic Indices. *Journal of Hydrometeorology* 15, 650-663.
- Crowley, K.B., 1992. North Atlantic deep water cools the Southern hemisphere. *Paleoceanography* 7, 489-497.
- Crowley, T.J., 2000. Causes of Climate Change Over the Past 1000 Years. *Science* 289, 270-277. <https://doi.org/10.1126/science.289.5477.270>.
- Crutzen, P.J., 2002. Geology of mankind. *Nature* 415, 23.
- Crutzen, P.J. and Stoermer, E.F., 2000. Sustaining Earth's life support systems—the challenge for the next decade and beyond. *IGBP Newsletter* 41 (Royal Swedish Academy of Sciences, Stockholm).
- Cui, J. and Chang, H., 2013. The possible climate impact on the collapse of an ancient urban city in Mu Us Desert, China. *Regional Environmental Change* 13, 353-364.
- Dahl-Jensen, D., Mosegaard, K., Gundestrup, N., Clow, G.D., Johnsen, S.J., Hansen, A.W. and Balling, N., 1998. Past temperatures directly from the Greenland ice sheet. *Science* 282, 268-271.
- Dansgaard, W., Johnsen, S.J., Clausen, H.B., Dahl-Jensen, D., Gundestrup, N.S., Hammer, C.U., Hvidberg, C.S., Steffensen, J.P., Sveinbjörnsdóttir, A.E., Jouzel, J. and Bond, G., 1993. Evidence for general instability of past climate from a 250-kyr ice-core record. *Nature* 364, 218-220.
- Dasgupta, S., Saar, M.O., Edwards, R.L., Shen, C.C., Cheng, H. and Alexander, E.C., 2010. Three thousand years of extreme rainfall events recorded in stalagmites from Spring Valley Caverns, Minnesota. *Earth and Planetary Science Letters* 300, 46-54. <http://dx.doi.org/10.1016/j.epsl.2010.09.032>
- Davis, B.A.S., Brewer, S., Stevenson, A.C., Guiot, J., 2003. The temperature of Europe during the Holocene reconstructed from pollen data. *Quat. Sci. Rev.* 22, 1701-1716. [https://doi.org/10.1016/S0277-3791\(03\)00173-2](https://doi.org/10.1016/S0277-3791(03)00173-2).
- Debret, M., Sebag, D., Desmet, M., Balsam, W., Copard, Y., Mourier, B., Susperregui, A.S., Arnaud, F., Bentaleb, I., Chapron, E., Lallier-Vergès, E. and Winiarski, T., 2011. Spectrocolorimetric

interpretation of sedimentary dynamics: The new “Q7/4 diagram”. *Earth-Science Reviews* 109, 1-19.

- De Cet, M., Gornés, S. and Risch, R., 2012. Changing settlement patterns in the Mediterranean Context: A Case Study of Menorca (Balearic Islands) from Prehistory to the 19th century AD. In: CAA2012 Proceedings of the 40th Conference in Computer Applications and Quantitative Methods in Archaeology. United Kingdom, Southampton.
- Degeai, J.P., Devillers, B., Dezileau, L., Oueslati, H. and Bony, G., 2015. Major storm periods and climate forcing in the Western Mediterranean during the Late Holocene. *Quat. Sci. Rev.* 129, 37-56. <https://doi.org/10.1016/j.quascirev.2015.10.009>
- deMenocal, P., 2000. Coherent High- and Low-Latitude Climate Variability During the Holocene Warm Period. *Science* 288, 2198–2202. Doi:10.1126/science.288.5474.2198.
- deMenocal, P., Ortiz, J., Guilderson, T., Adkins, J., Sarnthein, M., Baker, L. and Yarusinsky, M., 2000. Abrupt onset and termination of the African Humid Period: rapid climate responses to gradual insolation forcing. *Quat. Sci. Rev.* 19, 347-361.
- Demirov, E. and Pinardi, N., 2002. Simulation of the Mediterranean Sea circulation from 1979 to 1993: Part I. The interannual variability. *J. Marine Syst.* 33-34, 23-50.
- Denniston, R.F. and Luetscher, M., 2017. Speleothems as high-resolution paleoflood archives. *Quat. Sci. Rev.* 170, 1-13. <http://dx.doi.org/10.1016/j.quascirev.2017.05.006>
- Deser, C., Alexander, M.A., Xie, S.P. and Phillips, A.S., 2010. Sea Surface Temperature Variability: Patterns and Mechanisms. *Ann. Rev. Mar. Sci.*, 2, 115-143. Doi:10.1146/annurev-marine-120408-151453.
- Desmarchelier, J.M., Goede, A., Ayliffe, L.K., McCulloch, M.T. and Moriarty, K., 2000. Stable isotope record and its palaeoenvironmental interpretation for a late Middle Pleistocene speleothem from Victoria Fossil Cave, Naracoorte, South Australia. *Quat. Sci. Rev.* 19, 763-774.
- Desprat, S., Sanchez Goñi, M.F. and Loutre, M., 2003. Revealing climatic variability of the last three millennia in northwestern Iberia using pollen influx data. *Earth and Planetary Science Letters* 213, 63e78.
- Di Bella, L., Frezza, V., Bergamin, L., Carboni, M.G., Falese, F., Mortorelli, E., Tarragoni, C. and Chiocci, F.L., 2014. Foraminiferal record and high-resolution seismic stratigraphy of the Late Holocene succession of the submerged Ombrone River delta (Northern Tyrrhenian Sea, Italy). *Quaternary Int.* 328-329, 287-300.
- Domínguez-Villar, D., Wang, X., Cheng, H., Martín-Chivelet, J. and Edwards, R.L., 2008. A high-resolution late Holocene speleothem record from Kaite Cave, northern Spain: $\delta^{18}\text{O}$ variability and possible causes. *Quat. Int.* 187, 40-51. Doi:10.1016/j.quaint.2007.06.010.
- Domínguez-Villar, D., Baker, A., Fairchild, I.J. and Edwards, R.L., 2012. A method to anchor floating chronologies in annually laminated speleothems with U-Th dates. *Quat. Geochronology* 14, 57-66. <https://doi.org/10.1016/j.quageo.2012.04.019>.
- Dorale, J.A., González, L.A., reagan, M.K., Pickett, D.A., Murrell, M.T. and Baker R.G., 1992. A High-Resolution Record of Holocene Climate change in Speleothem Calcite from Cold Water Cave, Northeast Iowa. *Science* 258, 1626-1630.
- Dorale, J.A., Lepley, S.W. and Edwards, R.L., 2005. The ultimate flood recorder: flood deposited sediments preserved in stalagmites. *Geophysical Research Abstracts* 7, 09901. D'Ortenzio, F. and Ribera d'Alcalà, M., 2009. On the trophic regimes of the Mediterranean Sea: a satellite analysis. *Biogeosciences* 6, 139-148, Doi:10.5194/bg-6-139-2009.
- Dumitru, O.A., Forray, F.L., Fornós, J.J., Ersek, V. and Onac, B.P., 2017. Water isotopic variability in Mallorca: a path to understanding past changes in hydroclimate: Stable Isotope Variability in Mallorcan Waters. *Hydrologic Proces.* 31, 104-116. <https://doi.org/10.1002/hyp.10978>

- Dumitru, O.A., Onac, B.P., Polyak, V.J., Wynn, J.G., Asmerom, Y. and Fornós, J.J., 2018. Climate variability in the western Mediterranean between 121 and 67 ka derived from a Mallorcan speleothem record. *Palaeogeography, Palaeoclimatology, Palaeoecology* 506, 128-138. <https://doi.org/10.1016/j.palaeo.2018.06.028>
- Dumitru, O.A., Austermann, J., Polyak, V.J., Fornós, J.J., Asmerom, Y., Ginés, J., Ginés, A. and Onac, B.P., 2019. Constraints on global mean sea level during Pliocene warmth. *Nature*. Doi: 10.1038/s41586-019-1543-2
- Duplessy, J.C., Cortijo, E., Masson-Delmotte, V. I. and Paillard, D., 2005. Reconstructing the variability of the climate System: Facts and theories. *Comptes Rendus Geoscience*, 337, 888-896.
- Durrieu de Madron, X., Houpert, L., Puig, P., Sanchez-Vidal, A., Testor, P., Bosse, A., Estournel, C., Somot, S., Bourrin, F., Bouin, M.N., Beauverger, M., Beguery, L., Calafat, A., Canals, M., Cassou, C., Coppola, L., Dausse, D., D'Ortenzio, F., Font, J., Heussner, S., Kunesch, S., Lefevre, D., Le Goff, H., Martín, J., Mortier, L., Palanques, A. and Raimbault, P., 2013. Interaction of dense shelf water cascading and open-sea convection in the northwestern Mediterranean during winter 2012: Shelf Cascading and open-sea convection. *Geophys. Res. Lett.* 40, 1379-1385. Doi:10.1002/grl.50331.
- Durrieu de Madron, X., Ramondenc, S., Berline, L., Houpert, L., Bosse, A., Martini, S., Guidi, L., Conan, P., Curti, C., Delsaut, N., Kunesch, S., Ghiglione, J.F., Marsaleix, P., Pujo-Pay, M., Séverin, T., Testor, P., Tamburini, C. and the ANTARES collaboration, 2017. Deep sediment resuspension and thick nepheloid layer generation by open-ocean convection: BNL generation by open-ocean convection. *J. Geophys. Res.: Oceans* 122, 2291-2318. Doi:10.1002/2016JC012062.
- Dyez, K.A., Höönsch, B. and Schmidt, G.A., 2018. Early Pleistocene obliquity-scale pCO₂ variability at ~1.5 million years ago. *Paleoceanography and Paleoclimatology* 33, 11, 1270-1291. Doi: 10.1029/2018PA003349
- Edwards, R.L., Chen, J.H. and Wasserburg, G.J., 1987. ²³⁸U/²³⁴U/²³⁰Th/²³²Th systematics and the precise measurement of time over the past 500,000 years. *Earth Planet. Sc. Lett.* 81, 175-192.
- Edwards, L.E., 2015. What is the Anthropocene? *Eos*, 96, Doi: 10.1029/2015EO040297.
- Eglinton, G., Brassell, S.C., Howell, V.J. and Maxwell, J.R., 1983. The role of the organic geochemistry in the Deep Sea Drilling Project (DSDP/IPOD). A: Bjoøry, M. I. et al., (Eds.). *Advances in Organic Geochemistry* 1981, Wiley, Chichester, 391-400.
- Eglinton, T.I., Conte, M.H., Eglinton, G. and Hayes, J.M., 2001. Proceedings of a workshop on alkenone-based paleoceanographic indicators. *Geochem. Geophy. Geosy.* 2, 2000GC000122, Doi:10.1029/2000GC000122.
- Eisma, D., 1993. *Suspended Matter in the Aquatic Environment*. Springer-Verlag, Berlin.
- Elderfield, H. and Ganssen, G., 2000. Past temperature and δ¹⁸O of surface ocean waters inferred from foraminiferal Mg/Ca ratios. *Nature* 405, 442-44.
- Elderfield, H., Vautravers, M. and Cooper, M., 2002. The relationship between shell size and Mg/Ca, Sr/Ca, δ¹⁸O, and δ¹³C of species of planktonic foraminifera. *Geochem., Geophys., Geosys.* 3, 8, Doi:10.1029/2001GC000194.
- Emiliani, C., 1955. Pleistocene temperatures. *The Journal of Geology* 63, 6, 538-578. <https://doi.org/10.1086/626295>
- EPICA community members, 2004. Eight glacial cycles from an Antarctic ice core. *Nature* 429, 623-628.
- EPICA community members, 2006. One-to-one coupling of glacial climate variability in Greenland and Antarctica. *Nature* 444, 195-198.

- Esper, J., Frank, D.C., Büntgen, U., Verstege, A., Luterbacher, J. and Xoplaki, E., 2007. Long-term drought severity variations in Morocco. *Geophys. Res. Lett.* 34, L17702, Doi:10.1029/2007GL030844.
- Esper, J., Düthorn, E., Krusic, P.J., Timonen, M. and Büntgen, U., 2014. Northern European summer temperature variations over the Common Era from integrated tree-ring density records. *J. Quat., Sci.* 29, 487-494, Doi:10.1002/jqs.2726.
- Estournel, C., Testor, P., Damien, P., D'Ortenzio, F., Marsaleix, P., Conan, P., Kessouri, F., Durrieu de Madron, X., Coppola, L., Lellouche, J.M., Belamari, S., Mortier, L., Ulises, C., Bouin, M.N. and Prieur, L., 2016. High resolution modeling of dense water formation in the north-western Mediterranean during winter 2012-2013: Processes and budget: Modeling of dense water convection. *J. Geophys. Res.: Oceans* 121, 5367-5392. Doi:10.1002/2016JC011935.
- Estrada, M., Vives, F. and Alcaraz, M., 1985. Life and productivity in the open sea, in: Western Mediterranean. Edited by: Margalef, R., Oxford, Pergamon Press 148-197.
- Evans, T.M., Bira, L., Gastelum, J.B., Weiss, L.T. and Vanderford, N.L., 2018. Evidence for a mental Health crisis in graduate education. *Nature Biotechnology* 36, 3. Doi: 10.1038/nbt.4089.
- Fabres, J., Calafat, A., Sanchez-Vidal, A., Canals, M. and Heussner, S., 2002. Composition and spatio-temporal variability of particle fluxes in the Western Alboran Gyre, Mediterranean Sea. *J. Marine Syst.* 33, 431-456.
- Fairchild, I. and McMillan, E., 2007. Speleothems as indicators of wet and dry periods. *International Journal of Speleology* 36, 69-74. <https://doi.org/10.5038/1827-806X.36.2.2>.
- Fairchild, I.J. and Treble, P.C., 2009. Trace elements in speleothems as recorders of environmental change. *Quat. Sci. Rev.* 28, 449-468.
- Fairchild, I.J. and Baker, A., 2012. Speleothem science: from process to past environments. John Wiley & Sons. Oxford, UK. <http://dx.doi.org/10.1002/9781444361094>.
- Fairchild, I.J., Borsato, A., Tooth, A.F., Frisia, S., Hawkesworth, C.J., Huang, Y.M., McDermott, F. and Spiro, B., 2000. Controls on trace elements (Sr-Mg) compositions of carbonate cave waters: implications for speleothem climatic records. *Chemical Geology* 166, 255-269.
- Fanget, A.S., Bassetti, M.A., Arnaud, M., Chioleau, J.F., Cossa, D., Goineau, A., Fontanier, C., Buscail, R., Jouet, G., Maillet, G.M., Negri, A., Dennielou, B. and Berné, S., 2013. Historical evolution and extreme climate events during the last 400 years on the Rhone prodelta (NW Mediterranean). *Mar. Geol.* 346, 375-391, Doi:10.1016/j.margeo.2012.02.007.
- Faust, J.C., Fabian, K., Milzer, G., Giraudeau, J. and Knies, J., 2016. Norwegian fjord sediments reveal NAO related winter temperature and precipitation changes of the past 2800 years. *E. Planet. Sc. Lett.* 435, 84-93. Doi:10.1016/j.epsl.2015.12.003.
- Feldmann, R.M., Chapman, R.E. and Hannibal, J.T., 1989 (Eds.). Paleotechniques. The Paleontological Society, Special Publication, 4.
- Ferguson, J.E., Henderson, G.M., Kucera, M. and Rickaby, R.E.M., 2008. Systematic change of foraminiferal Mg/Ca ratios across a strong salinity gradient. *Earth Planet. Sc. Lett.* 265, 153-166, Doi:10.1016/j.epsl.2007.10.011.
- Ferrari, R., Nadeau, L.P., Marshall, D.P., Allison, L.C. and Johnson, H.L., 2017. A Model of the Ocean Overturning Circulation with Two Closed Basins and a Reentrant Channel. *J. of Physical Oceanography* 47, 2887-2906. Doi: 10.1175/JPO-D-16-0223.1
- Finné, M., Kylander, M., Boyd, M., Sundqvist, H.S. and Löwemark, L., 2015. CanXRF scanning of speleothems be used as a non-destructive method to identify paleoflood events in caves? *Int. J. Speleol.* 44 (1), 17e23.
- Fiol, L., Fornós, J.J., Gelabert, B. and Guijarro, J.A., 2005. Dust rains in Mallorca (Western Mediterranean): Their occurrence and role in some recent geological processes: *Catena* 63, 64-84.

- Fleitmann, D., Cheng, H., Badertscher, S., Edwards, R.L., Mudelsee, M., Göktürk, O.M., Fankhauser, A., Pickering, R., Raible, C.C., Matter, A., Kramers, J. and Tüysüz, O., 2009. Timing and climatic impact of Greenland interstadials recorded in stalagmites from northern Turkey. *Geophys. Res. Lett.* 36, L19707, Doi:10.1029/2009GL040050.
- Fletcher, W.J. and Sánchez Goñi, M.F., 2008. Orbital and sub-orbital scale climate impacts on vegetation of the western Mediterranean basin over the last 48 000 yr. *Quaternary Res.* 70, 451-464.
- Fletcher, W.J., Debret, M. and Sanchez Goñi, M., 2012. Mid-Holocene emergence of a low-frequency millennial oscillation in western Mediterranean climate: implications for past dynamics of the North Atlantic atmospheric westerlies. *Holocene* 23, 153-166, Doi:10.1177/0959683612460783.
- Forbes E., 1846. On the connexion between the distribution of the existing fauna and flora of the British Isles, and the geological changes which have affected their area, especially during the epoch of the Northern Drift. *Memoir of the Geological Survey of Great Britain* 1, 336-432.
- Fornós, J.J., Ginés, J. and Gràcia, F., 2009. Present-day sedimentary facies in the coastal karst caves of Mallorca island (western Mediterranean). *Journal of Cave and Karst Studies*, 71, 1, 86-99.
- Franklin, B., 1786. *Sundry Maritime Observations* (<https://oceanexplorer.noaa.gov>).
- Frigola, J., 2012. Variabilitat climàtica ràpida a la conca occidental del Mediterrani: registre sedimentològic, PhD Thesis. Dept. of Stratigraphy, Paleontology and Marine Geosciences, University of Barcelona, Spain.
- Frigola, J., Moreno, A., Cacho, I., Canals, M., Sierro, F.J., Flores, J.A., Grimalt, J.O., Hodell, D.A. and Curtis, J.H., 2007. Holocene climate variability in the western Mediterranean region from a deepwater sediment record, *Paleoceanography* 22, PA2209, Doi:10.1029/2006PA001307.
- Frigola, J., Moreno, A., Cacho, I., Canals, M., Sierro, F.J., Flores, J.A. and Grimalt, J.O., 2008. Evidence of abrupt changes in Western Mediterranean Deep Water circulation during the last 50 kyr: a high-resolution marine record from the Balearic Sea. *Quaternary Int.* 181, 88–104, Doi:10.1016/j.quaint.2007.06.016.
- Frigola, J., Canals, M. and Mata, P., 2015. Techniques for the non-destructive and continuous analysis of sediment cores. Application in the Iberian continental margin. *Boletín Geológico y Minero* 126, 2-3, 609-634.
- Frisia, S., 2015. Microstratigraphic logging of calcite fabrics in speleothems as tool for palaeoclimate studies. *International Journal of Speleology* 44, 1.
- Frisia, S., Borsato, A., Fairchild, I.J. and McDermott, F., 2000. Calcite fabrics, growth mechanisms, and environments of formation in speleothems from the Italian Alps and southwestern Ireland. *Journal of Sedimentary Research* 70, 1183-1196.
- Frisia, S., Borsato, A., Preto, N. and McDermott, F., 2003. Late Holocene annual growth in three Alpine stalagmites records the influence of solar activity and the North Atlantic Oscillation on winter climate. *Earth Planet. Sc. Lett.* 216, 411-424.
- Frisia, S., Borsato, A., Spötl, C., Villa, I.M. and Cucchi, F., 2005. Climate variability in the SE Alps of Italy over the past 17 000 years reconstructed from a stalagmite record. *Boreas* 34, 445-455. <https://doi.org/10.1080/03009480500231336>
- Frisia, S., Borsato, A., Mangini, A., Spötl, C., Madonia, G. and Sauro, U., 2006. Holocene Climate Variability in Sicily from a Discontinuous Stalagmite Record and the Mesolithic to Neolithic Transition. *Quat. Res.* 66, 388-400. Doi:10.1016/j.yqres.2006.05.003
- Frisia, S., Badertscher, S., Borsato, A., Susini, J., Göktürk, O.M., Cheng, H., Edwards, R.L., Kramers, J., Tüysüz, O. and Fleitmann, D., 2008. The use of stalagmite geochemistry to detect past volcanic eruptions and their environmental impacts. *PAGES news* 16, 25-26.

- Frisia, S., Borsato, A., Drysdale, R., Paul, B., Greig, A. and Cotte, M., 2012. A re-evaluation of the palaeoclimatic significance of Phosphorus variability in speleothems revealed by high-resolution synchrotron micro XRF mapping. *Climate of the Past* 8, 2039-2051.
- Frumkin, A. and Stein, M., 2004. The Sahara-East Mediterranean dust and climate connection revealed by strontium and uranium isotopes in a Jerusalem speleothem. *Earth and Planetary Sci. Letters* 217, 451-464. Doi:10.1016/S0012-821X(03)00589-2.
- Gambacort, G., Bersezio, R. and Erba, E., 2014. Sedimentation in the Tethyan pelagic realm during the Cenomanian: Monotonous settling or active redistribution? *Palaeogeogra., Palaeoclim., Palaeoeco.* 409, 301-319.
- Ganopolski, A. and Rhamstorf, S., 2001. Rapid changes of glacial climate simulated in a coupled climate model. *Nature* 409, 153-158.
- Ganssen, G.M. and Kroon, D., 2000. The isotopic signature of planktonic foraminifera from NE Atlantic surface sediments: implications for the reconstruction of past oceanic conditions. *J. Geol. Soc. London* 157, 693-699.
- Garcia, J., Delgado, X. i Ferrerres, J., 1986. Recull de cavitats de l'illa de Mallorca. *Exploracions* 10, 47-57.
- Garcia-Orellana, J., Pates, J.M., Masqué, P., Bruach, J.M. and Sanchez-Cabeza, J.A., 2009. Distribution of artificial radionuclides in deep sediments of the Mediterranean Sea. *Sci. Total Environ.* 407, 887-898, Doi:10.1016/j.scitotenv.2008.09.018.
- Gao, C., Robock, A. and Ammann, C., 2008. Volcanic forcing of climate over the past 1500 years: An improved ice core-based index for climate models. *J. Geophys. Res.* 113, D23111, Doi:10.1029/2008JD010239.
- Genty, D., Baker, A. and Vokal, B., 2001. Intra-and inter-annual growth rate of modern stalagmites. *Chemical Geology* 176, 191-212.
- Genty, D., Blamart, D., Ouahdi, R., Gilmour, M., Baker, A., Jouzel, J. and van Exter, S., 2003. Precise dating of Dansgaard-Oeschger climate oscillations in western Europe from stalagmite data. *Nature* 421, 833-837, Doi: 10.1038/nature01391.
- Genty, D., Blamart, D., Ghaleb, B., Plagnes, V., Causse, C., Bakalowicz, M., Zouari, K., Chkir, N., Hellstrom, J. and Wainer, K., 2006. Timing and dynamics of the last deglaciation from European and North African $\delta^{13}\text{C}$ stalagmite profiles-comparison with Chinese and South Hemisphere stalagmites. *Quat. Sci. Rev.* 25, 2118-2142. <https://doi.org/10.1016/j.quascirev.2006.01.030>.
- Gervais P., 1867-69. Zoologie et paleontology géénérales: Nouvelles recherches sur les animaux vertébrés et fossiles. Paris.
- Gibbard, P.L., Head, M.J., Walker, M.J.C., the Subcommission on Quaternary Stratigraphy, 2010. Formal ratification of the Quaternary System/Period and the Pleistocene Series/Epoch with a base at 2.58 Ma. *Journal of Quaternary Science* 25, 96-102. <https://doi.org/10.1002/jqs.1338>.
- Gibelin, A.L. and Deque, M., 2003. Anthropogenic climate change over the Mediterranean region simulated by a global variable resolution model. *Climate Dynamics* 20, 237-339.
- Ginés, A. i Ginés, J., 1992. Les coves del Drac (Manacor, Mallorca). Apuntes históricos y espeleogenéticos. *Endins* 17-18, 5-20.
- Ginés, J., 2000. El karst litoral en el levante de Mallorca: una aproximación al conocimiento de su morfogénesis y cronología. Tesis Doctoral. Universitat de les Illes Balears. 595 pp. Palma de Mallorca.
- Ginés, J. and Ginés, A., 1976. Ses Coves del Pirata. *Endins* 3, 41-45
- Ginés, Á., Ginés, J., Gómez-Pujol, L., Onac, B.P. and Fornós, J.J., 2012. Mallorca: a Mediterranean benchmark for Quaternary studies. *Societat d'Història Natural de les Balears*.

- Ginés, J., Fornós, J., Ginés, A., Merino, A. and Gràcia, F., 2014. Geologic constraints and speleogenesis of Cova des Pas de Vallgornera, a complex coastal cave from Mallorca Island (Western Mediterranean). International Journal of Speleology 43, 2, 105-124.
- Giorgi, F., 2006. Climate change hot-spots, Geophys. Res. Lett. 33, L08707, Doi:10.1029/2006GL025734.
- Giorgi, F. and Lionello, P., 2008. Climate change projections for the Mediterranean region. Glob. and Planet. Change 63, 90-104.
- Goede, A., Green, D.C. and Harmon, R.S., 1986. Late Pleistocene palaeotemperature record from a Tasmanian speleothem. Australian Journal of Earth Sciences 33, 333-342. <https://doi.org/10.1080/08120098608729370>.
- Gogou, A., Triantaphyllou, M., Xoplaki, E., Izdebski, A., Parinos, C., Dimiza, M., Bouloubassi, I., Luterbacher, J., Kouli, K., Martrat, B., Toreti, A., Fleitmann, D., Rousakis, G., Kaberi, H., Athanasiou, M. and Lykousis, V., 2016. Climate variability and socio-environmental changes in the northern Aegean (NE Mediterranean) during the last 1500 years. Quat. Sci. Rev. 136, 209-228. Doi:10.1016/j.quascirev.2016.01.009.
- González-Álvarez, R., Bernárdez, P., Pena, L.D., Francés, G., Prego, R., Diz, P. and Vilas, F., 2005. Paleoclimatic evolution of the Galician continental shelf (NW of Spain) during the last 3000 years: from a storm regime to present conditions. J. Mar. Syst. 54, 245-260.
- González-Sampériz, P., Valero-Garcés, B.L., Moreno, A., Jalut, G., García-Ruiz, J.M., Martí-Bono, C., Delgado-Huertas, A., Navas, A., Otto, T. and Dedoubat, J.J., 2006. Climate variability in the Spanish Pyrenees during the last 30,000 yr revealed by the El Portalet sequence. Quat. Res. 66, 38-52. <https://doi.org/10.1016/j.yqres.2006.02.004>.
- Goodess, C.M., Palutikof, J.P. and Davis, T.D., 1992. The nature and causes of climate change: assessing the long-term future. Belhaven Press, Londres, 248p.
- Goudeau, M.L.S., Reichart, G.J., Wit, J.C., de Nooijer, L.J., Grauel, A.L., Bernasconi, S. M., and de Lange, G. J., 2015. Seasonality variations in the Central Mediterranean during climate change events in the Late Holocene. Palaeogeogr. Palaeocl. 418, 304-318.
- Goudie, A.S. and Middleton, N.J., 2001. Saharan dust storms: nature and consequences. Earth-Science Reviews 56, 179e204.
- Goy, J.L., Zazo, C. and Dabrio, C.J. 2003. A beach-ridge progradation complex reflecting periodical sea-level and climate variability during the Holocene (Gulf of Almeria, Western Mediterranean). Geomorphology 50, 251-268.
- Gràcia, F., Clamor, B., Fornós, J.J., Jaume, D. and Febrer, M., 2006. El sistema Pirata-Pont-Piqueta (Manacor, Mallorca): geomorfología, espeleogènesi, hidrologia, sedimentologia i fauna. Endins 29, 25-64.
- Grauel, A.L., Goudeau, M.L.S., de Lange, G.J. and Bernasconi, S.M., 2013. Climate of the past 2500 years in the Gulf of Taranto, central Mediterranean Sea: A high-resolution climate reconstruction based on $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ of *Globigerinoides ruber* (white). The Holocene 23, 1440-1446.
- Gray, S.T., Graumlich, L.J., Betancourt, J.L. and Pederson, G.T., 2004. A tree-ring based reconstruction of the Atlantic Multidecadal Oscillation since 1567 A. D. Geophys. Res. Lett. 31, L12205, Doi:10.1029/2004GL019932.
- Grbec, B., Morović, M. and Zore-Armanda, M., 2003. Mediterranean Oscillation and its relationship to salinity fluctuation in the Adriatic Sea. Acta Adriatica 44, 1, 61-76.
- Griggs, C., DeGaetano, A., Kuniholm, P. and Newton, M., 2007. A regional high-frequency reconstruction of May-June precipitation in the north Aegean from oak tree rings, AD 1089-1989. Int. J. Climatol. 27, 1075-1089.

- Grootes, P. and Stuiver, M., 1997. Oxygen 18/16 variability in Greenland snow and ice with 10^{-3} -to 10^5 -year time resolution. *J. Geophys. Res.: Oceans* 102, C12. <https://doi.org/10.1029/97JC00880>
- Grootes, P., Stuiver, M., White, J.W.C., Johnsen, S.J. and Jouzel, J., 1993. Comparison of oxygen isotope records from the GISP2 and GRIP Greenland ice cores. *Nature* 366, 552-554.
- Guemas, V., García-Serrano, J., Mariotti, A., Doblas-Reyes, F. and Caron, L.P., 2014. Prospects for decadal climate prediction in the Mediterranean region *Q. J. Roy. Meteor. Soc.* 141, 580–597, Doi:10.1002/qj.2379.
- Guíjarro, J.A., 1995. Aspectes bioclimàtics del karst de Mallorca/bioclimatic aspects of karst in Mallorca. In: Ginés, A., Ginés, J. (Eds.). *El carst i les coves de Mallorca/Karst and caves in Mallorca*. Endins 20/Mon. Soc. Hist. Nat. Balears 3, pp. 17-26.
- Hall, I.R. and McCave, I.N., 2000. Palaeocurrent reconstruction, sediment and thorium focussing on the Iberian margin over the last 140 ka. *Earth and Planetary Science Letters* 178, 151-164.
- Häkkinen, S., Rhines, P.B., Worthen, D.L., 2011. Atmospheric blocking and Atlantic Multidecadal Ocean variability. *Science* 334, 655–659.
- Hays, J.D., Imbrie, J. and Shackleton, N.J., 1976. Variations in the Earth's orbit: pacemaker of the ice ages. *Science* 194, 4270, 1121-1132. <http://www.jstor.org/stable/1743620>
- Heinrich, H., 1998. Origin and consequences of cycling ice rafting in the Northeast Atlantic Ocean during the past 130.000 years; *Quat. Res.* 29, 142-152.
- Helama, S., Jones, P.D. and Briffa, K.R., 2017. Dark Ages Cold Period: A literature review and directions for future research. *The Holocene* 1-7. Doi:10.1177/0959683617693898.
- Hellstrom, J.C. and McCulloh, M.T., 2000. Multi-proxy constraints on the climatic significance of trace element records from a New Zealand speleothem. *Earth. And Planet. Sci. Lett.* 179, 287-297.
- Hemming, S., 2004. Heinrich events: massive late pleistocene detritus layers of the North Atlantic and their global climate imprint. *Review of Geophysics* 42, Doi:10.1029/2003RG000128.
- Hendy, C.H. and Wilson, A.T., 1968. Palaeoclimatic Data from Speleothems. *Nature* 219, 48-51. <https://doi.org/10.1038/219048a0>
- Hendy, C.H., 1971. The isotopic geochemistry of speleothems I. The calculation of the effects of different modes of formation on the isotopic composition of speleothems and their applicability as palaeoclimatic indicators. *Geochim. et cosmo. Acta* 35, 801-824.
- Hernández-Almeida, I., Bárcena, M.Á., Flores, J.A., Sierro, F.J., Sánchez-Vidal, A. and Calafat, A., 2011. Microplankton response to environmental conditions in the Alboran Sea (Western Mediterranean): one year sediment trap record. *Mar. Micropaleontol.* 78, 14-24, Doi:10.1016/j.marmicro.2010.09.005.
- Herrmann, M., Auger, P.A., Ulises, C. and Estournel, C., 2017. Long-term monitoring of ocean deep convection using multisensors altimetry and ocean color satellite data: SPATIAL MONITORING OF DEEP CONVECTION. *J. Geophys. Res.: Oceans* 122, 1457–1475. <https://doi.org/10.1002/2016JC011833>
- Hodge, E.J., Richards, D.A., Smart, P.L., Ginés, A. and Matthey, D.P., 2008. Sub-millennial climate shifts in the western Mediterranean during the last glacial period recorded in a speleothem from Mallorca, Spain. *J. of Quat. Sci.* 23, 713-718. Doi: 10.1002/jqs.1198.
- Hoffman, P.F., 1998. A Neoproterozoic Snowball Earth. *Science* 281, 1342-1346. <https://doi.org/10.1126/science.281.5381.1342>.
- Holland, H.D., Kirsipu, T.V., Huebner, S. and Oxburgh, U.M., 1964. On some aspects of the chemical evolution of cave waters. *Journal of Geology* 72, 36-67.

- Holzhauser, H., Magny, M. and Heinz, J., 2005. Glacier and lake- level variations in west-central Europe over the last 3500 years. *Holocene* 15, 789-801.
- Homar, V., Ramis, C., Romero, R. and Alonso, S., 2010. Recent trends in temperature and precipitation over the Balearic Islands (Spain). *Climatic Change* 98, 199-211. Doi: 10.1007/s10584-009-9664-5.
- Hönisch, B., Allen, K.A., Lea, D.W., Spero, H.J., Eggins, S.M., Arbuszewski, J., DeMenocal, P., Rosenthal, Y., Russell, A.D. and Elderfield, H., 2013. The influence of salinity on Mg/Ca in planktic foraminifers-evidence from cultures, core-top sediments and complementary $\delta^{18}\text{O}$. *Geochim. Cosmochim. Ac.* 121, 196-213.
- Hoogakker, B.A., Klinkhammer, G.P., Elderfield, H., Rohling, E.J. and Hayward, C., 2009. Mg/Ca paleothermometry in high salinity environments. *Earth Planet. Sc. Lett.* 284, 583-589, Doi:10.1016/j.epsl.2009.05.027.
- Hori, M., Ishikawa, T., Nagaishi, K., Lin, K., Wang, B.S., You, C.F., Shen, C.C. and Kano, A., 2013. Prior calcite precipitation and source mixing process influence Sr/Ca, Ba/Ca and $^{87}\text{Sr}/^{86}\text{Sr}$ of a stalagmite developed in southwestern Japan during 18.0-4.5ka. *Chemical Geology* 347, 190-198. <https://doi.org/10.1016/j.chemgeo.2013.03.005>.
- Houghton, J.T., Jenkins, G.J. and Ephraums, J.J., (Eds.), 1990. *Climate Change: the IPCC Scientific Assessment*. Cambridge University Press, Cambridge, UK.
- Houghton, J.T., Intergovernmental Panel on Climate Change (Eds.), 2001. *Climate change 2001: the scientific basis: contribution of Working Group I to the third assessment report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge ; New York.
- Houppert, L., Durrieu de Madron, X., Testor, P., Bosse, A., D'Ortenzio, F., Bouin, M.N., Dausse, D., Le Goff, H., Kunesch, S., Labaste, M., Coppola, L., Mortier, L. and Raimbault, P., 2016. Observations of open-ocean deep convection in the northwestern Mediterranean Sea: Seasonal and interannual variability of mixing and deep water masses for the 2007-2013 Period: DEEP CONVECTION OBS. NW MED 2007-2013. *J. Geophys. Res.: Oceans* 121, 8139-8171. Doi:10.1002/2016JC011857.
- Huang, S., 2004. Merging information from different resources for new insights into climate change in the past and future. *Geophys. Res. Lett.* 31, 1-4, Doi:10.1029/2004GL019781.
- Hughes, M.K. and Diaz, H.F., 1994. Was there a “Medieval warm period”, and if so, where and when? *Climatic Change* 26, 109-142.
- Hüneke, H., Stow, D.A.V., 2008. Identification of ancient contourites: problems and palaeoceanographic significance. In: Rebasco, M., Camerlenghi, A. (Eds.). *Contourites, developments in Sedimentology* 60, Elsevier, Amsterdam, 323-344.
- Hurrell, J.W., 1995. Decadal Trends in the North Atlantic Oscillation: regional temperatures and precipitation. *Science* 269, 676-679, Doi:10.1126/science.269.5224.676.
- Hurrell, J.W., Kushnir, Y., Ottersen, G. and Visbeck, M., 2003. An overview of the North Atlantic Oscillation, in: Hurrell, J.W., Kushnir, Y., Ottersen, G., and Visbeck, M. (Eds.). *Geophysical Monograph Series* 134. American Geophysical Union, Washington, D. C., 1-35. <https://doi.org/10.1029/134GM01>.
- Huybers, P., 2007. Glacial variability over the last two million years: an extended depth-derived agemodel, continuous obliquity pacing, and the Pleistocene progression. *Quat. Sci. Rev.* 26, 1-2, 37-55, Doi:10.1016/j.quascirev.2006.07.013.
- Imbrie, J., Hays, J.D., Martinson, D.G., McIntyre, A., Mix, A.C., Morley, J.J., Pisias, N.G., Prell, W., and Shackleton, N., 1984. The orbital theory of Pleistocene climate: Suport from a revised chronology of the marine $\delta^{18}\text{O}$ record. In: Berger, A. (Eds.). *Milankovitch and climate: Understanding the response to astronomical forcing* D. Reidel Publishing Company, Palisades, Nova York, 269-305.

- Incarbona, A., Ziveri, P., Di Stefano, E., Lirer, F., Mortyn, G., Patti, B., Pelosi, N., Sprovieri, M., Tranchida, G., Vallefuoco, M., Albertazzi, S., Bellucci, L. G., Bonanno, A., Bonomo, S., Censi, P., Ferraro, L., Giuliani, S., Mazzola, S. and Sprovieri, R., 2010. The Impact of the Little Ice Age on Coccolithophores in the Central Mediterranean Sea. *Clim. Past.* 6, 795–805, Doi:10.5194/cp-6-795-2010.
- Incarbona, A., Martrat, B., Mortyn, P.G., Sprovieri, M., Ziveri, P., Gogou, A., Jordà, G., Xoplaki, E., Luterbacher, J., Langone, L., Marino, G., Rodríguez-Sanz, L., Triantaphyllou, M., Di Stefano, E., Grimalt, J.O., Tranchida, G., Sprovieri, R. and Mazzola, S., 2016. Mediterranean circulation perturbations over the last five centuries: Relevance to past Eastern Mediterranean Transient-type events. *Scientific Reports* 6. Doi:10.1038/srep29623.
- Jaffey, A.H., Flynn, K.F., Glendenin, L.E., Bentley, W.C. and Essling, A.M., 1971. Precision measurements of half-lives and specific activities of ^{235}U and ^{238}U . *Physical Review C* 4, 1889–1906.
- Jalali, B., Sicre, M.A., Bassetti, M.A. and Kallel, N., 2016. Holocene climate variability in the North-Western Mediterranean Sea (Gulf of Lions). *Climate of the Past* 12, 91–101. Doi:10.5194/cp-12-91-2016.
- Jalali, B., Sicre, M.A., Kallel, N., Azuara, J., Combourieu-Nebout, N., Bassetti, M.A. and Klein, V., 2017. High-resolution Holocene climate and hydrological variability from two major Mediterranean deltas (Nile and Rhone). *The Holocene* 2, 78, 1158–1168.
- Jalali, B., Sicre, M.A., Klein, V., Schmidt, S., Maselli, V., Lirer, F., Bassetti, M.A., Toucanne, S., Jorry, S. J., Insinga, D.D., Petrosino, P. and Châles, F., 2018. Deltaic and Costal Sediments as Recorders of Mediterranean Regional Climate and Human Impact Over the Past Three Millennia. *Paleoceanography and Paleoclimatology* 33. <https://doi.org/10.1029/2017PA003298>.
- Jalut, G., Esteban Amat, A., Mora, S.R., Fontugne, M., Mook, R., Bonnet, L. and Gauquelin, T., 1997. Holocene climatic changes in the western Mediterranean: installation of the Mediterranean climate. *CR. Acad. Sci. II* 325, 327–334.
- Jalut, G., Esteban Amat, A., Bonnet, L., Gauquelin, T. and Fontugne, M., 2000. Holocene climatic changes in the Western Mediterranean, from south-east France to south-east Spain. *Palaeogeogr. Palaeocl.* 160, 255–290.
- Jambrina-Enríquez, M., Rico, M., Moreno, A., Leira, M., Bernardez, P., Prego, R., Recio, C. and Valero-Garcés, B.L., 2014. Timing of deglaciation and postglacial environmental dynamics in NW Iberia: the Sanabria Lake record. *Quat. Sci. Rev.* 94, 136–158.
- Joerin, U.E., Stocker, T.F., Schlu, C. and Physics, E., 2006. Multicentury glacier fluctuations in the Swiss Alps during the Holocene. *Holocene* 16, 697–704.
- Johnson, K., Hu, C., Belshaw, N. and Henderson, G., 2006. Seasonal trace-element and stable-isotope variations in a Chinese speleothem: The potential for high-resolution paleomonsoon reconstruction. *Earth. Planet. Sci. Lett.* 244, 394–407. <https://doi.org/10.1016/j.epsl.2006.01.064>.
- Jones, P.D., Lister, D.H., Osborn, T.J., Harpham, C., Salmon, M. and Morice, C.P., 2012. Hemispheric and large-scale land-surface air temperature variations: An extensive revision and an update to 2010: Land-Surface Temperature Variations. *J. Geophys. Res.: Atmospheres* 117. <https://doi.org/10.1029/2011JD017139>.
- Josey, S.A., 2003. Changes in the heat and freshwater forcing of the Eastern Mediterranean and their influence on DeepWater Formation. *J. Geophys. Res.* 108, 3237, Doi:10.1029/2003JC001778.
- Josey, S. A. and Marsh, R., 2005. Surface freshwater flux variability and recent freshening of the North Atlantic in the eastern subpolar gyre, *J. Geophys. Res.* 110, C05008, Doi:10.1029/2004JC002521.
- Josey, S.A., Somot, S. and Tsimplis, M., 2011. Impacts of atmospheric modes of variability on Mediterranean Sea surface heat exchange. *J. Geophys. Res.* 116. Doi:10.1029/2010JC006685.

- Kaufman, D.S., Schneider, D.P., McKay, N.P., Ammann, C.M., Bradley, R.S., Bria, K.R., Miller, G.H., Otto-Btiesner, B.L., Overpeck, J.P. and Vinther, B.M., 2009. Recent warming reverses long-term arctic cooling. *Science* 325, 1236-1239, Doi:10.1126/science.1173983.
- Kennett, J.P. and Stott, L.D., 1991. Abrupt deep-sea warming, palaeoceanographic changes and benthic extinctions at the end of the Palaeocene. *Nature* 353, 225-229.
- Kieke, D., and Yashayaev, I., 2015. Studies of Labrador Sea Water formation and variability in the subpolar North Atlantic in the light of international partnership and collaboration. *Progress in Oceanography* 132, 220-232. Doi:10.1016/j.pocean.2014.12.010.
- Kim, W.M., Yeager, S., Chang, P. and Danabasoglu, G., 2016. Atmospheric Conditions Associated with Labrador Sea Deep Convection: New Insights from a Case Study of the 2006/07 and 2007/08 Winters. *American Meteo. Societ.* 29, 5281-5297. Doi:10.1175/JCLI-D-15-0527.1.
- Kobashi, T., Kawamura, K., Severinghaus, J.P., Barnola, J.M., Nakaegawa, T., Vinther, B. M., Johnsen, S.J. and Box, J.E., 2011. High variability of Greenland surface temperature over the past 4000 years estimated from trapped air in an ice core. *Geophys. Res. Lett.* 38, L21501, Doi:10.1029/2011GL049444.
- Konert, M. and Vandenberghe, J., 1997. Comparison of laser grain-size analysis with pipette and sieve analysis: a solution for the underestimation of the clay fraction. *Sedimentology* 44, 523-535.
- Krichak, S.O. and Alpert, P., 2005. Decadal trends in the east Atlantic west Russia pattern and Mediterranean precipitation. *Int. J. Climatol.*, 25, 183-192. Doi:10.1002/joc.1124.
- Krishnaswami, S., Lal, D., Martin, J.M. and Meybeck, M., 1971. Geochronology of lake sediments. *Earth. Planet. Sc. Lett.* 11, 407-414.
- Krklec, K. and Domínguez-Villar, D., 2014. Quantification of the impact of moisture source regions on the oxygen isotope composition of precipitation over Eagle Cave, central Spain. *Geochimica et Cosmochimica Acta* 134, 39-54. <https://doi.org/10.1016/j.gca.2014.03.011>.
- Labuhn, I., Genty, D., Vonhof, H., Bourdin, C., Blamart, D., Douville, E., Ruan, J., Cheng, H., Edwards, R.L., Pons-Branchu, E. and Pierre, M., 2015. A high-resolution fluid inclusion $\delta^{18}\text{O}$ record from a stalagmite in SW France: modern calibration and comparison with multiple proxies. *Quat. Sci. Rev.* 110, 152-165, Doi:10.1016/j.quascirev.2014.12.021.
- Lachniet, M.S., 2009. Climatic and environmental controls on speleothem oxygen-isotope values. *Quat. Sci. Rev.* 28, 412-432. <https://doi.org/10.1016/j.quascirev.2008.10.021>.
- Lacombe, H., Gascard, J.C, Cornella, J., and Béthoux, J.P., 1981. Response of the Mediterranean to the water and energy fluxes across its surface, on seasonal and interannual scales. *Oceanol. Acta*. 4, 247-255.
- Lacombe, H., Tchernia, P. and Gamberoni, L., 1985. Variable bottom water in the Western Mediterranean basin. *Prog. Oceanogr.* 14, 319-338.
- Lamb, H.H., 1965. The early medieval warm epoch and its sequel. *Palaeogeogr., Palaeoclim., Palaeoeco.* 1, 13-37.
- Lamb, H.H., 2013. Weather, Climate and Human Affairs (Routledge Revivals): A Book of Essays and Other Papers. Abingdon: Routledge, 60. ISBN 978-1-13663-962-3.
- Larsen, L.B., Vinther, B.M., Bria, K.R., Melvin, T.M., Clausen, H.B., Jones, P.D., Siggaard-Andersen, M.L., Hammer, C.U., Eronen, M., Grudd, H., Gunnarson, B.E., Hantemirov, R.M., Naurzbaev, M.M. and Nicolussi, K., 2008. New ice core evidence for a volcanic cause of the A.D. 536 dust veil. *Geophys. Res. Lett.* 35, 1-5, Doi:10.1029/2007GL032450.
- Laskar, J., 1990. The chaotic motion of the solar system: A numerical estimate of the size of the chaotic zones. *Icarus* 88, 266-291.
- Laskar, J., Robutel, P., Joutel, F., Gastineau, M., Correia, A.C.M. and Levrard, B., 2004. A longterm numerical solution for the insolation quantities of the Earth. *Astron. Astrophys.* 285, 261-285.

- Lea, D.W., 1999. Trace elements in foraminiferal calcite. In: Sen Gupta, B.K., (Eds.). *Modern Foraminifera*, Great Britain, Kluwer Academic Publishers, 259-277.
- Lea, D.W., Mashotta, T.A. and Spero, H.J., 1999. Controls on magnesium and strontium uptake in planktonic foraminifera determined by live culturing. *Geochim. Cosmochim. Ac.* 63, 2369-2379.
- Lea, D.W., Pak, D.K. and Paradis, G., 2005. Influence of volcanic shards on foraminiferal Mg/Ca in a core from the Galápagos region. *Geochem. Geophys. Geosy.* 6, Q11P04, Doi:10.1029/2005GC000970.
- Lebreiro, S.M., Francés, G., Abrantes, F.F.G., Diz, P., Bartels-Jónsdóttir, H.B., Stroynowski, Z. N., Gil, I.M., Pena, L.D., Rodrigues, T., Jones, P.D., Nombela, M.A., Alejo, I., Bria, K.R., Harris, I. and Grimalt, J.O., 2006. Climate change and coastal hydrographic response along the Atlantic Iberian margin (Tagus Prodelta and Muros Ría) during the last two millennia. *Holocene*, 16, 1003-1015.
- Lechleitner, F.A., Breitenbach, S.F.M., Rehfeld, K., Ridley, H.E., Asmerom, Y., Prufer, K.M., Marwan, N., Goswami, B., Kennett, D.J., Aquino, V.V., Polyak, V., Haug, G.H., Eglinton, T.I. and Baldini, J.U.L., 2017. Tropical rainfall over the last two millennia: evidence for a low-latitude hydrologic seesaw. *Scientific Rep.* 7, 45809. <https://doi.org/10.1038/srep45809>
- Lehner, F., Raible, C.C., and Stocker, T.F., 2012. Testing the robustness of a precipitation proxy-based North Atlantic Oscillation reconstruction. *Quat. Sci. Rev.* 45, 85-94, Doi:10.1016/j.quascirev.2012.04.025.
- Lewis, S.L. and Maslin, M.A., 2015. Defining the Anthropocene. *Nature* 519, 171-180. <https://doi.org/10.1038/nature14258>.
- Li, M.Z. and Amos, C.L., 2001. SEDTRANS96: the upgraded and better calibrated sediment-transport model for continental shelves. *Computers and Geosciences* 27, 619-645.
- Lionello, P., 2012. The Climate of the Mediterranean Region: From the Past to the Future. Elsevier Science, Burlington, MA.
- Lionello, P. and Sanna, A., 2005. Mediterranean wave climate variability and its links with NAO and Indian Monsoon. *Clim. Dyn.* 25, 611-623, Doi:10.1007/s00382-005-0025-4.
- Lionello, P., Malanott-Rizzoli, R., Boscolo, R., Alpert, P., Artale, V., Li, L., Luterbacher, J., May, W., Trigo, R., Tsimplis, M., Ulbrich, U., and Xoplaki, E., 2006. The Mediterranean climate: An overview of the main characteristics and issues. In: *Mediterranean Climate Variability (MedClivar)*, Elsevier, Amsterdam, 1-26.
- Lirer, F., Sprovieri, M., Ferraro, L., Vallefuoco, M., Capotondi, L., Casella, A., Petrosino, P., Insinga, D.D., Pelosi, N., Tamburrino, S. and Lubritto, C., 2013. Integrated stratigraphy for the Late Quaternary in the eastern Tyrrhenian Sea. *Quat. Int.* 292, 71-85, Doi:10.1016/j.quaint.2012.08.2055.
- Lirer, F., Sprovieri, M., Vallefuoco, M., Ferraro, L., Pelosi, N., Giordano, L. and Capotondi, L., 2014. Planktonic foraminifera as bioindicators for monitoring the climatic changes that have occurred over the past 2000 years in the southeastern Tyrrhenian Sea. *Integr. Zool.* 9, 542-54, Doi:10.1111/1749-4877.12083.
- Lisiecki, L.E. and Raymo, M.E., 2005. A Pliocene-Pleistocene stack of 57 globally distributed benthic $\delta^{18}\text{O}$ records: Pliocene-Pleistocene benthic stack. *Paleoceanography* 20, <https://doi.org/10.1029/2004PA001071>.
- Llasses, J., Jordà, G., Gomis, D., Adloff, F., Macías, D., Harzallah, A., Arsouze, T., Akthar, N., Li, L., Elizalde, A. and Sannino, G., 2016. Heat and salt redistribution within the Mediterranean Sea in the Med-CORDEX model ensemble. *Climate Dynamics* 51, 1119-1143. doi:10.1007/s0382-016-3242-0.
- López García, M.J., Millot, C., Font, J. and García-Ladona, E., 1994. Surface circulation variability in the Balearic Basin. *J. Geophys. Res. Atm.* 99, 3285-3296, Doi:10.1029/93JC02114.

- López-Jurado, J.L., González-Pola, C. and Vélez-Belchi, P., 2005. Observation of an abrupt disruption of the long-term warming trend at the Balearic Sea, western Mediterranean Sea, in summer 2005. *Geophys. Res. Lett.* 32, 1-4. Doi:10.1029/2005GL024430.
- Loutre, M.F. and Berger, A., 2000. Future climatic changes: are we entering an exceptionally long interglacial. *Climatic Change* 46, 61-90.
- Lund, D.C., Lynch-Stieglitz, J. and Curry, W.B., 2006. Gulf Stream density structure and transport during the past millennium. *Nature* 444, 601-604.
- Luterbacher, J., Dietrich, D., Xoplaki, E., Grosjean, M. and Wanner, H., 2004. European seasonal and annual temperature variability, trends, and extremes since 1500. *Science* 303, 1499-1503, Doi:10.1126/science.1093877.
- Luterbacher, J., Werner, J.P., Smerdon, J.E., Fernández-Donado, L., González-Rouco, F.J., Barriopedro, D., Ljungqvist, F.C., Büntgen, U., Zorita, E., Wagner, S., Esper, J., McCarroll, D., Toreti, A., Frank, D., Jungclaus, J.H., Barriendos, M., Bertolin, C., Bothe, O., Brázdil, R., Camuffo, D., Dobrovolsný, P., Gagen, M., García-Bustamante, E., Ge, Q., Gómez-Navarro, J.J., Guiot, J., Hao, Z., Hegerl, G.C., Holmgren, K., Klimenko, V.V., Martín-Chivelet, J., Pfister, C., Roberts, N., Schindler, A., Schurer, A., Solomina, O., von Gunten, L., Wahl, E., Wanner, H., Wetter, O., Xoplaki, E., Yuan, N., Zanchettin, D., Zhang, H. and Zerefos, C., 2016. European summer temperatures since Roman times. *Envir. Res. Lett.* 11, 24001. Doi:10.1088/1748-9326/11/2/024001
- Lyell, C., 1839. *Nouveaux Éléments de Géologie*. Pitois-Levrault, Paris.
- Magri, D. and Parra, I., 2002. Late Quaternary western Mediterranean pollen records and African winds. *Earth. Planet. Sc. Lett.* 200, 401-408.
- Malanotte-Rizzoli, P., Artale, V., Borzelli-Eusebi, G.L., Brenner, S., Crise, A., Gacic, M., Kress, N., Marullo, S., Ribera d'Alcalà, M., Sofianos, S., Tanhua, T., Theocharis, A., Alvarez, M., Ashkenazy, Y., Bergamasco, A., Cardin, V., Carniel, S., Civitarese, G., D'Ortenzio, F., Font, J., Garcia-Ladona, E., Garcia-Lafuente, J.M., Gogou, A., Gregoire, M., Hainbucher, D., Kontoyannis, H., Kovacevic, V., Kraskapoulou, E., Kroskos, G., Incarbona, A., Mazzocchi, M.G., Orlic, M., Ozsoy, E., Pascual, A., Poulain, P.M., Roether, W., Rubino, A., Schroeder, K., Siokou-Frangou, J., Souvermezoglou, E., Sprovieri, M., Tintoré, J. and Triantafyllou, G., 2014. Physical forcing and physical/biochemical variability of the Mediterranean Sea: a review of unresolved issues and directions for future research. *Ocea. Sci.* 10, 281-322, Doi:10.5194/os-10-281-2014.
- Maldonado, A., Got, H., Monaco, A., O'Connell, S. and Mirabile, L., 1985. Valencia Fan (northwestern Mediterranean): distal deposition fan variant. *Mar. Geol.* 62, 29-319.
- Mangini, A., Spötl, C. and Verdes, P., 2005. Reconstruction of temperature in the Central Alps during the past 2000 yr from a $\delta^{18}\text{O}$ stalagmite record. *Earth. Planet. Sc. Lett.* 235, 741-751.
- Mann, M.E., Bradley, R.S. and Hughes, M.K., 1999. Northern Hemisphere Temperatures During the Past Millennium: Inferences, Uncertainties, and Limitations. *Geophys. Res. Lett.* 26, 759-762.
- Mann, M.E., Zhang, Z., Hughes, M.K., Bradley, R.S., Miller, S.K., Rutherford, S., and Ni, F., 2008. Proxy-based reconstructions of hemispheric and global surface temperature variations over the past two millennia. *P. Natl. Acad. Sci. USA*, 105, 13252-13257.
- Mann, M.E., Zhang, Z., Rutherford, S., Bradley, R.S., Hughes, M.K., Shindell, D., Ammann, C., Faluvegi, G. and Ni, F., 2009. Global signatures and dynamical origins of the little ice age and medieval climate anomaly. *Science* 326, 1256-1260.
- Marchal, O., Cacho, I., Stocker, T.F., Grimalt, J.O., Calvo, E., Martrat, B., Shackleton, N., Vautravers, M., Cortijo, E., Van Kreveld, S., Andersson, C., Ko, N., Chapman, M., Sbaffi, L., Duplessy, J., Sarnthein, M. and Turon, J., 2002. Apparent long-term cooling of the sea surface in the northeast Atlantic and Mediterranean during the Holocene. *Quat. Sci. Rev.* 21, 455-483.

- Margalef, R., 1978. Life-forms of phytoplankton as a survival alternatives in unstable environments. *Oceanologica acta* 1, 4, 493-509.
- Margalef, R., 1985. Introduction to the Mediterranean. A Western Mediteranean. Margalef, R. (Eds.). Oxford, Pergamon Press, 1-16.
- Margaritelli, G., Lirer, F., Vallefouco, M., Bonomo, S., Cascella, A., Capotondi, L., Ferraro, L., Insinga, D.D., Petrosino, P. and Rettori, R., 2015. Climatic variability during the last two millennia in the Tyrrhenian Sea: evidences from planktonic foraminifera and geochemical data. XV Edizione delle "Giornate di Paleontologia" PALEODAYS2015, Palermo 17-29 Maggio 2015, 72-73, Società Paleontologica Italiana.
- Margaritelli, G., Vallefouco, M., Di Rita, F., Capotondi, L., Bellucci, L.G., Insinga, D.D., Petrosino, P., Bonomo, S., Cacho, I., Cascella, A., Ferraro, L., Florindo, F., Lubritto, C., Lurcock, P.C., Magri, D., Pelosi, N., Rettori, R., and Lirer, F., 2016. Marine response to climate changes during the last five millennia in the central Mediterranean Sea. *Glob. and Planet. Changes* 142, 53-72. Doi:10.1016/j.gloplacha.2016.04.007.
- Margaritelli, G., Cisneros, M., Cacho, I., Vallefouco, M., Rettori, R. and Lirer, F., 2018. Climatic variability over the last 3000 years in the central-western Mediterranean Sea (Menorca Basin) detected by planktonic foraminifera and stable isotope records. *Glob. and Planet. Changes* 169, 179-187. <https://doi.org/10.1016/j.gloplacha.2018.07.012>
- Margirier F., Testor, P., Bosse, A., L'Hévéder, L., Mortier, L. and Smeed, D., 2017. Characterization of Convective Plumes Associated With Oceanic Deep Convection in the Northwestern Mediterranean From High-Resolution In Situ Data Collected by Gliders. *J. Geophys. Res.: Oceans* 122, 1-13. Doi:10.1002/2016JC012633.
- Mariotti, A., Zeng, N., Yoon, J.H., Artale, V., Navarra, A., Alpert, P. and Li, L.Z.X., 2008. Mediterranean water cycle changes: transition to drier 21st century conditions in observations and CMIP3 simulations. *Environmental Res. Lett.* 3, 044001. <https://doi.org/10.1088/1748-9326/3/4/044001>.
- Mariotti, A., 2011. Decadal climate variability and change in the Mediterranean Region. *Sci. Technol. Infus. Clim. Bull., Climate Test Bed Joint Seminar Series*, Maryland, US National Oceanic and Atmospheric Administration, 1-5.
- Marlowe, I.T., Brassell, S.C., Eglinton, G. and Green, J.C., 1984. Long chain unsaturated ketones and esters in living algae and marine sediments. *Org. Geoch.* 6, 135-141.
- Martel, E.A., 1903. "Les cavernes de Majorque". *Spelunca* 32, 5, Paris.
- Martin, J., Elbaz-Poulichet, F., Guieu, C., Loce-Pilot, M. and Han, G., 1989. River versus atmospheric input of material to the Mediterranean Sea: an Overview. *Mar. Chem.* 28, 159-182.
- Martín, J., Miquel, J. C. and Khripounoff, A., 2010. Impact of open sea deep convection on sediment remobilization in the western Mediterranean. *Geophys. Res. Lett.* 37, L13604, Doi:10.1029/2010GL043704.
- Martín-Chivelet, J., Muñoz-García, M.B., Edwards, R.L., Turrero, M.J., and Ortega, A.I., 2011. Land surface temperature changes in Northern Iberia since 4000 yr BP, based on $\delta^{13}\text{C}$ of speleothems. *Global Planet. Changes* 77, 1-12, Doi:10.1016/j.gloplacha.2011.02.002.
- Martín-Chivelet, J., Muñoz-García, M.B., Cruz, J.A., Ortega, A.I. and Turrero, M.J., 2017. Speleothem Architectural Analysis: Integrated approach for stalagmite-based paleoclimate research. *Sed. Geol.* 353, 28–45. Doi:10.1016/j.sedgeo.2017.03.003.
- Martín-Puertas, C., Valero-Garcés, B.L., Brauer, A., Mata, M.P., Delgado-Huertas, A. and Dulski, P., 2009. The Iberian–Roman Humid Period (2600–1600 cal yr BP) in the Zoñar Lake varve record (Andalucía, southern Spain). *Quat. Res.* 71, 108-120. Doi:10.1016/j.yqres.2008.10.004.
- Martín-Puertas, C., Jiménez-Espejo, F., Martínez-Ruiz, F., Nieto-Moreno, V., Rodrigo, M., Mata, M.P. and Valero-Garcés, B.L., 2010. Late Holocene climate variability in the southwestern

Mediterranean region: an integrated marine and terrestrial geochemical approach. Climate of the Past 6, 807-816. <https://doi.org/10.5194/cp-6-807-2010>.

- Martínez-Cortizas, A., Pontevedra-Pombal, X., García-Rodeja, E., Nóvoa-Muñoz, J.C. and Shotyk, W., 1999. Mercury in a Spanish Peat Bog: archive of climate change and atmospheric metal deposition. *Science* 284, 939-942.
- Martins, O. and Probst, J.L., 1991. Biogeochemistry of major African rivers: carbon and mineral transport. In: Degens, E.T., Kempe, S., Richey, J.E. (Eds.). *Biogeochemistry of Major World Rivers*. SCOPE Report 42. Wiley, Chichester, 127-155.
- Martinson, D.G., Pisias, N.G., Hays, J.D., Imbrie, J., Moore, T.C. and Shackleton, N.J., 1987. Age dating and the orbital theory of the ice ages: Development of a high-resolution 0 to 300,000-year chronostratigraphy 1. *Quat. Res.* 27, 1-29.
- Martín-Vide, J. and López-Bustins, J.A., 2006. The Western Mediterranean Oscillation and rainfall in the Iberian Peninsula. *International Journal of Climatology* 26, 1455-1475. Doi: 10.1002/joc.1388.
- Martrat, B., Grimalt, J.O., Lopez-Martinez, C., Cacho, I., Sierro, F.J., Flores, J.A., Zahn, R., Canals, M., Curtis, J. H. and Hodell, D.A., 2004. Abrupt temperature changes in the Western Mediterranean over the past 250 000 years. *Science* 306, 1762-1765, Doi:10.1126/science.1101706.
- Marullo, S., Artale, V. and Santoleri, R., 2011. The SST multi-decadal variability in the Atlantic-Mediterranean region and its relation to AMO. *J. Climate* 24, 4385-4401, Doi:10.1175/2011JCLI3884.1.
- Mashiotta, T.A., Lea, D.W. and Spero, H.J., 1999. Glacial-interglacial changes in Subantarctic sea surface temperature and $\delta^{18}\text{O}$ -water using foraminiferal Mg. *Earth Planet. Sc. Lett.* 170, 417-432.
- Masqué, P., Fabres, J., Canals, M., Sanchez-Cabeza, J.A., Sanchez-Vidal, A., Cacho, I., Calafat, A.M. and Bruach, J.M., 2003. Accumulation rates of major constituents of hemipelagic sediments in the deep Alboran Sea: a centennial perspective of sedimentary dynamics. *Mar. Geol.* 193, 207-233.
- Mattey, D., Lowry, D., Duffet, J., Fisher, R., Hodge, E. and Frisia, S., 2008. A 53 year seasonally resolved oxygen and carbon isotope record from a modern Gibraltar speleothem: Reconstructed drip water and relationship to local precipitation. *Earth. and Planet. Sci. Lett.* 269, 80-95. <https://doi.org/10.1016/j.epsl.2008.01.051>.
- Matthews, J.A. and Bria, K.R., 2005. The “Little ice age”: re-evaluation of an evolving concept. *Geogr. Ann. A* 87, 17-36.
- Mauffret, A., 1979. Etude géodynamique de la marge des Illes Baléares, Mémoires de la Société Géologique de France LVI, 1-96.
- Mayewski, P.A., Meeker, L.D., Whitlow, S., Twickler, M.S., Morrison, M.C., Alley, R.B., Bloomfield, P. and Taylor, K., 1993. The atmosphere during the Younger Dryas. *Science*, 261, 195-197.
- Mayewski, P.A., Rohling, E.E., Stager, J.C., Karlen, W., Maasch, K.A., Meeker, L.D., Meyerson, E.A., Gasse, F., van Kreveld, S., Holmgren, K., Lee-Thorp, J., Rosqvist, G. Rack, F., Staubwasser, M., Schneider, R.R. and Steig, E. J., 2004. Holocene climate variability. *Quat. Res.* 62, 243-255.
- Mayewski, P.A., Maasch, K., Yan, Y., Kang, S., Meyerson, E., Snead, S., Kaspari, S., Dixon, D., Morgan, V., van Ommen, T. and Curran, M., 2006. Solar forcing of the polar atmosphere. *Annals of Glaciology* 41, 147-154.
- McCave, I.N., Bryant, R.J. and Cook, H.F., Coughanowr, C.A., 1986. Evaluation of a laser-diffraction-size analyzer for use with natural sediments. *Journal of Sedimentary Research* 56, 561-564.

- McCave, I.N., Manighetti, B., and Robinson, S.G., 1995. Sortable silt and fine sediment size/composition slicing: Parameters for paleocurrent speed and paleoceanography. *Paleoceanography* 10, 593610.
- McCave, I.N., Thornalley, D.J.R. and Hall, I.R., 2017. Relation of sortable silt grain-size to deep-sea current speeds: Calibration of the ‘Mud Current Meter’. *Deep-Sea research Part I, Oceanographic research Papers*. Doi:10.1016/j.dsr.2017.07.003.
- McConnell, M.C. and Thunell, R.C., 2005. Calibration of the planktonic foraminiferal Mg/Ca paleothermometer: sediment trap results from the Guaymas Basin, Gulf of California. *Paleoceanography* 20, PA2016, Doi:10.1029/2004PA001077.
- McDermott, F., 2004. Palaeo-climate reconstruction from stable isotope variations in speleothems: a review. *Quat. Sci. Rev.* 23, 901-918. <https://doi.org/10.1016/j.quascirev.2003.06.021>.
- McDermott F., Frisia S., Huang Y., Longinelli A., Spiro B., Heaton T.H.E., Hawkesworth C.J., Borsato A., Keppens E., Fairchild I.J., Van der Borg K., Verheyden S. and Selmo E., 1999. Holocene climate variability in Europe: Evidence from $\delta^{18}\text{O}$, textural and extension-rate variations in three speleothems. *Quat. Sci. Rev.* 18, 1021-1038. [http://dx.doi.org/10.1016/S0277-3791\(98\)00107-3](http://dx.doi.org/10.1016/S0277-3791(98)00107-3).
- McGovern, T.H., VéSteinsson, O., Friðriksson, A., Church, M., Lawson, I., Simpson, I.A., Einarsson, A., Dugmore, A., Cook, G., Perdikaris, S., Edwards, K.J., Thomson, A.M., Adderley, W.P., Newton, A., Lucas, G., Edvardsson, R., Aldred, O. and Dunbar, E., 2007. Landscapes of Settlement in Northern Iceland: Historical Ecology of Human Impact and Climate Fluctuation on the Millennial Scale. *American Anthropologist* 109, 27-51. <https://doi.org/10.1525/aa.2007.109.1.27>.
- McGregor, H.V., Evans, M.N., Goosse, H., Leduc, G., Martrat, B., Addison, J.A., Graham Mortyn, P., Oppo, D.W., Seidenkrantz, M.S., Sicre, M.A., Phipps, S.J., Selvaraj, K., Thirumalai, K., Filipsson, H.L. and Ersek, V., 2015. Robust global ocean cooling trend for the pre-industrial Common Era. *Nat. Geosci.* 8, 671-677, Doi:10.1038/ngeo2510.
- McMillan, E.A., Fairchild, I.J., Frisia, S., Borsato, A. and McDermott, F., 2005. Annual trace element cycles in calcite-aragonite speleothems: evidence of drought in the western Mediterranean 1200-1100 yr BP. *J. of Quat. Sci.* 20, 423-433.
- MEDAR GROUP, 2002. MEDATLAS/2002 European Project: Mediterranean and Black Sea Database of Temperature Salinity and Bio-Chemical Parameters, Climatological Atlas, Institut Français de Recherche pour L’Exploitation de la Mer (IFREMER), Edition/Instituto Nazionale di Oceanografia e di Geofisica Sperimentale (OGS).
- MEDOC, G., 1970. Observation of formation of Deep Water in the Mediterranean Sea. *Nature* 227, 1037-1040.
- Mertens, C. and Schott, F.A., 1998. Interannual Variability of Deep-Water Formation in the Northwestern Mediterranean. *Journal of Physical Oceanography* 28, 1410-1424. Doi:10.1175/1520-0485(1998)028<1410:IVODWF>2.0.CO;2.
- Mickler, P.J., Stern, L.A. and Banner, J.L., 2006. Large kinetic isotope effects in modern speleothems. *Geol. Societ. of America Bulletin* 118, 65-81. Doi:10.1130/B25698.1.
- Millán, M.M., Estrela, M.J., Sanz, M.J., Mantilla, E., Martín, M., Pastor, F., Salvador, R., Vallejo, R., Alonso, L., Gangoiti, G., Ilardia, JL, Navazo, M., Albizuri, A., Artiñano, B., Ciccioli, P., Kallos, G., Carvalho, R.A., Andrés, D., Ho, A., Werhahn, J., Seufert, G. and Versino, B., 2005. Climatic feedbacks and desertification: the Mediterranean Model. *J. Climate* 18, 684-701.
- Miller, G.H., Geirsdóttir, Á., Zhong, Y., Larsen, D.J., Otto-Bliesner, B.L., Holland, M.M., Bailey, D.A., Refsnider, K.A., Lehman, S.J., Southon, J.R., Anderson, C., Björnsson, H. and Thordarson, T., 2012. Abrupt onset of the Little Ice Age triggered by volcanism and sustained by sea-ice/ocean feedbacks. *Geophys. Res. Lett.* 39, L02708, <https://doi.org/10.1029/2011GL050168>.

- Millot, C., 1999. Circulation in the Western Mediterranean Sea. *J. Mar. Syst.* 20, 423-442, Res. 99 (C2), 3285-3296.
- Mix, A.C., Rugh, W., Pisias, N.G., and Veirs, S., 1992. Leg 138 Shipboard Sedimentologists, the Leg 138 Scientific Party, 1992. Color reflectance spectroscopy: A tool for rapid characterization of deep-sea sediments. In: Mayer, L., Pisias, N., Janecek, T., et al. (Eds.). *Proc. Ocean Drilling Program, Initial Reports*, 138, 1, 67-77.
- Mix, A.C., Bard, E. and Schneider, R., 2001. Environmental processes of the ice age: land, oceans, glaciers (EPILOG). *Quat. Sci. Rev.* 20, 627-657.
- Morellón, M., Valero-Garcés, B., Vegas-Vilarrúbia, T., González-Sampériz, P., Romero, Ó., Delgado-Huertas, A., Mata, P., Moreno, A., Rico, M. and Corella, J.P., 2009. Lateglacial and Holocene palaeohydrology in the western Mediterranean region: the Lake Estanya record (NE Spain). *Quat. Sci. Rev.* 28, 2582-2599. Doi:10.1016/j.quascirev.2009.05.014.
- Morellón, M., Valero-Garcés, B., González-Sampériz, P., Vegas-Vilarrúbia, T., Rubio, E., Rieradevall, M., Delgado-Huertas, A., Mata, P., Romero, Ó., Moreno, A., Engstrom, D.R., López-Vicente, M., Navas, A. and Soto, J., 2011. Climate changes and human activities recorded in the sediments of Lake Estanya (NE Spain) during the Medieval Warm Period and Little Ice Age. *Journal of Paleolimnology* 46, 423-452. Doi: 10.1007/s10933-009-9346-3.
- Morellón, M., Pérez-Sanz, A., Corella, J.P., Büntgen, U., Catalán, J., González-Sampériz, P., González-Trueba, J.J., López-Sáez, J.A., Moreno, A., Pla-Rabes, S., Saz-Sánchez, M. Á., Scussolini, P., Serrano, E., Steinhilber, F., Stefanova, V., Vegas-Vilarrúbia, T. and Valero-Garcés, B., 2012. A multi-proxy perspective on millennium-long climate variability in the Southern Pyrenees. *Clim. Past.* 8, 683-700, Doi:10.5194/cp-8-683-2012.
- Morellón, M., Aranbarri, J., Moreno, A., González-Sampériz, P. and Valero-Garcés, B.L., 2018. Early Holocene humidity patterns in the Iberian Peninsula reconstructed from lake, pollen and speleothem records. *Quat. Sci. Rev.* 181, 1-18. Doi:10.1016/j.quascirev.2017.11.016.
- Moreno, A., Cacho, I., Canals, M., Prins, M.A., Sánchez-Goñi, M.F., Grimalt, J.O. and Weltje, G. J., 2002. Saharan Dust Transport and High-Latitude Glacial Climatic Variability: the Alboran Sea Record. *Quaternary Res.* 58, 318–328, Doi:10.1006/qres.2002.2383.
- Moreno, A., Cacho, I., Canals, M., Grimalt, J.O., Sánchez-Goñi, M.F., Shackleton, N. and Sierro, F. J., 2005. Links between marine and atmospheric processes oscillating on a millennial time-scale. A multi-proxy study of the last 50 000 yr from the Alboran Sea (Western Mediterranean Sea). *Quaternary Sci. Rev.* 24, 1623-1636, Doi:10.1016/j.quascirev.2004.06.018.
- Moreno, A., Valero-Garcés, B.L., González-Sampériz, P. and Rico, M., 2008. Flood response to rainfall variability during the last 2000 years inferred from the Taravilla Lake record (Central Iberian Range, Spain). *J. Paleolimnol.* 40, 943-961, Doi:10.1007/s10933-008-9209-3.
- Moreno, A., Pérez, A., Frigola, J., Nieto-Moreno, V., Rodrigo-Gámiz, M., Martrat, B., González-Sampériz, P., Morellón, M., Martín-Puertas, C., Pablo, J., Belmonte, Á., Sancho, C., Cacho, I., Herrera, G., Canals, M., Grimalt, J.O., Jiménez-Espejo, F., Martínez-Ruiz, F., Vegas-Vilarrúbia, T. and Valero-Garcés, B.L., 2012. The Medieval Climate Anomaly in the Iberian Peninsula reconstructed from marine and lake records. *Quaternary Sci. Rev.* 43, 16-32, Doi:10.1016/j.quascirev.2012.04.007.
- Moreno, A., Sancho, C., Bartolomé, M., Oliva-Urcia, B., Delgado-Huertas, A., Estrela, M.J., Corell, D., López-Moreno, J.I. and Cacho, I., 2014. Climate controls on rainfall isotopes and their effects on cave drip water and speleothem growth: the case of Molinos cave (Teruel, NE Spain). *Clim. Dyn.* 43, 221-241. Doi:10.1007/s00382-014-2140-6.
- Morhange, C., Marriner, N., Excoffon, P., Bonnet, S., Flaux, C., Zibrowius, H., Goiran, J.P. and El Amouri, M., 2013. Relative Sea-Level Changes During Roman Times in the Northwest Mediterranean: the 1st Century AD. Fish Tank of Forum Julii, Fréjus, France, *Geoarchaeology* 28, 363-372, Doi:10.1002/gea.21444.

- Mulitza, S., Boltovskoy, D., Donner, B., Meggers, H., Paul, A. and Wefer, G. 2003. Temperature: $\delta^{18}\text{O}$ relationships of planktonic foraminifera collected from surface waters. *Palaeogeogr. Palaeoecol.* 202, 143-152, Doi:10.1016/S0031-0182(03)00633-3.
- Muñoz, A., Bartolomé, M., Muñoz, A., Sancho, C., Moreno, A., Hellstrom, M.C.J., Osácar, C.M. and Cacho, I., 2015. Solar influence and hydrological variability during the Holocene from a speleothem annual record (Molinos Cave, NE Spain). *Terra Nova*, 1-12.
- Muñoz-García, M.B., Cruz, J., Martín-Chivelet, J., Ortega, A.I., Turrero, M.J. and López-Elorza, M., 2016. Comparison of speleothem fabrics and microstratigraphic stacking patterns in calcite stalagmites as indicators of paleoenvironmental change. *Quaternary International* 407, 74-85. <https://doi.org/10.1016/j.quaint.2016.02.036>.
- Muhs, D.R., Budahn, J., Avila, A., Skipp, G., Freeman, J. and Patterson, D., 2010. The role of African dust in the formation of Quaternary soils on Mallorca, Spain and implications for the genesis of Red Mediterranean soils. *Quat. Sci. Rev.* 29, 2518-2540. Doi:10.1016/j.quascirev.2010.04.013
- Nabat, P., Somot, S., Mallet, M., Sevault, F., Chiacchio, M. and Wild, M., 2015a. Direct and semi direct aerosol radiative effect on the Mediterranean climate variability using a Regional Climate System Model. *Clim. Dynam.* 44, 1127-1155, Doi:10.1007/s00382-014-2205-6.
- Nabat, P., Somot, S., Mallet, M., Michou, M., Sevault, F., Driouech, F., Meloni, D., di Sarra, A., Di Biagio, C., Formenti, P., Sicard, M., León, J.F. and Bouin, M.N., 2015b. Dust aerosol radiative effects during summer 2012 simulated with a coupled regional aerosol-atmosphere-ocean model over the Mediterranean. *Atmospheric Chemistry and Physics* 15, 3303-3326. Doi:10.5194/acp-15-3303-2015
- Nabat, P., Somot, S., Mallet, M., Sevault, F. and Michou, M., 2016. Aerosol Variability and Weather Regimes over the Mediterranean Region. In.: Air Pollution Modeling and its Application XXIV. Eds.: Steyn, D.G. and Chaumerliac, N. Springer International Publishing. Doi: 10.1007/978-3-319-24478-5_15
- Nakamura, N., Clare, S. and Huang, Y., 2018. Atmospheric blocking as a traffic jam in the jet stream. *Science*. Doi: 10.1126/science.aat0721
- Narcisi, B., 2000. Late Quaternary eolian deposition in central Italy. *Quat. Res.* 54, 246-252.
- Nederbragt, A.J. and Thurow, J., 2004. Digital sediment colour analysis as a method to obtain high resolution climate proxy records. In: Francus, P. (Eds.). *Image analysis, sediments and paleoenvironments*. Kluwer Academic Publishers Dordrecht, The Netherlands, 105-124.
- Ng, H.C., Robinson, L.F., McManus, J.F., Mohamed, K.J., Jacobel, A.W., Ivanovic, R.F., Gregoire, L.J. and Chen, T., 2018. Coherent deglacial changes in western Atlantic Ocean circulation. *Nature Communic.* 9. Doi:10.1038/s41467-018-05312-3.
- Nieto-Moreno, V., Martínez-Ruiz, F., Giralt, S., Jiménez-Espejo, F., Gallego-Torres, D., Rodrigo-Gámiz, M., García-Orellana, J., Ortega-Huertas, M. and de Lange, G. J., 2011. Tracking climate variability in the western Mediterranean during the Late Holocene: a multiproxy approach. *Clim. Past.* 7, 1395–1414, Doi:10.5194/cp-7-1395-2011
- Nieto-Moreno, V., Martínez-Ruiz, F., Willmott, V., García-Orellana, J. and Masqué, P., 2013. Organic geochemistry climate conditions in the westernmost Mediterranean over the last two millennia: an integrated biomarker approach. *Org. Geochem.* 55, 1-10, Doi:10.1016/j.orggeochem.2012.11.001
- Nieto-Moreno, V., Martínez-Ruiz, F., Willmott, V., García-Orellana, J., Masqué, P., and Sinninghe Damsté, J.S., 2013. Climate conditions in the westernmost Mediterranean over the last two millennia: An integrated biomarker approach. *Org. Geochem.* 55, 1-10. Doi:10.1016/j.orggeochem.2012.11.001
- Neukom, R., Steiger, N., Gómez-Navarro, J.J., Wang, J. and Werner, J.P., 2019. No evidence for globally coherent warm and cold periods over the pre-industrial Common Era. *Nature Let. Res.* 571, 550-554. <https://doi.org/10.1038/s41586-019-1401-2>

- Oliva, M. and Gómez-Ortiz, A., 2012. Late-Holocene environmental dynamics and climate variability in a Mediterranean high mountain environment (Sierra Nevada, Spain) inferred from lake sediments and historical sources. *The Holocene* 22, 915-927
- Olsen, J., Anderson, N.J., and Knudsen, M.F., 2012. Variability of the North Atlantic Oscillation over the past 5200 years. *Nat. Geosci.* 5, 808-812, Doi:10.1038/ngeo1589
- Orfila, M., Arribas, A. and Cau, M.A., 1999. La ciudad romana de Pollentia: el foro. Archivo Español de Arqueología. Depto. de Historia Antigua y Arqueología, Instituto de Historia, consejo Superior de Investigaciones Científicas (Eds.). 72, pp. 99-118. Madrid España. ISSN: 066 6742
- Ortega, P., Lehner, F., Swingedouw, D., Masson-Delmotte, V., Raible, C.C., Casado, M. and Yiou, P., 2015. A model-tested North Atlantic Oscillation reconstruction for the past millennium. *Nature* 523, 71–74, Doi:10.1038/nature14518
- Ortega, P., Robson, J., Sutton, R.T. and Andrews, M.B., 2017. Mechanisms of decadal variability in the Labrador Sea and the wider North Atlantic in a high-resolution climate model. *Clim Dyn* 49, 2625-2647. Doi:10.1007/s00382-016-3467-y
- Owen, R., Day, C.D. and Henderson, G.M., 2018. CaveCalc: A new model for speleothem chemistry & isotopes. *Computers and Geosciences* 119, 115-122. <https://doi.org/10.1016/j.cageo.2018.06.011>
- Pachauri, R.K., Allen, M.R., Barros, V.R., Broome, J., Cramer, W., Christ, R., Church, J.A., Clarke, L., Dahe, Q. and Dasgupta, P., 2014. Climate change 2014: synthesis report. Contribution of Working Groups I, II and III to the fifth assessment report of the Intergovernmental Panel on Climate Change. IPCC.
- PAGES: Science Plan and Implementation Strategy, IGBP Report No. 57, IGBP Secretariat, Stockholm, 2009.
- PAGES 2K Consortium: Continental-scale temperature variability during the past two millennia. *Nature* 6, 339-346, Doi:10.1038/NGEO1797, 2013.
- Palanques, A., Durrieu de Madron, X., Puig, P., Fabres, J., Guillén, J., Calafat, A., Canals, M., Heussner, S. and Bonnin, J., 2006. Suspended sediment fluxes and transport processes in the Gulf of Lions submarine canyons, The role of storms and dense water cascading. *Mar. Geol.*, 234, 43–61 Doi:10.1016/j.margeo.2006.09.002.
- Palutikof, J.P., Conte, M., Casimiro Mendes, J., Goodess, C.M. and Espírito Santo, F., 1996. Climate and climate change. In: Brandt, C.J., Thornes, J.B., (Eds.). Mediterranean desertification and land use. John Wiley and Sons, London.
- Palutikof, J., 2003. In Mediterranean Climate: Variability and Trends (ed Hans- Jürgen Bolle) 125-132, Springer Berlin Heidelberg.
- Parnell, A.C., Haslett, J., Allen, J.R.M., Buck, C.E. and Huntley, B., 2008. A flexible approach to assessing synchronicity of past events using Bayesian reconstructions of sedimentation history. *Quaternary Science Reviews* 27, 1872-1885. <https://doi.org/10.1016/j.quascirev.2008.07.009>.
- Parrenin, F. and Paillard, D., 2003. Amplitude and phase of glacial cycles from a conceptual model. *Earth and Planet. Sci. Lett.* 214, 243-250, Doi:10.1016/S0012-821X(03)00363-7
- Pasqual, A. and Nicolau, M. E., 2006. Anàlisi dels grafits de sa Cova des Pirata i de sa Cova des Pont. *Endins* 29, 65-74.
- Pastor, F., 2012. Ciclogénesis intensas en la cuenca occidental del Mediterráneo y temperatura superficial del mar: modelización y evaluación de las áreas de recarga. PhD Thesis, Dept. of Astronomy and Meteorology, University of Barcelona, Spain.
- Pastor, F., Estrela, M., Peñarrocha, D. and Millán, M., 2001. Torrential rains on the Spanish Mediterranean Coast: modelling the effects of the sea surface temperature. *J. Appl. Meteorol.* 40, 1180-1195.

- Patton, G.M., Martin, P.A., Voelker, A. and Salgueiro, E., 2011. Multi-proxy comparison of oceanographic temperature during Heinrich Events in the eastern subtropical Atlantic. *Earth Planet. Sc. Lett.* 310, 45–58, Doi:10.1016/j.epsl.2011.07.028.
- Paulsen, D.E., Li, H.C. and Ku, T.L., 2003. Climate variability in central China over the last 1270 years revealed by high-resolution stalagmite records. *Quat. Sci. Rev.* 22, 691–701.
- Pena, L.D., Calvo, E., Cacho, I., Eggins, S., and Pelejero, C., 2005. Identification and removal of Mn-Mg-rich contaminant phases on foraminiferal tests: implications for Mg/Ca past temperature reconstructions. *Geochem. Geophys. Geosy.* 6, Q09P02, Doi:10.1029/2005GC000930.
- Pena, L.D., Cacho, I., Calvo, E., Pelejero, C., Eggins, S. and Sadekov, A., 2008. Characterization of contaminant phases in foraminifera carbonates by electron micro-probe mapping. *Geochem. Geophys. Geosy.* 9, Q07012, Doi:10.1029/2008GC002018.
- Pena, L.D., Francés, G., Diz, P., Esparza, M., Grimalt, J.O., Nombela, M.A. and Alejo, I., 2010. Climate fluctuations during the Holocene in NW Iberia: High and low latitude linkages. *Cont. Shelf. Res.* 30, 1487–1496, Doi:10.1016/j.csr.2010.05.009.
- Pérez-Sanz, A., González-Sampériz, P., Moreno, A., Valero-Garcés, B., Gil-Romera, G., Rieradevall, M., Tarrats, P., Lasheras-Álvarez, L., Morellón, M., Belmonte, A., Sancho, C., Sevilla-Callejo, M. and Navas, A., 2013. Holocene climate variability, vegetation dynamics and fire regime in the central Pyrenees: the Basa de la Mora sequence (NE Spain). *Quat. Sci. Rev.* 73, 149–169. Doi:10.1016/j.quascirev.2013.05.010
- Peyron, O., Goring, S., Dormoy, I., Kotthoff, U., Pross, J., de Beaulieu, J.-L., Drescher-Schneider, R., Vannière, B. and Magny, M., 2011. Holocene seasonality changes in the central Mediterranean region reconstructed from the pollen sequences of Lake Accesa (Italy) and Tenaghi Philippon (Greece). *The Holocene* 21, 131–146. Doi:10.1177/0959683610384162.
- Peyron, O., Combouret-Nebout, N., Brayshaw, D., Goring, S., Andrieu-Ponel, V., Desprat, S., Fletcher, W., Gambin, B., Ioakim, C., Joannin, S., Kotthoff, U., Kouli, K., Montade, V., Pross, J., Saduri, L. and Magny, M., 2017. Precipitation changes in the Mediterranean basin during the Holocene from terrestrial and marine pollen records: a model-data comparison, *Climate of the Past*, 13, 249–265. Doi:10.5194/cp-13-249-2017.
- Pierre, C., 1999. The oxygen and carbon isotope distribution in the Mediterranean water masses. *Mar. Geol.* 153, 41–55.
- Pinardi, N. and Masetti, E., 2000. Variability of the large general circulation of the Mediterranean Sea from observations and modelling: a review. *Palaeogeogr. Palaeocl.* 158, 153–173.
- Pinot, J.M., López-Jurado, J. and Riera, M., 2002. The CANALES experiment (1996–1998), Interannual, seasonal, and mesoscale variability of the circulation in the Balearic Channels. *Prog. Oceanogr.* 55, 335–370.
- Piva, A., Asioli, A., Trincardi, F., Schneider, R.R., and Vigliotti, L., 2008. Late-Holocene climate variability in the Adriatic Sea (Central Mediterranean). *Holocene* 18, 153–167.
- Polyak, V.P., Onac, B.P., Fornós, J.J., Hay, C., Asmeron, Y., Dorale, J.A., Ginés, J., Tuccimei, P. and Ginés, A., 2018. A highly resolved record of relative sea level in the western Mediterranean Sea during the last interglacial period. *Nature Geoscience* 11, 860–864. <https://doi.org/10.1038/s41561-018-0222-5>
- Pla, S. and Catalan, J., 2005. Chrysophyte cysts from lake sediments reveal the submillennial winter/spring climate variability in the northwestern Mediterranean region throughout the Holocene. *Clim. Dynam.* 24, 263–278.
- Puig, P., Palanques, A., Orange, D.L., Lastras, G., and Canals, M., 2008. Dense shelf water cascades and sedimentary furrow formation in the Cap de Creus Canyon, northwestern Mediterranean Sea. *Continental Shelf Research* 28, 2017–2030.
- Puig, P., Madron, X.D. de, Salat, J., Schroeder, K., Martín, J., Karageorgis, A.P., Palanques, A., Roullier, F., Lopez-Jurado, J.L., Emelianov, M., Moutin, T. and Houpert, L., 2013. Thick

- bottom nepheloid layers in the western Mediterranean generated by deep dense shelf water cascading. *Progr. in Oceano.* 111, 1-23. Doi:10.1016/j.pocean.2012.10.003.
- Pujol, C. and Vergnaud-Grazzini, C., 1995. Distribution patterns of live planktic foraminifers as related to regional hydrography and productive systems of the Mediterranean Sea. *Mar. Micropaleontol.* 25, 187-217.
- Railsback L.B., Liang F., Vidal Romaní J.R., Grandal d'Anglade A., Vaqueiro Rodríguez M., Santos Fidalgo L., Fernández Mosquera D., Cheng H. and Edwards R.L., 2011. Petrographic and isotopic evidence for Holocene long-term climate change and shorter-term environmental shifts from a stalagmite from the Serra do Courel of northwestern Spain, and implications for climatic history across Europe and the Mediterranean. *Palaeogeo., Palaeoclim., Palaeoeco.* 305, 172-184. Doi:10.1016/j.palaeo.2011.02.030.
- Ramis, D., 2014. Early island exploitations: productive and subsistence strategies on the prehistoric Balearic Islands. In: Knapp, A.B., Van Dommelen, P. (Eds.). *The Cambridge Prehistory of the Bronze and Iron Age Mediterranean.* Cambridge University Press, New York, 40-56.
- Ramos-Román, M.J., Jiménez-Moreno, G., Camuera, J., García-Alix, A., Anderson, R.S., Jiménez-Espejo, F.J. and Carrión, J.S., 2018. Climate of the Past 14, 117-137. <https://doi.org/10.5194/cp-14-117-2018>
- Ramos-Román, M.J., Jiménez-Moreno, G., Camuera, J., García-Alix, A., Anderson, R.S., Jiménez-Espejo, F.J. and Carrión, J.S., 2018. Holocene climate aridification trend and human impact interrupted by millennial- and centennial-scale climate fluctuations from a new sedimentary record from Padul (Sierra Nevada, southern Iberian Peninsula). *Climate of the Past* 14, 117-137. <https://doi.org/10.5194/cp-14-117-2018>
- Raymo, M.E. and Nisancioglu, K.H., 2003. The 41 kyr world: Milankovitch's other unsolved mystery, *Paleoceanography* 18, 1, 1-6, Doi:10.1029/2002PA000791.
- Reguera, M. I., 2004. Respuesta del Mediterráneo Occidental a los cambios climáticos bruscos ocurridos durante el último glacial: estudio de las asociaciones de foraminíferos. PhD Thesis, Dept. of Geology, University of Salamanca, Spain.
- Reimer, P.J., Bard, E., Bayliss, A., Beck, J.W., Blackwell, P.G., Bronk Ramsey, C., Buck, C. E., Edwards, R.L., Friedrich, M., Grootes, P.M., Guilderson, T.P., Haflidason, H., Hajdas, I., Hatté, C., Heaton, T.J., Hömann, D.L., Hogg, A.G., Hughen, K.A., Kaiser, K.F., Kromer, B., Manning, S.W., Niu, M., Reimer, R.W., Richards, D.A., Scott, M. E., Southon, J.R., Turney, C.S.M. and van der Plicht, J., 2013. Intcal13 and Marine13 radiocarbon age calibration curves 0–50 000 years cal BP. *Radiocarbon* 55, 1869-1887.
- Richards, D.A. and Dorale, J.A., 2003. Uranium-series chronology and environmental applications of speleothems. *Rev. Mineral. Geochem.* 52, 407-460. Doi:10.2113/0520407
- Richter, T. O. and van der Gaast, S., 2006. The Avaatech Core Scanner: technical description and applications to NE Atlantic sediments. In: *New Ways of Looking at Sediment Core and Core Data*, edited by: Rothwell, R. G., Geo. Society Special Public., London, 39-50.
- Riechelman, D.F.C., deiniger, M., Scholz, D., Riechelman, S., Schröder-Ritzrau, A., Spötl, C., Richter, D.K., Mangini, A. and Immenhauser, A., 2013. Disequilibrium carbon and oxygen isotope fractionation in recent cave calcite: Comparison of cave precipitates and model data. *Geochem. et Cosmochim. Acta* 103, 232-244. Doi:10.1016/j.gca.2012.11.002
- Rigual-Hernández, A.S., Sierro, F.J., Bárcena, M.A., Flores, J.A., and Heussner, S., 2012. Seasonal and interannual changes of planktic foraminiferal fluxes in the Gulf of Lions (NW Mediterranean) and their implications for paleoceanographic studies: two 12- year sediment trap records. *Deep-Sea Res. Pt. I*, 66, 26-40, Doi:10.1016/j.dsr.2012.03.011.
- Rigual-Hernández, A.S., Bárcena, M.A., Jordan, R.W., Sierro, F.J., Flores, J.A., Meier, K. J., Beaufort, L., and Heussner, S., 2013. Diatom fluxes in the NW Mediterranean: evidence from a 12- year sediment trap record and surficial sediments. *J. Plankton. Res.* 35, 1-17, Doi:10.1093/plankt/fbt055.

- Rixen, M., Beckers, J.-M., Levitus, S., Antonov, J., Boyer, T., Maillard, C., Fichaut, M., Balopoulos, E., Iona, S., Dooley, H., Garcia, M.J., Manca, B., Giorgetti, A., Manzella, G., Mikhailov, N., Pinardi, N. and Zavatarelli, M., 2005. The Western Mediterranean Deep Water: A proxy for climate change: The Mediterranean-A climate proxy. *Geophysic. Res. Lett.* 32. <https://doi.org/10.1029/2005GL022702>.
- Roberts, N., Eastwood, W.J., Kuzucuoglu, C., 2011. Climatic, vegetation and cultural changes in the eastern Mediterranean during the mid-Holocene environmental transition. *The Holocene* 21, 147-162.
- Roberts, N., Moreno, A., Valero-Garcés, B. L., Corella, J. P., Jones, M., Allcock, S., Woodbridge, J., Morellón, M., Luterbacher, J., Xoplaki, E. and Türk, M., 2012. Palaeolimnological evidence for an east–west climate see-saw in the Mediterranean since AD 900. *Global Planet. Changes* 84-85, 23–34, Doi:10.1016/j.gloplacha.2011.11.002.
- Robock, A., 2000. Volcanic eruptions and climate. *Reviews of Geophysics* 38, 191-219.
- Rodrigo-Gámiz, M., Martínez-Ruiz, F., Jiménez-Espejo, F.J., Gallego-Torres, D., Nieto-Moreno, V., Romero, O. and Ariztegui, D., 2011. Impact of climate variability in the western Mediterranean during the last 20,000 years: oceanic and atmospheric responses. *Quat. Sci. Rev.* 30, 2018-2034. Doi:10.1016/j.quascirev.2011.05.011.
- Rodrigo-Gámiz, M., Martínez-Ruiz, S., Rampen, S., Schouten, S. and Sinninghe Damsté, J., 2014. Sea surface temperature variations in the western Mediterranean Sea over the last 20 kyr: a dual-organic proxy (U^{37}_K and LDI) approach. *Paleoceanography* 29, 37, 87-98, Doi:10.1002/2013PA002466.
- Rodrigo-Gámiz, M., Martínez-Ruiz, F., Rodríguez-Tovar, F.J., Pardo-Igúzquiza, E. and Ortega-Huertas, M., 2018. Appraising timing response of paleoenvironmental proxies to the Bond cycle in the western Mediterranean over the last 20 kyr. *Climate Dynamics* 50, 2925-2934. <https://doi.org/10.1007/s00382-017-3782-y>.
- Rodrigues, T., Grimalt, J.O., Abrantes, F.G., Flores, J.A. and Lebreiro, S.M., 2009. Holocene interdependences of changes in sea surface temperature, productivity, and fluvial inputs in the Iberian continental shelf (Tagus mud patch): Holocene Changes in the Iberian Continental Shelf. *Geochem., Geophys., Geosyst.* 10. doi.org/10.1029/2008GC002367
- Rogerson, M., Rohling, E. J., Weaver, P. P. E. and Murray, J. W., 2004. The Azores Front since the Last Glacial Maximum, *Earth Planet. Sc. Lett.* 222, 779–789, Doi:10.1016/j.epsl.2004.03.039.
- Rogerson, M., Weaver, P.P.E., Rohling, E.J., Lourens, L.J., Murray, J.W. and Hayes, A., 2006. Color logging as a tool in high-resolution paleoceanography, In: Rothwell, R.G. (Ed.), New techniques in sediment core analysis. Geological Society, Special Publications 267, London, 99-112.
- Rohling, E. and De Rijk, S. 1999. Holocene Climate Optimum and Last Glacial Maximum in the Mediterranean: the marine oxygen isotope record. *Marine Geology* 153, 57-75.
- Rohling, E., Hayes, A., De Rijk, S., Kroon, D., Zachariasse, W.J. and Eisma, D., 1998. Abrupt cold spells in the northwest Mediterranean. *Paleoceanography* 13, 316-322.
- Rohling, E.J., Marino, G. and Grant, K.M., 2015. Mediterranean climate and oceanography, and the periodic development of anoxic events (sapropels). *Earth-Science Reviews* 143, 62-97. Doi:10.1016/j.earscirev.2015.01.008.
- Rosenthal, Y., 2007. Elemental proxies for reconstructing Cenozoic seawater paleotemperatures from calcareous fossils. In: Hillaire-Marcel, C. and de Vernal, A. (Eds.). *Developments in Marine Geology*, Elsevier, 765-797.
- Roveri, M., Manzi, V., Bergamasco, A., Falcieri, F.M., Gennari, R., Lugli, S. and Schreiber, B.C., 2014. Dense shelf water cascading and Messinian canyons: a new scenario for the Mediterranean salinity crisis. *American Journal of Science* 314, 751-784, 2014.
- Rozanski, K., Araguás-Araguás, L. and Gonfiantini, R., 1993. Isotopic patterns in modern global precipitation. In: P.K. Swart, K.C. Lohmann, J. McKenzie and S. Savin (Eds.). *Climate Change*

- in Continental Isotopic Records. Geophysical Monograph 78, American Geophysical Union, Washington, D.C, 1-36.
- Ruddiman, W.F., 2003. The Anthropogenic greenhouse era began thousands of years ago. *Climatic Change* 61, 261-293.
- Ruddiman, W.F., 2005. How Did Humans First Alter Global Climate? *Scientific American* 292, 3, 34-41. Doi: 10.1038/scientificamerican0305-46.
- Ruddiman, W.F., Vavrus, S.J. and Kutzbach, J.E., 2005. A test of the overdue-glaciation hypothesis. *Quat. Sci. Rev.* 24, 1-10. Doi:10.1016/j.quascirev.2004.07.010
- Rudzka, D., Mcdermott, F. and Surić, M., 2012. A late Holocene climate record in stalagmites from Modrič Cave (Croatia). *J. Quat. Sci.* 27, 585-596. Doi:10.1002/jqs.2550
- Ruddiman, W.F., Fuller, D.Q., Kutzbach, J.E., Tzedakis, P.C., Kaplan, J.O., Ellis, E.C., Vavrus, S.J., Roberts, C.N., Fyfe, R., He, F., Lemmen, C. and Woodbridge, J., 2016. Late Holocene climate: Natural or anthropogenic? *Rev. of Geophysics* 54, 93-118. <https://doi.org/10.1002/2015RG000503>.
- Rumín-Caparrós, A., Sanchez-Vidal, A., Calafat, A., Canals, M., Martín, J., Puig, P. and Pedrosa-Pamies, R., 2013. External forcings, oceanographic processes and particle flux dynamics in Cap de Creus submarine canyon, NW Mediterranean Sea. *Biogeosciences* 10, 3493–3505. Doi:10.5194/bg-10-3493-2013.
- Rumín-Caparrós, A., 2017. Teleconnexions atmosfèriques i resposta oceanogràfica als mars Mediterrània nord-occidental i Cantàbrica. Tesi Doctoral. Universitat de Barcelona. 265 pp. Barcelona.
- Sabatier, P., Dezileau, L., Colin, C., Briqueu, L., Bouchette, F., Martinez, P., Siani, G., Raynal, O. and Von Grafenstein, U., 2012. 7000 years of paleostorm activity in the NW Mediterranean Sea in response to Holocene climate events. *Quat. Res.* 77, 1-11. Doi:10.1016/j.yqres.2011.09.002.
- Sachs, J.P., Sachse, D., Smittenberg, R.H., Zhang, Z., Battisti, D.S. and Golubic, S., 2009. Southward movement of the Pacific Intertropical Convergence Zone AD 1400-1850, *Nature Geoscience* 2, 7, 519-525, Doi:10.1038/ngeo554.
- Sáez de Cámara, E., Gangoiti, G., Alonso, L. and Iza, J., 2015. Daily precipitation in Northern Iberia: understanding the recent changes after the circulation variability in the North Atlantic sector. *J. Geophys. Res.* 120, 9981-10, Doi:10.1002/2015JD023306.
- Salat, J. i Font, J., 1985. Masses d'aigua i circulació a la Mediterrània. A L'oceanografia-Introducció a l'ecologia marina mediterrània. Col·lecció Quaderns d'Ecologia Aplicada. Diputació de Barcelona, Barcelona, pp. 61-98.
- Sanchez-Cabeza, J., Masqué, P., and Ani-Ragolta, I., 1998. ^{210}Pb and ^{210}Po analysis in sediments and soils by microwave acid digestion. *J. Radioanal. Nucl. Ch.* 227, 19-22.
- Sánchez-López, G., Hernández, A., Pla-Rabes, S., Trigo, R.M., Toro, M., Granados, I., Sáez, A., Masqué, P., Pueyo, J.J., Rubio-Inglés, M.J. and Giralt, S., 2016. Climate reconstruction for the last two millennia in central Iberia: The role of East Atlantic (EA), North Atlantic Oscillation (NAO) and their interplay over the Iberian Peninsula. *Quat. Sci. Rev.* 149, 135-150. Doi:10.1016/j.quascirev.2016.07.021.
- Sanchez-Vidal, A., Pascual, C., Kerherveé, P.A., Calafat, A., Heussner, S., Palanques, A., Durrieu de Madron, X., Canals, M. and Puig, P., 2008. Impact of dense shelf water cascading on the transfer of organic matter to the deep Western Mediterranean Basin. *Geo. Phys. Res. Lett.*, 35, L05605, Doi:10.1029/2007GL032825.
- Sanchez-Vidal, A., Canals, M., Calafat, A., Lastras, G., Pedrosa-Pàmies, R., Menéndez, M., Medina, R., Company, J.B., Hereu, B., Romero, J. and Alcoverro, T., 2012. Impacts on the Deep-Sea Ecosystem by a Severe Coastal Storm, *PLoS one*, 7, e30395, Doi:10.1371/journal.pone.0030395.

- Sanchez-Vidal, A., Llorca, M., Farré, M., Canals, M., Barceló, D., Puig, P. and Calafat, A., 2015. Delivery of unprecedented amounts of perfluoroalkyl substances towards the deep-sea. *Science of the Total Environment* 526, 41-48. doi:10.1016/j.scitotenv.2015.04.080.
- Sancho, C., Peña, J.L., Muñoz, A., Benito, G., McDonald, E., Rhodes, E.J. and Longares, L.A., 2008. Holocene alluvial morphopedosedimentary record and environmental changes in the Bardenas Reales Natural Park (NE Spain). *CATENA* 73, 225-238. doi.org/10.1016/j.catena.2007.09.011.
- Schicker, I., Radanovics, S. and Seibert, P., 2010. Origin and transport of Mediterranean moisture and air. *Atmos. Chem. Phys.* 10, 11, 5089-5105.
- Schiebel, R., Schmuker, B., Alves, M. and Hemleben, C., 2002. Tracking the Recent and Late Pleistocene Azores front by the distribution of planktic foraminifers. *J. Mar. Syst.* 37, 213-227.
- Schlman, B., Bar-Matthews, M., Almogilabin, A. and Luz, B., 2001. Global climate instability reflected by Eastern Mediterranean marine records during the late Holocene. *Palaeogeogr. Palaeoocl.* 176, 157-176.
- Schimpf, D., Kilian, R., Kronz, A., Simon, K., Spötl, C., Wörner, G., Deininger, M. and Mangini, A., 2011. The significance of chemical, isotopic, and detrital components in three coeval stalagmites from the superhumid southernmost Andes (53°S) as high-resolution palaeo-climate proxies. *Quat. Sci. Rev.* 30, 443-459. doi.org/10.1016/j.quascirev.2010.12.006
- Schmiedl, G., Kuhnt, T., Ehrmann, W., Emeis, K.C., Hamann, Y., Kotthoff, U., Dulski, P. and Pross, J., 2010. Climatic forcing of eastern Mediterranean deep-water formation and benthic ecosystems during the past 22 000 years. *Quat. Sci. Rev.* 29, 3006-3020. doi:10.1016/j.quascirev.2010.07.002.
- Schroeder, K., Josey, S.A., Herrmann, M., Grignon, L., Gasparini, G.P. and Bryden, H.L., 2010. Abrupt warming and salting of the Western Mediterranean Deep Water after 2005: Atmospheric forcings and lateral advection. *J. Geophys. Res.* 115. doi:10.1029/2009JC005749.
- Schroeder, K., Haza, A.C., Griffa, A., Özgökmen, T.M., Poulin, P., Gerin, R., Peggion, G. and Rixen, M., 2011. Relative dispersion in the liguro-provencal basin: from sub-mesoscale to mesoscale. *Deep-Sea Research Part I*, 58, 861-882.
- Schroeder, K., Chiggiato, J., Bryden, H.L., Borghini, M. and Ben Ismail, S., 2016. Abrupt climate shift in the Western Mediterranean Sea. *Sci. Reports* 6. doi:10.1038/srep23009.
- Schuenemann, V.J., Bos, K., DeWitte, S., Schmedes, S., Jamieson, J., Mitnik, A., Forrest, S., Coombes, B.K., Wood, J.W., Earn, D.J.D., White, W., Krause, J. and Poinar, H.N., 2011. Targeted enrichment of ancient pathogens yielding the pPCP1 plasmid of *Yersinia pestis* from victims of the Black Death. *Proceedings of the National Academy of Sciences* 108, E746-E752. https://doi.org/10.1073/pnas.1105107108.
- Seager, R., Hoerling, M., Schubert, S., Wang, H., Lyon, B., Kumar, A., Nakamura, J. and Henderson, N., 2015. Causes of the 2011-14 California Drought*. *Journal of Climate* 28, 6997-7024. https://doi.org/10.1175/JCLI-D-14-00860.1
- Sen Gupta, B.K., 1999. Introduction to modern Foraminifera. In: Sen Gupta, B.K., (Eds.). *Modern Foraminifera*, Great Britain, Kluwer Academic Publishers, pp. 3-6.
- Shackleton, N.J., 1967. Oxygen isotope analyses and Pleistocene temperatures re-assessed. *Nature* 215, 15-17.
- Shackleton, N., 1974. Attainment of isotopic equilibrium between ocean water and the benthonic foraminifera genus *Uvigerina*: isotopic changes in the ocean during the last glacial CNRS, Colloq. Int., 219, 203-209.
- Sheffield, J. and Wood, E.F., 2008. Projected changes in drought occurrence under future global warming from multi-model, multi scenario, IPCC AR4 simulations. *Climate Dynamics* 31, 79-105.

- Sicre, A., Ternois, Y., Miquel, J.C. and Marty, J.C., 1999. Alkenones in the Northwestern Mediterranean sea: interannual variability and vertical transfer. *Geophys. Res. Lett.* 26, 1735-1738.
- Sicre, M.A., Yiou, P., Eiríksson, J., Ezat, U., Guimbaut, E., Dahhaoui, I., Knudsen, K.L., Jansen, E., and Turon, J.L., 2008. A 4500-year reconstruction of sea surface temperature variability at decadal time-scales off North Iceland. *Quaternary Sci. Rev.*, 27, 2041-2047, Doi:10.1016/j.quascirev.2008.08.009.
- Sicre, M.A., Jalali, B., Martrat, B., Schmidt, S., Bassetti, M.A. and Kallel, N., 2016. Sea surface temperature variability in the North Western Mediterranean Sea (Gulf of Lion) during the Common Era. *Earth. Planet. Sc. Lett* 456, 124-133. Doi:10.1016/j.epsl.2016.09.032, 2016.
- Siddall, M. and Stocker, T.F., Spahni, R., Blunier, T., McManus, J.I Bard, E., 2006. Using a maximum simplicity paleoclimate model to simulate millennial variability during the last four glacial cycles. *Quat. Sci. Rev.* 25, 3185-3197, Doi:3110.1016/j.quascirev.2005.3112.3014.
- Sierro, F.J., Hodell, D.A., Curtis, J.H., Flores, J.A., Reguera, I., Colmenero-Hidalgo, E., Bárcena, M.A., Grimalt, J.O., Cacho, I., Frigola, J. and Canals, M., 2005. Impact of iceberg melting on Mediterranean thermohaline circulation during Heinrich events. *Paleoceanography* 20, 1-13, Doi:10.1029/2004PA001051.
- Siokou-Frangou, I., Christaki, U., Mazzocchi, M.G., Montresor, M., Ribera d'Alcalá, M., Vaqué, D. and Zingone, A., 2010. Plankton in the open Mediterranean Sea: a review. *Biogeosciences* 7, 1543-1586, Doi:10.5194/bg-7-1543-2010.
- Smol, J.P. and Stoermer, E.F. (Eds.), 2010. The diatoms: applications for the environmental and earth sciences, 2nd ed. Cambridge University Press, Cambridge ; New York.
- Somot, S., Houpert, L., Sevault, F., Testor, P., Bosse, A., Taupier-Letage, I., Bouin, M.N., Waldman, R., Cassou, C., Sanchez-Gomez, E., Durrieu de Madron, X., Adloff, F., Nabat, P. and Herrmann, M., 2016. Characterizing, modelling and understanding the climate variability of the deep water formation in the North-Western Mediterranean Sea. *Climate Dynamics*. Doi:10.1007/s00382-016-3295-0.
- Somot, S., Sevault, F. and Déqué, M., 2006. Transient climate change scenario simulation of the Mediterranean Sea for the twenty-first century using a high-resolution ocean circulation model. *Climate Dynamics* 27, 851-879.
- Sosdian, S.M., Greenop, R., Hain, M.P., Foster, G.L., Pearson, P.N. and Lear, C.H., 2018. Constraining the evolution of Neogene ocean carbonate chemistry using the boron isotope pH proxy. *Earth. Planet. Sci. Lett.* 498, 362-376. Doi: 10.1016/j.epsl.2018.06.017
- Spötl, C. and Mangini, A., 2002. Stalagmite from the Austrian Alps reveals Dansgaard–Oeschger events during isotope stage 3: Implications for the absolute chronology of Greenland ice cores. *Earth. Planet. Sci. Lett.* 203, 507-518.
- Spötl, C., Fairchild, I.J. and Tooth, A.F., 2005. Cave air control on dripwater geochemistry, Obir Caves (Austria): Implications for speleothem deposition in dynamically ventilated caves. *Geochimica et Cosmochimica Acta* 69, 2451-2468. <https://doi.org/10.1016/j.gca.2004.12.009>.
- Sprovieri, R., Di Stefano, E., Incarbona, A. and Gargano, M.E., 2003. A high-resolution record of the last deglaciation in the Sicily Channel based on foraminifera and calcareous nannofossil quantitative distribution. *Palaeogeogr. Palaeocl.* 202, 119-142, Doi:10.1016/S0031-0182(03)00632-1.
- Stabholz, M., Durrieu de madron, X., Canals, M., Khripounoff, A., Taupier-Letage, I., Testor, P., Heussner, S., Kerhervé, P., Delsaut, N., Houpert, L., Lastras, G. and Dennielou, B., 2013. Impact of open-ocean convection on particle fluxes and sediment dynamics in the deep margin of the Gulf of Lions. *Biogeosciences* 10, 1097-1116. Doi:10.5194/bg-10-1097-2013.
- Stanley, D. J. (Ed.), 1972. The Mediterranean Sea: a natural sedimentation laboratory. Dowden, Hutchinson & Ross, Stroudsbourg, PA. 765.

- Steinhilber, F., Beer, J. and Fröhlich, C., 2009. Total solar irradiance during the Holocene. *Geophys. Res. Lett.* 36, L19704, Doi:10.1029/2009GL040142.
- Steinhilber, F., Abreu, J.A., Beer, J., Brunner, I., Christl, M., Fischer, H., Heikkilä, U., Kubik, P.W., Mann, M., McCracken, K.G., Miller, H., Miyahara, H., Oerter, H. and Wilhelms, F., 2012. 9400 years of cosmic radiation and solar activity from ice cores and tree rings. *P. Natl. Acad. Sci. USA*, 109, 5967–5971, Doi:10.1073/pnas.1118965109.
- Stine, S., 1994. Extreme and persistent drought in California and Patagonia during medieval time. *Nature* 369, 546-549.
- Stocker, T.F., 1996. The ocean in the climate System: observing and modelling its variability. In: Boutron, C.F. (Eds.). *Topics in Atmospheric and Interstellar Physica and Chemistry*, European Research Course on Atmospheres; Les Editions de Physique, Les Ulis, France, p. 39-90.
- Stocker, T.F. and Johnsen, S., 2003. A minimum thermodynamic model for the bipolar seesaw. *Paleoceanography* 18, 1087, Doi: 1010.1029./2003PA000920.
- Stoll, H.M., Muller, W. and Prieto, M., 2012. I-STAL, a model for interpretation of Mg/Ca, Sr/Ca and Ba/Ca variations in speleothems and its forward and inverse application on seasonal to millennial scales. *Geochemistry, Geophysics, Geosystems* 13, 27.
- Stoll, H.M., Moreno, A., Mendez-Vicente, A., Gonzalez-Lemos, S., Jimenez-Sanchez, M., Dominguez-Cuesta, M.J., Edwards, R.L., Cheng, H. and Wang, X., 2013. Paleoclimate and growth rates of speleothems in the northwestern Iberian Peninsula over the last two glacial cycles. *Quat. Res.* 80, 284-290. <https://doi.org/10.1016/j.yqres.2013.05.002>.
- Stommel, H., 1972. Deep winter-time convection in the Western Mediterranean Sea. In: *Studies in physical oceanography, a tribute to Georg Wiist on his 80th birthday*, A.L. GORDON, editor, Gordon & Breach, 2, 207-218.
- Stommel, H., Bryden, H. and Mangelsd, P., 1973. Does some of Mediterranean outflow come from great depth? *Pure and Applied Geophysics* 105, 4, 879-889.
- Stothers, R. B., 1984. Mystery cloud of AD 536. *Nature* 307, 344-345, Doi:10.1038/307344a0.
- Stuiver, M. and Reimer, P. J., 1993. Extended ^{14}C data base and revised Calib 3.0 ^{14}C age calibration program. *Radiocarbon* 35, 215-230.
- Sumner, G.N., Homar, V. and Ramis, C., 2001. Precipitation seasonality in Mediterranean Spain: character and future prospects. *Int. J. Climatol.* 21, 219-247.
- Sverdrup, H.U., 1953. On conditions for the vernal blooming of phytoplankton. *Journal du Conseil Permanent International pour l'Exploration de la Mer* 18, 287-295.
- Taricco, C., Ghil, M., Alessio, S. and Vivaldo, G., 2009. Two millennia of climate variability in the Central Mediterranean. *Clim. Past.* 5, 171-181, Doi:10.5194/cp-5-171-2009.
- Taricco, C., Vivaldo, G., Alessio, S., Rubinetti, S. and Mancuso, S., 2015. A high-resolution $\delta^{18}\text{O}$ record and Mediterranean climate variability. *Clim. Past.* 11, 509-522, Doi:10.5194/cp-11-509-2015.
- Ternois, Y., Sicre, M.A., Boireau, A., Marty, J.C. and Miquel, J.C., 1996. Production pattern of alkenones in the Mediterranean Sea. *Geophys. Res. Lett.* 23, 3171-3174.
- Testor, P. and Gascard, J.C., 2006. Post-convection spreading phase in the Northwestern Mediterranean Sea. *Deep-Sea Research Part I: Oceanographic Research Papers* 53, 869-893. Doi:10.1016/j.dsr.2006.02.004
- Thierstein, H.R., Geitzenauer, K.R., Molfino, K.R. and Shackleton, N.J., 1977. Global synchronicity of late Quaternary coccolith datum levels: Validation by oxygen isotopes, *Geology*, 5, 400-404.
- Thompson, D.W.J. and Wallace, J.M., 1998. The Arctic oscillation signature in the wintertime geopotential height and temperature fields. *Geophys. Res. Lett.* 25, 1297-1300.

- Thompson, P., Schwarcz, H.P. and Ford, D.C., 1974. Continental Pleistocene Climatic Variations from Speleothem Age and Isotopic Data. *Science* 184, 4139, 893-895. Doi: 10.1126/science.184.4139.893.
- Thornalley, D.J.R., Elderfield, H. and McCave, I.N., 2009. Holocene oscillations in temperature and salinity of the surface subpolar North Atlantic. *Nature* 457, 711–714, Doi:10.1038/nature07717.
- Thornalley, D.J.R., Oppo, D.W., Ortega, P., Robson, J.I., Brierley, C.M., Davis, R., Hall, I.R., Moffa-Sanchez, P., Rose, N.L., Spooner, P.T., Yashayaev, I. and Keigwin, Ll. D., 2018. Anomalously weak Labrador Sea convection and Atlantic overturning during the past 150 years. *Nature* 556, 227-230. <https://doi.org/10.1038/s41586-018-0007-4>.
- Thunell, R. C., 1978. Distribution of Recent Planktonic Foraminifera in Surface Sediments of the Mediterranean Sea. *Mar. Micropaleontol.* 3, 147-173.
- Touchan, R., Xoplaki, E., Funkhouser, G., Luterbacher, J., Hughes, M.K., Erkan, N., Akkemik, Ü. and Stephan, J., 2005. Reconstructions of spring/summer precipitation for the Eastern Mediterranean from tree ring widths and its connection to large-scale atmospheric circulation. *Clim. Dynam.* 25, 75-98.
- Touchan, R., Akkemik, Ü., Hughes, M.K. and Erkan, N., 2007. May-June precipitation reconstruction of southwestern Anatolia, Turkey during the last 900 years from tree rings. *Quat. Res.* 68, 196-202.
- Treble, P., Shelley, J.M.G. and Chappell, J., 2003. Comparison of high-resolution subannual records of trace elements in a modern (1911–1992) speleothem with instrumental climate data from southwest Australia. *Earth. Planet. Sci. Lett.* 216, 141-153.
- Tremaine, D.M. and Froelich, P.N., 2013. Speleothem trace element signatures: A hydrologic geochemical study of modern cave dripwaters and farmed calcite. *Geochimica et Cosmochimica Acta* 121, 522–545. <https://doi.org/10.1016/j.gca.2013.07.026>.
- Tremaine, D.M., Froelich, P.N. and Wang, Y., 2011. Speleothem calcite farmed in situ: Modern calibration of $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ paleoclimate proxies in a continuously-monitored natural cave system. *Geochimica et Cosmochimica Acta* 75, 4929-4950. <https://doi.org/10.1016/j.gca.2011.06.005>.
- Trigo, I.F., Bigg, G.R. and Davies, T.D., 2002. Climatology of cyclogenesis mechanisms in the Mediterranean. *Monthly Weather Review* 130, 549-569.
- Trigo, R., Xoplaki, E., Zorita, E., Lutherbacher, J., Krichak, S.O., Alpert, P., Jacobbeit, J., Sáenz, J., Fernández, J., González-Rouco, F., García-Herrera, R., Rodo, X., Brunetti, M., Nanni, T., Maugeri, M., Tükes, M., Gimeno, L., Ribera, P., Brunet, M., Trigo, I.F., Crepon, M. and Mariotti, A., 2006. Relations between variability in the Mediterranean Region and Mid-Latitude Variability. In: *Mediterranean Climate Variability (MedClivar)*, Elsevier, Amsterdam, 178-226.
- Trouet, V., Esper, J., Graham, N.E., Baker, A., Scourse, J.D. and Frank, D.C., 2009. Persistent positive North Atlantic Oscillation mode dominated the Medieval Climate Anomaly. *Science* 324, 78-80, Doi:10.1126/science.1166349.
- Trouet, V., Scourse, J.D. and Raible, C.C., 2012. North Atlantic storminess and Atlantic Meridional Overturning Circulation during the last Millennium: reconciling contradictory proxy records of NAO variability. *Global Planet. Changes* 84-85, 48-55, Doi:10.1016/j.gloplacha.2011.10.003.
- Tsimplis, M. N. and Baker, F., 2000. Sea level drop in the Mediterranean Sea: an indicator of deep water salinity and temperature changes? *Geophys. Res. Lett.* 27, 1731-1734.
- Tsimplis, M. N. and Josey, S. A., 2001. Forcing of the Mediterranean Sea by atmospheric oscillations over the North Atlantic. *Geophys. Res. Lett.* 28, 803-806.
- Tsimplis, M. N. and Rixen, M., 2002. Sea level in the Mediterranean Sea: the contribution of temperature and salinity changes. *Geophys. Res. Lett.* 29, 1-4, Doi:10.1029/2002GL015870.

- Tzedakis, P.C., Channell, J.E.T., Hodell, D.A., Kleiven, H.F. and Skinner, L.C., 2012. Determining the natural length of the current interglacial. *Nature Geoscience* 5, 138-141. <https://doi.org/10.1038/ngeo1358>
- Ulbrich, U., W. May, L. Li, P. Lionello, Pinto, J. G., and Somot, S., 2006. The Mediterranean climate change under global warming. In: P. Lionello, P. Malanotte-Rizzoli & R. Boscolo (Eds.), *Mediterranean Climate Variability*, Amsterdam: Elsevier, 398-415.
- Vallefouco, M., Lirer, F., Ferraro, L., Pelosi, N., Capotondi, L., Sprovieri, M. and Incarbona, A., 2012. Climatic variability and anthropogenic signatures in the Gulf of Salerno (southern-eastern Tyrrhenian Sea) during the last half millennium. *Rend Lincei* 23, 13-23, Doi:10.1007/s12210-011-0154-0.
- Vanghi, V., Iriarte, E. and Aranburu, A., 2015. High Resolution X-Ray Computed Tomography for Petrological Characterization of Speleothems. *Journal of Cave and Karst Studies* 77, 75-82. <https://doi.org/10.4311/2014ES0102>
- van Raden, U. J., Groeneveld, J., Raitzsch, M. and Kucera, M., 2011. Mg/Ca in the planktonic foraminifera *Globorotalia inflata* and *Globigerinoides bulloides* from Western Mediterranean plankton tow and core top samples. *Mar. Micropaleontol.* 78, 101-112, Doi:10.1016/j.marmicro.2010.11.002.
- Vargas-Yáñez, M., Moya, F., García-Martínez, M.C., Tel, E., Zunino, P., Plaza, F., Salat, J. and Pascual, J., 2010. Climate change in the Western Mediterranean Sea 1900-2008. *J. Marine Syst.* 82, 171-176, Doi:10.1016/j.jmarsys.2010.04.013.
- Velasco, J.P.B., Baraza, J. and Canals, M., 1996. La depresión periférica y el lomo contournítico de Menorca: evidencias de la actividad de corrientes de fondo al N del Talud Balear. *Geogaceta* 20, 359-362.
- Veny, C., 1982. La Necropolis Protohistórica de Cales Coves. Menorca. *Biblioteca Praehistorica Hispana XX*, Madrid, Spain.
- Verheyden, S., Nader, F.H., Cheng, H., Edwards, R.L. and Swennen, R., 2008. Paleoclimate reconstruction in the Levant region from the geochemistry of a Holocene stalagmite from the Jeita Cave, Lebanon, *Quat. Res.* 70, 368-381.
- Versteegh, G.J.M., de Leeuw, J.W., Taricco, C. and Romero, A., 2007. Temperature and productivity influences on U^{37} and their possible relation to solar forcing of the Mediterranean winter. *Geochem. Geophys. Geosy.* 8, Q09005, Doi:10.1029/2006GC001543.
- Vesica, P.L., Tuccimei, P. Turi, B., Fornós, J.J., Ginés, A. and Ginés, J. 2001. Late Pleistocene Paleoclimates and sea-level change in the Mediterranean as inferred from stable isotope and U-series studies of overgrowths on speleothems, Mallorca, Spain. *Quat. Sci. Rev.* 19, 865-879.
- Vidal, J.M., 2002. Meteorologia de Menorca, Balears i la Mediterrània: obra escollida Josep maria Jansà Guardiola. Edició facsímil, Maó, Institut Menorquí d'Estudis.
- Villanueva, J., Pelejero, C. and Grimalt, J.O., 1997. Clean-up procedures for the unbiased estimation of C37 alkenone sea surface temperatures and terrigenous n-alkane inputs in paleoceanography. *J. Chromatogr.* 757, 145-151.
- Volkman, J.K., Eglington, G., Corner, E.D.S. and Sargent, J.R., 1980. Novel unsaturated straight-chain C37-C39 methyl ethyl ketones in marine sediments and coccolithophore *Emiliania huxleyi*. *Org. Geochem.* 219-227.
- Volkman, J.K., Barret, S.M., Blackburn, S.I. and Sikes, E.L., 1995. Alkenones in *Geophysocapsa oceanica*: Implications for studies of paleoclimate. *Geochim. Cosmochim. Acta*, 59, 513-520.
- Walczak, I.W., Baldini, J.U.L., Baldini, L.M., McDermott, F., Marsden, S., Standish, C.D., Richards, D.A., Andreo, B. and Slater, J., 2015. Reconstructing high-resolution climate using CT scanning of unsectioned stalagmites: A case study identifying the mid-Holocene onset of the Mediterranean climate in southern Iberia. *Quat. Sci. Rev.* 127, 117-128. <https://doi.org/10.1016/j.quascirev.2015.06.013>

- Waldman, R., Somot, S., Herrmann, M., Bosse, A., Caniaux, G., Estournel, C., Houpert, L., Prieur, L., Sevault, F. and Testor, P., 2017. Modeling the intense 2012-2013 dense water formation event in the northwestern Mediterranean Sea: Evaluation with an ensemble simulation approach. *J. Geophys. Res.* 122, 2, 1297-1324, 2017.
- Walker, M.J.C., Berkelhammer, M., Björck, S., Cwynar, L.C., Fisher, D.A., Long, A.J., Lowe, J.J., Newnham, R.M., Rasmussen, S.O. and Weiss, H., 2012. Formal subdivision of the Holocene Series/Epoch: a Discussion Paper by a Working Group of INTIMATE (Integration of ice-core, marine and terrestrial records) and the Subcommission on Quaternary Stratigraphy (International Commission on Stratigraphy). *J. Quat. Sci.* 27, 7, 649-659.
- Wallace, J. M. and Gutzler, D. S., 1981. Teleconnections in the geopotential height field during the Northern Hemisphere winter. *Mon. Weather Rev.* 109, 784-812.
- Walker, M., Johnsen, S., Rasmussen, S.O., Popp, T., Steffensen, J-P., Gibbard, P., Hoek, W., Lowe, J., Andrews, J., BJörck, S., Cwynar, L.C., Hughen, K., Kershaw, P., Kromer, B., Litt, T., Lowe, D.J., Nakagawa, T., Newnham, R. and Schwander, J., 2009. Formal definition and dating of the GSSP (Global Stratotype Section and Point) for the base of the Holocene using the Greenland NGRIP ice core, and selected auxiliary records. *J. Quat. Sci.* 24, 1, 3-17.
- Walker, M., Gibbard, P., Head, M.J., Berkelhammer, M., Björck, S., Cheng, H., Cwynar, L.C., Fisher, D., Gkinis, V., Long, A., Lowe, J., Newnham, R., Rasmussen, S.O. I Weiss, H., 2019. Formal Subdivision of the Holocene Series/Epoch: A Summary. *J. Geological Society of India* 93, 135-141. Doi: 10.1007/s12594-019-1141-9
- Wang, T., Surge, D. and Walker, K.J., 2013. Seasonal climate change across the Roman Warm Period/Vandal Minimum transition isotope sclerochronology in archaeological shells and otoliths, southwest Florida, USA. *Quat. Intern.* 308-309, 230-241. <http://dx.doi.org/10.1016/j.quaint.2012.11.013>
- Wassenburg, J.A., Immenhauser, A., Richter, D.K., Niedermayr, A. and Riechelmann, S., 2013. Moroccan speleothem and tree ring records suggest a variable positive state of the North Atlantic Oscillation during the Medieval Warm Period. *Earth Planet. Sci. Lett.* 375, 291-302, Doi:10.1016/j.epsl.2013.05.048.
- Waters, C.N., Zalasiewicz, J., Summerhayes, C., Barnosky, A.D., Poirier, C., Gauszka, A., Cearreta, A., Edgeworth, M., Ellis, E.C., Ellis, M., Jeandel, C., Leinfelder, R., McNeill, J.R., Richter, D. d., Steffen, W., Syvitski, J., Vidas, D., Wagreich, M., Williams, M., Zhisheng, A., Grinevald, J., Odada, E., Oreskes, N. and Wolfe, A.P., 2016. The Anthropocene is functionally and stratigraphically distinct from the Holocene. *Science* 351. <https://doi.org/10.1126/science.aad2622>
- Weiss, H., 2012. Altered trajectories: the Intermediate Bronze Age in Syria and Lebanon 2200-1900 BCE. In Killebrew A, Steiner, M., (Eds.). *Oxford Handbook of the Archaeology of the Levant*. Oxford Uni-versity Press: Oxford; in press.
- Weldeab, S., Siebel, W., Wehausen, R., Emeis, K., Schmiedl, G. and Hemleben, C., 2003. Late Pleistocene sedimentation in the western Mediterranean Sea: implications for productivity changes and climatic conditions in the catchment areas. *Palaeogeogr. Palaeocl.* 190, 121-137.
- Westland, S., 2012. Frequently Asked Questions About Colour Physics. Kindle Edition.
- Wright, H. E., 1994. *Global Climates since the Last Glacial Maximum*. Minnesota University Press, Minneapolis.
- Wright, P., Pillinger, C.T., 1980. A High-Resolution Record of Holocene Climate Change in Speleothem Calcite from Cold Water Cave, Northeast Iowa. *Science* 208, 1626-1630.
- Wu, W., Danabasoglu, G. and Large, W. G., 2007. On the effects of parameterized Mediterranean Overflow on North Atlantic ocean circulation and climate. *Ocean Modell.* 19, 1-2, 31-52, Doi:10.1016/j.ocemod.2007.06.003.

- Xoplaki, E., Fleitmann, D., Izdebski, A., Luterbacher, J., Wagner, S., Zorita, E., Telelis, I. and Toreti, A., 2016. The Medieval Climate Anomaly and Byzantium: A review of evidence on climatic fluctuations, economic performance and societal change. *Quat. Sci. Rev.* 136, 229-252. <https://doi.org/10.1016/j.quascirev.2015.10.004>.
- Xoplaki, E., Luterbacher, J., Wagner, S., Zorita, E., Fleitman, D., Preiser-Kapeller, J., Sargent, A.M., White, Toreti, A., Haldon, J.F., Mordechai, L., Bozkurt, D., Akçer-Ön, S. and Izdebski, A., 2018. Modelling Climate and Societal Resilience in the Eastern Mediterranean in the Last Millennium. *Human Ecology* 46, 363-379. <https://doi.org/10.1007/s10745-018-9995-9>
- Yu, J., Elderfield, H., Greaves, M. and Day, J., 2007. Preferential dissolution of benthic foraminiferal calcite during laboratory reductive cleaning. *Geochem. Geophys. Geosy.* 8, Q06016, Doi:10.1029/2006GC001571.
- Zachos, J., Pagani, M., Thomas, E. and Billups, K., 2001. Trends Rhythms, and Aberrations in Global Climate 65 Ma to Present. *Science* 292, 686-693.
- Zampieri, M., Ceglar, A., Dentener, F. and Toreti, A., 2017. Wheat yield loss attributable to heat waves, drought and water excess at the global, national and subnational scales. *Environmental Res. Lett.* 12, 064008. <https://doi.org/10.1088/1748-9326/aa723b>
- Zhong, W., Xue, J., Ouyang, J., Cao, J. and Peng, Z., 2014. Evidence of late Holocene climate variability in the western Nanling Mountains, South China. *Journal of Paleolimnology* 52, 1-10. <https://doi.org/10.1007/s10933-014-9774-6>.
- Zúñiga, D., García-Orellana, J., Calafat, A., Price, N.B., Adatte, T., Sanchez-Vidal, A., Canals, M., Sanchez-Cabeza, J.A., Masqué, P. and Fabres, J., 2007. Late Holocene fine- grained sediments of the Balearic Abyssal Plain, Western Mediterranean Sea. *Mar. Geol.* 237, 25-36.