

9 Bibliografía

Air Force Weather Agency, 2001: Operational Models Matrix: Characteristics of Operational NWP Models.

[<http://meted.ucar.edu/nwp/pcu2/index.htm>, diciembre 2001]

Albentosa, L.M., 1973: Los climas de Cataluña. Estudio de climatología dinámica. Resumen de Tesis doctoral, Barcelona, Ed. UB, pp 32.

Anderberg, M. R., 1973: *Cluster analysis for applications*. Academic Press, San Diego, California, 359 pp.

Anderson, J.R., Hardy, E.E., Roach, J.T., y R.E. Witmer, 1976: A land use and land cover classification system for use with remote sensor data. U.S. Geological Survey Professional Paper 964.

Anthes, R.A., 1977: A cumulus parameterization scheme utilizing a one-dimensional cloud model. *Mon. Wea. Rev.*, **105**, 270-286.

Anthes, R. A., y T. T. Warner, 1978: Development of hydrodynamic models suitable for air pollution and other mesometeorological studies. *Mon. Wea. Rev.*, **106**, 1045-1078.

Anthens, R.A., 1984: Enhancement of convective precipitation by mesoscale variations in vegetative covering in semiarid regions. *J. Clim. App. Meteorol.*, **23**, 541-554.

Arakawa, A., y W. H. Schubert, 1974: Interaction of a cumulus cloud ensemble with the largescale environment. Part I. *J. Atmos. Sci.*, **31**, 671-701.

Ascón y coautores, 1991: *Geografía Universal. Europa I*. Editorial 92, Barcelona, Vol. 3, 324-359.

Ascón y coautores, 1992: *Geografía Universal. Europa II*. Editorial 92, Barcelona, Vol. 4, 290-292.

Avila, A., y M. Alarcón, 1999: Relationship between precipitation chemistry and meteorological situations at a rural site in NE Spain. *Atmos. Environ.*, **33**, 1663-1677.

Bacmeister, J. T., y M. R. Schoeberl, 1989: Breakdown of vertically propagating two-dimensional gravity waves forced by orography. *J. Atmos. Sci.*, **46**, 2109-2134.

Baldasano, J.M., y M. M. Millán, 2000. Guía para la aplicación de modelos de la calidad del aire. IV Seminario Calidad del Aire, 38 pp.

Baldasano, J.M., Cremades, L., y J. Calbó, 1991: Modelos de Dispersión de Contaminantes Atmosféricos. *Mundo Científico*, Junio, 588-593.

Baldasano, J.M., Cremades, L., y C. Soriano, 1994. Circulation of Air Pollutants over the Barcelona Geographical Area in Summer. *Proc. Sixth European Symposium Physico-Chemical Behaviour of Atmospheric Pollutants*. Varese (Italy), 18-22 October, 1993. Report EUR 15609/1: 474-479.

- Baldasano, J.M., Jorba, O., y E. López, 2004: Atlas de radiació solar a Catalunya (dades del període 1964-2002). Laboratori Modelització Ambiental, Documento técnico, Universitat Politècnica de Catalunya, 82 pp.
- Baldasano J.M., Cremades, L. , Calbó, J., y M. Sainz, 1990: IMPACT - A Decision Support System for Atmospheric Impact produced by Power Plants. *ENVIROSOFT*, **90**, 11-13, Septiembre, Montreal, Canadá.
- Ballard, S.P., Golding, B.W., y R. N. B. Smith, 1991: Mesoscale model experimental forecasts of the Haar of northeast Scotland. *Mon. Wea. Rev.*, **119**, 2107-2123.
- Banta, R. M., y co-autores, 1990: Atmospheric Processes over Complex Terrain. American Meteorological Society , Meteorological Monographs, Vol. 23, 45, 301 pp.
- Barros N., Toll, I., Soriano, C., Jiménez, P., Borrego, C., y J. M. Baldasano, 2003: Urban photochemical pollution in the Iberian Peninsula: Lisbon and Barcelona airsheds. *J. Air & Waste Manage. Assoc.*, **53**, 347-359.
- Barry, R.G. y R.J. Chorley, 1982: *Atmospheric Weather and Climate*. 4th Ed. Methuen, London.
- Benoit, R., Desgagné, M., Pellerin, P., Pellerin, S., Chartier, Y., y S. Desjardins, 1997: The Canadian MC2: A semi-Lagrangian, semi-implicit wideband atmospheric model suited for finescale process studies and simulation. *Mon. Wea. Rev.*, **125**, 2382-2415.
- Betts, A. K., y M. J. Miller, 1986: A new convective adjustment scheme. Part II: Single column tests using GATE wave, BOMEX, ATEX, and arctic air-mass data sets. *Quart. J. Roy. Meteor. Soc.*, **112**, 693-709.
- Bolòs, M., Vilà, J., Albentosa, L.M., Gómez, A., Sala, M., Bolòs, O., y T. Vidal, 1983: *Gran geografia comarcal de Catalunya. Geografia General*. Fundació Enciclopèdia Catalana, Barcelona, Vol. 17, 94-100.
- Bonastre, J. M., 1996: Situaciones atmosféricas en Catalunya, revisión bibliográfica. Tesina de Master, UPC.
- Bougeault, P., Jansá Clar, A., Benech, B., Carissimo, B., Pelon, J., y E. Richard, 1990: Momentum budget over the Pyrenees: The PYREX experiment. *Bull. Amer. Meteor. Soc.*, **71**, 806-818.
- Bougeault, P., Benech, P., Bessemoulin, P., Carissimo, B., Jansa Clar, A., Pelon, J., Petitdidier, M., y E. Richard, 1997: PYREX: A summary of findings. *Bull. Amer. Meteorol. Soc.*, **78**, 637-650.
- Brankov, E., Rao, S. T., y P. S. Porter, 1998: A trajectory-clustering-correlation methodology for examining the long-range transport of air pollutants. *Atmos. Environ.*, **32**, 1525-1534.

Bretherton, F. P., 1969: Momentum transport by gravity waves. *Quart. J. Roy. Meteor. Soc.*, **95**, 213–243.

Builtjes, P.J.H., 2001. Major Twentieth Century Milestones in Air Pollution Modeling And its Application. *Air Pollution Modeling and Its Applications XIV*, 3-14, 2001.

Burk, S. D., y W. T. Thompson, 1989: A vertically nested regional numerical prediction model with second-order closure physics. *Mon. Wea. Rev.*, **117**, 2305-2324.

Busch, N.E., Klug, W., Pearce, R., y P. White, 1994: *Comments on Statistical Results of the Mesoscale Model Comparison Project*. Mesoscale Modeling of the Atmosphere, Boston, eds. R. A. Pielke and R. P. Pearce, 155-156.

Calbó, J., 1993: Contribució al Desenvolupament d'un Model Numèric de Pronòstic Meteorològic de Mesoscala. Tesis doctoral, Universitat Politècnica de Catalunya, Barcelona, 337 pp.

Calbó, J., y J.M. Baldasano, 1995: PROMETEO: an hydrostatic mesoscale model applied to the simulation of land-sea breeze in the Barcelona area. *Env. Soft.*, **10**, 139-155.

Calvo, J., 1993: Clasificación de flujos en 500 hPa sobre la Península Ibérica. Servicio de Predicción Numérica del Tiempo, Instituto Nacional de Meteorología, Nota Tec. 32, 19 pp.

Campins, J., Jansa, A., Benech, B., Koffi, E., y P. Bessemoulin, 1995: PYREX Observation and Model Diagnosis of the Tramontane Wind. *Meteorol. Atmos. Phys.*, **56**, 209-228.

Cape, J. N., Methven, J., y L. E. Hudson, 2000: The use of trajectory cluster analysis to interpret trace gas measurements at Mace Head, Ireland. *Atmos. Environ.*, **34**, 3651-3663.

Capel-Molina, J. J., 2000: *El clima de la Península Ibérica*. Ariel Geografía, Barcelona, 281 pp.

Charney, J.G., 1948: On the scale of atmospheric motions. *Geophys. Publ. Oslo*, Vol. **17**(2), 1-17.

Chen, F., y J. Dudhia, 2001: Coupling an Advanced land surface-hydrology model with the Penn State-NCAR MM5 modelling system. Part I: Model implementation and sensitivity. *Mon. Wea. Rev.*, **129**, 569-585.

Clark, T. L., y W. R. Peltier, 1977: On the evolution and stability of finite amplitude mountain waves. *J. Atmos. Sci.*, **34**, 1715–1730.

Clavero, P.L., y J. M. Raso, 1979: *Catalogo de tipos sinópticos para un estudio climático del este de la península ibérica y baleares*. Aportacions en homenatge al geògraf Salvador Llobet. Barcelona, Ed. UB, 63-88.

Clavero, P.L., Martín-Vide, J., y J. M. Raso, 1996: *Atles Climàtic de Catalunya. Termopluiometria*. Ed. Institut Cartogràfic de Catalunya, Departament de Medi Ambient, Barcelona, 41 pp.

Codina, B., Aran, M., Young, S., y A. Redaño, 1997: Prediction of a Mesoscale Convective System over Catalonia (Northeastern Spain) with Nested Numerical Model. *Met. Atmos. Phys.*, **62**, 9-22.

COMET, 2001: Thermally-forced circulation I: Sea Breezes. Print Version. [<http://meted.ucar.edu/mesoprim/seabreez/>, abril 2003]

COMET, 2002: Mountain/valley breezes. Print Version. [<http://meted.ucar.edu/mesoprim/mtnval/>, abril 2003]

COMET, 2003: Gap winds. Print Version. [<http://meted.ucar.edu/mesoprim/gapwinds/>, abril 2003]

Costa, M., 1995: Desenvolupament d'un model d'emissions atmosfèriques. Aplicació a l'àrea geogràfica de Barcelona. Tesis Doctoral. Universitat Politècnica de Catalunya, Terrassa, Spain.

Cotton, W.R., Stephens, M.A., Neukorn, T., y G. J. Tripoli, 1982: The Colorado State University three-dimensional cloud model-1982. Part II: An ice parameterization. *J. Rech. Atmos.*, **16**, 295-320.

Cotton, W.R., Tripoli, G.J., Rauber, R.M., y E. A. Mulnhill, 1986: Numerical simulation of the effects of varying ice crystal nucleation rates and aggregation processes on orographic snowfall. *J. Climate Appl. Meteor.*, **25**, 1658-1680.

Cox, R., Bauer, B.L., y T. Smith, 1998: A Mesoscale Model Intercomparison. *Bull. Amer. Meteor. Soc.*, **79**, 265-283.

Cucurull, L, 2001: The use of Global Navigation Satellite Systems (GNSS) signals in Numerical Weather Prediction (NWP). Tesis doctoral, Universitat de Barcelona, 147 pp.

Deardorff, J.W., Willis, G.E., y B.H. Stockton, 1980: Laboratory studies of the entrainment zone of a convectively mixed layer. *J. Fluid Mech.*, **100**, Part 1, 41-64.

Deng, A., Seaman, N. L., Hunter, G. K., y D. R. Stauffer, 2003: Evaluation of Inter-regional Transport using the MM5-SCIPUFF system. *Manuscript submitted to J. Appl. Meteorol.*

Departament de Medi Ambient, 2003: Incidències d'ozó troposfèric a Catalunya durant l'any 2003. [http://mediambient.gencat.net/Images/43_29839.pdf, octubre 2003]

Dickinson, R.E., Kennedy, P.J., y A. Henderson-Sellers, 1993: Biosphere-Atmosphere Transfer Scheme (BATS) – Version 1E as coupled to the NCAR Community Climate

Model. NCAR Tech. Note NCAR/TN-387+STR, National Center for Atmospheric Research, Boulder, CO, 72 pp.

Dorling, S. R., y T. D. Davies, 1995: Extending cluster analysis-synoptic meteorology links to characterise chemical climates at six northwest European monitoring stations. *Atmos. Environ.*, **29**, 145-167.

Dorling, S. R., Davies, T. D., y C. E. Pierce, 1992a: Cluster analysis: a technique for estimating the synoptic meteorological controls on air and precipitation chemistry-method and applications. *Atmos. Environ.*, **26**, 2575-2581.

Dorling, S. R., Davies, T. D., y C. E. Pierce, 1992b: Cluster analysis: a technique for estimating the synoptic meteorological controls on air and precipitation chemistry-results from Eskdalemuir, south Scotland. *Atmos. Environ.*, **26**, 2583-2602.

Doyle, J.D., Durran, D.R., Chen, C., Colle, B.A., Georgelin, M., Grubisic, V., Hsu, W.R., Huang, C.Y., Landau, D., Lin, Y.L., Poulos, G.S., Sun, W.Y., Weber, D.B., Wurtele, M.G., y M. Xue, 2000: An Intercomparison of Model-Predicted Wave Breaking for the 11 January 1972 Boulder Windstorm. *Mon. Wea. Rev.*, **128**, 901-914.

Draxler, R. R., 1996: Boundary layer isentropic and kinematic trajectories during the August 1993 North Atlantic Regional Experiment Intensive. *J. Geophys. Res.*, **101**, 29 255-29 268.

Draxler, R. R., y G.D. Hess, 1998: An overview of the HYSPLIT_4 modelling system for trajectories, dispersion, and deposition. *Aust. Meteor. Mag.*, **47**, 295-308.

Draxler, R.R., y G. D. Rolph, 2003: HYSPLIT (HYbrid Single-Particle Lagrangian Integrated Trajectory) Model access via NOAA ARL READY Website (<http://www.arl.noaa.gov/ready/hysplit4.html>). NOAA Air Resources Laboratory, Silver Spring, MD.

Driedonks, A.G. M., y H. Tennekes, 1984: Entrainment effects in the well-mixed atmospheric boundary layer. *Bound.-Layer Meteor.*, **30**, 75-105.

Dudhia, J., 1989: Numerical study of convection observed during the Winter Monsoon Experiment using a mesoscale two-dimensional model. *J. Atmos. Sci.*, **46**, 3077-3107.

Dudhia, J., 1993: A non-hydrostatic version of the Penn State-NCAR mesoscale model: Validation tests and simulation of an Atlantic cyclone and cold front. *Mon. Wea. Rev.*, **121**, 1493-1513.

Dudhia, J., 1996: A multi-layer soil temperature model for MM5. *Preprints, The Sixth PSU/NCAR Mesoscale Model Users' Workshop*, 22-24 July 1996, Boulder, Colorado, 49-50.

Ebel, A., Memmesheimer, M., Jakobs, H. J., Kessler, Ch., Piekorz, G., y M. Weber, 2001: Simulation of photochemical smog episodes in Europe using nesting techniques and different model evaluation approaches. In: *Air Pollution Modeling and its Application* (eds. Gryning, Schiermeier), Kluwer Academic/Plenum Publishers, New York, 145-153.

Elms, J.D., Williams Jr, C.N., Baldwin, R.C., Franks, P.L., Roselle, S., Changery, M.J., Koss, W.J., Burgin, M.G., Thomas, J.L., Miller, S.J., Lammers, G.M., Ezell, D.S., y H.N. Vigansky, 1987: US Navy Climatic Study of the Mediterranean Sea. Navair 50-1C-457, 342 pp.

Environmental Modeling Center (2000): Numerical Weather Service, Environmental Modeling Center.
[<http://www.emc.ncep.noaa.gov/>, octubre 2001]

Estrela, M. J., y M. M. Millán, 1994: *Manual práctico de introducción a la meteorología*. Ed. CEAM, Valencia, 351 pp.

European Environment Agency, 2000: NATure/LANd Cover information package (CORINE Land Cover 1:100000).

Everitt, B., 1980: *Cluster Analysis*. Halstead, New York, 136 pp.

Fiedler, F., 1983: Einige Charakteristika der Strömung im Oberrheingarten, *Wiss. Ber. Meteorol. Inst. Univ. Karlsruhe*, **4**, 113-123.

Flassak, Th. y N. Moussiopoulos, 1987: An application of an efficient non-hydrostatic mesoscale model. *Bound.-Layer Meteor.*, **41**, 135-147.

Flassak, Th. y N. Moussiopoulos, 1988: Direct Solution of the Helmholtz Equation using Fourier Analysis on the Cyber 205. *Environ. Soft.*, **3**, 12-16.

Fast, J. D., 1995: Mesoscale modeling and four-dimensional data assimilation in areas of highly complex terrain. *J. Appl. Meteor.*, **34**, 2762-2782.

Font, J., Tort, J., Barceló, B., Binimelis, S., Burgueño, J., Gilabert, N., Medir, R.M., Ministrál, M., Petrus, J.M., Rullan, O., y D. Sánchez, 1992: *Geografía Universal. Andorra. Balears. Catalunya. País Valencia*. Editorial 92, Barcelona, Vol. 10, 26-61.

Font-Tullet, I., 1983: *Climatología de España y Portugal*. Instituto Nacional de Meteorología, Madrid, 422 pp.

Fox, D. G., y J. W. Deardorff, 1972: Computer methods for simulation of multidimensional, nonlinear, subsonic, incompressible flow. *J. Heat Transfer*, **94**, 337-346.

Fritsch, J. M., y C. F. Chappell, 1980: Numerical prediction of convectively driven mesoscale pressure systems. Part I: Convective parameterization. *J. Atmos. Sci.*, **37**, 1722-1733.

García de Pedraza, L. y J. M. Castillo Requena, 1981: Influencia de la configuración topográfica de la península ibérica en sus caracteres meteorológicos y climáticos. *Paralelo 37°*, **5**, 31-41.

García-Moya, J.A., 2003: Models numèrics de predicció del temps. *Tethys*, **2**.
[<http://tethys.acamet.org/num02/articles/art0205.htm/>]

Garratt, J. R., 1987: The stably stratified internal boundary layer for steady and diurnally varying offshore flow. *Bound.-Layer Meteor.*, **38**, 369-394.

Georgelin, M. y E. Richard, 1996: Numerical Simulation of Flow Diversion around the Pyrenees: A Tramonatna Case Study. *Mon. Wea. Rev.*, **124**, 687-700.

Gleick, J., 1987: *Chaos: Making a new science*. New York, Penguin Books, 352 pp.

Gower, J. C., 1971, A general coefficient of similarity and its properties. *Biometrics*, **27**, 857-871.

Grell, G.A., 1993. Prognostic evaluation of assumptions used by cumulus parameterizations. *Mon. Wea. Rev.*, **121**, 764-787.

Grell, G. A., Dudhia, J., y D. R. Stauffer, 1995: Description of the Fifth-Generation Penn State/NCAR Mesoscale Model (MM5). Tech. Rep. NCAR/TN-398+STR, National Center of Atmospheric Research (NCAR), Boulder (Co), USA, 122 pp.

Gross, G. y F. Wippermann, 1987: Channeling and countercurrent in the upper Rhine Valley: Numerical simulations. *J. Climate Appl. Meteor.*, **26**, 1293-1304.

Hack, J. J., Boville, B. A., Briegleb, B. P., Kiehl, J. T., Rasch, P. J., y D. L. Williamson, 1993: Description of the NCAR Community Climate Model (CCM2). NCAR Technical Note, NCAR/TN-382+STR, 120 pp.

Harris, J. M., 1992: An analysis of 5-day midtropospheric flow patterns for the South Pole: 1985-1989. *Tellus*, **44**, 409-421.

Harris, J. M., y J. D. Kahl, 1990: A descriptive atmospheric transport climatology for the Mauna Loa Observatory, using clustered trajectories. *J. Geophys. Res.*, **95**, 13 651-13 667.

Hawkes, H. B., 1947: Mountain and valley winds with special reference to the diurnal mountain winds of the Great Salt Lake region. Ph.D. dissertation, Ohio State University.

Helmis, C. G., Asimakopoulos, D. N., Deligiorgi, D. G., y D. P. Lalas, 1987: Observations of sea-breeze fronts near the shoreline. *Boud.-Layer Meteor.*, **38**, 395-410.

Hernández, J.F., 1995: Modelización de la dispersión de contaminantes atmosféricos según un esquema lagrangiano de partículas. Tesis doctoral, Universitat Politècnica de Catalunya, Barcelona.

Hodur, R.M., 1997: The Naval Research Laboratory's Coupled Ocean/Atmosphere Mesoscale Prediction System (COAMPS). *Mon. Wea. Rev.*, **125**, 1414-1430.

Hong, S.Y., y H.-L. Pan, 1996: Nonlocal boundary layer vertical diffusion in a medium-range forecast model. *Mon. Wea. Rev.*, **124**, 2322-2339.

Hsie, E.-Y., 1984: Simulations of frontogenesis in a moist atmosphere using alternative parameterizations of condensation and precipitation. *J. Atmos. Sci.*, **41**, 2701-2716.

Hsu, S. A., 1986: A note on estimating the height of the convective internal boundary layer near shore. *Bound.-Layer Meteor.*, **35**, 311-316.

Hurrell, J. W., Kushnir, Y., Visbeck, M., y G. Ottersen, 2003: An Overview of the North Atlantic Oscillation. *The North Atlantic Oscillation: Climate Significance and Environmental Impact*, J.W. Hurrell, Y. Kushnir, G. Ottersen, and M. Visbeck, Eds. Geophysical Monograph Series, **134**, 1-35.

Janjic, Z.I., 1990: The step-mountain coordinate: Physical package. *Mon. Wea. Rev.*, **118**, 1429-1443.

Janjic, Z.I., 1994: The step-mountain eta coordinate model: Further development of the convection, viscous sublayer, and turbulent closure schemes. *Mon. Wea. Rev.*, **122**, 927-945.

Jansà, A., 1987: Distribution of the Mistral: a satellite observation. *Meteorol. Atmos. Phys.*, **36**, 201-214.

Jenkinson, A. F., y B. P. Collison, 1977: An initial climatology of gales over the North Sea. Synop. Climatol. Branch Memo. N° 62, Meteorological Office, London, 18 pp.

Jiménez, P., y J.M. Baldasano, 2004: Ozone response to precursor controls in very complex terrains: Use of photochemical indicators to assess O₃-NO_x-VOC sensitivity in the northeastern Iberian Peninsula. *J. Geophys. Res.*, **109**, D20309.

Jiménez, P., Jorba, O., Parra, R., Pérez, C., y J.M. Baldasano, 2004: Modeling Photochemical pollution in the northeastern Iberian Peninsula, Preprints de *Int. Tech. Meeting of NATO-CCMS on "Air Pollution Modelling and its application"*, Alberta, Canada, 24-29 Oct., Eds. C. Borrego & G. Schayes. *Kluwer Academic/Plenum Publishers, New York*, 192-199.

Jorba, O., y J.M. Baldasano, 2002a: Tècniques d'aniuament en un model de pronòstic meteorològic de mesoscala. (Model de pronòstic meteorològic de mesoscla. MM5. Resum d'activitats desenvolupades). Grup UPC-GMA. Projecte IMMPACTE, Informe final, Generalitat de Catalunya, DURSI/DMA, 24 pp.

Jorba, O., y J.M. Baldasano, 2002b: Sensibilitat d'un model de pronòstic meteorològic de mesoescala a les propietats físiques del sòl. Grup UPC-GMA. Projecte IMMPACTE, Informe final, Generalitat de Catalunya, DURSI/DMA, 51 pp.

Jorba, O., Gassó, S., y J.M. Baldasano, 2004a: Regional circulations within the Iberian Peninsula east coast. *Proc. Air Pollution Modeling and Its Application XVI*, Eds. Borrego & Incecik, *Kluwer Academic/Plenum Publishers, New York*, 453-461.

Jorba O., C. Pérez, F. Rocadenbosch, y J. M. Baldasano, 2004b: Cluster Analysis of 4-Day Back Trajectories Arriving in the Barcelona Area (Spain) from 1997 to 2002. *J. Applied Meteor.*, **43**(6), 887-901

Kain, J. S., y J. M. Fritsch, 1990: A one-dimensional entraining/detraining plume model and its application in convective parameterization. *J. Atmos. Sci.*, **47**, 2784-2802.

Kain, J. S., y J. M. Fritsch, 1993: Convective parameterization for mesoscale models: The Kain-Fritsch scheme. *The representation of cumulus convection in numerical models*, K. A. Emanuel and D. J. Raymond, Eds., Amer. Meteor. Soc., 246 pp.

Kalkstein, L. S., Tan, G., y J. A. Skindlov, 1987: An evaluation of three clustering procedures for use in synoptic climatological classification. *J. Climate Appl. Meteor.*, **26**, 717-730.

Kanamitsu, M., 1989: Description of the NMC Global Data Assimilation and Forecast System. *Wea. Forecasting*, **4**, 335-342.

Kaplan, M.L., Zack, J.W., Wong, V.C., y J. J. Tuccillo, 1982: Initial results from mesoscale atmospheric simulation system and comparisons with an AVE-SESAME I data set. *Mon. Wea. Rev.*, **110**, 1564-1590.

Kerr, R. A., 2004: A few good climate shifters. *Science*, **306**, 599-600.

Klemp, J.B., y R.B. Wilhelmson, 1978: The simulation of three-dimensional convective storm dynamics. *J. Atmos. Sci.*, **35**, 1070-1096.

Kumar, N., y A. G. Russell, 1996. Comparing prognostic and diagnostic meteorological fields and their impacts on photochemical air quality modeling. *Atmos. Environ.*, **30**, 1989-2010.

Kuo, H.L. y W.H. Raymond, 1980: A quasi-one-dimensional cumulus cloud model and parameterization of cumulus heating and mixing effects. *Mon. Wea. Rev.*, **108**, 991-1009.

Lafore, J.P., Stein, J., Asencio, N., Bougeault, P., Ducrocq, V., Duron, J., Fischer, C., Hérelil, P., Mascart, P., Masson, V., Pinty, J.P., Redelsperger, J.L., Richard, E. y J. Vilá-Guerau de Arellano, 1998: The Meso-NH atmospheric simulation system. Part I: adiabatic formulation and control simulations. *Ann. Geophysicae*, **16**, 90-109.

Laprise, R., Caya, C., Bergeron, G., y M. Giguere, 1997: The formulation of the Andre Robert MC2 (Mesoscale Compressible Community) Model. *Atmos. Ocean*, **35**, 195-220.

Linés, A., 1981: Perturbaciones típicas que afectan a la Península Ibérica y precipitaciones asociadas. Instituto Nacional de Meteorología, Madrid.

Lorenz, E., 1963: Deterministic nonperiodic flow. *J. Atmos. Sci.*, **20**, 1963, 130-141.

Lozej, C. y R.D. Bornstein, 1999: Comparison of nesting techniques within a meteorological Model. Air Pollution VII, Brebbia, C. A., Jacobsen, M. and Power, H., eds., Comp. Mechanics Pub., 1009-1021.

Lyons, W.A., 1975: Turbulent diffusion and pollutant transport in shoreline environments. *Lectures on Air Pollution and Environmental Impact Analysis*, D.A. Haugen (ed.), Am. Meteor. Soc., 136-208.

Lyons, W.A., Pielke, R.A., Tremback, C.J., Walko, R.L., Moon, D.A., y C.S. Keen, 1995a: Modeling the impacts of mesoscale vertical motions upon coastal zone air pollution dispersion. *Atmos. Environ.*, **29**, 283-301.

Lyons, W.A., Pielke, R. A., Tremback, C.J., Walko, R.L., Moon, D. A., y C.S. Keen, 1995b: Applications of the Regional Atmospheric Modeling System (RAMS) to provide input to photochemical grid models for the Lake Michigan Ozone Study (LMOS). *J. Appl. Meteor.*, **34**, 1762-1784.

Martin, D., Bergametti, G., y B. Strauss, 1990: On the use of the synoptic vertical velocity in trajectory model: validation by geochemical tracers. *Atmos. Environ.*, **24**, 2059-2069.

Martín-Vide, J., 1984: *Interpretación de los Mapas del Tiempo*. Barcelona, Ed. Ketres, 147 pp.

Martín-Vide, J., 1987: *Característiques climatològiques de la precipitació en la franja costera mediterrània de la Península Ibérica*. Tesis doctoral, Barcelona, Ed. Institut Cartogràfic de Catalunya, 111-129.

Martín-Vide, J., 1991: *Mapas del tiempo: fundamentos, interpretación e imágenes de satélite*. Oikos-tau, Barcelona.

Martín-Vide, J., 2001: Limitations of an objective weather-typing system for the Iberian peninsula. *Weather*, **56** (7), 248-250.

Martín-Vide, J., 2002: Aplicación de la clasificación sinóptica automática de Jenkinson y Collison a días de precipitación torrencial en el este de España. La información climática como herramienta de gestión ambiental. *Proc. The climatic information as an environmental management tool*, J. M. Cuadrat, S. M. Vicente, and M.A. Saz (Eds.), Universidad de Zaragoza, Zaragoza, Spain, 123-127.

Martín-Vide, J., y J. Olcina, 1996: *Tiempos y climas mundiales: climatología a través de mapas del tiempo e imágenes de satélite*. Ed. Oikos-Tau, 308 pp.

Martín-Vide, J.M. y J. Olcina, 2001: *Climas y tiempos de España*. Ed. Alianza, Madrid, 258 pp.

Masson, V. y P. Bougeault, 1996: Numerical Simulation of a Low-Level Wind Created by Complex Orography: A Cierzo Case Study. *Mon. Wea. Rev.*, **124**, 701-715.

Mattis, I., 2001: Compilation of trajectory data. EARLINET: A European Aerosol Research Lidar Network to Establish an Aerosol Climatology. Scientific Report for the period February 2000 to January 2001, J. Bösenberg, Max-Planck-Institute für Meteorologie, 26-29.

[<http://lidarb.dkrz.de/earlinet/scirep1.pdf>]

McQueen, J. T., Draxler, R. R., y G. D. Rolph, 1995: Influence of grid size and terrain resolution on wind field predictions from an operational mesoscale model. *J. Appl. Meteor.*, **34**, 2166-2181.

Mellor, B.L., y T. Yamada, 1974: A hierarchy of turbulence closure models for planetary boundary layers. *J. Atmos. Sci.*, **31**, 1791-1806.

Mellor, B.L., y T. Yamada, 1982: Development of a turbulence closure model for geophysical fluid problems. *Rev. Geophys. Space Phys.*, **20**, 851-875.

Mesinger, F., y A. Arakawa, 1976: Numerical Methods Used in Atmospheric Models, World Meteorological Organization, GARP Publication Series 17(1).

Meso Inc., 1997: Numerical Model Development. General Information On Numerical Models.

[http://38.150.110.40/meso/meso_web/nwp.htm, septiembre de 2001]

Meso Inc., 2001: Atmospheric Research-Forecasting-Simulations.

[<http://www.meso.com/mm5/mm5.html>, septiembre 2001]

Mesoscale and Microscale Meteorology Division, National Center for Atmospheric Research, 2001: PSU/NCAR Mesoscale Modeling System Tutorial Class Notes and User's Guide: MM5 Modeling System Version 3, June 2001.

Michalakes, J., Chen, S., Dudhia, J., Hart, L., Klemp, J., Middlecoff, J., y W. Skamarock, 2001: Development of a Next Generation Regional Weather Research and Forecast Model. In *Developments in Teracomputing: Proceedings of the Ninth ECMWF Workshop on the Use of High Performance Computing in Meteorology*. Eds. Walter Zwiefelhofer and Norbert Kreitz. World Scientific, Singapore, 269-276.

Millán, M. M., Salvador, R., Mantilla, E., y G. Kallos, 1997: Photooxidant dynamics in the Western Mediterranean basin in summer: Results from European research projects. *J. Geophys. Res.*, **102**, 8811-8823.

Millán, M. M., Artñano, B., Alonso, L. A., Castro, M., Fernández-Patier, R., y J. Goberna, 1992: Meso-meteorological cycles of air pollution in the Iberian Peninsula (MECAPIP), *Air Pollut. Res. Rep. 44, EUR 14834*, Eur. Comm., Brussels.

Millán, M.M., Salvador, R., Mantilla, E., y B. Artñano, 1996: Meteorology and photochemical air pollution in southern Europe: experimental results from EC research projects. *Atmos. Environ.*, **30**, 1909-1924.

Miller A., 1975: *Climatología*. Omega, Barcelona.

Ministerio de Agricultura, Pesca y Alimentación, 2004: *Hechos y cifras de la agricultura, la pesca y la alimentación en España*. Ministerio de Agricultura, Pesca y Alimentación, Madrid, Ed. V. A. Impresores, 27 pp.

Mlawer, E. J., Taubman, S. J., Brown, P. D., Iacono, M. J., y S. A. Clough, 1997: Radiative transfer for inhomogeneous atmosphere: RRTM, a validated correlated-k model for the longwave. *J. Geophys. Res.*, **102**, 16663-16682.

Moody, J.L., 1986: The influence of meteorology on precipitation chemistry at selected sites in the Eastern United States. Ph.D. dissertation, University of Michigan, Ann Arbor, 176 pp.

Moody, J. L., y J. N. Galloway, 1988: Quantifying the relationship between atmospheric transport and the chemical composition of precipitation on Bermuda. *Tellus*, **40**, 463-479.

Moody, J. L., y P. J. Samson, 1989: The influence of atmospheric transport on precipitation chemistry at two sites in the midwestern United States. *Atmos. Environ.*, **23**, 2117-2132.

Moody, J. L., Oltmans, S. J., Levy II, H., y J. T. Merrill, 1995: Transport climatology of tropospheric ozone: Bermuda, 1988-1991. *J. Geophys. Res.*, **100**, 7179-7194.

National Center of Atmospheric Research/Mesoscale Meteorological Modeling division, 2001.

[<http://rain.mmm.ucar.edu/mm5/>, septiembre 2001]

Ninyerola, M., Pons, X., y J. M. Roure, 2000: A methodological approach of climatological modelling of air temperature and precipitation through GIS techniques. *Int. J. Climatol.*, **20**, 1823-1841.

Noilhan, J., y S. Planton, 1989: A simple parameterization of land surface processes for meteorological models. *Mon. Wea. Rev.*, **117**, 536-549.

Noonan, J., Physick, W., Cope, M., Burgers, M., y M. Olliff, 2000: Air quality for the Hong Kong PATH project. Proc. In 24th Int. Tech. Meet. Air Pollution Modeling and Its Application, Ed. Borrego and Schayes, Kluwer Academic/Plenum Publishers, New York, 60-67.

Ogawa, Y., Ohara, T., Wakamatsu, S., Diosey, P.G., y I. Uno, 1986: Observations of lake breeze penetration and subsequent development of the internal boundary layer for the Nonticoke II shoreline diffusion experiment. *Bound.-Layer Meteor.*, **35**, 207-230.

Orgill, M. M., 1981: ASCOT: A Planning Guide for Future Studies. Pacific Northwest Laboratory, Richland, Washington.

Orlanski, I., 1975: A Rational Subdivision of Scales for Atmospheric Processes. *Bull. Amer. Meteor. Soc.*, **56**, 527-530.

Pan, H.L., y L. Mahrt, 1987. Interaction between soil hydrology and boundary-layer development. *Bound.-Layer Meteor.*, **38**, 185-202.

Parra, R. R., 2004: Desarrollo del modelo EMICAT2000 para la estimación de emisiones de contaminantes del aire en Cataluña y su uso en modelos de dispersión

fotoquímica. Tesis doctoral, Universitat Politècnica de Catalunya, <http://www.tdx.cesca.es/TDX-0803104-102139/>.

Pérez, C., Sicard, M., Jorba, O., Comerón, A., y J.M. Baldasano, 2004: Summertime recirculations of air pollutants over the north-eastern Iberian coast observed from systematic EARLINET lidar measurements in Barcelona. *Atmos. Environ.*, **38**, 3983-4000.

Perlin, N., y P. Alpert, 2001: Effects of land-use modification on potential increase of convection: A numerical mesoscale study over south Israel. *J. Geophys. Res.*, **106** (D19), 22621-22634.

Petisco, E., y J. M. Martín, 1995: Caracterización de la Circulación General Atmosférica en la Península Ibérica y Baleares. Servicio de Análisis e Investigación del Clima, Instituto Nacional de Meteorología, Nota Tec. 5, 69 pp.

Physick, W.L., y J.A. Noonan, 2000: Mesoscale modeling with MM5 for the PATH study (pollutants in the atmosphere and their transport over Hong Kong). Proc. Of the 11th joint conference on the applications of air pollution meteorology with the A&WMA, Long Beach, CA, USA, 90-95.

Pielke, R.A., 1984: *Mesoscale Meteorological Modeling*. Orlando, Academic Press, 611 pp.

Pielke, R.A., y L. Walko, 1994: RAMS The Regional Atmospheric Modeling System technical manual (draft). ASTeR Division of MRC, 45 pp.

Pielke, R.A., y M. Uliasz, 1998. Use of meteorological models as input to regional and mesoscale air quality models – limitations and strengths. *Atmos. Environ.*, **32**, 1455-1466.

Pineda, N., 2004: Avaluació amb imatges de satèl·lit de les propietats físiques del sòl requerides en models meteorològics. Tesis doctoral, Universitat Politècnica de Catalunya, 173 pp.

Pineda, N., y J. Jorge, 2002: Informe final. Grup UPC-EUPM. Projecte MMPACTE, Informe final, Generalitat de Catalunya, DURSI/DMA, 22 pp.

Pineda, N., Jorba, O., Jorge, J., y J. M. Baldasano, 2004: Using NOAA-AVHRR and SPOT-VGT data to estimate surface parameters: application to a mesoscale meteorological model. *Int. J. Remote Sens.*, **25**, 129-143.

Pino, D., Vilà, J., y A. Rius, 2002: Informe final d'activitats. Grup IEEC-CSIC. Projecte IMPACTE, Informe final, Generalitat de Catalunya, DURSI/DMA, 15 pp.

Pino, D., Vilà-Guerau de Arellano, J., Comerón, A., y F. Rocadenbosch, 2004: The boundary layer growth in an urban area. *Sci. Total Environ.*, **334-335**, 207-213.

Pleim, J.E., y J.S. Chang, 1992: A non-local closure model for vertical mixing in the convective boundary layer. *Atm. Environ.*, **26A**, 965-981.

Price, J.C., 1977: Thermal Inertia mapping: A new view of the earth. *J. Geophys. Res.*, **82**, 2582-2590.

Queney, P., Corby, G.A., Gerbier, N., Koschmieder, H., y J. Zierep, 1960: The airflow over mountains. WMO Tech. Note No. 34, 135 pp.

Querol, X., Alastuey, A., Rodriguez, S., Plana, F., Ruiz, C. R., Cots, N., Massagué, G., y O. Puig, 2001: PM10 and PM2.5 source apportionment in the Barcelona Metropolitan area, Catalonia, Spain. *Atmos. Environ.*, **35**, 6407-6419.

Ramis, C., y R., Romero, 1995: A first numerical simulation of the development and structure of the sea breeze in the island of Mallorca. *Ann. Geophys.*, **13**, 981-994.

Raso, J.M., 1980: *El clima de Baleares (Resumen de Tesis doctoral)*. Barcelona, Sección de publicaciones, ediciones, intercambio científico y extensión universitaria, Universitat de Barcelona.

Reisner, J., Rasmussen, R.M., y R.T. Bruintjes, 1998: Explicit forecasting of supercooled liquid water in winter storms using a mesoscale model. *Quart. J. Roy. Meteor. Soc.*, **124**, 1071-1089.

Ribalaygua, J., y R. Borén, 1995: Clasificación de patrones espaciales de precipitación diaria sobre la España Peninsular y Baleárica. Servicio de Análisis e Investigación del Clima, Nota Tec. 3, 53 pp.

Ribalaygua, J., y R. Borén, 1996: *Clasificación sinóptica a partir de patrones de precipitación*. Madrid.
[<http://www.met.ed.ac.uk/calmet/conferences/calmet01/cd/vazquez/mcs1/mcs1.htm>, septiembre de 2001].

Rodríguez, S., Querol, X., Alastuey, A., Kallos, G., y O. Kakaliagou, 2001: Saharan dust contributions to PM10 and TSP levels in Southern and Eastern Spain. *Atmos. Environ.*, **35**, 2433-2447.

Rolph, G.D., 2003: Real-time Environmental Applications and Display sYstem (READY) Website (<http://www.arl.noaa.gov/ready/hysplit4.html>). NOAA Air Resources Laboratory, Silver Spring, MD.

Romero, R., Doswell, C. A., y C. Ramis, 2000: Mesoscale numerical study of two cases of long-lived quasi-stationary convective systems over eastern Spain. *Mon. Wea. Rev.*, **128**, 3731-3751.

Romero, R., Sumner, G., Ramis, C., y A. Genovés, 1999: A classification of the atmospheric circulatory patterns producing significant daily rainfall in the Spanish Mediterranean area. *Intern. J. Climatol.*, **19**, 765-785.

Ruiz Urrestarazu, P., 1982: *La transición climática del Cantábrico Oriental-Valle Medio del Ebro*. Diputación Foral de Álava, 651 pp.

- Sailor, D.J., 1995: Simulated urban climate response to modifications in surface albedo and vegetative cover. *J. Appl. Meteor.*, **34**, 1694-1704.
- Salvador, R., 1999: Análisis y modelización de los procesos atmosféricos durante condiciones de brisa en la costa mediterránea occidental: Zona Castellón. Tesis Doctoral, Universitat Politècnica de Catalunya.
- Salvador, R., Millán, M.M., Mantilla, E., y J. M. Baldasano, 1997: Mesoscale modelling of atmospheric processes over the western Mediterranean area during summer. *Int. J. Env. Pollution.*, **8**, 513-529.
- Salvador, R., Calbó, J., y M.M. Millán, 1999: Horizontal grid size selection and its influence on mesoscale model simulations. *J. Appl. Meteor.*, **38**, 1311-1329.
- Sánchez, J., 1993: *Situaciones atmosféricas en España*. Ministerio de Obras Públicas, Transportes y Medio Ambiente, Ed. Centro de Publicaciones, 285 pp.
- Saunders, R.W., 1990: The determination of broad band surface albedo from AVHRR visible and near-infrared radiances. *Int. J. Remote. Sens.*, **11**, 49-67.
- Schär, C., y D.R. Durran, 1997: Vortex formation and vortex shedding in continuously stratified flows past isolated topography. *J. Atmos. Sci.*, **54**, 534-554.
- Seagal, M.R., Avissar, R., McCumber, M.C., y R.A. Pielke, 1988: Evaluation of vegetation effects on the generation and modification of mesoscale circulations. *J. Atmos. Sci.*, **45**, 2268-2292.
- Seaman, N.L., 2000. Meteorological modeling for air quality assessments. *Atmos. Environ.*, **34**, 2231-2259.
- Seaman, N.L., Stauffer, D.R., y A.M. Lario-Gibbs, 1995: A multiscale four dimensional data assimilation system applied in the San Joaquin valley during SARMAP. Part I: Modeling design and basic performance. *J. Appl. Meteorol.*, **34**, 1739-1761.
- Seinfeld, J. H., 1988: *Ozone air quality models: a critical review*. JAPCA, **38**(5), 616-645.
- Seth A., y F. Giorgi, 1996: Three-dimensional model study of organized mesoscale circulations induced by vegetation. *J. Geophys. Res.*, **101**, 7371-7391.
- Shafran, P.C., Seaman, N.L., y G.A. Gayno, 2000: Evaluation of numerical predictions of boundary layer structure during the Lake-Michigan Ozone Study (LMOS). *J. Appl. Meteor.*, **39**, 412-426.
- Sicard, M., Pérez, C., Comerón, A., Baldasano, J.M., y F. Rocadenbosch, 2003: Determination of the Mixing Layer Height from Regular Lidar Measurements in the Barcelona Area. *Proc. SPIE's 10th Int. Symp. on Remote Sensing*, Barcelona, Spain, SPIE, Vol. 5235, 505-516.

Simpson, J. E., Mansfield, D. A., y J. R. Milford, 1977: Inland penetration of sea-breeze fronts. *Quart. J. Roy. Meteor. Soc.*, **103**, 47-76.

Sinnott, R.W., 1984: Virtues of the Haversine. *Sky and Telescope*, **68**, 159.

Smith, R.B., 1979: The influence of mountains on the atmosphere. *Advances in Geophysics*, Vol. 21, Academic Press, 87-230.

Smith, R.B., y S. Gronas, 1993: Stagnation points and bifurcation in 3D mountain airflow. *Tellus*, **45A**, 28-43.

Sobrino, J.A., y M.H. El Kharraz, 1999: Combining afternoon and morning NOAA satellites for thermal inertia estimation. 2.Methodology and application, *J. Geophys. Res.*, **104**(D8), 9455-9465.

Soler, M. R., Hinojosa, J., Bravo, M., Pino, D., y J. Vilá-Guerau de Arellano, 2003: Analyzing the basic features of different complex terrain flows by means of a Doppler Sodar and a numerical model: Some implications for air pollution problems. *Meteor. Atmos. Phys.*, DOI 10.1007/s00703-003-0041-z.

Soriano, C., y J.M. Baldasano, 1998: Study of the Land-Sea Interface in the Barcelona Area with Lidar Data and Meteorological Models, In C. Brebbia, *Environmental Coastal Regions*, Computational Mechanics Publications, 135-142.

Soriano, C., Baldasano, J.M., y W.T. Buttler, 1997: On the application of meteorological models and lidar techniques for air quality studies at a regional scale. *Air Pollution Modeling and its Application XII*, Ed. Gryning, S-E. y Chaumeliac, N., Plenum Press, 591-600.

Soriano, C., Baldasano, J.M., Buttler, W.T., y K.R. Moore, 2001: Circulatory patterns of air pollutants within the Barcelona air basin in a summertime situation: Lidar and numerical approaches. *Bound.-Layer Meteor.*, **98**, 33-55.

Soriano, C., Jorba, O., y J.M. Baldasano, 2002: One-way nesting versus Two-way nesting: Does it really make a difference?. *Proc. Air Pollution Modeling and Its Application XV*, Ed. Borrego and Schayes, Kluwer Academic/Plenum Publishers, New York, 177-185.

Spellman, G., 2000: The application of an objective weather-typing system to the Iberian peninsula. *Weather*, **55**, 375-385.

Stage, S. A., y R. A. Weller, 1986: The frontal air-sea interaction experiment (FASINEX) part II: experimental plan. *Bull. Amer. Meteor. Soc.*, **67**, 16-20.

Stauffer, D.R. y N.L. Seaman, 1990: Use of Four-Dimensional Data Assimilation in a Limited-Area Mesoscale Model. Part I: Experiments with Synoptic-Scale Data. *Mon. Wea. Rev.*, **118**, 1250-1277.

Stenger, R.A., 2000: Sensitivity studies on a limited area mesoscale model: an examination of lateral boundary placement, grid resolution and nesting type. Air Force

Institute of Technology, Thesis for the degree of Master of Science in Meteorology, 215 pp.

Stohl, A., 1998: Computation, accuracy and applications of trajectories-A review and bibliography. *Atmos. Environ.*, **32**, 947-966.

Stohl, A., y P. Seibert, 1998: Accuracy of trajectories as determined from the conservation of meteorological tracers. *Quart. J. Roy. Meteor. Soc.*, **124**, 1465-1484.

Stohl, A., y T. Trickl, 1999: A textbook example of long-range transport: Simultaneous observation of ozone maxima of stratospheric and North American origin in the free troposphere over Europe. *J. Geophys. Res.*, **104**, 30445-30462.

Stohl, A., Eckhardt, S., Forster, C., James, P., Spichtinger, N., y P. Seibert, 2002: A replacement for simple back trajectory calculations in the interpretation of atmospheric trace substance measurements. *Atmos. Environ.*, **36**, 4635-4648.

Stull, R.B., 1998: *An Introduction to Boundary Layer Meteorology*. Kluwer Academic Publishers, 670 pp.

Stull, R.B., 2000: *Meteorology today for scientists and engineers*. 2^a Ed. West Publishing Co., 502 pp.

Tanguay, M., Robert, A. y R. Laprise, 1990: A semi-implicit semi-Lagrangian fully compressible regional forecast model. *Mon. Wea. Rev.*, **118**, 1970-1980.

Thunis, P., y R. Bornstein, 1996: Hierarchy of mesoscale flow assumptions and equations. *J. Atmos. Sci.*, **53**, 380-397.

Toll, I., y J. M. Baldasano, 2000: Modeling of photochemical air pollution in the Barcelona area with highly disaggregated anthropogenic and biogenic emissions. *Atmos. Environ.*, **34A**, 3069-3084.

Tremback y Snook, 2004: MM5 Simulations for MM5 Simulations for TexAQs TexAQs: PBL Structure and Wind Performance with a Modified MRF Scheme.

Tudurí, E., Romero, R., López, L., García, E., Sánchez, J. L. y C. Ramis, 2003: The 14 July 2001 hailstorm in northeastern Spain: diagnosis of the meteorological situation. *Atmos. Res.*, **67-68**, 541-558.

Ulrickson, B.L., 1992: Effects of surface property variations on simulated daytime airflow over coastal southern California. *Mon. Wea. Rev.*, **120**, 2264-2279.

Ulrickson, B.L., y C.F. Mass, 1990a: Numerical investigation of mesoscale circulations in the Los Angeles basin. Part I: A verification study. *Mon. Wea. Rev.*, **118**, 2138-2161.

Ulrickson, B.L., y C.F. Mass, 1990b: Numerical investigation of mesoscale circulations in the Los Angeles basin. Part II: Large-scale flows and pollutant transport. *Mon. Wea. Rev.*, **118**, 2162-2184.

Undén, P., Rontu, L., Järvinen, H., Lynch, P., Calvo, J., Cats, G., Cuxart, J., Eerola, K., Fortelius, C., Garcia-Moya, J.A., Jones, C., Lenderlink, G., McDonald, A., McGrath, R., Navascues, B., Nielsen, N.W., Ödegaard, V., Rodriguez, E., Rummukainen, M., Rööm, R., Sattler, K., Sass, B.H., Savijärvi, H., Schreur, B.W., Sigg, R., The, H., y A. Tijn, 2002: HIRLAM-5 Scientific Documentation. Scientific Doc. Available at SMHI, S-60176, Norrköping, Sweden.

United States Geological Survey, 2002. Global Land Cover Characterization. [<http://edcdaac.usgs.gov/glcc/glcc.html>, Novembre 2002]

Universitat de Barcelona, 2002: Informe final d'activitats. Grup UB. Projecte IMPACTE, Informe final, Generalitat de Catalunya, DURS/DMA, 16 pp.

University of Washington, 2001: Pacific Northwest Environmental Forecasts and Observations. [<http://www.atmos.washington.edu/mm5rt/>, abril 2001]

Valiente, J.A., Nunez, M., Lopez-Baeza, E. y J. Moreno, 1995: Narrow-band to broad-band conversion for Meteosat-visible channel and broad-band albedo using both AVHRR-1 and -2 channels. *Int. J. Remote Sens.*, **16**, 1147-1166.

Valor, E. y V. Caselles, 1996: Mapping land surface emissivity from NDVI: Application to European, African, and South American areas. *Remote Sens. Environ.*, **57**, 167-184.

Vellinga, O.S, 2002: Intercomparison of Local and Non-Local Atmospheric Boundary-Layer Schemes in MM5 with Detailed Observations. MSc Theses (Advisor: J. Vilà), Wageningen University, The Netherlands, 35 pp.

Venkatram, A., 1977: A model for internal boundary layer development. *Bound.-Layer Meteor.*, **11**, 419-437.

Vilà, J., Duynkerke, P. G., y D. Pino, 2002: Entrainment processes in mesoscale models: observational validation. In *Air Pollution Modelling and Simulation*. Ed: Bruno Sportisse., Springer.

Vilaclara, E., 2003: Situacions del nord-oest sobre Catalunya: l'estela pirinenca. *Tethys*, **2**. [<http://tethys.acamet.org/num02/articles/art0207.htm/>]

Warner, T.T., Petersen, R.A., y R.E. Treadon, 1997: A tutorial on lateral boundary conditions as a basic and potentially serious limitation to regional numerical weather prediction. *Bull. Amer. Meteor. Soc.*, **78**, 2599-2617.

Wetzel, P.J., y A. Boone, 1995: A parameterization for Land-Atmosphere-Cloud Exchange (PLACE): documentation and testing of a detailed process model of the partly cloudy boundary layer over heterogeneous land. *J. Climate*, **8**, 1810-1837.

- Wetzel, P.J., Argentini, S., y A. Boone, 1996: Role of land surface in controlling daytime cloud amount: two cases in the GCIP-SW area. *J. Geophys. Res.*, **101**, 7359-7370.
- White, B.G., Paegle, J., Steenburgh, W.J., Horel, J.D., Swanson, R.T., Cook, L.K., Onton, D.J., y J.G. Miles, 1999: Short-term forecast validation of six models, *Wea. Forecasting*, **14**, 84-108.
- Whitemann, C. D., 2000: *Mountain Meteorology. Fundamentals and Applications*. Oxford University Press, New York, Oxford, 356 pp.
- Whitemann, C. D., y J. C. Doran, 1993: The relationship between overlying synoptic-scale flows and winds within a valley. *J. Appl. Meteor.*, **32**, 1669-1682.
- Wilde, N.P., Stull, R.B., y E.W. Eloranta, 1985: The LCL zone and cumulus onset. *J. Clim. Appl. Meteor.*, **24**, 640-657.
- Willmott, C.J., 1982: Some comments on the evaluation of model performance. *Bull. Amer. Meteor. Soc.*, **63**, 1309-1313.
- Willmott, C.J., Ackleson, S.G., Davis, R.E., Feddema, J.J., Klink, K.M., Legates, D.R., O'Donnell, J., y C.M. Rowe, 1985: Statistics for the evaluation and comparison of models. *J. Geophys. Res.*, **90**, 8995-9005.
- Wippermann, F., y G. Gross, 1981: On the construction of orographically influenced wind roses for given distributions of the large-scale wind. *Contrib. Atmos. Phys.*, **54**, 492-501.
- Wippermann, F., 1984: Air flow over and in broad walleys: Channeling and countercurrent. *Contrib. Atmos. Phys.*, **57**, 92-105.
- Wisse, J.S., y J. Vilà-Guerau de Arellano, 2004: Analysis of the role of the planetary boundary layer schemes during a severe convective storm. *Ann. Geophysicae*, **22**, 1861-1874.
- World Health Organization, 2000: Guidelines for air quality. Geneva (Switzerland).
- Xiu, A. y J.E. Pleim, 2000, Development of a land surface model part I: Application in a mesoscale meteorology model. *J. Appl. Meteor.*, **40**, 192-209.
- Xue, M., Droegemeier, K.K., y V. Wong, 2000: The Advanced Regional Prediction System (ARPS) – A multi-scale nonhydrostatic atmospheric simulation and prediction model. Part I: Model dynamics and verification. *Meteor. Atmos. Phys.*, **75**, 161-193.
- Young, G.S., 1988: Turbulence structure of the convective boundary layer. Part I. Variability of normalized turbulence statistics. *J. Atmos. Sci.*, **45**, 719-726.
- Zhang, D.L., y R.A. Anthes, 1982: A high resolution model of the planetary boundary layer: sensitivity tests and comparisons with SESAME-79 data. *J. Appl. Meteor.*, **21**, 1594-1609.

