



UNIVERSITAT POLITÈCNICA
DE CATALUNYA

Ph.D. Thesis Dissertation

**Optimization and Generalization
of Lifting Schemes:
Application to Lossless Image Compression**

Author: Joel Solé Rojals

Advisor: Prof. Philippe Salembier

Image Processing Group
Department of Signal Theory and Communications
Universitat Politècnica de Catalunya

Barcelona, April 2006

Als meus pares,

Abstract

This Ph.D. thesis dissertation addresses multi-resolution image decomposition, a key issue in signal processing that in recent years has contributed to the emergence of the JPEG2000 image compression standard. JPEG2000 incorporates many interesting features, mainly due to the discrete wavelet transform stage and to the EBCOT entropy coder.

Wavelet analysis perform multi-resolution decompositions that decorrelate signal and separate information in useful frequency-bands, allowing flexible post-coding. In JPEG2000, decomposition is computed through the lifting scheme, the so-called second generation wavelets. This fact has focused the community interest on this tool. Many works have been recently proposed in which lifting is modified, improved, or included in a complete image coding algorithm.

The Ph.D. thesis dissertation follows this research line. Lifting is analyzed, proposals are made within the scheme, and their possibilities are explored. Image compression is the main objective and it is principally assessed by means of coding transformed signal with EBCOT and SPIHT coders. Starting from this context, the work diverges in two distinct paths, the linear and the nonlinear one.

The linear lifting filter construction is based on the idea of quadratic interpolation and the underlying linear restriction due to the wavelet transform coefficients. The result is a flexible framework that allows the creation of new transforms using different criteria and that may adapt to the image statistics.

The nonlinear part is founded on the adaptive lifting scheme, which is extensively analyzed and as a consequence, a generalization of the lifting is proposed. The discrete version of the generalized lifting is developed leading to filters that achieve good compression results, specially for biomedical and remote sensing images.

Resumen

Esta tesis aborda el problema de la descomposición multi-resolución, tema clave en procesado del señal que ha llevado estos últimos años a la creación del sobresaliente estándar JPEG2000 de compresión de imágenes. JPEG2000 incorpora una serie de funcionalidades muy interesantes debido básicamente a la transformada wavelet discreta y al codificador entrópico EBCOT.

La transformada wavelet realiza una descomposición multi-resolución que decorrela la señal separando la información en un conjunto de bandas frecuenciales útiles para la posterior codificación. En JPEG2000, la descomposición se calcula mediante el esquema lifting, también llamado wavelet de segunda generación. La integración del esquema lifting en el estándar ha centrado el interés de muchos investigadores en esta herramienta. Recientemente, han aparecido numerosos trabajos proponiendo modificaciones y mejoras del lifting, así como su inclusión en nuevos algoritmos de codificación de imágenes.

La tesis doctoral sigue esta línea de investigación. Se estudia el lifting, se hacen propuestas dentro del esquema y sus posibilidades se exploran. Se ha fijado la compresión de imágenes como el principal objetivo para la creación de nuevas transformadas wavelet, que se evalúan en su mayor parte mediante la codificación de la señal transformada con EBCOT o SPIHT. Dentro de este contexto, el trabajo diverge en dos caminos distintos, el lineal y el no lineal.

La construcción de filtros lifting lineales se basa en la idea de interpolación cuadrática y la restricción lineal subyacente de los coeficientes wavelet. El resultado es un marco de trabajo flexible que permite la creación de transformadas con distintos criterios y adaptables a la estadística de la imagen.

La parte no lineal tiene sus fundamentos en el esquema lifting adaptativo, del cuál se ofrece un extenso análisis y como consecuencia se propone una generalización del lifting. Su versión discreta se desarrolla consiguiendo filtros lifting que obtienen buenos resultados, sobretodo en imágenes biomédicas y de detección remota.

Agradecimientos

Primero, quiero dar las gracias a Philippe. Difícilmente podría imaginar un mejor director de tesis.

Gracias también al grupo de imagen y a los doctorandos de GPS por toda la ayuda, así como los cafés y viajes compartidos, y el fútbol de los jueves.

Finalmente, agradezco a todos los que fuera de la universidad me han soportado; compañeros de piso y amigos, y especialmente mi familia y Anna.

Joel

Barcelona, Abril 2006

Contents

Notation	xvii
Acronyms	xix
1 Introduction	1
1.1 Motivation	1
1.2 Thesis Organization	3
1.3 Research Contributions	4
2 Discrete Wavelet Transform, Lifting, and Image Coding: An Overview	7
2.1 Discrete Wavelet Transform	7
2.1.1 Multi-resolution Analysis	8
2.1.2 Biorthogonal Wavelets	11
2.1.2.1 Vanishing Moments	12
2.1.3 Discrete Wavelet Transform in Image Compression	12
2.2 Lifting Scheme	13
2.2.1 Classical Lifting	15
2.2.2 Polyphase Characterization of Perfect Reconstruction	17
2.2.3 Polyphase Characterization of Lifting Scheme	20
2.2.4 Lifting in JPEG2000-LS	22
2.2.5 Space-Varying Lifting	25
2.2.6 Adaptive Lifting	26

2.3	Review of Lifting Algorithms	27
2.3.1	Methods for Lifting Design	28
2.3.2	Methods for Lifting Optimization	31
2.3.3	Lifting in Video Compression	34
2.4	Other Adaptive, Nonlinear, and Sparse Decompositions	36
2.5	Wavelet-based Image Coders	36
2.5.1	Embedded Bit-Stream and Scalability	39
2.5.2	SPIHT coder	40
2.5.3	EBCOT coder	42
3	Linear Lifting Schemes: Interpolative and Projection-based Lifting	43
3.1	Introduction	43
3.1.1	Convex Optimization Theory	45
3.2	Quadratic Image Interpolation Methods	47
3.2.1	Quadratic Interpolation	47
3.2.2	Optimal Quadratic Interpolation	48
3.2.3	Alternative Formulations	51
3.2.3.1	Signal Bound Constraint	51
3.2.3.2	Weighted Objective	52
3.2.3.3	Energy Penalizing Objective	52
3.2.3.4	Signal Regularizing Objective	53
3.2.3.5	l^1 -norm Objective	54
3.3	Projection-based Lifting	55
3.3.1	Wavelet Linear Constraint	55
3.3.2	Linear Prediction Steps Construction	56
3.3.3	Linear Update Steps Construction	58
3.3.3.1	First Linear ULS Design	59

3.3.3.2	Second Linear ULS Design	60
3.3.3.3	Third Linear ULS Design	61
3.4	Experiments	63
3.4.1	Auto-regressive Image Model	63
3.4.2	Interpolation Methods	64
3.4.2.1	Interpolation Methods PSNR Performance	67
3.4.3	Optimality Analysis	68
3.4.3.1	First Prediction Step Study	68
3.4.3.2	Update Step Study	70
3.4.3.3	Second Prediction Step Study	71
3.4.4	Improved Linear Lifting Steps Performance	74
3.4.4.1	ULS with AR-1 Signal Test	74
3.4.4.2	ULS on a Quincunx Grid with AR Data	76
3.4.4.3	Local Adaptive ULS	78
3.4.4.4	Image Class Optimal ULS Test	78
3.4.4.5	A Refinement for Mammography	79
3.4.4.6	Optimal Second PLS Test	81
3.5	Chapter Summary and Conclusions	82
4	From Adaptive to Generalized Lifting	83
4.1	Adaptive Lifting Description	83
4.2	Adaptive Lifting Analysis	86
4.3	Adaptive Lifting Steps Construction	91
4.3.1	Median-based Decision Adaptive ULS	91
4.3.1.1	Scheme Description	91
4.3.1.2	Experiments	93
4.3.2	Variance-based Decision Adaptive ULS	94

4.3.2.1	Scheme Description	94
4.3.2.2	Experiments	98
4.4	Generalized Lifting	100
4.4.1	Discrete Generalized Lifting	103
5	Generalized Discrete Lifting Steps Construction	107
5.1	Generalized Discrete Prediction Design	108
5.1.1	Geometrical Design of the Prediction	108
5.1.1.1	Experiments and Results	110
5.1.1.2	Extensions	112
5.1.2	Optimized Prediction Design	113
5.1.2.1	Experiments and Results	115
5.1.3	Adaptive Optimized Prediction Design	120
5.1.3.1	Experiments and Results	121
5.1.3.2	Convergence Issues	123
5.2	Generalized Discrete Update Design	124
5.2.1	Update Step Objectives	126
5.2.1.1	Joint Update-Prediction Design	128
5.2.2	Update-Last Design	129
5.2.2.1	Entropy Minimization	129
5.2.3	Update-First Design	131
5.2.3.1	Gradient Minimization	132
5.3	Nonlinear Lifting Chapters Summary and Conclusions	133
5.A	Appendix: Proof of Minimum Energy/Entropy Mappings	134
5.B	Appendix: Algorithm to Implement 3-D SPIHT	138
6	Conclusions and Future Work	141
6.1	Conclusions	141

6.2 Future Work	144
A Benchmark Images	147
Bibliography	151

Notation

Boldface upper-case letters denote matrices, boldface lower-case letters denote column vectors, upper-case italics denote sets, and lower-case italics denote scalars.

\mathbb{R}, \mathbb{Z}	The set of real and integer numbers, respectively.
$\mathbb{R}_+, \mathbb{R}_{++}$	The set of non-negative real and positive real numbers, respectively.
\mathbb{Z}_n	A set of n consecutive integer numbers.
$\mathbb{R}^{n \times m}$	The set of $n \times m$ matrices with real-valued entries.
\mathbf{X}^T	Transpose of the matrix \mathbf{X} .
\mathbf{X}^{-1}	Inverse of the matrix \mathbf{X} .
$[\mathbf{X}]_{i,j}$	(i, j) th component of the matrix \mathbf{X} .
\mathbf{I}_n	Identity matrix of dimensions $n \times n$ (the dimension is not explicitly indicated if it is clear from the context).
\mathbf{e}_i	Canonical vector with all the elements being zeros except the i^{th} one which is equal to one.
$\mathbf{a} \geq \mathbf{b}$	Elementwise relation $a_i \geq b_i$.
$ x $	Absolute value of the scalar x .
$\ \mathbf{x}\ $	Euclidean norm of the vector \mathbf{x} : $\ \mathbf{x}\ = \sqrt{\mathbf{x}^T \mathbf{x}}$.
\arg	Argument.
\max, \min	Maximum and minimum.
$(\cdot)^*$	Optimal value.
\cap, \cup	Intersection and union.
$[a, b], (a, b)$	Closed interval ($a \leq x \leq b$) and open interval ($a < x < b$), respectively.

$\Pr(\cdot)$	Probability.
$\mathbb{E}[\cdot]$	Mathematical expectation.
$ \mathcal{A} $	Cardinality of the set \mathcal{A} , i.e., number of elements in \mathcal{A} .
$L^2(\mathbb{R})$	The space of square integrable functions.
$l^2(\mathbb{Z})$	The space of square summable sequences.
*	Linear convolution.
\propto	Equal up to a scaling factor (proportional).
\triangleq	Defined as.
\approx	Approximately equal.
\cong	Equivalent to.
$\nabla_{\mathbf{x}} f$	Gradient of the function f with respect to \mathbf{x} .
$P(\cdot)$	Prediction lifting step.
$U(\cdot)$	Update lifting step.
$\lfloor \cdot \rfloor$	Rounding to nearest integer.
$Q(\cdot)$	Quantization.
$\exp(\cdot)$	Exponential.
$\log(\cdot)$	Natural logarithm.
$\log_a(\cdot)$	Base- a logarithm.
$\delta[\cdot]$	Kronecker delta.

Acronyms

1-D, 2-D, 3-D	One-dimensional, two-dimensional, and three-dimensional, respectively.
AR, AR-m	Auto-regressive and auto-regressive model of m^{th} order, respectively.
bpp	bits per pixel.
DWT	Discrete Wavelet Transform.
EBCOT	Embedded Block Coding with Optimized Truncation.
EZW	Embedded Zero-tree Wavelet coding.
FB	Filter Bank.
FIR	Finite Impulse Response.
GL	Generalized Lifting.
GLS	Generalized Lifting Step.
IEEE	Institute of Electrical and Electronics Engineers.
IIR	Infinite Impulse Response.
ISO	International Organization for Standardization.
ITU-T	International Telecommunications Union (Standardization Sector).
JPEG	Joint Photographic Experts Group (image standard).
JPEG-LS	JPEG Lossless image standard.
KKT	Karush-Kuhn-Tucker.
LC	Local Characteristics.
LHS	Left-Hand Side.
LMS	Least Mean Square.
LS	Lifting Scheme.
LSB	Least Significant Bit.
LUT	Look-Up Table.

LWT	Lazy Wavelet Transform.
MRA	Multi-Resolution Analysis.
MSB	Most Significant Bit.
MSE	Mean Square Error.
PLS	Prediction Lifting Step.
pdf	probability density function.
PR	Perfect Reconstruction.
PSNR	Peak Signal to Noise Ratio.
ROF	Rank-Order Filter.
RHS	Right-Hand Side.
SNR	Signal to Noise Ratio.
SPIHT	Set Partitioning in Hierarchical Trees.
SST	Sea Surface Temperature.
s.t.	subject to.
ULS	Update Lifting Step.
w.r.t.	with respect to.