

Contents

Preface	v
1 Introduction	1
1.1 Situation and objectives	1
1.2 Structure of this thesis	4
2 State of the Art	7
2.1 Steganography for multimedia data copyright protection	7
2.1.1 Watermarking	9
2.1.2 Fingerprinting	17
2.2 Steganography for multimedia data authentication	20
2.2.1 Fragile watermarking for image authentication	20
2.2.2 Invertible watermarking for image authentication	21
2.3 Statistical continuous microdata protection	25
2.3.1 Current masking methods	25
2.3.2 Information loss metrics	29
2.3.3 Disclosure risk metrics	30
2.3.4 A score for method comparison	33
2.3.5 Best performing masking methods	34

3	Watermarking for Digital Images	35
3.1	Image visual components for imperceptible mark embedding . . .	35
3.2	Scale-proof semi-public image watermarking	38
3.2.1	Mark embedding	38
3.2.2	Mark recovery	39
3.2.3	Parameter choice	41
3.2.4	Robustness assessment	41
3.3	Robust oblivious image watermarking	44
3.3.1	Mark embedding	44
3.3.2	Mark recovery	45
3.3.3	Parameter choice	46
3.3.4	Robustness assessment	48
3.3.5	Multiple marking	50
3.4	Enhancing watermark robustness	51
3.4.1	Prior mixture	52
3.4.2	Posterior mixture	58
3.5	Invertible spread-spectrum watermarking for image authenti- cation	61
3.5.1	Hartung-Girod spread-spectrum watermarking	61
3.5.2	Inverting spread-spectrum watermarks	62
3.5.3	Image authentication using invertible spread-spectrum spatial-domain watermarking	63
4	Collusion 3-Secure Fingerprinting Codes	69
4.1	Dual binary Hamming codes	70
4.2	3-Collusions over $DH(n)$	75
4.2.1	Detectable positions	75
4.2.2	Decoding by minimum distance	76

4.2.3	The aim of colluders	76
4.2.4	Distance from a collusion-generated word to colluders' codewords	78
4.2.5	Distance from a collusion-generated word to codewords not in the collusion	80
4.2.6	Identifying colluders' codewords	83
4.3	Scattering codes	86
4.3.1	Construction	86
4.3.2	Decoding	87
4.3.3	Collusions over $SC(d, t)$	88
4.4	3-Secure codes	92
4.4.1	Construction	92
4.4.2	3-Collusions	93
4.4.3	Numerical results	94
5	Statistical Microdata Protection	97
5.1	A modified score	97
5.2	Post-masking optimization	99
5.2.1	Mathematical background	99
5.2.2	The model	102
5.2.3	A heuristic optimization procedure	103
5.2.4	Computational results	105
6	Multilevel Access to Precision-Critical Data	109
6.1	Watermarking for multilevel access to statistical databases	110
6.1.1	Partially removable masking	110
6.1.2	Watermarking solutions for multilevel access	113
6.1.3	Watermarking requirements	113

6.1.4	Choice of a watermarking algorithm	115
6.2	Multilevel access to precision-critical images	116
6.2.1	Mark embedding for multilevel access	116
6.2.2	Partial mark removal	118
7	Conclusions	121
7.1	Concluding remarks	121
7.2	Results of this thesis	122
7.3	Future research	124
	Our Contributions	125
	Bibliography	127

List of Figures

2.1	Mark embedding procedure.	9
2.2	Mark recovery procedure.	9
2.3	Invertible watermarking for image authentication.	24
2.4	Record matching between two data sets.	31
3.1	Visual components of the image Lena.	37
3.2	Semi-public scheme: Left, original Lena. Right, Lena after embedding a 70 bit long mark.	42
3.3	Semi-public scheme: Left, marked Lena after JPEG 15% compression. Right, marked Lena after 50% scaling.	43
3.4	Oblivious scheme: Left, original Lena. Right, Lena after embedding a 30 bit long mark.	49
3.5	Oblivious scheme: Lena after three consecutive markings.	51
3.6	Prior mixture mark embedding procedure.	53
3.7	Prior mixture mark recovery procedure.	55
3.8	Posterior mixture mark recovery procedure.	59
4.1	A successful collusion.	77
4.2	p -majority collusion strategy.	77
4.3	Distribution of d_2 and d_6 for $p = 0.6$ and $p = 0.8$. The code is a $DH(6)$	84

4.4	For different values of d and t , probability of decoding the majority value $p(v)$ as a function of the p -majority strategy applied over a $SC(d, t)$	92
4.5	Construction of 3-secure codes.	94
6.1	Left, original Chips image. Right, subimage division of Chips (12 tiles).	119