



Geoelectrical Characterization of Sulphate Rocks

Ander Guinea Maysounave

ADVERTIMENT. La consulta d'aquesta tesi queda condicionada a l'acceptació de les següents condicions d'ús: La difusió d'aquesta tesi per mitjà del servei TDX (www.tdx.cat) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d'investigació i docència. No s'autoritza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d'un lloc aliè al servei TDX. No s'autoritza la presentació del seu contingut en una finestra o marc aliè a TDX (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

ADVERTENCIA. La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR (www.tdx.cat) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

WARNING. On having consulted this thesis you're accepting the following use conditions: Spreading this thesis by the TDX (www.tdx.cat) service has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized neither its spreading and availability from a site foreign to the TDX service. Introducing its content in a window or frame foreign to the TDX service is not authorized (framing). This rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it's obliged to indicate the name of the author.

Programa de Doctorat de Ciències de la Terra

GEOELECTRICAL CHARACTERIZATION OF SULPHATE ROCKS

Ander Guinea Maysounave

2011

Advisors / Directors de tesi:

Drs. Elisabet Playà Pous & Lluís Rivero Marginedas

Departament de Geoquímica, Petrologia i Prospecció Geològica



References

Ander Guinea 2011

- Anadón P, Cabrera L, Guimerà J, Santanach P (1985) Paleogene strike-slip deformation and sedimentation along the southeastern margin of the Ebro Basin. In: Biddle K, Christie-Blick N (eds.). *Strike-slip deformation, basin formation and sedimentation*. Society of Economic Paleontologists and Mineralogists Special Publication 37:303-318

- Asfahani J, Mohamad R (2002) Geo-electrical investigation for sulphur prospecting in Teshreen Structure in Northeast Syria. *Exploration and Mining Geology* 11:49-59

- Ayora C, García-Veigas J, Pueyo JJ (1994) The chemical and hydrological evolution of an ancient potash-forming evaporite basin as constrained by mineral sequence, fluid inclusion composition and numerical simulation. *Geochimica et Cosmochimica Acta* 58:3379-3394

- Ball LB, Lucius JE, Land LA, Teeple AP (2006) *Geological Survey Scientific Investigations Report 2006*. U.S. Geological Survey, pp 35

- Batlle-Aguilar J, Schneiderab S, Pesselb M, Tucholkab P, Coquet Y, Vachier P (2009) Axisymmetrical Infiltration in Soil Imaged by Noninvasive Electrical Resistivity. *Soil Science Society of America Journal* 73(2):510-520

- Bekhit MM, Khalil SA, Hussein SA (2008) Interfacial Effects on the Electrical Properties of Humid Limestone. *Australian Journal of Basic and Applied Sciences* 2(1):105-113

- Benson RC, Kaufmann RD (2001) Characterization of a highway sinkhole within the gypsum karst of Michigan. *Geotechnical and Environmental applications of Karst geology and hydrology*. Beck and Herring Eds. 103-112

- Berriman JG (1995) Mixture theories for rock properties. In: TJ Ares Ed., *Rock Physics and Phase Relations: A Handbook of Physical Constants*. American Geophysical Union, Washington, pp236

- Bitzer K (2004) Estimating paleogeographic, hydrological and climatic conditions in the upper Burdigalian Vallès-Penedès basin (Catalunya, Spain). *Geologica Acta* 2:321-331

- Bleaney BI, Bleaney B (1976) *Electricity and Magnetism 3rd Edition*. Great Britain: Oxford University Press, pp 63

- Bonetto S, Fornaro M, Giuliani A, Lasagna M (2008) Underground quarrying and water control: Some cases from Northern Italy. *10th International Mine Water Association Congress*, 2008, Czech Republic, Expanded Abstracts: P02

- Cabrera L, Roca E, Garcés M, de Porta J (2004) *Estratigrafía y evolución tectonosedimentaria oligocena superiorneógena del sector central del margen catalán (Cadena Costero- Catalana)*. In: Vera JA (ed.). *Geología de España*. Madrid, Sociedad Geológica de España-Instituto Geológico y Minero de España 569-573

- Carrillo E (2009) Unidades evaporíticas eocenas de la Zona Surpirenaica Oriental (Área de La Garrotxa). *Geogaceta* 47:73-76

- Choteau M, Phillips G, Prugger A (1997) Mapping and monitoring softrock mining. In: *Proceedings of Exploration 97: Fourth Decennial International Conference of Mineral Exploration*, A.G. Gubins Ed. 927-940

- Cole KS, Cole RH (1941) Dispersion and absorption in dielectrics. *Journal of Chemical Physics* 9:341-351

- Comunidad Autónoma de La Rioja, secretaría de información geográfica y cartográfica (2009) *Mapa Geológico de la comunidad autónoma de La Rioja*. Escala 1:350.000, proyección UTM elipsoide internacional.

- Cornacchiulo D, Bagtzoglou AC (2004) Geostatistical Reconstruction of Gaps in Near-Surface Electrical Resistivity Data. *Vadose Zone Journal* 3:1215-1229

- Daily W, Ramirez A, LaBrecque D, Barber W (1995) Electrical resistance tomography experiments at the Oregon Graduate Institute. *Journal of Applied Geophysics* 33:227-237

- Dahlin T, Leroux V, Nissen J (2002) Measuring techniques in induced polarisation imaging. *Journal of applied geophysics* 50:279-298

- deGroot-Hedlin C, Constable S (1990) Occam's inversion to generate smooth, two-dimensional models from magnetotelluric data. *Geophysics* 55:1613-1624

- Deucester J, Kaufmann O (2009) Correlation between inverted chargeabilities and organic compounds concentrations in soils-A field experiment. *Eage Near Surface 2009 15th european meeting of environmental and engineering geophysics*, Dublin, Ireland, Expanded abstracts C19

- Efferso F (2006) Resolution of Cole-Cole parameters based on induced polarization data. In: *Methods and applications of inversion*. Springer Berlin/Heidelberg Eds. 120-128
- Ewanic M, Reichhardt D, Brunet BS (2001) Electrical Resistivity Tomography Imaging of a Colloidal Silica Grout Injection. *Containment Remediation Technology*, Abstract: 137
- Furman A, Ferré PA, Warrik AW (2003) A Sensitivity Analysis of Electrical Resistivity Tomography Array Types Using Analytical Element Modeling. *Vadose Zone Journal* 2:416-423
- Garboczi EJ (1999) Finite element and finite difference programs for computing the linear electric and elastic properties of digital images of random materials. *NIST Internal Report 6269*. Also available at <http://ciks.cbt.nist.gov/garbocz/>
- Giao PH, Chung SG, Kym DY, Tanaka H (2003) Electric imaging and laboratory resistivity testing for geotechnical investigation of Pusan clay deposits. *Journal of Applied Geophysics* 52:157-175
- Glover PWJ, Hole MJ, Pous J (2000) A modified Archie's law for two conducting phases. *Earth and Planetary Science Letters* 180:369-383
- Guéguen Y, Chelidze T, Le Ravalec M (1997) Microstructures, percolation thresholds, and rock physical properties. *Tectonophysics* 279:23-35
- Guerrero J, Gutierrez F, Lucha P (2004) Paleosubsidence and active subsidence due to evaporite dissolution in the Zaragoza area (Huerva River valley, NE Spain): processes, spatial distribution and protection measures for transport routes. *Engineering Geology* 72:309-329
- Halpern A (1998) *Schaum's Outlines Beginning Physics II*. New York: McGraw-Hill Companies Inc., pp 141
- Hashin Z, Shtrikman S (1963) A variational approach to the theory of the elastic behavior of multiphase materials. *Journal of the Mechanics and Physics of Solids* 11:12-140
- Inglés M, Manote MR, Ortí F, Pey J, Playà E, Rosell L, Yeguas J (2009) Geochemical methods in alabaster provenance: an application example. *IX ASMOSIA: Interdisciplinary Studies on Ancient Stone meeting*, Tarragona, Spain, Abstracts 125
- Jakoski JJ (1950) *Exploration geophysics*. Trija Publishing Co., Los Angeles, pp 1195

- Karmakar R, Manna SS, Dutta T (2003) A geometrical model of diagenesis using percolation theory. *Physica A* 318:113-120
- Keller GV (1966) Electrical properties of rocks and minerals. In: Clark S.P. (Ed.), *Handbook of physical constants*. The Geological Society of America, pp 587
- Klein C, Hurlburt CS (1998) *Manual de mineralogía de Dana*. Reverté, pp 438
- Kirkpatrick S (1973) Percolation and conduction. *Reviews of Modern Physics* 45:574-588
- Landrø M, Puigdefabregas C, Arntsen B (2011) Anisotropy in the salt outcrop at Cardona, Catalonia – implications for seismic imaging. *First Break* 29:41-45
- Ledo J, Jones AG (2005) Upper mantle temperature determined from combining mineral composition, electrical conductivity laboratory studies and magnetotelluric field observations: Application to the intermontane belt, Northern Canadian Cordillera. *Earth and Planetary Science Letters* 236:258-268
- Loke MH, Baker RH (1996) Rapid least-squares inversion of apparent resistivity pseudosections by a quasi-Newton method. *Geophysical Prospecting* 44:131-152
- Loke MH (2002) *RES2DMOD ver 3.0. 2D Resistivity and IP Forward Modelling*. Ed. M. H. Loke Penang
- Lugo E, Playà E, Rivero L (2008) Aplicación de la tomografía eléctrica a la prospección de formaciones evaporíticas. *Geogaceta* 44:223-226
- Ma Y, Wang H, Xu LA, Jiang C (1997) Simulation study of the electrode array used in an ERT system. *Chemical Engineering Science* 52:2197-2203
- Maillet GM, Rizzo E, Revil A, Vella C (2005) High resolution electrical resistivity tomography (ERT) in a transition zone environment: Application for detailed internal architecture and infilling processes study of a Rhône River paleo-channel. *Marine Geophysical Researches* 26:317–328
- Mizutani H, Kanamori H (1967) Electrical conductivities of rock-forming minerals at high temperatures. *Journal of Physics of the Earth* 15(2):25-31
- Nichols G (1999) *Sedimentology and stratigraphy*. Wiley-Blackwell, pp 419

- Nyári Z, Kanli AI (2007) Imaging of buried 3D objects by using electrical profiling methods with GPR and 3D geoelectrical measurements. *Journal of Geophysics and Engineering*, 4:83-93
- Orellana E (1972) Prospección geoelectrica en corriente continua. *Paraninfo*, pp 523
- Ortí F, Pueyo JJ (1976) Yeso primario y secundario del depósito de Viloví (provincia de Barcelona, España). *Instituto de Investigaciones Geológicas* 31:5-34
- Ortí F (1990). Introducción a las evaporitas de la Cuenca Terciaria del Ebro. In: *Formaciones evaporíticas de la Cuenca del Ebro y cadenas periféricas, y de la zona de Levante* (eds F. Ortí and J.M. Salvany), Universidad de Barcelona-Enresa 62–66
- Ortí F, Salvany JM (1991) Depósitos de Glauberita en España: aspectos sedimentológicos y petrológicos generales. In: *Universitat de Barcelona (Eds.), Génesis de formaciones evaporíticas: modelos andinos e ibéricos*. Barcelona 193-230
- Ortí F, Salvany JM (1997) Continental Evaporitic Sedimentation in the Ebro Basin during the Miocene. In: Georges Busson and B. Charlotte Schreiber (Eds.), *Sedimentary deposition in rift and foreland basins in France and Spain (Paleogene and lower Neogene)*. Columbia University Press, New York 420-429
- Ortí F (2000) Unidades glauberíticas del Terciario ibérico: nuevas aportaciones. *Revista de la Sociedad Geológica de España* 13:227-249
- Ortí F, Rosell L (2000) Evaporative systems and diagenetic patterns in the Calatayud basin (Miocene, central Spain). *Sedimentology* 47:665-685
- Ortí F, Rosell L, Playà E (2007) Depositional models of lacustrine evaporites in the SE margin of the Ebro Basin (Paleogene, NE Spain). *Geologica Acta* 5(1):19-34
- Ortí F, Rosell L, Playà E, García-Veigas J (2010) Large gypsum nodules in the Tertiary evaporites of Spain: distribution and paleogeographic significance. *Geological Quarterly* 54(4):411-422
- Palacky GV (1987) *Resistivity characteristics of geologic targets, in Electromagnetic Methods in Applied Geophysics*. Misac N. Nabighian (ed.), pp 1351
- Parkhomenko EJ (1967) *Electrical properties of rocks*. Plenum Press, New York, pp 314

- Parkhomenko EI (1982) Electrical resistivity of minerals and rocks at high temperature and pressure. *Reviews of Geophysics* 20(2):193-218
- Rider MH (1986) *The Geological interpretation of well logs*. Blackie Halsted Press, pp 175
- Robinson ES, Çoruh C (1988) *Basic Exploration Geophysics*. John Wiley and sons, pp 562
- Rosell L, Pueyo JJ (1997) Second Marine Evaporitic Phase in the South Pyrenean Foredeep: The Priabonian Potash Basin (Late Eocene: Autochthonous-Allochthonous Zone). In: Busson G, Schreiber Ch (Eds) *Sedimentary deposition in rift and foreland basins in France and Spain*. Columbia University Press, New York, 358–387
- Russell EJM, Barker RD (2010) Electrical properties of clay in relation to moisture loss. *Near Surface Geophysics* 8:173-180
- Salvany JM, Ortí F (1987) La paragénesis de sulfatos de Ca y Na en el Mioceno continental de Alcanadre-Arrúbal (La Rioja) y San Adrián (Navarra). *Boletín Sociedad Española Mineralogía* 10(1):47-48
- Salvany JM (2009) *Geología del yacimiento glauberítico de Montes de Torrero (Zaragoza)*. Prensas Universitarias de Zaragoza, pp 72
- Sans M, Vergés J, Gomis E, Parés JM, Schiattarella M, Travé A, Calvet F, Santanach P, Doucet A (2003) Layer parallel shortening in salt-detached fold: constraint on cross-section restoration. *Tectonophysics* 372:85-104
- Sasaki Y (1992) Resolution of resistivity tomography inferred from numerical simulation. *Geophysical Prospecting* 40:453-46
- Srinivasamoorthy K, Sarma VS, Vasantavigar M, Vijayaraghavan K, Chidambaram S, Rajivganthi R (2009) Electrical imaging techniques for groundwater pollution studies: a case study from Tamil Nadu state, South India. *Earth Sciences Research Journal* 13:30-39
- Stauffer D, Aharony A (1985) *Introduction to percolation theory*. Taylor and Francis ed., pp 181
- Sumanovac F, Dominkovic S (2007) Determination of resolution limits of electrical tomography on the block model in a homogenous environment by means of electrical modelling. *Rudarsko-Geolosko-Naftni Zbornik* 19:47-56

- Sumner JS (1976) *Principles of induced polarization for geophysical exploration*. Elsevier, pp 277
- Szalai S, Szarka L (2008) On the classification of surface geoelectric arrays. *Geophysical Prospecting* 56:159–175
- Szalai S, Novák A, Szarka L (2009) Depth of investigation and vertical resolution of surface geoelectric arrays. *Journal of Environmental & Engineering Geophysics* 14:15-23
- Takakura S, Nakada K (2006) IP measurements on tunnel walls of a sericite deposit -A contact method of nonpolarizable electrodes on a base rock and detection of clay minerals by normalised chargeability-. *Geophysical Exploration* 59(4):363-370
- Telkes M (1950) Thermoelectric power and electrical resistivity of minerals. *American Mineralogist* 35:536-555
- Tomioka H, Yoshizawa H, Suzuki K, Milman YV, Krapivka NA, Hashimoto I (1998) Electrical Resistivity of High Purity Chromium Single Crystal. *Physica Status Solidi (a)* 167:443-448
- Torquato S (2002) *Random heterogeneous materials: microstructure and macroscopic properties*. Springer, pp 703
- Travé A, Roca E, Playà E, Parcerisa D, Gómez-Gras D, Martín-Martín JD (2009) Migration of Mn-rich fluids through normal faults and fine terrigenous sediments during early development of the Vallès-Penedès half-graben (NE Spain). *Geofluids* 9: 303-320
- UNE 102032 norma española (1999) *Yesos y escayolas de construcción: Métodos de análisis químico*. Instituto Español de Normalización
- UNE 21-303-83 norma española (1983) *Métodos para la medida de la resistividad transversal y superficial de los materiales aislantes eléctricos sólidos*. Instituto Español de Normalización
- Vanhala H, Lintinen L, Ojala A (2009) Electrical Resistivity Study of Permafrost on Ridnitšohkka Fell in Northwest Lapland, Finland. *Geophysica* 45(1–2):103–118
- Wang KW, Sun JM, Guan JT, Zhu DW (2007) A percolation study of electrical properties of reservoir rocks. *Physica A* 380:19–26
- Warren JK (2006) *Evaporites: sediments, resources and hydrocarbons*. Springer, pp 1035

-Yamaramci U, Flach D (1992) Resistivity of rock salt in Asse (Germany) and petrophysical aspects. *Geophysical Prospecting* 40:85-100

-Zou M, Pecharsky VK, Gschneidner Jr. KA, Mudryk Y, Schlagel DL, Lograsso TA (2009) Electrical resistivity and magnetoresistance of single-crystal $Tb_5Si_{2.2}Ge_{1.8}$. *Physical Review B* 80, 174411.