


**Dendroecología de *Pinus halepensis* Mill.
en Este de la Península Ibérica e Islas Baleares:
Sensibilidad y grado de adaptación
a las condiciones climáticas**

Montserrat Ribas Matamoros



Aquesta tesi doctoral està subjecta a la llicència **Reconeixement- NoComercial – SenseObraDerivada 3.0. Espanya de Creative Commons.**

Esta tesis doctoral está sujeta a la licencia **Reconocimiento - NoComercial – SinObraDerivada 3.0. España de Creative Commons.**

This doctoral thesis is licensed under the **Creative Commons Attribution-NonCommercial-NoDerivs 3.0. Spain License.**



DEPARTAMENTO DE ECOLOGÍA
PROGRAMA DE ECOLOGÍA AVANZADA BIENIO 1999-2001

**DENDROECOLOGÍA DE *PINUS HALEPENSIS* MILL.
EN ESTE DE LA PENINSULA IBERICA E ISLAS BALEARES:
SENSIBILIDAD Y GRADO DE ADAPTACIÓN
A LAS CONDICIONES CLIMÁTICAS**

Tesis presentada por **Montserrat Ribas Matamoros** para optar al título de Doctora por la Universidad de Barcelona.

El presente trabajo se ha realizado bajo la dirección de la **Dra. Emilia Gutiérrez Merino** (Universidad de Barcelona).

Barcelona, Junio del 2006



BIBLIOGRAFÍA

Abaurrea J, Asín J y Centelles A. 2002. Caracterización espacio-temporal de la evolución de la precipitación anual en la Cuenca del Ebro. En: Guijarro, Grimalt, Laita y Alonso (eds.). *El agua y el clima. Asociación Española de Climatología Serie A n° 3*, pgs. 113-124.

Abaurrea J, Asín J, Erdozain O y Fernández E. 2001. Climate Variability Analysis of Temperature series in the Medium Ebro River Basin. En Brunet y López (eds.). *Detecting and Modelling Regional Climate Change*. Berlín Springer, pgs. 109-118.

Abril M. 1987. *Formació dels anells de creixement en plantes mediterrànies: relació amb les fluctuacions de la disponibilitat hídrica*. Tesis de llicenciatura. Departament d'Ecologia, Universitat de Barcelona. Barcelona, 132 pgs.

Allué JL. 1990. *Atlas fitoclimático de España*. Ed. Instituto Nacional de Investigaciones Agrarias. Ministerio de Agricultura Pesca y Alimentación. Madrid, 221 pgs.

Almarza C, López JA y Flores C. 1996. *Homogeneidad y variabilidad de los registros históricos de precipitación en España*. Monografía A-143 del INM, Ministerio de Medio Ambiente. Madrid, 318 pgs.

Aniol RW. 1983. Tree-Ring analysis using CATRAS. *Dendrochronologia*, 1:45-53.

Antonova GF y Stasova VV. 1993. Effects of environmental factors on Wood formation in Scots pine stems. *Trees*, 7:214-219.

Attolini MR, Calvani F, Galli M, Ruggiero L, Schaer E y Zueni F. 1990. The relationship between climatic variables and wood structure in *Pinus halepensis* Mill. effects of humidity and temperature. *Theoretical and Applied Climatology*, 41(3):121-128.

Atzmon N, Moshe Y y Schiller G. 2004. Ecophysiological response to severe drought in *Pinus halepensis* Mill. trees of two provenances. *Plant Ecology*, 171:15-22.

Aupí V. 2005. *Guía del clima de España*. Ed. Omega. Barcelona, 331 pgs.

Avila G, Aljaro ME, Araya S, Montenegro G y Kummerow J. 1975. The seasonal activity of Chilean and Californian shrubs. *American Journal of Botany*, 62(5):473-478.

Bagnouls F y Gausson H. 1953. Saison sèche et indice xéothermique. *Bull. Soc. Hist. Nat. Toulouse*, 88:193-239.

Bailey RG. 1995. *Ecosystem geography*. Spinger-Verlag. New York, 216 pgs.

Bakkenes M, Alkemade JR, Ihle F, Leemans R y Latour JB. 2002. Assessing the effects of forecasted climate change on the diversity and distribution of European higher plants for 2050. *Global Change Biology*, 8:390-407.

Barbéro M y Quézel P. 1976. Les groupements forestiers de Grèce Centro-Meridionale. *Ecologia Mediterranea*, 2:1-86.

Barbéro M, Loisel R, Quézel P, Richardson DM y Romane F. 2000. *Pines of the Mediterranean Basin. In Ecology and Biogeography of Pinus*. Ed. D.M. Richardson. Cambridge University Press. Cambridge. London, pgs. 153-170.

- Barnston A y Smith TM. 1996. Specification and prediction of global surface temperature and precipitation from global SST using CCA. *Journal of Climate*, 9:2660-2697.
- Bazzaz FA. 1996. *Plants in changing environments: linking physiological population and community ecology*. Cambridge University Press. London, 320 pgs.
- Belingard C y Tessier L. 1993. Etude dendroécologique comparée de vieux peuplements de *Larix decidua* Mill. dans les Alpes Françaises du sud. A dendrochronological study of old stands of *Larix decidua* Mill. in the southern French Alps. *Dendrochronologia*, 11:69-78.
- Biondi F y Waikul K. 2004. DENDROCLIM2002: A C++ program for statistical calibration of climate signals in tree-ring chronologies. *Comput. Geosci.*, 30:301-311.
- Biondi F. 2000. Are climate-tree growth relationships changing in north-central Idaho. *Arctic, Antarctic and Alpine Research*, 32:111-116.
- Blasing TJ, DuVick DN y Cook ER. 1983. Filtering the effects of competition from ring-width series. *Tree Ring Bulletin*, 43:19-30.
- Blasing TJ, Solomon AM, DuVick DN. 1984. Response functions revisited. *Tree-ring Bulletin*, 44:1-15.
- Boreux JJ, Gadbin-Henry C, Guiot J y Tessier L. 1998. Radial tree-growth modelling with fuzzy regression. *Canadian Journal of Forest Science*, 28:1249-1260.
- Borghetti M, Cinnirella S, Magnani F y Saracino A. 1998. Impact of long-term drought on xylem embolism and growth in *Pinus halepensis* Mill. *Trees*, 12:187-195.
- Bormann FH y Kozlowski TT. 1962. Measurement of tree growth with girth gauge dendrometers and vernier tree ring bands. *Ecology*, 43:289-294.
- Bosch O y Gutiérrez E. 1999. La sucesión en los bosques de *Pinus uncinata* del Pirineo. De los anillos de crecimiento a la historia del bosque. *Ecología*, 13:133-171.
- Box EO. 1981. Predicting physiognomic vegetation types with climate variables. *Vegetatio*, 45:127-139.
- Bradley RS, Kelly PM, Jones PD, DIAZ HF y Goodess C. 1985. *A Climate Databank for the Northern Hemisphere, 1850-1900*. Technical Report No.17, U.S. Department of Energy, Carbon Dioxide Research Division. Washington DC, 335 pgs.
- Bradley NL, Leopold AC, Ross J y Huffaker W. 1999. Phenological changes reflect climate change in Wisconsin. *Ecology*, 96:9701-9704.
- Briffa KR y Jones PD. 1990. Basic chronology statistics and assessment. En: Cook ER y Kairiukstis LA (eds.). *Methods of dendrochronology. Applications in the environmental sciences*. Boston: Kluwer Academic Publishers. Dordrecht, pgs. 137-152.
- Briffa KR y Matthews JA. 2002. ADVANCE-10K: a European contribution towards a hemispheric dendroclimatology for the Holocene. *The Holocene*, 12:639-642
- Briffa KR, Schweingruber FH, Jones PD, Osborn TJ y Shiyatov SG. 1998a. Reduced sensitivity of recent tree-growth to temperature at high northern latitudes. *Nature*, 391:678-682.

- Briffa KR, Schweingruber FH, Jones PD, Osborn TJ, Harris IC, Shiyatov SG, Vaganov EA y Grudd H. 1998b. Trees tell of past climates: but are they speaking less clearly today? *Phil. Trans. R. Soc. Lond. B*, 353:65-73.
- Briffa KR, Osborn TJ, Schweingruber FH, Jones PD y Shiyatov SG. 2002a. Tree-ring width and density data around the Northern Hemisphere: Part 1, local and regional climate signals. *Holocene*, 12:737-757.
- Briffa KR, Osborn TJ, Schweingruber FH, Jones PD y Shiyatov SG. 2002b. Tree-ring width and density data around the Northern Hemisphere: Part 2, spatio-temporal variability and associate climate patterns. *Holocene*, 12:759-789.
- Brunet M, Aguilar E, Saladié O, Sigró J y López D. 2001a. The Spanish temperature series Time variations and trends over the last 150 years. *Geophysical Research Abstracts*, 3:GRA3 5333 76.
- Brunet M, Aguilar E, Saladié O, Sigró J y López D. 2001b. The variations and trends of the surface air temperature in the Northeastern of Spain from middle nineteenth century onwards. En: Brunet y López (eds.). *Detecting and Modelling Regional Climate Change*. Berlín Springer, pgs. 81-93.
- Brunet M, Aguilar E, Saladié O, Sigró J y López D. 2001c. A differential response of Northeastern Spain to asymmetric trends in diurnal warming detected on a global scale. En: Brunet y López (eds.). *Detecting and Modelling Regional Climate Change*. Berlín Springer, Pgs. 95-107.
- Brzeziecki B, Kienstat F y Wildi O. 1993. A simulated map of the potencial natural forest vegetation of Switzerland. *Journal of Vegetation Science*, 4:499-508.
- Calamassi R, Della Rocca G, Falusi M, Paoletti E y Strati S. 2001. Resistance to water stress in seedlings of eight European provenances of *Pinus halepensis* Mill. *Annals of Forest Science*, 58:663-672.
- Cámara MA. 1999. *Temperamento y aplicaciones del pino carrasco (Pinus halepensis Mill.) en España. Análisis mediante un S.I.G.* Tesis doctoral. Universidad Politécnica de Madrid. Escuela superior de Ingenieros de Montes.
- Camarero L, Masqué P, Devos W, Ani-Rigolta I, Pla S y Sánchez-Cabeza A. 1998. Historical variations in lead fluxes in the Pyrenees (NE Spain) from a dated lake sediment core. *Water Air and Soil Pollution*, 105:439-449.
- Cañada R, Galán E, Fernández F y Cervera B. 2001. Análisis de las tendencias de las temperaturas máximas y mínimas medias anuales en la Meseta sur española durante el siglo XX. En: Pérez-Cueva, López Baeza y Tamayo (eds.). *El tiempo del clima*. Buñol Garmas. Asociación Española de Climatología Serie A nº 2, pgs. 53-63.
- Caritat A, Gutiérrez E y Molinas M. 2000. Influence of weather on cork-ring width. *Tree Physiol*, 20:893-900.
- Ceballos L y Ruíz de la Torre J. 1979. *Árboles y arbustos*. Ed. Escuela Técnica Superior de Ingenieros de Montes. Madrid, 512 pgs.
- Chapin FS, Zavaleta ES, Eviner VT, Naylor RL, Vitousek PM, Reynolds HL, Hooper DU, Lavorel S, Sala OE, Hobbie SE, Mack MC y Díaz S. 2000. Consequences of changing biodiversity. *Nature*, 405:234-242.

Chazarra A y Almarza C. 2002. Reconstrucción desde 1864 de la serie de precipitación útil de las cuencas del Sureste y Levante. En: Guijarro, Grimalt, Laita y Alonso (eds.). *El agua y el clima*. Asociación Española de Climatología Serie A nº 3, pgs. 159-168.

Cherubini P, Gartner BL, Tognetti R, Bräker OU, Schoch W y Innes JL. 2003. Identification, measurement and interpretation of tree rings in woody species from Mediterranean climates. *Biological Reviews*, 78:119-148.

Chuine I y Beaubien EG. 2001. Phenology is a major determinant of tree species range. *Ecology Letters*, 4:500-510.

Conte M, Giuffrida A y Tedesco S. 1989. The Mediterranean Oscillation. Impact on precipitation and hydrology in Italy Climate Water. Publications of the Academy of Finland. Helsinki, pgs. 121-137.

Conway D. 1998. Recent climate variability and future climate change scenarios for Great Britain. *Progress in Physical Geography*, 22(3):350-374.

Cook ER y Briffa KR. 1990. Data analysis. En: Cook ER y Kairiukstis LA (eds.) *Methods in Dendrochronology*. Kluwer. Boston, pgs. 97-162.

Cook ER y Kairiukstis LA. 1990. *Methods of dendrochronology*. Kluwer Academic Publishers. Boston, 394 pgs.

Cook ER y Peters K. 1981. The smothing spline: a new approach to standardizing forest interior tree-ring width series for denroclimatic studies. *Tree-Ring Bulletin*, 41:45-53.

Cook ER. 1990. Dendrochronology in eastern North America. En: Cook ER y Kairiukstis LA (eds.). *Methods of Dendrochronology: Applications in the Environmental Sciences*. International Institute for Applied Systems Analysis, Kluwer Academic Publishers. Boston, pgs. 8-11.

Corte-Real J, Qian B y Xu H. 1998. Regional climate change in Portugal: precipitation variability associated with large-scale atmospheric circulation. *International Journal of Climatology*, 18:619-635.

Costa M, Morla C y Sainz H (eds.). 1998. *Los bosques ibéricos. Una interpretación geobotánica*. Ed. Planeta. Madrid, 597 pgs.

Creber GT y Chaloner WG. 1984. Influence of environmental factors on the wood structure of living and fossil trees. *Bot. Rev.*, 50(4):357-448.

Creus J, Fernández A y Manrique E. 1997. Dendrocronología y clima del último milenio en España. Aspectos metodológicos y avance de resultados. En: Ibáñez *et al.* (eds.). *El paisaje mediterráneo a través del espacio y del tiempo. Implicaciones en la desertificación*, pgs. 311-330.

Creus-Novau J. 1991-1992. Tendencia secular de la temperatura de mayo en el Pirineo oriental. *Notes de Geografía Física*, 20-21:41-49.

De Castro M, Martín-Vide J y Alonso S. 2005. El clima de España: pasado, presente y escenarios de clima para el siglo XXI. En: Moreno-Rodríguez (director/coord.). *Evaluación preliminar de los impactos en España por efecto del cambio climático*. Proyecto ECCE. Ministerio de Medio Ambiente. Pgs. 1-64.

De Luís M, Raventós J, González-Hidalgo JC, Sánchez JR y Cortina J. 2000. Spatial analysis of rainfall trends in the region of Valencia east Spain. *International Journal of Climatology*, 20:1451-1469.

- Deslauriers A, Morin H, Urbinati C y Carrer M. 2003. Daily weather response of balsam fir (*Abies balsamea* (L) Mill.) stem radius increment from dendrometer analysis in the boreal forests of Québec (Canada). *Trees*, 17:477-484.
- Dessens J y Bücher A. 1995. Changes in minimum and maximum temperatures at the Pic du midi in relation with humidity and cloudiness, 1882-1994. *Atmosphere research*, 37:147-162.
- Di Castri F, Goodall DW y Specht RL. 1981. Mediterranean-Type Shrublands. *Ecosystems of the World n° 11*. Ed. Elsevier Scientific Publishing Co. Amsterdam, 643 pgs.
- Dougherty PM, Whitehead D y Vose JM. 1994. Environmental influences on the phenology of pine. *Ecological Bulletins*, 43:64-75.
- Downes G, Beadle C y Worledge D. 1999. Daily stem growth patterns in irrigated *Eucalyptus globulus* and *E. nitens* in relation to climate. *Trees*, 14(2):102-111.
- Dükeloh A y Jacobeit J. 2003. Circulation dynamics of Mediterranean precipitation variability 1948-98. *International Journal of Climatology*, 23:1843-1866.
- Efron B. 1979. Bootstrap methods: another look at the Jackknife. *The Annals of Statistics*, 7:1-26.
- Efron B y Tibshirani R. 1986. Bootstrap methods for Standard errors, confidence intervals, and other measures of statistical accuracy. *Statistical Science*, 1:54-75.
- ENV4-CT97-0641. *FORMAT: Forest Modelling Assesment and Tree-rings. Sensivity of tree-growth to climate change and growth modelling, from past to future*. Lucien T (Coord.) y Gutiérrez E (Coord. España).
- Esteban-Parra MJ, Rodrigo FS y Castro-Díez Y. 1998. Spatial and temporal patterns of precipitation in Spain for the period 1880-1992. *International Journal of Climatology*, 18:1557-1574.
- Esteban-Parra *et al.* 2002. La distribución de la precipitación a través del índice NAO. El efecto del relieve a escala local: el Pirineo oriental. A: *Comunicaciones sobre teleconexiones*. III Congreso As. Esp. Climatología.
- FAO. 1998. Allen RG, Pereira LS, Raes D y Smith M. 1998. FAO Irrigation and Drainage Paper No. 56. *Crop evapotranspiration (guidelines for computing crop water requirements)*. 290 pgs.
- Fernández A, Creus J y Manrique E. 1997. Evolución de la temperatura y precipitación anuales desde el año 1400 en el sector central de la depresión del Ebro. *Lucas Mallada: revista de ciencias*, 8:8-28.
- Fernández A, Génova M, Creus J, Gutierrez E. 1996. Dendroclimatological investigation covering the last 300 years in central Spain. *Radiocarbon*, No. Especial:181-190 pgs.
- Fernández-Cancio CA y Manrique E. 1997. *Nueva metodología para la reconstrucción dendroclimática y aplicaciones más importantes*. Ed. Master. Madrid, 130 pgs.
- Fernández F. 1995. *Manual de climatología aplicada*. Ed. Síntesis. Madrid, 284 pgs.
- Ferrio JP, Florit A, Vega A, Serrano L y Voltas J. 2003. Isotopic signature of ^{13}C and tree-ring width reflect different drought responses in *Quercus ilex* and *Pinus halepensis*. *Oecologia*, 137:512-518.

- Fidalgo C. 1988. *Metodología fitoclimática*. Cuadernos de apoyo, 11. Servicio de publicaciones de la Universidad autónoma de Madrid. Madrid, 123 pgs.
- Folch R. 1986. *La vegetació dels Països Catalans*. Ed. Ketres. Barcelona, 541 pgs.
- Folland CK, Griggs DJ y Houghton JT. 2004: The Hadley Centre for Climate Prediction and Research. *Weather*, 59(11):317-323.
- Font-Tullot I. 1988. *Historia del clima de España. Cambios climáticos y sus causas*. Publicaciones del Instituto Nacional de Meteorología. Madrid, 297 pgs.
- FOR91-0689. *Respuestas fisiológicas, anatómicas y morfológicas de las especies leñosas del encinar en un gradiente atlántico-mediterráneo*. CICYT (I+D). Montserrat G (Coord.).
- Foster JR, LeBlanc DC. 1993. A physiological approach to dendroclimatic modeling of oak radial growth in the midwestern United States. *Canadian Journal of Forest Research*, 23(5):783-798.
- Fritts HC, Mosimann JE y Bortorff CP. 1969. A revised computer program for standardizing tree-ring series. *Tree Ring Bulletin*, 29:15-20.
- Fritts HC. 1958. An analysis of radial growth of beech in a central Ohio forest during 1954-1955. *Ecology*, 39(4):705-720.
- Fritts HC. 1971. Dendroclimatology and Dendroecology. *Quaternary Research*, 1:419-449.
- Fritts HC. 1974. Relationships of ring widths in arid-site conifers to variations in monthly temperature and precipitation. *Ecological Monographs*, 44(4):411-440.
- Fritts HC. 1976. *Tree-rings and climate*. Academic Press. London, 553 pgs.
- Fritz HS. 1987. *Tree Rings: Basics and Applications of Dendrochronology*. Reidel D Publishing Company. Dordrecht, 276 pgs.
- Fritz HS. 1988. *Tree rings. Basics and applications of dendrochronology*. D. Reidel Publishing company. Netherlands, 276 pgs.
- Gagen M y McCarroll D. 2004. Latewood width, maximum density, and stable carbon isotope ratios of pine as climate indicators in a dry subalpine environment, French Alps. *Arctic, Antarctic and Alpine Research*, 36(2):166-171.
- Galán E, Cañada R, Rasilla D, Fernández F y Cervera B. 1999. Evolución de las precipitaciones anuales en la Meseta Meridional durante el siglo XX. En: Raso y Martín-Vide (eds.). *La Climatología española en los albores del siglo XXI*. Vilassar Oikos-tau Asociación Española de Climatología Serie A nº 1, pgs. 169-180.
- Galán E, Cañada R, Rasilla D, Fernández F y Cervera B. 2001. Annual temperature evolution in the southern plateau of Spain from the construction of regional climatic time series. En: Brunet y López (eds.). *Detecting and Modelling Regional Climate Change*. Berlín Springer, pgs. 119-131.
- Gandullo JM. 1985. *Ecología vegetal*. Fundación Conde del Valle Salazar. ETSIM. Madrid, 208 pgs.
- Gandullo JM y Sánchez O. 1994. *Estaciones ecológicas de los pinares españoles*. M^o Agricultura, ICONA, Colección Técnica. Madrid, 188 pgs.

- García JA, Serrano A y De la Cruz Gallego M. 2002. A spectral analysis of Iberian Peninsula monthly rainfall. *Theoretical and Applied Climatology*, 71:77-95.
- Gates DM. 1994. *Climate change and its biological consequences*. Sinauer Associates, Inc. Sunderland. Massachusetts, 231 pgs.
- Geeson NA, Brandt CJ y Thornes JB (eds.). 2002. *Mediterranean Desertification: A mosaic of processes and responses*. En: John Wiley & sons Ltd. Chichester. England, pgs. 15-32.
- Gènova M. 2000. Anillos de crecimiento y años característicos en el Sistema Central (España) durante los últimos cuatrocientos años. *Boletín de la Real Sociedad de Historia Natural*, 96(1-2):33-42.
- Gil L, Díaz PM, Jiménez MP, Roldán M, Alía R, Agúndez D, De Miguel J, Martín S y De Tuero M (eds.). 1996. *Las regiones de procedencia de Pinus halepensis Mill, en España*. Ed. Organismo Autónomo de Parques Nacionales. Madrid, 112 pgs.
- Gindel I. 1964. Transpiration of Aleppo pine (*Pinus halepensis* Mill.) as a function of environment. *Ecology*, 45:868-873.
- Gómez A, Alía R y Bueno A. 2001. Genetic diversity of *Pinus halepensis* Mill. populations detected by RAPD loci. *Annual Forest Science*, 58:869-875.
- González-Hidalgo JC, De Luis M, Raventós J Y Sánchez JR. 2001. Spatial distribution of seasonal rainfall trends in a western mediterranean area. *International Journal of Climatology*, 21:843-860.
- Gracia C, Sabaté S y Sánchez A. 2002. El cambio climático y la reducción de la reserva de agua en el bosque mediterráneo. *Ecosistemas* 2002/2 (URL: <http://www.aeet.org/ecosistemas/022/investigacion4.htm>).
- Gracia C, Sabaté S, López B y Sánchez A. 2001. Presente y futuro del bosque mediterráneo: balance de carbono, gestión y cambio global. En: Zamora R y Pugnaire FI (Eds.). 2001. *Ecosistemas mediterráneos, análisis funcional*. Textos Universitarios nº 32, CSIC y AEET. Madrid, pgs. 351-372.
- Greber GT y Chaloner VG. 1990. Environmental influences on cambial activity. En: I. Iqbal (ed.) *The Vascular cambium*. Research Studies Press Ltd. England, pgs. 159-199.
- Guijarro JA. 1997. Some climatological aspects of heavy rainfalls in Mediterranean Spain. INM/WMO *International Symposium on Cyclones and Hazardous Weather in the Mediterranean*, pgs. 377-384.
- Guijarro JA. 1999. Teleconexiones climáticas y precipitación en la España mediterránea. En: Raso y Martín-Vide. *La climatología española en los albores del siglo XXI*. AEC. Barcelona, pgs. 243-251.
- Guijarro JA. 2001. Problemática de la detección del cambio climático en Baleares. En: Pons GX y Guijarro JA (eds.). *El canvi climàtic. Monogràfic de la Societat de Història Natural de les Balears*, 9:147-158.
- Guijarro JA. 2002. Tendencias de la precipitación en el litoral mediterráneo español. En: Guijarro, Grimalt, Laita y Alonso (eds.). *El agua y el clima*. Asociación Española de Climatología Serie A nº 3, pgs. 237-246.
- Guiot J y Goeury C. 1996. PPPbase, a software for statistical analysis of paleoecological and paleoclimatological data. *Dendrochronologia*, 14:295-300.

- Guiot J. 1991. The bootstrapped response function. *Tree-ring Bulletin*, 51:39-41.
- Gutiérrez E. 1985. Variability of radius growth at 25 year old *Pinus uncinata* Miller ex Mirbel species in the Spanish North-East Pyrenees. *Qüestió*, 9(2):95-104.
- Gutiérrez E. 1999. *Resposta del creixement i la regeneració dels boscos de pi negre (Pinus uncinata) al canvi climàtic i reconstrucció del clima del pasta mitjançant noves tècniques d'anàlisi no lineal*. Informe: Resultats estada a Marsella. Núm. Exp.: 1998BEAI400169. Beques per a la recerca a fora de Catalunya.
- Gutiérrez E, Camarero JJ, Tardif J, Bosch O y Ribas M. 1998. Tendencias recientes del crecimiento y la regeneración en y bosques subalpinos del Parque Nacional de Aigüestortes i Estany de Sant Maurici. *Ecología*, 12:251-283.
- Hammond T y Yarie J. 1996. Spatial prediction of climatic state factor regions in Alaska. *Ecoscience*, 3:490-501.
- Hansen J, Ruedy M, Sato M y Lo K. 2002. Global warming continues. *Science*, 295: 275.
- Harcombe PA y Marks PL. 1983. Five years of tree death in a *Fagus-Magnolia* forest, southeast Texas (USA). *Oecologia*, 57:49-54.
- Holmes RL. 1983. Computer-assisted quality control in tree-ring dating and measurement. *Tree-Ring Bulletin*, 43:69-78.
- Holmes R. 1996. *Dendrochronology Program Library version 1992-1*, Lab. Of Tree-Ring Research, The University of Arizona, Tucson.
- Horcas R, Rasilla D y Fernández-García F. 2001. Temperature variations and trends in the Segura River Basin. An exploratory analysis. En: Brunet y López (eds.). *Detecting and Modelling Regional Climate Change*. Berlín Springer, pgs. 133-142.
- Horel JD y Wallace MJ. 1981. Planetary scale phenomenon associated with the southern oscillation. *Monthly Weather Review*, 109:813-829.
- Hughes MK, Nelly PM, Pilcher JR y LaMarche VC. 1992. Climatic signals in British Isles tree-ring chronologies. *Nature*, 272:605-606.
- Hurrell JW, Deser C, Folland CK y Rowell DP. 2002. *The relationship between tropical Atlantic rainfall and the summer circulation over the North Atlantic*. Proc. U.S. CLIVAR Atlantic meeting, D Legler (ed.), Boulder CO, 108-110.
- Hurrell JW, Hoerling MP y Folland CK. 2001. Climatic variability over the North Atlantic. *Meteorology at the Millenium*. Pearce R (eds.). Academic Press. London, 143-151 pgs.
- Hurrell JW, Kushnir Y, Ottersen G y Visbeck M. 2003. An overview of the North Atlantic Oscillation. In: Hurrell JW, Kushnir Y, Ottersen G y Visbeck M (Eds.). *Geophysical Monograph Series*, 134:1-35.
- Hurrell JW. 1996. Influence of variations in climate associated with the North Atlantic Oscillation. *Climate Change*, 36:301-326.
- Hurrell JW. 1996. Influence of variations in extratropical wintertime teleconnections on Northern Hemisphere temperatura. *Geophysical Research Letters*, 23:665-668.

- IPCC, 1991. Houghton JT, Jenkins, GJ y Ephraums JJ. 1990. Climate Change. Policymakers summary. En: Houghton JT, Jenkins GJ y Ephraums JJ (Eds.). *Climate change 1990, the IPCC scientific assessment*. Cambridge University Press, M.A. Cambridge, pgs. 11-34.
- IPCC, 1996. Houghton JT, Meira Filho LG, Callander BA, Harris N, Kattenberg A y Maskell K (eds.). 1996. *Climate change 1995: the Science of Climate Change*. Cambridge Univ. Press. Cambridge, 382 pgs.
- IPCC, 2001. The Scientific Basis. Houghton JT, Ding Y, Gig DJ, Noguer M, Van Der Linden PJ, Day X, Maskell K y Johnson CA (eds.). *Climate Change*. Cambridge University Press. Cambridge, 994 pgs.
- Irvine J y Grace J. 1997. Continuous measurements of water tensions in the xylem of tree based on the elastic properties of wood. *Planta*, 202:455-461.
- ITGE, 1971-94. Mapa geológico de España, escala 1:50.000. Serie Magna. Instituto Tecnológico Geominero de España, Madrid.
- Jéftic L, Keckes S y Pernetta JC. 1996. *Climatic change and the Mediterranean environmental and societal impacts of climate change and sea level rise in the Mediterranean region*, Vol. 2. Arnold. London, 564 pgs.
- Jones PD y Moberg A. 2003. Hemispheric and large-scale surface air temperature variations: an extensive revision and an update to 2001. *Journal of Climate*, 16:206-223.
- Jones PD, Jonsson T y Wheeler D. 1997. Extension to the North Atlantic Oscillation using early instrumental pressure observations from Gibraltar and South-West Iceland. *International Journal of Climatology*, 17:1433-1450.
- Keeland BD y Sharitz RR. 1993. Accuracy of tree growth measurements using dendrometer bands. *Can. J. For. Res.*, 20:2454-2457.
- Keller T, Guiot J y Lucien YT. 1997. Climatic effect of atmospheric CO₂ doubling on radial tree growth in south eastern France. *Journal of Biogeography*, 24:857-864.
- Keller T. 1999. *Variabilité climatique interannuelle quantifiée à partir de la densité et des isotopes stables de la cellulose du bois*. Thèse Doc. Université de Droit, d'Economie et des Sciences d'Aix-Marseille III. Marseille, 175 pgs.
- Klein Tank A, Winjngaard J y Van Engelen A. 2002. *Climate of Europe. Assessment of observed daily temperature and precipitation extremes*. De Bilt ECA y KNMI, 36 pgs.
- Kozłowski TT y Winget CH. 1964. Diurnal and seasonal variation in radii of tree stems. *Ecology*, 45:149-155.
- Katz RW y Brown BG. 1992. Extreme events in a changing climate: variability is more important than average. *Climate Change*, 21:289-302.
- Kutiel H, Maheras P y Guika S. 1996. Circulation and extreme rainfall conditions in the Eastern Mediterranean during the last century. *International Journal of Climatology*, 16:73-92
- Labajo JL y Piorno A. 2001. Regionalization of precipitation in Castilla and Leon Spain. Analysis of its temporal behaviour. En: Brunet y López (eds.). *Detecting and Modelling Regional Climate Change*. Berlín Springer, pgs. 163-173.

- Lavorel S, Canadell J, Rambla S y Terradas J. 1998. Mediterranean terrestrial ecosystems: research priorities on global change effects. *Global Ecology and Biogeography Letters*, 7:157-166.
- Lebourgeois F, Bréda N, Ulrico E y Granier A. 2005. Climate-tree-growth relationships of European beech (*Fagus sylvatica* L) in the French Permanent Plot Network (RENECOFOR). *Trees*, 19:285-401.
- Legendre P y Legendre L. 1998. *Numerical Ecology*. Developments in Environmental Modelling, 20. Elsevier.
- Lev-Yadun S, Lipschitz N y Waisel Y. 1981. Dendrochronological investigations in Israel: *Pinus halepensis* Mill. the oldest living pines in Israel. *La-Yaaran*, 31:1-8.
- Liang E, Shao X, Hu Y y Lin J. 2001. Dendroclimatic evaluation of climate-growth relationships of Meyer spruce (*Picea meyeri*) on a sandy substrate in semi-arid grassland, north China. *Trees*, 15:230-235.
- Lipschitz N y Lev-Yadun S. 1986. Cambial activity of evergreen and seasonal dimorphics around the Mediterranean. *IAWA Bulletin*, 7(2):145-153.
- Lipschitz N, Lev-Yadun S y Waisel Y. 1979. Dendrochronological investigations in the Mediterranean Basin *Pinus nigra* of south Anatolia (Turkey). *La-Yaaran*, 22(1-2):1-10.
- Lipschitz N y Mendel Z. 1987. Comparative radial growth of *Pinus halepensis* Mill. and *Pinus brutia* in Israel. *Forêt Méditerranéenne*, 2:115-117.
- Lloret F y Siscart D. 1995. Los efectos demográficos de la sequía en poblaciones de encina. *Cuadernos de la Sociedad Española de Ciencias forestales*, 2:77-81.
- Lloret F, Siscart D y Dalmases C. 2004. Canopy recovery after drought dieback in holm-oak Mediterranean forests of Catalonia (NE Spain). *Global Change Biology*, 10:2092-2099.
- Lolis CJ, Bartzokas A, Metaxas DA. 1999. Spatial covariability of the climatic parameters in the Greek area. *International Journal of Climatology*, 19:185-196.
- López B, Sabaté S, Ruíz I y Gracia C. 1997. Effects of elevated CO₂ and decreased water availability on holm oak seedlings in controlled environment chambers. En: Mohren GMJ, Kramer K, Sabaté S (Eds.). *Impacts of Global Change on Tree Physiology and Forest Ecosystems*. Kluwer Academic Publishers. Dordrecht, Pgs. 125-133.
- Macias M, Timonen M, Kirchhefer A, Lindholm M, Eronen M y Gutiérrez E. 2004. Growth variability of Scots pine (*Pinus sylvestris*) along a West-East gradient across Northern Fennoscandia: a dendroclimatic approach. *Arctic, Antarctic and Alpine Research*, 36(4):565-574.
- Maheras P, Flocas HA, Patrikas I, Anagnostopoulou C. 2001. A 40 year objective climatology of surface cyclones in the Mediterranean region: spatial and temporal distribution. *International Journal of Climatology*, 21:109-130.
- Mariotti A, Zeng N y Lau KM. 2002. Euro-Mediterranean rainfall and ENSO – a seasonally varying relationship. *Geophysical Research Letters*, 29 art. 1.621
- Marshall J, Johnson H y Goodman J. 2001. A study of the interaction of the North Atlantic Oscillation with ocean circulation. *Journal of Climate*, 14:1399-1421.

- Martínez-Ferri E, Balaguer L, Valladares F, Chico JM y Manrique E. 2000. Energy dissipation in drought-avoiding and drought-tolerant tree species at midday during the Mediterranean summer. *Tree Physiology*, 20:131-138.
- Martínez-Vilalta J, Piñol J y Beven K. 2002. A hydraulic model to predict drought-induced mortality in woody plants: an application to climate change in the Mediterranean. *Ecological Modelling*, 155:127-147.
- Martin-Vide J, Barriendos M, Peña JC, Raso JM, Llasat MC y Rodríguez R. 1999. Potencialidad del índice NAO en la previsión de episodios de alta pluviosidad en España. *Gerencia de riesgos*, XVII (67) Madrid, pgs. 19-31.
- Menzel A y Fabian P. 1999. Growing season extended in Europe. *Nature*, 397:659.
- Menzel A. 2002. Phenology: its importance to the global change community. Editorial Comment. *Climatic Change*, 54: 379-385.
- Miró J. 2005. El microclima del Garraf. En: Arús J, Batlló J, Bech J, López A, Lloret A y Mestres A. Junta de la ACAM. *XI Jornades de Meteorologia Eduard Fontserè*. ACAM, Vilafranca del Penedès, pgs. 129-134.
- Montenegro G. 1987. Quantification of Mediterranean plant phenology and growth. En: Tenhunen JD, Catarino FM, Lange O y Oechel W (eds.). *Plant responses to stress. Functional analysis in Mediterranean ecosystems*. Springer-Verlag, Berlin. NATO-ASI Series Ecological Sciences, pgs. 469-488.
- Montoya M. 1995. *Red de seguimiento de daños en los montes. Daños originados por la sequía en 1994*. Cuadernos de la SECF. Madrid, 2:83-97.
- Montoya R y López M (Coord.). 1997. *Red Europea de Seguimiento de Daños en los Bosques (Nivel I) España, 1987-1996*. Publicaciones del O. A. Parques Nacionales. Madrid, 557 pgs.
- Mooney HA, Canadell J, Chapin III FS, Ehleringer JR, Körner Ch, McMurtrie RE, Parton WJ, Pitelka LF y Schulze ED. 1999. Ecosystem physiology responses to global change. En: Walker B, Steffen B, Canadell J, Ingran J (eds.). *The Terrestrial Biosphere and Global Change*. Cambridge University Press. Cambridge, pgs. 141-189.
- Morgante M, Felice N y Vendramin GG. 1998. Análisis de hipervariables de cloroplasto microsatélites en *Pinus halepensis* Mill. reveals a dramatic bottleneck. En: Karp A, Isaac PG y Ingram DS (eds.). *Molecular tools for screening biodiversity: plants and animals*. Chapman and Hall. London, pgs. 402-412.
- Moses T, Kiladis GN, Díaz HF, Barry RG. 1997 *Journal of climatology*. 7:13-26.
- Muñoz-Díaz D y Rodrigo FS. 2004. Spatio-temporal patterns of seasonal rainfall in Spain 1912-2000 using cluster and principal component analysis comparison. *Annales Geophysicae*, 22:1435-1448.
- Ne'eman G y Trabaud L (eds.). 2000. *Ecology, Biogeography and Management of Pinus halepensis and Pinus brutia forest ecosystems in the Mediterranean Basin*. Backhuys Publishers. Leiden, 406 pgs.
- Nicault A, Rathgeber C, Tessier L y Thomas A. 2001. Observations sur la mise en place du cerne chez le pin d'Alep (*Pinus halepensis* Mill.): confrontation entre les mesures de croissance radiale, de densité et les facteurs climatiques. *Annals of Forest Science*, 58:769-784.

- Nicault A. 1999. *Analyse de l'influence du climat sur les variations inter et intraannuelles de la croissance radiale du pin d'Alep (Pinus halepensis Mill.) en provence calcaire*. Thèse Doc. Sci. Univ. Aix-Marseille III. Marseille, 254 pgs.
- Nowacki GJ, Abrams MD. 1997. Radial-growth averaging criteria for reconstructing disturbance histories from presettlement-origin oaks. *Ecological Monographs*, 67(2):225-249.
- Oberhuber W, Stumböck M y Kofler W. 1998. Climate-tree growth relationships of Scots pine stands (*Pinus sylvestris* L.) exposed to soil dryness. *Trees*, 13:19-27.
- Ogaya R, Peñuelas J, Martínez-Vilalta J y Mangirón M. 2003. Effect of drought on diameter increment of *Quercus ilex*, *Phyllirea latifolia*, and *Arbutus unedo* in a holm oak forest of NE Spain. *Forest Ecology and Management*, 180:175-184.
- Olarieta JR, Usón A, Rodríguez R, Rosa M, Blanco R y Antúnez M. 2000. Land requirements for *Pinus halepensis* Mill. growth in plantation in Huesca, Spain. *Soil Use and Management*, 16:88-92.
- Oliveira G, Correira O, Martins MA y Catarino FM. 1994. Phenological and growth patterns of Mediterranean oak *Quercus suber* L. *Trees*, 9:41-46.
- Oliver DC y Larson BC. *Forest stand dynamics*. McGraw-Hill. Inc. New York, 467 pgs.
- Oliveras J, Martínez-Vilalta J, Jimenez-Ortiz T, Lledó MJ, Escarré A y Piñol J. 2003. Hydraulic properties of *Pinus halepensis*, *Pinus pinea* and *Tetraclinis articulata* in a dune ecosystem of Eastern Spain. *Plant Ecology*, 169:131-141.
- Oppenheimer HR. 1968. Drought resistance of Monterey pine needles. *Israel Journal of Botany*, 17:163-168.
- Orwig DA y Abrams MD. 1997. Variation in radial growth responses to drought among species, site, and canopy strata. *Trees*, 11:474-484.
- Palutikof JP y Wigley TML. 1996. Developing climate change scenarios for the Mediterranean region. In *Climate change and the Mediterranean*, vol. 2. Eds. Jéftic L, Keckes S y Pernetta JC. Arnold. London, pgs. 27-56.
- Palutikof JP, Conte, M, Mendes C, Goodess CM y Santo E. 1996. Climate and climatic change. En: Brandt, CJ y Thornes JB (Eds.). *Mediterranean desertification and land use*. Chichester. England, pgs. 43-86.
- Palutikof JP, Goodess CM, Watkins SJ y Holt T. 2002. Generating rainfall and temperature scenarios at multiple sites: examples from the Mediterranean. *Journal of Climate*, 15(24):3529-3548.
- Palutikof JP. 2003. Analysis of Mediterranean climate data: measured and modelled. En: Bolle HJ (ed). *Mediterranean climate: Variability and trends*. Springer-Verlag. Berlin, pgs. 125-131.
- Panareda JM. 1986. *Descobrim el Garraf*. Col·lecció Pau i Vila, No. 6. Diputació de Barcelona. Publicacions i edicions de la Universitat de Barcelona. Barcelona, 163 pgs.
- Papadopoulos A. 1992. *Contribution a l'etude ecologique et dendroclimatologique du pin d'Alep (Pinus halepensis Mill.) en Greece*. Thèse de l'Université d'Aix - Marseille III. Marseille, 253 pgs.

- Papadopoulos A, Serré-Bachet F y Tessier L. 2001. Tree ring to climate relationships of Aleppo pine (*Pinus halepensis* Mill.) in Greece. *Ecologia Mediterranea*, 27(1):89-98.
- Parmesan C y Yohe G. 2003. A globally coherent fingerprint of climate change impacts across natural systems. *Nature*, 422:37-60.
- Peñuelas J y Boada M. 2003. A global-change induced biome shift in the Montseny mountains (NE Spain). *Global Change Biology*, 9:131-140.
- Peñuelas J y Filella I. 2001. Phenology: Responses to a warming world. *Science*, 294:793-795.
- Peñuelas J, Biel C y Estiarte M. 1995. Growth, biomass allocation, and phenology of peppers plants submitted to elevated CO₂ and different nitrogen and water availabilities. *Photosynthetica*, 31(3):91-99
- Peñuelas J, Filella I y Comas P. 2002. Changed plant and animal life cycles from 1952-2000 in the Mediterranean region. *Global Change Biology*, 8(6):531-544.
- Peñuelas J, Filella I, Zhang X, Llorens L, Ogaya L, Lloret F, Comas P, Estiarte M y Terradas J. 2004a. Complex spatiotemporal phenological shifts in response to rainfall changes. *New Phytologist*, 161:837-846.
- Peñuelas J, Gordon C, Llorens L, Nielsen TR, Tietema A, Beier C, Bruna P, Emmet B, Estiarte M y Gorissen A. 2004. Non-intrusive field experiments show different plant responses to warming and drought among sites, seasons and species in North-South European gradient. *Ecosystems*, 7:598-612.
- Peñuelas J, Gordon C, Llorens L, Nielsen TR, Tietema A, Beier C, Bruna P, Emmet B, Estiarte M y Gorissen A. 2004b. Non-intrusive field experiments show different plant responses to warming and drought among sites, seasons and species in a North-South European gradient. *Ecosystems*, 7:598-612.
- Peñuelas J, Sabaté S, Filella I y Gracia C. 2004c. Efectos del cambio climático sobre los ecosistemas terrestres: observación, experimentación y simulación. En: Valladares F. 2004. *Ecología del bosque mediterráneo en un mundo cambiante*. Ministerio de Medio Ambiente, EGRAF, SA. Madrid, pgs. 425-460.
- Pereira JS y Chaves MM. 1993. Plant water deficits in Mediterranean ecosystems. En: Smith JAC y Griffiths H (eds.). *Water deficits. Plant responses from cell to community*. Bios Scientific. Oxford, pgs. 237-251.
- Pietarinen I, Kanninen M, Hari M y Kellomaki S. 1982. A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. *Forest Science*, 28:573-581.
- Pignati S. 1982. *Flora d'Italia*. Edagricole. Bologna.
- Pilcher JR y Gray B. 1992. The relationships between oak tree growth and climate in Britain. *Journal of Ecology*, 70(1):297-304.
- Pilcher JR. 1990. Sample preparation, cross-dating and measurement. En: Cook ER y Kariukstis LA (eds.). *Methods of Dendrochronology. Applications in the environmental science*. Kluwer. Dordrecht, pgs. 40-51.

- Piñol J, Terradas J y Lloret F. 1998. Climate warming, wildfire hazard, and wildfire occurrence in coastal eastern Spain. *Climatic Change*, 38:345-357.
- Pita MF, Camarillo JM y Aguilar M. 1999. La evolución de la variabilidad pluviométrica en Andalucía y sus relaciones con el índice de la NAO. En: Raso y Martín-Vide (eds.). *La Climatología española en los albores del siglo XXI*. Vilassar Oikos-tau Asociación Española de Climatología Serie A nº 1, pgs. 399-408.
- Poivesan G, Biondi F, Bernabei M, Di Filippo A y Schirone B. 2005. Spatial and altitudinal climatic zones of the Italian peninsula identified from a beech (*Fagus sylvatica* L.) tree-ring network. *Acta Oecologica*, 27:197-210.
- Pons S. 2002. *Components climàtics en sèries dendrocronològiques de les Balears*. Màster en Biologia Experimental. Departament d'Ecologia, Facultat de Biologia, Universitat de Barcelona, Octubre 2002, 103 pgs
- Quadricelli R, Pavan V y Molteni F. 2001. Wintertime variability of Mediterranean precipitation and its links with large-scale circulation anomalies. *Climate Dynamics*, 17:457-466.
- Quézel P, Barbéro M, Benabid A, Loisel R y Rivas-Martínez S. 1992. Contribution à la connaissance des matorrals du Maroc oriental. *Phytocoenologia*, 21:117-174.
- Quézel P. 1986. Les pins du group « Halepensis ». *Ecologie, Végétation, Ecophysiologie. Options Méditerranéennes*, CICHEAM 86/1, Serie Etudes: Le pin d'Alep et le pin brutia dans la sylviculture méditerranéenne. Pgs. 11-24.
- Rambal S y Hoof C. 1998. Mediterranean ecosystems and fire: the threats of global change. In *Large Forest Fires*. Ed. Moreno JM. Backhuys. Leiden, pgs. 187-213.
- Ramis C, Romero R, Alonso S, Guijarro JA y Sumner G. 1999. Distribución espacial y temporal de la precipitación diaria en la zona mediterránea española. En: Raso y Martín-Vide (eds.). *La Climatología española en los albores del siglo XXI*. Vilassar Oikos-tau Asociación Española de Climatología Serie A nº 1, pgs. 439-447.
- Ramis C. 1995. Las observaciones al aire libre en Mallorca: una breve historia y algunos resultados. *Rev. de Ciencia*, 17:41-58.
- Ramos MC. 2001. Rainfall distribution patterns and their change over time in a Mediterranean area. *Theoretical and Applied Climatology*, 69:163-170.
- Raso JM. 1997. The recent evolution of mean annual temperatures in Spain. En: Martín-Vide (ed.). *Advances in historical climatology in Spain*. Vilassar Oikos-tau. Pgs. 201-223.
- Rathgeber C, Nicault A, Guiot J, Keller T, Guibal F y Roche P. 2000. Simulated responses of *Pinus halepensis* forest productivity to climatic change and CO₂ increase using a statistical model. *Global and Planetary Change*, 26(2000):405-421.
- Rathgeber C, Nicault A, Kaplan JO y Guiot J. 2005. Using a biochemistry model in simulating forests productivity responses to climatic change and [CO₂] increases: example of *Pinus halepensis* in Provence (south-east France). *Ecological Modelling*, 166:239-255.
- Raventós J, De Luís M, Gras MJ, Cufar K, González-Hidalgo JC, Bonet A y Sánchez JR. 2001. Growth of *Pinus pinea* and *Pinus halepensis* as affected by dryness, marine spray and land use changes in a Mediterranean semiarid ecosystem. *Dendrochronologia*, 19(2):211-220.

- Rehfeldt GE, Wykoff WR y Ying CC. 2001. Physiologic plasticity, evolution, and impacts of a changing climate of *Pinus contorta*. *Climatic change*, 50: 355-376.
- Reinsch CH. 1967. Smoothing by spline functions. *Numerische Mathematik*, 10:177-183.
- Riba O, Bolós O, Panareda JH, Nuet N y González J. 1979. *Geografía física dels Països Catalans*, Ed. Ketres. Barcelona, 226 pgs.
- Rice JR. 1969. *The approximation of functions*, Vol. II: Nonlinear and multivariate theory. Addison-Wesley, 327 pgs.
- Rivas-Martínez S. 1987. *Memòria del mapa de series de vegetació de Espanya 1:400.000*. ICONA. Madrid, 268 pgs y 29 mapas.
- Rocha A. 1999. Low-frequency variability of seasonal rainfall over the Iberian Peninsula and ENSO. *International Journal of Climatology*, 19:889-901.
- Rodó X y Comín F. 2001. Fluctuaciones del clima mediterráneo: conexiones globales y consecuencias regionales. En: Zamora R, Pugnaire de Iraola F. 2001. *Ecosistemas Mediterráneos. Análisis funcional*. Castillo y edisart s.l. Asociación Española de Ecología Terrestre. Granada, 11-13 de febrero del 2000, pgs. 1-36.
- Rodó X, Baert E y Comin FA. 1997. Variations in seasonal rainfall in southern Europe during the present century: relationships with the North Atlantic Oscillation and the El Niño Southern Oscillation. *Climate Dynamics*, 13:275-284.
- Rodó X y Rodríguez-Arias MA. 2005. El forçament antropogènic i els canvis en el clima. En: Llebot JE, Sánchez J, Queralt A, Rodó J y Consell Assessor per al Desenvolupament Sostenible (Catalunya). *Informe sobre el canvi climàtic a Catalunya*. http://www.gencat.net/cads/pdf/inf_canvi_climatic_resum.pdf
- Rodrigo FS, Esteban-Parra MJ, Pozo-Vázquez D y Castro-Díez Y. 1999. A 500-year precipitation record in southern Spain. *International Journal of Climatology*, 19:1233-1253.
- Rodrigo FS, Esteban-Parra MJ, Pozo-Vázquez D y Castro-Díez Y. 2000. Rainfall variability in southern Spain on decadal to decennial times scales. *International Journal of Climatology*, 20:721-732.
- Rodríguez C, Encinas AH, Nieto S y Garmendia J. 1998. Spatial and temporal patterns of annual precipitation variability over the Iberian Peninsula. *International Journal of climatology*, 18:229-316.
- Rodríguez R, Llasat MC y Wheeler D. 1999. Analysis of the Barcelona precipitation series 1850-1991. *International Journal of Climatology*, 19:787-801.
- Rodríguez-Puebla C, Encinas AH, Nieto S y Garmendia J. 1998. Spatial and temporal patterns of annual precipitation variability over the Iberian Peninsula. *International Journal of Climatology*, 18:299-316.
- Rodwell MJ, Rowell DP y Folland CK. 1999. Oceanic forcing of the wintertime North Atlantic Oscillation and European climate. *Nature*, 398:320-323.

- Rolland C. 1993. Tree-ring and climate relationships for *Abies alba* in the internal Alps. *Tree-Ring Bulletin*, 53:1-11.
- Romero R, Guijarro JA, Ramis C y Alonso S. 1998. A 30 year 1964-93 daily rainfall database for the Spanish Mediterranean regions. First explanatory study. *International Journal of Climatology*, 18:541-560.
- Romero R, Ramis C y Guijarro JA. 1999. Daily rainfall patterns in the Spanish Mediterranean area: an objective classification. *International Journal of climatology*, 19:95-112.
- Root TL, Price JT, Schneider SH, Rosenzweig C y Pounds A. 2003. Fingerprints of global warming on wild animals and plants. *Nature*, 422:57-60.
- Ropelewsky CF y Jones PD. 1987. An extension of the Tahiti-Darwin Southern Oscillation Index. *Monthly Weather Review*, 115:2161-2165.
- Ropelewsky CF y Halpert MS. 1987. Global and regional-scale precipitation patterns associated with El Niño-Southern Oscillation. *Monthly Weather Review*, 115:1606-1626.
- Ropelewsky CF y Halpert MS. 1989. Precipitation patterns associated with the high index phase of the Southern Oscillation. *J Clim.*, 2:268-284.
- Sabaté S, Gracia CA y Sánchez A. 2002. Likely effects of Climate Change on growth of *Quercus ilex*, *Pinus halepensis*, *Pinus pinaster*, *Pinus sylvestris* and *Fagus sylvatica* forests in the Mediterranean region. *Forest Ecology and Management*, 162:23-37.
- Saladié O. 2004. *Variaciones y tendencia secular de la precipitación en el sector nororiental de la Península Ibérica 1850-2000*. Universidad de Barcelona. Tesis doctoral inédita. 496 pgs.
- Saz M y Creus-Novau J. 1999. La variabilidad del clima español en el pasado. Frecuencia de valores extremos de temperatura y precipitación reconstruidas desde el s. XV. En: Raso y Martín-Vide (eds.). *La Climatología española en los albores del siglo XXI*. Vilassar Oikos-tau Asociación Española de Climatología Serie A nº 1, pgs. 501-510.
- Saz M. 2003. *Temperaturas y precipitaciones en la mitad norte de España desde el siglo XV*. CPNA. Diputación General de Aragón. Zaragoza, 293 pgs.
- Schiller G y Brunori A. 1992. Aleppo pine (*Pinus halepensis* Mill.) in Umbria (Italy) and its relation to native Israeli populations. *Israel Journal of Botany*, 41:123-127.
- Schiller G y Cohen Y. 1995. Water regime of a pine forest under a Mediterranean climate. *Agricultural and Forest Meteorology*, 74:181-193.
- Schiller G y Cohen Y. 1998. Water balance of *Pinus halepensis* Mill. afforestation in an arid region. *Forest Ecology and Management*, 105(1):121-128.
- Schiller G, Conkle MT y Grunwald C. 1986. Local differentiation among Mediterranean populations of Aleppo pine in their isoenzymes. *Silvae Genetica*, 35:11-19.
- Schiller G. 1982. Significance of bedrock as a site factor for Aleppo pine. *Forest Ecology and Management*, 4:213-223.

- Schweingruber FH y Briffa KR. 1996. Tree-ring density networks for climate reconstruction. En: Jones PD, Bradley RS y Jouzel J (eds.). *Climate variations and forcing mechanisms of the last 2000 years*. NATO ASI Series I, Volume 41. Springer Berlin Heidelberg. New York, pgs. 43-66.
- Schweingruber FH. 1996. *Tree Rings and Environment Dendroecology*. Paul Haupt Berne Press. Viena, 609 pgs.
- SEIS.net: Sistema Español de Información de Suelos sobre Internet. De la Rosa D, Mayol F, Fernández M, Moreno D, Ruíz J, Moreno JA, Rosales R, Castillo V, Moreno F, Cabrera F, Girón I, Cordón R, Díaz-Pereira E, Sánchez J, Colomer JC, Añó C, Recatalá L, Antoine J, Masui S, Brinkman R, Horn R y Orange N. <http://leu.irnase.csic.es/mimam/seisnet.htm>
- Serra C, Fernández-Mills G, Lana X y Periago MC. 1996. Winter and autumn daily precipitation patterns in Catalonia, Spain. *Theoretical and Applied Climatology*, 54:175-186.
- Serrano A, Mateos VI y García JA. 1999. Trend analysis of monthly precipitation over the Iberian Peninsula for the period 1921-1995. *Physics and Chemistry of the Earth B*, 24:85-90.
- Serré F. 1973. *Contribution a l'étude dendroclimatologique du pin d'Alep (Pinus halepensis Mill.)*. Thèse. Université d'Aix-Marseille III. Marseille, 236 pgs.
- Serré F. 1976. Les rapports de la crissance et du climat chez le Pin d'Alep (*Pinus halepensis* Mill.). *Ecologia Plantarum*, 11(2):143-171.
- Serre-Bachet F y Tessier L. 1990. Response function analysis for ecological study. En: Cook ER y Kairiukstis LA (eds.). *Methods of dendrochronology. Applications in the environmental sciences*. Kluwer Academic Publishers. Dordrecht, pgs. 247-258.
- Sheppard PR, Casals P y Gutiérrez E. 2001. Relationships between ring-width trends and soil nutrient availability at the tree scale. *Tree-Ring Research* 57:105-113.
- Sheppard PR, Tarasov PE, Graumlich LJ, Heussner KU, Wagner M, Österle H, Thompson LG. 2004. Annual precipitation since 515 BC reconstructed from living and fossil juniper growth of northeastern Qinghai Province, China. *Climate Dynamics*, 23:869-881.
- Shuttleworth WJ. 1996. The challenges of developing a changing world. *EOS, Transaction, American Geophysical Union*, 77(36):347-361.
- Smith WK y Hinckley TM. 1995. *Resource physiology of conifers. Acquisition, allocation and utilization*. Academic Press. San Diego, CA, 396 pgs.
- Sokal RR y Rolf FJ. 1987. *Biometría. Principios y métodos estadísticos en la investigación biológica*. Blume ediciones. Madrid, 832 pgs.
- Sokal RR y Rolf FJ. 1969. *Biometry: the principles and practice of statistics in biological research*. Ed. Freeman. San Francisco, 776 pgs.
- Sowell JB. 1985. A predictive model relating North American plant formations and climate. *Vegetatio*, 60:103-111.
- Storch H, Zorita E y Cubasch U. 1993. Downscaling og Global Climate Change estimates to regional scales: an application to Iberian rainfall in wintertime. *Journal of Climate*, 6:1161-1171.

- Sumner GN, Homar V y Ramis C. 2001. Precipitation seasonality in eastern and southern coastal Spain. *International Journal of Climatology*, 21:219-247.
- Sumner GN, Romero R, Homar R, Ramis C, Alonso S y Zorita E. 2003. An estimate of the effects of climate change on the rainfall of Mediterranean Spain by the late twenty first century. *Climate dynamics*, 20:789-805.
- Swetnam TW y Lynch AM. 1993. Multicentury, regional-scale patterns of western spruce budworm outbreaks. *Ecological Monographs*, 63(4): 399-424.
- Swetnam TW, Allen CD y Betancourt JL. 1999. Applied historical ecology: using the past to manage for the future. *Ecol. Appl.*, 9:1189-1206.
- Tardif J, Camarero JJ, Ribas M y Gutiérrez E. 2003. Spatiotemporal variability in radial growth of trees in the Central Pyrenees: climatic and site influences. *Ecological Monographs*, 73(2):241-257.
- ter Braak CJF y Prentice IC. 1988. A theory of gradient analysis. *Advances in Ecological Research*, 18:271-317.
- ter Braak CJF. 1987. *Ordination. In Data analysis in community and landscape ecology*. Eds. Jongman RGH, ter Braak CJF y Van Tongeren OFR. Pudoc. Wageningen, pgs. 91-173.
- ter Braak CJF. 1994. Canonical community ordination. Part 1: Basic theory and linear methods. *Ecoscience*, 1:127-140.
- Terradas J y Rodà F (Eds.). 2004. *Els boscos de Catalunya: estructura, dinàmica y funcionament*. Documents del Quaderns de medi ambient, 11. Generalitat de Catalunya. Departament de Medi Ambient i Habitatge. Barcelona, 135 pgs.
- Terradas J y Savé R. 1992. The influence of summer and winter stress and water relationships on the distribution of *Quercus ilex* L. *Vegetatio*, 99/100:137-145.
- Tongeren OFR van. 1987. Cluster Análisis. En: Jongman RHG, ter Braak CJF, van Tongeren OFR (eds.). *Data análisis in community and landscape ecology*. Pudoc. Wageningen, pgs. 174-212.
- Trigo RM, Osborn TJ y Corte-Real JM. 2002. The North Atlantic Oscillation influence on Europe: climate impacts and associated physical mechanisms. *Climate Research*, 20:9-17.
- Veblen TT, Hadley KS y Reid MS. 1991. Disturbance and stand development of a Colorado subalpine forest. *Journal of Biogeography*, 18: 707-716.
- Veblen TT. 1992. Regeneration dynamics. En: Glenn-Levin DC, Peet RK y Veblen TT *Plant succession: theory and prediction*. Chapman and Hall. London, pgs.152-187.
- Villar-Salvador P, Castro-Díez P, Pérez-Rontomé C y Montserrat-Martí G. 1997. Stem xylem features in three *Quercus* (Fagaceae) species along a climatic gradient in NE Spain. *Trees. Structure and Function*, 12:90-96.
- Visbeck MH, Hurrell JW, Polvani L y Cullen HM. 2001. The North Atlantic Oscillation: Past, present and future. *PNAS*, 98(23): 12876-12877. <http://pnas.org/doi/10.1073/pnas.231391598>
- Walkovszky A. 1998. Changes in phenology of the locust tree (*Robinia pseudoacacia* L) in Hungary. *International Journal of Biometeorology*, 41:155-160.

- Wallace JM, Zhang Y y Renwick JA. 1995. Dynamic contribution to hemispheric mean temperature trends. *Science*, 270: 780-783.
- Walther GR, Post E, Convey P, Menzel A, Parmesan C, Beebee TJC, Fromentin JM, Hoegh-Guldberg O y Bairlein F. 2002. Ecological responses to recent climate change. *Nature*, 416:389-395.
- Walter H. 1984. Vegetation of the Herat and ecological systems of the geobiosphere. Springer-Verlag. Berlin.
- Watson RT, Zinyowera MC (Eds.). 2001. The regional impacts of climate change an assessment of vulnerability. IPCC Spec. Rep. IPCC, Geneva. Switzerland.
- Wigley TM, Briffa KR y Jones PD. 1984. On the average value of correlated time series, with applications in dendroclimatology and hydrometeorology. *Journal of Climate and Applied Meteorology*, 23:201-213.
- Wigley TML. 1992. Future climate of the Mediterranean basin with particular emphasis on changes in precipitation. En: Jeftic L, Milliman JD y Sestini G (eds.). *Climatic change and the Mediterranean: environmental and societal impacts of climate change and sea-level rise in the Mediterranean region*. United Nations Environmental Programme, pgs. 15-44.
- WMO. 1998. *The Global Climate System Review, December 1993-May 1996*. W.J.M. Nicholls (ed.). World and Monitoring Programme, WMO-No. 856. 95 pgs.
- Woodward FI y Williams FG. 1987. Climate and pplant distribution at global and local svaes. *Vegetatio*, 69:189-197.
- Worbes M. 1999. Annual growth rings, rainfall-dependent growth and long-term patterns of tropical trees from the Caparo Forest Reserve in Venezuela. *Journal of Ecology*, 87(3):391-403.
- World S. 1974. Spline functions in data analysis. *Technometrics*, 16:1-11.
- Xoplaki E. 2002. Climate variability over the Mediterranean. PhD thesis, University of Bern, Switzerland (http://sinus.inbe.ch/klimet/docs/phd_xoplaki.pdf).
- Xoplaki E, González-Rouco JF, Luterbacher J y Wanner H. 2003. Mediterranean summer air temperature variability and its connection to the large-scale atmospheric circulation and SSTs. *Climate dynamics*, 20:723-739.
- Xoplaki E, Luterbacher J, Burkard R, Patrikas I y Maheras P. 2000. Connection between the large-scale 500hPa geopotential height fields and precipitation over Greece during wintertime. *Climate Research*, 14:129-146.
- Yamaguchi DK. 1990. A simple method for cross-dating increment cores from living trees. *Canadian Journal of Forest Research*, 21:414-416.
- Zamora R y Pugnaire FI. 2001. Ecosistemas Mediterráneos. Análisis funcional. CSIC. Castillo y edisart SL. *Simposio de la Sociedad española de Ecología Terrestre*. Febrero 2000. Granada, pgs. 11-13.
- Zorita E, Hugues JP, Lettemaier DP y Von Storch. 1995. Stochastic characterization of regional circulation patterns for climate model diagnosis and estimation of local precipitation. *Journal of Climate*, 8:1023-1042.