

BIBLIOGRAFÍA

Abdel-Mageed AB, Oehme FW (1990). A review of the biochemical roles, toxicity and interactions of zinc, copper and iron: I. Zinc. *Vet Hum Tox*; 32:34-39.

Abdel-Mageed AB, Oehme FW (1990). A Review of the Biochemical Roles, Toxicity and Interactions of Zinc, Copper and Iron: II. Copper. *Vet Hum Tox*; 32:230-34.

Aguilar MV, Laborda JM, Martínez-Para MC, González MJ, Meseguer I, Bernao A, Mateos CJ (1998). Effect of diabetes on the tissular Zn/Cu ratio. *J Trace Elem Med Biol*; 12:155-158.

Ahmad Wahid M, Abdul Hamid Fathi S, Aboul-Khair MR (1988). Zinc in human health and disease. *Ric Clin Lab*; 18:9-16.

American Diabetes Association (ADA). Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus (1997). *Diabetes Care*; 20:1183-1197.

Armstrong AM, Chesnutt JE, Gormley MJ, Young IS (1996). The effect of dietary treatment on lipid peroxidation and antioxidant status in newly diagnosed noninsulin dependent diabetes. *Free Radic Biol Med*; 21:719-726.

BIBLIOGRAFÍA

Baer M, King J (1984). Tissue zinc levels and zinc excretion during experimental zinc depletion in young men. *Am J Clin Nutr*; 39:556-570.

Bales CW, Freeland-Graves JH, Askey S, Behmardi F, Pobocik RS, Fickel JJ, Greenle P (1990). Zinc, magnesium, copper, and protein concentrations in human saliva: age- and sex-related differences. *Am J Clin Nutr*; 51:462-469.

Baynes JW, Thorpe SR (1999). Role of oxidative stress in diabetic complications: a new perspective on an old paradigm. *Diabetes*; 48:1-9.

Beaudeau JL, Guillausseau PJ, Peynet J, Flourie F, Assayag M, Tielmans D, Warnet A, Rousselet F (1995). Enhanced susceptibility of low-density lipoprotein to in vitro oxidation in type 1 and type 2 diabetic patients. *Clin Chim Acta*; 239:131-141.

Béguin Y, Brasseur F, Weber G, Bury J, Delbrouck JM, Roelandts I, Robaye G, Fillet G (1987). Observations of serum trace elements in chronic lymphocytic leukemia. *Cancer*; 60:1842-1846.

Belch JJ, Chopra M, Hutchison S, Lorimer R, Sturrock RD, Forbes CD, Smith WE (1989). Free radical pathology in chronic arterial disease. *Free Radic Biol Med*; 6:375-378.

BIBLIOGRAFÍA

Bell GI (1991). Molecular defects in Diabetes Mellitus. *Diabetes*; 40:413-422.

Beltramini M, Lerch K (1983). Spectroscopic studies on neurospora copper metallothionein. *Biochemistry*; 22:2043-2048.

Binz PA, Kägi JHR (1999). Metallothionein: Molecular evolution and classification. En: *Metallothionein IV*, C.Klaassen (ed.), Birkhäuser Verlag, Basilea, Suiza, pp. 7-13.

Bleiler RA, Schedle HP (1962). Creatinine excretion: variability and relationships to diet and body size. *J Lab Clin Med*; 59:945-955.

Blostein-Fujii A, DiSilvestro RA, Frid D, Katz C, Malarkey W (1997). Short-term zinc supplementation in women with non-insulin-dependent diabetes mellitus: effects on plasma 5'-nucleotidase activities, insulin-like growth factor I concentrations, and lipoprotein oxidation rates in vitro. *Am J Clin Nutr*; 66:639-642.

Bremner I, Hoekstra WG, Davies NT, Young BW (1978). Effect of zinc status of rats on the synthesis and degradation of copper induced metallothionein. *Biochem J*; 174:883-892.

BIBLIOGRAFÍA

Bremner I, Morrison JN (1986). Assessment of zinc, copper and cadmium in animals by assay of extracellular metallothionein. *Acta Pharmacol Toxicol*; 59:502-509.

Bremner I (1987). Interactions between metallothionein and trace elements. *Prog Food Nutr Sci*; 11:1-37.

Bremner I, Beattie JH (1990). Metallothionein and the trace minerals. *Ann Rev Nutr*; 10:63-83.

Bronner F, Yost J (1985). Saturable and nonsaturable copper and calcium transport in mouse duodenum. *Am J Physiol*; 249:G108-G117.

Buhler RHO, Kägi HR (1974). Human hepatic metallothioneins. *FEBS Lett*; 39:229-234.

Bunker V, Hinks L, Lawson M, Clayton B (1984). Assessment of zinc and copper status of healthy people using metabolic balance studies and measurements of leukocytes concentrations. *Am J Clin Nutr*; 40:1096-1102.

Caballero AJ (1992). Zinc: *Quim Clin*; 71:15-21.

BIBLIOGRAFÍA

Car N, Car A, Granic M, Skrabalo Z, Momcilovic B (1992). Zinc and Copper in the Serum of Diabetic Patients. *Biol Trace Elem Res*; 32:325-329.

Ceriello A, Bortolotti N, Motz E, Crescentini A, Lizzio S, Russo A, Tonutti L, Taboga C (1998). Meal-generated oxidative stress in type 2 diabetic patients. *Diabetes Care*; 21:1529-1533.

Chausmer AB (1998). Zinc, Insulin and Diabetes. *J Am Coll Nutr*; 2:109-115.

Chen MD, Lin PY, Tsou CT, Wang JJ, Lin WH (1995). Selected Metals Status in Patients with Noninsulin-Dependent Diabetes Mellitus. *Biol Trace Elem Res*; 50:119-124.

Chen H, Carlson EC, Pellet L, Moritz JT, Epstein PN (2001). Overexpression of metallothionein in pancreatic beta-cells reduces streptozotocin-induced DNA damage and diabetes. *Diabetes*; 50:2040-2046.

Cherian MG, Chan HM. Biological functions of Metallothionein - a review. En: *Metallothionein III*. Ed: Suzuki KT, Imura N, Kimura M. Birkhäuser Verlag, Basilea, Suiza, 1993.

Clegg MS, Ferrell F, Keen CL (1987). Hypertension-induced alterations in copper and zinc

BIBLIOGRAFÍA

metabolism in Dahl rats. *Hypertension*; 9:624-628.

Cohen D, Illowsky B, Linder M (1975). Altered copper absorption in humour-bearing and estrogen-treated rats. *Am J Physiol*; 236:E309-315.

Collier A, Wilson R, Bradley H, Thomson JA, Small M (1990). Free radical activity in type 2 diabetes. *Diabet Med*; 7:27-30.

Cousins RJ (1985). Absorption, Transport, and Hepatic Metabolism of Copper and Zinc: Special Reference to Metallothionein and Ceruloplasmin. *Phys Rev*; 2:238-309.

Craft NE, Failla ML (1983). Zinc, iron, and copper absorption in the streptozotocin-diabetic rat. *Am J Physiol*; 244 (Endocrinol. Metab. 7): E122-E128.

Cunnane S, Horrobin D (1985). Contrasting effects of low or high copper intake on rat tissue lipid essential fatty acid composition. *Ann Nutr Metab*; 29:103-110.

Cunningham J, Leffell M, Mearkle P, Harmatz P (1995). Elevated plasma ceruloplasmin in insulin-dependent diabetes mellitus: evidence for increased oxidative stress as a variable complication. *Metabolism*; 44:996-999.

BIBLIOGRAFÍA

Daimon M, Susa S, Yamatani K, Manaka H, Hama K, Kimura M, Ohnuma H, Kato T (1998). Hyperglycemia is a factor for an increase in serum ceruloplasmin in type 2 diabetes. *Diabetes Care*; 21:1525-1528.

Dimitriadis E, Griffin M, Owens D, Johnson A, Collins P, Tomkin GH (1995). Oxidation of low-density lipoprotein in NIDDM: its relationship to fatty acid composition. *Diabetologia*; 38:1300-1306.

DiSilvestro RA, Cousins RJ (1984). Translational regulation of rat liver metallothionein levels by glucagon (abstr.). *Federation Proc*; 43:3310.

DiSilvestro RA, Cousins RJ (1984). Mediation of endotoxin-induced changes in zinc metabolism in rats. *Am J Physiol* 247 (Endocrinol. Metab. 10): E436-E441.

D'Ocon C, Alonso de Armiño, V, Frasquet I (1987). Niveles séricos de Zn y Cu en una población diabética. *Rev Esp Fisiol*; 43:335-338.

Domínguez C, Ruiz E, Gussinye M, Carrascosa A (1999). Oxidative stress at onset and in early stages of type 1 diabetes in children and adolescents. *Diabetes Care*; 21:1736-1742.

BIBLIOGRAFÍA

Dunn MA, Blalock TL, Cousins RJ (1987). Metallothionein. *Proc Soc Exp Biol Med*; 185:107-119.

Durnam DM, Palmiter R (1981). Transcriptional regulation of the mouse metallothionein-I gene by heavy metals. *J Biol Chem*; 256:6712-6716.

El-Yazigi A, Hannan N, Raines DA (1991). Urinary excretion of chromium, copper, and manganese in Diabetes Mellitus and associated disorders. *Diabetes Res*; 18:129-134.

El-Yazigi A, Hannan N, Raines DA (1993). Effect of diabetic state and related disorders on the urinary excretion of magnesium and zinc in patients. *Diabetes Res*; 22:67-75.

Escobar O, Sandoval M, Vargas A, Hempe JM (1995). Role of metallothionein and cysteine-rich intestinal protein in the regulation of zinc absorption by diabetic rats. *Pediatr Res*; 37:321-327.

Evering WE, Haywood S, Bremner I, Wood AM, Trafford J (1991). The protective role of metallothionein in copper-overload: II. Transport and excretion of immunoreactive MT-1 in blood, bile and urine of copper-loaded rats. *Chem Biol Interact*; 78:297-305.

BIBLIOGRAFÍA

Failla ML, Cousins RJ (1978). Zinc accumulation and metabolism in primary cultures of rat liver cells: regulation by glucocorticoids. *Biochim Biophys Acta*; 543:293-304.

Failla ML, Kiser RA (1981). Altered tissue content and cytosol distribution of trace metals in experimental diabetes. *J Nutr*; 111:1900-1909.

Failla ML, Kiser RA (1983). Hepatic and renal metabolism of copper and zinc in the diabetic rat. *Am J Physiol*; 244(Endocrinol. Metab. 7):E115-E121.

Failla ML, Gardell C (1985). Influence of Spontaneous Diabetes on Tissue Status of Zinc, Copper, and Manganese in the BB Wistar Rat. *Proc Soc Exp Biol Med*; 180:317-322.

Fajans SS (1990). Scope and heterogeneous nature of maturity-onset diabetes of the young (MODY). *Diabetes Care*; 13:49-64.

Fajans SS. Diabetes Mellitus: Definition, Classification, Tests. pp.1411-1422. En: *Endocrinology*, Ed: DeGroot LJ. W.B. Saunders Company, Filadelfia, 1995.

Feldman SL, Cousins RJ (1976). Degradation of hepatic zinc-thionein following parenteral zinc administration. *Biochem J*; 160:583-588.

BIBLIOGRAFÍA

Fernández-Real JM, Gutiérrez C, Ricart W, Casamitjana R, Fernández-Castañer M, Vendrell J, Richart C, Soler J (1997). The TNF- α gene *Nco* I polymorphism influences the relationship among insulin resistance, percent body fat, and increased serum leptin levels. *Diabetes*; 46:1468-1472.

Fischer PWF, Collins MW (1981). Relationship between serum zinc and copper and risk factors associated with cardiovascular disease. *Am J Clin Nutr*; 34:595-597.

Folch J, Colomina MT, Sánchez D, Paternain JL. Development and optimization of a radioimmunoassay for metallothionein. En: Anastassopoulou J, Collery P, Etienne JC, Theophanides T (eds) *Metal Ions in Biology and Medicine*. John Libbey Eurotext, París, 1992, Vol.2, pp 139-140.

Folch J, Ortega A, Cabré M, Paternain JL (1998). Urinary levels of Metallothioneins and metals in subjects from a semiindustrialized area in Tarragona province of Spain. *Biol Trace Elem Res*; 63:113-121.

Fonseca VA, Stone A, Munshi M, Baliga BS, Aljada A, Thusu K, Fink L, Dandona P (1997). Oxidative stress in diabetic macrovascular disease: does homocysteine play a role?

BIBLIOGRAFÍA

Southern Med J; 90:903-906.

Giroux EL (1975). Determination of zinc distribution between albumin and α_2 -macroglobulin in human serum. *Biochem Med*; 12:258-266.

Goberna R, Mateo J. Diagnóstico y seguimiento en el laboratorio de la Diabetes Mellitus, pp.257-275. En: *Bioquímica Clínica*. Ed.: F.González Sastre. Editorial Barcanova. Barcelona, 1994.

Goldstein IM, Kaplan HB, Edelson HS, Weissman G (1979). Ceruloplasmin: a scavenger of superoxide anion radicals. *J Biol Chem*; 254:4040-4045.

Gollan JL, Deller DJ (1973). Studies on the nature and excretion of biliary copper in man. *Clin Sci*; 44:9-15.

Greger JL, Snedeker SM (1980). Effect of dietary protein and phosphorus levels on the utilization of zinc, copper and manganese by adult males. *J Nutr*; 110:2243-2253.

Grider A, Bailey LB, Cousins RJ (1990). Erythrocyte metallothionein as an index of zinc status in humans. *Proc Natl Acad Sci USA*; 87:1259-1262.

BIBLIOGRAFÍA

Griffin ME, McInerney D, Fraser A, Johnson AH, Collins PB, Owens D, Tomkin GH (1997). Autoantibodies to oxidized low density lipoprotein: the relationship to low density lipoprotein fatty acid composition in diabetes. *Diabet Med*; 14:741-747.

Hambidge K, Krebs N, Jacobs M, Favier A, Guyette L, Ikle D (1983). Zinc nutritional status during pregnancy: a longitudinal study. *Am J Clin Nutr*; 37:429-442.

Heise CC, King JC, Costa FM, Kitzmiller JL (1988). Hyperzincuria in IDDM women. Relationship to measures of glycemic control, renal function, and tissue catabolism. *Diabetes Care*; 11:780-786.

Hidalgo J, Campmany L, Borrás M, Garvey JS, Armario A (1988). Metallothionein response to stress in rats: role in free radical scavenging. *Am J Physiol*; 255 (Endocrinol. Metab. 18):E518-E524.

Hidalgo J, Borrás M, Garvey JS, Armario A (1990). Liver, brain, and heart metallothionein induction by stress. *J Neurochem*; 55:651-654.

Honnorat J, Accominotti M, Broussolle C, Fleuret AC, Vallon JJ, Orgiazzi J (1992). Effects

BIBLIOGRAFÍA

of Diabetes Type and Treatment on Zinc Status in Diabetes Mellitus. *Biol Trace Elem Res*; 32:311-316.

Hotamisligil GS, Spiegelman BM (1994). Tumor necrosis factor α : a key component of the obesity-diabetes link. *Diabetes*; 43:1271-1278.

Huang YL, Sheu JY, Lin TH (1999). Association between oxidative stress and changes of trace elements in patients with breast cancer. *Clin Biochem*; 32:131-136.

Hur T, Squibb K, Cosma G, Horowitz S, Piedboeuf B, Bowser D, Gordon T (1999). Induction of metallothionein and heme oxygenase in rats after inhalation of endotoxin. *J Toxicol Environ Health*; 56:183-203.

Ihara Y, Toyokuni S, Uchida K, Odaka H, Tanaka T, Ikeda H, Hiai H, Seino Y, Yamada Y (1999). Hyperglycemia causes oxidative stress in pancreatic beta-cells of GK rats, a model of type 2 diabetes. *Diabetes*; 48:927-932.

Iskra M, Majewski W (1999). Oxidase activity of ceruloplasmin and concentrations of copper and zinc in serum in chronic arterial occlusion of the lower limbs. *J Trace Elem Med Biol*; 13:76-81.

BIBLIOGRAFÍA

Iyengar V, Woittiez J (1988). Trace elements in human clinical specimens: evaluation of literature data to identify reference values. *Clin Chem*; 34:474-481.

Jamison MH, Sharma H, Case RM, Braganza JM (1981). Pancreatic secretions assist bile in limiting copper absorption in the rat. *Gut*; A866-A867.

Jayadeep A, Raveendran Pillai K, Kannan S, Nalinakumari KR, Mathew B, Krishnan Nair M, Menon VP (1997). Serum levels of copper, zinc, iron and ceruloplasmin in oral leukoplakia and squamous cell carcinoma. *J Exp Clin Canc Res*; 16:295-300.

Jones AF, Winkles JW, Jennings PE, Florkowski CM, Lunec J, Barnett AH (1988). Serum antioxidant activity in diabetes mellitus. *Diabetes Res*; 7:89-92.

Kägi JH, Vallee BL (1960). Metallothionein: a cadmium- and zinc-containing protein from equine renal cortex. *J Biol Chem*; 235:3460-3465.

Kägi JHR, Schäffer A (1988). Biochemistry of Metallothionein. *Biochemistry*; 27:8509-8515.

BIBLIOGRAFÍA

Kakkar R, Mantha SV, Radhi J, Prasad K, Kalra J (1998). Increased oxidative stress in rat liver and pancreas during progression of streptozotocin-induced diabetes. *Clin Sci*; 94:623-632.

King JC (1990). Assessment of zinc status. *J Nutr*; 120:1474-1479.

Kinlaw WB, Levine AS, Morley JE, Silvis SE, McClain CJ (1983). Abnormal zinc metabolism in type II diabetes mellitus. *Am J Med*; 75:273-277.

Kobbah AM, Hellsing K, Tuvemo T (1988). Early changes of some serum proteins and metals in diabetic children. *Acta Paediatr Scand*; 77:734-740.

Lau A, Failla M (1984). Urinary excretion of zinc, copper and iron in the streptozotocin-diabetic rat. *J Nutr*; 114:1224-1233.

Lazo JS, Kuo SM, Woo ES, Pitt BR (1998). The protein thiol metallothionein as an antioxidant and protectant against antineoplastic drugs. *Chem-Biol Interact*; 111-112:255-262.

Leake DS (1997). Does an acidic pH explain why low density lipoprotein is oxidised in

BIBLIOGRAFÍA

atherosclerotic lesions? *Atherosclerosis*; 129:149-157.

Lebovitz HE (1999). Type 2 Diabetes: An Overview. *Clin Chem*; 45:1339-1345.

Lee HH, Prasad AS, Brewer GJ, Owyang C (1989). Zinc absorption in human small intestine. *Am J Physiol*; 19:G87-G91.

Leibrandt ME, Koropatnick J, Harris JF, Cherian MG (1991). Radioimmunoassay of metallothionein in rabbit, rat, mouse, chinese hamster and human cells. *Biol Trace Elem Res*; 30:245-255.

Leinonen J, Rantalaiho V, Lehtimaki T, Koivula T, Wirta O, Pasternack A, Alho H (1998). The association between the total antioxidant potential of plasma and the presence of coronary heart disease and renal dysfunction in patients with NIDDM. *Free Radical Res*; 29:273-281.

Leonhardt W, Hanefeld M, Muller G, Hora C, Meissner D, Lattke P, Paetzold A, Jaross W, Schroeder HE (1996). Impact of concentrations of glycated hemoglobin, alpha-tocopherol, copper, and manganese on oxidation of low-density lipoproteins in patients with type I diabetes, type II diabetes and control subjects. *Clin Chim Acta*; 254(2):173-186.

Levine AS, McClain CJ, Handwerger BS, Brown DM, Morley JE (1983). Tissue zinc status

BIBLIOGRAFÍA

of genetically diabetic and streptozotocin-induced diabetic mice. *Am J Clin Nutr*; 37:382-386.

Li TY, Kramer AJ, Shaw III CF, Petering DH (1980). Ligand substitution reactions of metallothionein with EDTA and apo-carbonic anhydrase. *Proc Natl Acad Sci USA*; 77:6334-6338.

Liu J, Liu Y, Hartley D, Klaassen CD, Shelin-Johnson SE, Lucas A, Cohen SD (1999). Metallothionein-I/II knockout mice are sensitive to acetaminophen-induced hepatotoxicity. *J Pharmacol Exp Ther*; 289:580-586.

McMillan DE (1989). Increased levels of acute-phase serum proteins in diabetes. *Metabolism*; 38:1042-1046.

Mac Rury SM, Gordon D, Wilson R, Bradley H, Gemmell CG, Paterson JR, Rumley AG, Mac Cuish AC (1993). A comparison of different methods of assessing free radical activity in type 2 diabetes and peripheral vascular disease. *Diabet Med*; 10:331-335.

Martín Mateo MC, Bustamante J, Fernández B. de Quiros J, Ortiz Manchado O (1975). A study of zinc: its metalloenzymes in diabetes mellitus. *Biomedicine*; 23:134-136.

BIBLIOGRAFÍA

Martín Mateo MC, Bustamante J, González MA (1978). Serum zinc, copper and insulin in diabetes mellitus. *Biomedicine*; 29:56-58.

Martínez-Vea A, Serrat N, Paternain JL, García C, García N, Oliver JA (1996). Zinc and metallothionein metabolism in nephrotic syndrome. *Trace Elem Electroly*; 13:14-17.

Mehra RK, Bremner I (1984). Metallothionein as an indicator of zinc and copper status in man. *Essential and Toxic Trace Elements*; 56:145-152.

Melinkeri RR, Sontakke AN, Kulkarni AM (1990). Serum zinc and zinc containing enzymes in diabetes mellitus. *Indian J Med Sci*; 44(7):173-177.

Menard P, McCormick CC, Cousins RJ (1981). Regulation of intestinal metallothionein biosynthesis in rats by dietary zinc. *J Nutr*; 111:1353-1361.

Mezzetti A, Pierdomenico SD, Costantini F, Romano F, De Cesare D, Cuccurullo F, Imbastaro T, Riario-Sforza G, Di Giacomo F, Zuliani G, Fellin R (1998). Copper/zinc ratio and systemic oxidant load: effect of aging and aging-related degenerative diseases. *Free Radic Biol Med*; 25:676-681.

BIBLIOGRAFÍA

Milne DB (1994). Trace Elements, pp.1317-1339. En: *Tietz textbook of Clinical Chemistry*. Ed.: Carl A. Burtis y Edward R. Ashwood. W.B. Saunders Company. Filadelfia, 1994.

Minami T, Tohno S, Tohno Y, Otaki N, Kimura M, Cherian MG (1999). Plasma MT levels in diabetic and renal failure patients. En: *Metallothionein IV*, C.Klaassen (ed.), Birkhäuser Verlag, Basilea, Suiza.

Mooradian AD, Morley JE (1987). Micronutrient status in diabetes mellitus. *Am J Clin Nutr*; 45:877-895.

Mooradian AD, Failla M, Hoogwerf B, Maryniuk M, Wylie-Rosett J (1994). Selected Vitamins and Minerals in Diabetes. *Diabetes Care*; 5:464-479.

Mullins JE, Fuentealba IC (1998). Immunohistochemical detection of metallothionein in liver, duodenum and kidney after dietary copper-overload in rats. *Histol Histopathol*; 13:627-633.

Murphy P, Wadiwala I, Sharland DE, Rai GS (1985). Copper and zinc levels in "healthy" and "sick" elderly. *J Am Geriatr Soc*; 33:847-849.

BIBLIOGRAFÍA

National Diabetes Data Group (1979). Classification diagnosis of diabetes mellitus and other categories of glucose intolerance. *Diabetes*; 28:1039-57.

Nielson KB, Winge DR (1983). Order of metal binding in metallothionein. *J Biol Chem*; 258:13063-13069.

Niewoehner CB, Allen JI, Boosalis M, Levine AS, Morley JE (1986). Role of zinc supplementation in type II diabetes mellitus. *Am J Med*; 81:63-68.

Nobels F, Rillaerts E, D'Hollander M, Van Gaal L, De Leeuw I (1986). Plasma zinc levels in Diabetes Mellitus: relation to plasma albumin and amino acids. *Biomed Pharmacother*; 40:57-60.

Noto R, Alicata R, Sfogliano L, Neri S, Bifarella M (1983). A study of cupremia in a group of elderly diabetics. *Acta Diabetol Lat*; 20:81-85.

Oestreicher P, Cousins RJ (1985). Copper and zinc absorption in the rat: mechanism of mutual antagonism. *J Nutr*; 115:159-166.

Olivares M, Uauy R. Copper as an essential nutrient (1996). *Am J Clin Nutr*; 63:791S-

BIBLIOGRAFÍA

796S.

Otvos JD, Armitage IM (1980). Structure of the metal clusters in rabbit liver metallothionein. *Proc Natl Acad Sci USA*; 77:7094-7098.

Parisi AF, Vallee BL (1970). Isolation of a zinc α_2 -macroglobulin from human serum. *Biochemistry*; 9:2421-2426.

Patel S, Lott JA. Electroforesis de proteínas séricas, p.1547-54. En: *Clinical Chemistry, Theory, Analysis and Correlation*. Kaplan LA, Pesce AJ, Ed. Mosby Company. St Louis, 1984.

Piscator M (1964). On cadmium in normal human kidneys together with a report on the isolation of metallothionein from livers of cadmium-exposed rabbits. *Nord Hyg Tidskr*; 45:76-82.

Prasad A, Oberleas D (1970). Binding of zinc to amino acids and serum proteins in vitro. *J Lab Clin Med*; 76:416-425.

Prasad A, Oberleas D (1974). Thymidine kinase activity and incorporation of thymidine into

BIBLIOGRAFÍA

DNA in the zinc-deficient tissue. *J Lab Clin Med*; 83:634-639.

Prasad A (1979). Clinical, biochemical and pharmacological role of zinc. *Ann Rev Pharm Tox*; 20:393-426.

Quarterman J, Morrison E (1981). The effects of short periods of fasting on the absorption of heavy metals. *Br J Nutr*; 46:277-287.

Quételet L.A.J. *Physique Sociale*, vol 2, Bruselas, C.Muquardt, 92. 1869.

Rauscher AM, Fairweather-Tait SJ, Wilson PD, Gorrick S, Greenwood R (1997). Zinc metabolism in non-insulin dependent diabetes mellitus. *J Trace Elem Med Biol*; 11:65-70.

Raz I, Adler JH, Havivi E (1988). Altered tissue content of trace metals in diabetic hyperinsulinaemic sand rats (*Psammomys Obesus*). *Diabetologia*; 31:329-333.

Raz I, Havivi E (1989). Trace elements in blood cells of diabetic subjects. *Diabetes Res*; 10:21-24.

Raz I, Karsai D, Katz M (1989). The influence of zinc supplementation on glucose homeostasis in NIDDM. *Diabetes Res*; 11:73-79.

BIBLIOGRAFÍA

Richards MP, Cousins RJ (1976^a). Metallothionein and its relationship to the metabolism of dietary zinc in rats. *J Nutr*; 106:1591-1599.

Richards MP, Cousins RJ (1976^b). Zinc-binding protein: relationship to short term changes in zinc metabolism. *Proc Soc Exp Biol Med*; 153:52-56.

Ripa S, Ripa R (1995). Zinc and diabetes mellitus. *Minerva Med*; 86(10):415-421.

Ruiz C, Alegría A, Barberá R, Farré R, Lagarda MJ (1999). Lipid peroxidation and antioxidant enzyme activities in patients with type 1 diabetes mellitus. *Scand J Clin Lab Inv*; 59:99-105.

Saito S, Okabe M, Yoshida K, Kurasaki M (1999). The effect of heavy metal-induced metallothionein on Zn, Cu and Cd accumulation in rat kidney. *Pharmacol Toxicol*; 84:255-260.

Santini SA, Marra G, Giardina B, Cotroneo P, Mordente A, Martorana GE, Manto A, Ghirlanda G (1997). Defective plasma antioxidant defenses and enhanced susceptibility to lipid peroxidation in uncomplicated IDDM. *Diabetes*; 46:1853-1858.

BIBLIOGRAFÍA

Sato M, Nagai Y, Bremner I (1989). Urinary excretion of metallothionein-I and its degradation product in rats treated with cadmium, copper, zinc or mercury. *Toxicology*; 56:23-33.

Sato M, Bremner I (1993). Oxygen free radicals and Metallothionein. *Free Radic Biol Med*; 14:325-337.

Sattar N, Scott HR, McMillan DC, Talwar D, O'Reilly DS, Fell GS (1997). Acute-phase reactants and plasma trace element concentrations in non-small cell lung cancer patients and controls. *Nutr Cancer*; 28: 308-312.

Schlienger JL, Grunenberger F, Maier EA, Simon C, Chabrier G, Leroy MJF (1988). Perturbation des oligoéléments plasmatiques dans le diabète. Relation avec l'équilibre glycémique. *Presse Méd*; 17:1076-1079.

Schosinsky KH, Lehmann HP, Beeler MF (1974). Measurement of Ceruloplasmin from its oxidase activity in serum by use of o-dianisine dihydrochloride. *Clin Chem*; 20:2.

Scott BJ, Bradwell AR (1983). Identification of the serum binding for proteins for iron, zinc,

BIBLIOGRAFÍA

cadmium, nickel, and calcium. *Clin Chem*; 29:629-633.

Shern-Brewer R, Santanam N, Wetzstein C, White-Welkley J, Parthasarathy S (1998). Exercise and cardiovascular disease: a new perspective. *Arterioscl Throm Vas*; 18:1181-1187.

Shvets NV, Kramarenko LD, Vydyborets SV, Gaidukova SN (1994). Disordered trace element content of the erythrocytes in diabetes mellitus. *Lik Sprava*;52-5.

Silverman ML, Christenson RH. Amino Acids and Proteins, p.709-713. En: *Tietz Textbook of Clinical Chemistry*. Ed: Burtis CA, Ashwood ER. WB Saunders Company, Filadelfia, PA 19105. 1994.

Simpkins CO (2000). Metallothionein in human disease. *Cell mol Biol*; 46:465-488.

Sjögren A, Floren CH, Nilsson A (1988). Magnesium, potassium and zinc deficiency in subjects with type II diabetes mellitus. *Acta Med Scand*; 224:461-466.

Sobocinski PZ, Canterbury Jr WJ (1982). Hepatic metallothionein induction in inflammation. *Ann NY Acad Sci*; 210:354-367.

BIBLIOGRAFÍA

Solomons NW, Janghorbani M, Ting B, Steinke F, Christensen M, Bijlani R, Istfan N, Young V (1982). Bioavailability of zinc from a diet based on isolated soy protein: Application in young men of the stable isotope tracer ^{70}Zn . *J Nutr*; 112:1809-1821.

Solomons NW, Cousins RJ. Zinc. En: *Absortion and Malabsortion of Mineral Nutrients*. Ed: Solomons NW, Rosenberg IH. Nueva York: Liss, 1984; 125-197.

Speich M (1990). Le cuivre dans la grossesse normale, diabétique et en périnatalogie. *Rev Fr Gynecol Obstet*; 85:34-9.

Sprietsma JE, Schuitemaker GE (1994). Diabetes can be prevented by reducing insulin production. *Med Hypotheses*; 42:15-23.

Sullivan VK, Burnett FR, Cousins RJ (1998). Metallothionein expression is increased in monocytes and erythrocytes of young men during zinc supplementation. *J Nutr*; 128:707-713.

Suzuki KT, Maitani T (1981). Metal-dependent properties of metallothionein. *Biochem J*; 199:289-295.

BIBLIOGRAFÍA

Taneja SK, Mahajan M, Gupta S, Singh KP (1998). Assessment of copper and zinc status in hair and urine of young women descendants of NIDDM parents. *Biol Trace Elem Res*; 62:255-264.

Terres-Martos C, Navarro-Alarcón M, Martín-Lagos F, López-G de la Serrana H, Pérez-Valero V, López-Martínez MC (1998). Serum zinc and copper concentrations and Cu/Zn ratios in patients with hepatopathies or diabetes. *J Trace Elem Med Biol*; 12:44-49.

Trinder P (1969). Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor. *Ann Clin Biochem*; 6:24.

Udom AO, Brady FO (1980). Reactivation in vitro of zinc-requiring apo-enzymes by rat liver zinc-thionein. *Biochem J*; 187:329-335.

Underwood EJ. 3.Copper. En: *Trace Elements in Human and Animal Nutrition*. Academic Press, Nueva York, 1977, p.56-108.

Underwood EJ. Zinc. En: *Trace Elements in Human and Animal Nutrition*. Academic Press, Nueva York, 1977, p.196-242.

Vallee BL, Maret W. The functional potential and potential functions of metallothioneins: a

BIBLIOGRAFÍA

personal perspective. En: *Metallothionein III*. Ed: Suzuki KT, Imura N, Kimura M. Birkhäuser Verlag, Basilea, Suiza, 1993.

Van Campen DR, Mitchell EA (1965). Absorption of Cu^{64} , Zn^{65} , Mo^{99} , and Fe^{59} from ligated segments of the rat gastrointestinal tract. *J Nutr*; 86:120-124.

Van Campen D (1966). Effects of zinc, cadmium, silver and mercury on absorption and distribution of copper-64 in rats. *J Nutr*; 88:125.

Van Campen D, Scaife P (1967). Zinc interference with copper absorption in the rat. *J Nutr*; 91:473.

Van Campen D, Gross E (1968). Influence of ascorbic acid on the absorption of copper by rats. *J Nutr*; 95:617-622.

Van Campen DR, House WA (1974). Effect of a low protein diet on retention of an oral dose of ^{65}Zn and on tissue concentrations of zinc, iron, and copper in rats. *J Nutr*; 104:84-90.

Vander Mallie RJ, Garvey JS (1979). Radioimmunoassay of metallothioneins. *J Biol Chem*; 254:8416-8421.

BIBLIOGRAFÍA

Victory W, Smith JM, Vander AJ (1981). Renal tubular handling of zinc in the dog. *Am J Physiol*; 241(5):F532-F539.

Vilanova A, Gutiérrez C, Serrat N, Raga X, Paternain JL (1997). Metallothionein, Zinc and Copper levels: Relationship with acute myocardial infarction. *Clin Biochem*; 30:235-238.

Vucic M, Gavella M, Bozikov V, Ashcroft SJ, Rocic B (1997). Superoxide dismutase activity in lymphocytes and polymorphonuclear cells of diabetic patients. *Eur J Clin Chem Clin Biochem*; 35:517-521.

Walter RM, Uriu-Hare JY, Olin KL, Oster MH, Anawalt BD, Critchfield JW, Keen CL (1991). Copper, zinc, manganese, and magnesium status and complications of diabetes mellitus. *Diabetes Care*; 14:1050-1056.

Watanabe T, Iwami O, Nakatsuka H, Iguchi H, Ikeda M (1991). Correlation of cadmium, copper, manganese, and zinc levels in the urine of people in nonpolluted areas. *J Toxicol Environ Health*; 33:263-272.

Williams RJP. Zinc: what is its role in biology? *Endeavour, New Series, Volume 8, No.2*,

BIBLIOGRAFÍA

1984.

Williams NR, Rajput-Williams J, West JA, Nigdikar SV, Foote JW, Howard AN (1995). Plasma, Granulocyte and Mononuclear Cell Copper and Zinc in Patients with Diabetes Mellitus. *Analyst*; 120:887-890.

Yamazaki M, Ito S, Usami A, Tani N, Hanyu O, Nakagawa O, Nakamura H, Shibata A (1995). Urinary excretion rate of ceruloplasmin in non-insulin-dependent diabetic patients with different stages of nephropathy. *Eur J Endocrinol*; 132:681-687.

Yang J, Cherian MG (1994). Protective effects of metallothionein on streptozotocin-induced diabetes rats. *Life-Sci*; 55:43-51.

Zargar AH, Shah NA, Massodi SR, Laway BA, Dar FA, Khan AR, Sofi FA, Wani AI (1998). Copper, zinc, and magnesium levels in non-insulin dependent diabetes mellitus. *Postgrad Med J*; 74:665-668.

Zbronska H, Grzeszczak W, Jendryczko A, Zbronski R, Kuzniewicz R (1995). Activity of superoxide dismutase in erythrocytes and leukocytes and levels of zinc and copper in blood of patients with diabetes. Effect of diabetic treatment on examined parameters. *Pol Arch Med*

BIBLIOGRAFÍA

Wewn; 94:228-234.

Zoli A, Altomonte L, Caricchio R, Galossi A, Mirone L, Ruffini MP, Magaro M (1998).

Serum zinc and copper in active rheumatoid arthritis: correlation with interleukin 1 beta and tumour necrosis factor alpha. *Clin Rheumatol*; 17:378-382.