



Universitat de Barcelona



LES METAL·LOPROTEINASES DE MATRIU EXTRACEL·LULAR EN LA ISQUÈMIA CEREBRAL

Tesi doctoral presentada per
Sònia Solé i Tost
Barcelona, Maig del 2005

VII PART

Bibliografia

BIBLIOGRAFIA

A

- Abilleira S, Montaner J, Molina CA, Monasterio J, Castillo J, Alvarez-Sabin J. (2003). Matrix metalloproteinase-9 concentration after spontaneous intracerebral hemorrhage. *J.Neurosurg.* Jul;99(1):65-70.
- Adair JC, Charlie J, Dencoff JE, Kaye JA, Quinn JF, Camicioli RM, Stetler-Stevenson WG, Rosenberg GA. (2004). Measurement of gelatinase B (MMP-9) in the cerebrospinal fluid of patients with vascular dementia and Alzheimer disease. *Stroke.* Jun;35(6):e159-62. Epub 2004 Apr 22.
- Adell A, Artigas F (1997) In vivo brain microdialysis: Principles and applications. In: *Neuromethods;* vol 32: General Techniques, In vivo (Boulton AA, Baker GB, Bateson AN, eds.), Totowa: Humana Press, pp: 1-33.
- Adell A, Artigas F (1998) A microdialysis study of the in vivo release of 5-HT in the media raphe nucleus of the rat. *Br J Pharmacol* 125:1361-1367.
- Agnihotri R, Crawford HC, Haro H, Matrisian LM, Barda MC, Liaw L. (2001). Osteopontin, a novel substrate for matrix metalloproteinase-3 (Stromelysin-1) and matrix metalloproteinase-7 (Matrilysin). *J Biol Chem* 276: 28261-67.
- Akopov SE, Simonian NA, Gregorian GS. (1996). Dynamics of polymorphonuclear leukocyte accumulation in acute cerebral infarction and their correlation with brain tissue damage. *Stroke* 27: 1739-1743.
- Ali C, Nicole O, Docagne F, Lesne S, MacKenzie, Nouvelot A, Buisson A, Vivien D. (2000) Ischemia-induced Interleukin-6 as a potential endogenous neuroprotective cytokine against NMDA Receptor-Mediated Excitotoxicity in the brain. *J Cereb Blood Flow Metab* 20, 956-966.
- Alirezaei M, Marin P, Nairn AC, Glowinski J, Premont J. (2001) Inhibition of protein synthesis in cortical neurons during exposure to hydrogen peroxide. *J Neurochem* 76, 1081-1088.
- Alvarez-Sabin J, Delgado P, Abilleira S, Molina CA, Arenillas J, Ribo M, Santamarina E, Quintana M, Monasterio J, Montaner J. (2004). Temporal profile of matrix metalloproteinases and their inhibitors after spontaneous intracerebral hemorrhage: relationship to clinical and radiological outcome. *Stroke.* Jun;35(6): 1316-22.
- Ananthan J, Goldberg AL, Voellmy R. (1986) Abnormal protein serve as eucaryotic stress signals and triggers the action of heat shock genes. *Science* 323, 522-524.
- Antonsson B, Martinou JC. (2000) The Bcl-2 protein family. *Exp Cell Res* 256, 50-7.
- Anthony, D.C., Miller, K.M., Fearn, S., Townsend, M.J., Opdenakker, G., Wells, G.M.A., Clements, J.M., Chandler, S., Gearing, A.J.H., & Perry, V.H. (1998) Matrix metalloproteinase expression in an experimentally-induced DTH model of multiple sclerosis in the rat CNS. *J. Neuroimmunol.* 87, 62-72.
- Aoki T, Sumii T, Mori T, Wang X, Lo EH. (2002). Blood-brain barrier disruption and matrix metalloproteinase-9 expression during reperfusion injury: mechanical versus embolic focal ischemia in spontaneously hypertensive rats. *Stroke.* Nov;33(11):2711-7.

- Aoudjit, F., S. Masure, G. Opdenakker, E. Potworowski, and Y. St-Pierre. (1999). Gelatinase B (MMP-9), but not its inhibitor (TIMP-1), dictates the growth rate of experimental thymic lymphoma. *Int. J. Cancer* 82: 743-747.
- Asahi, M., Asahi, K., Jung, J.-C., del Zoppo, G.J., Fini, M.E., & Lo, E.H. (2000) Role of matrix metalloproteinase 9 after cerebral ischemia: effects of gene knockout and enzyme inhibition with BB-94. *J. Cereb. Blood Flow Metab.* 20, 1681-1689.
- Asahi M, Wang X, Mori T, Sumii T, Jung J-C, Moskowitz MA, Fini ME, Lo EH (2001) Effects of matrix metalloproteinase-9 gene knock-out on the proteolysis of blood-brain barrier and white matter components after cerebral ischemia. *J Neurosci* 21:7724-7732.
- Astrup J, Siesjö BK, Symon LS. (1981) Thresholds in cerebral ischemia. The ischemic penumbra. *Stroke* 12,723-725.
- Avolio C, Ruggieri M, Giuliani F, Liuzzi GM, Leante R, Riccio P, Livrea P, Trojano M. (2003). Serum MMP-2 and MMP-9 are elevated in different multiple sclerosis subtypes. *J Neuroimmunol.* Mar;136(1-2): 46-53.

B

- Back T.(1998) Pathophysiology of the Ischemic Penumbra—Revision of a Concept. *Cellular and Molecular Neurobiology* 18, 621-638.
- Backstrom, J.R., & Tökés, Z.A. (1995) The 84-kDa form of human matrix metalloproteinase-9 degrades substance P and gelatin. *J. Neurochem.* 64, 1312-1318.
- Backstrom, J.R., Lim, G.P., Cullen, M.J., & Tokes, Z.A. (1996) Matrix metalloproteinase-9 (MMP-9) is synthesized in neurons of the human hippocampus and is capable of degrading the amyloid- η peptide (1-40). *J. Neurosci.* 16, 7910-7919.
- Baerwald-de la Torre K, Winzen U, Halfter W, Bixby JL.(2004).Glycosaminoglycan-dependent and - independent inhibition of neurite outgrowth by agrin. *J Neurochem.* Jul; 90(1): 50-61.
- Banati RB, Gehrmann J, Schubert P, Kreutzberg GW (1993) Cytotoxicity of microglia. *Glia* 7, 11-118.
- Batteur-Parmentier S, Margaill I, Plotkine M (2000) Modulation by nitric oxide of cerebral neutrophil accumulation after transient focal ischemia in rats. *J Cereb Blood Flow Metab* 20:812-819.
- Beaudeux JL, Giral P, Bruckert E, Foglietti MJ, Chapman MJ. (2004).Matrixmetalloproteinases, inflammation and atherosclerosis: therapeutic perspectives. *Clin Chem Lab Med.* Feb;42(2):121-31.
- Benveniste H, Drejer J, Schousboe A, Diemer NH (1984) Elevation of the extracellular concentrations of glutamate and aspartate in rat hippocampus during transient cerebral ischemia monitored by intracerebral microdialysis. *J Neurochem* 43: 1369-1374
- Benveniste H.(1991) The excitotoxin hypothesis in relation to cerebral ischemia. *Cerebrovasc Brain Met Rev* 3, 213-245.
- Bhat NR, Zhang P. (1999) Hydrogen peroxide activation of multiple mitogen-activated protein kinases in an oligodendrocyte cell line: role of extracellular signal-regulated kinase in hydrogen peroxide-induced cell death. *J Neurochem* 72, 112-119.

Bibliografia

- Bickett DM, Green MD, Wagner C, Roth JT, Berman J, McGeehan GM. (1994).A high throughput fluorogenic substrate for stromelysin (MMP-3). *Ann N Y Acad Sci* 732: 351-5.
- Biggins, S., and A.W. Murray. (1998). Sister chromatid cohesion in mitosis. *Curr. Opin. Cell Biol.* 10: 769-775.
- Black RA, Rauch CT, Kozlosky C, Peshon JJ, Slack JL, Wolfson MF, Castner BJ, Stocking KL, Reddy P, Srinivasan S, Nelson N, Boiani N, Schooley KA, Gerhart M, Davis R, Fitzner JN, Johnson RS, Paxton RJ, March CJ, Ceretti DP. (1997). A metalloproteinasse disintegrin that releases tumor-necrosis factor-alpha from cells. *Nature*; 385: 729-733.
- Borg, J, London, J. (2002) Copper/zinc superoxide dismutase overexpression promotes survival of cortical neurons exposed to neurotoxins in vitro. *J. Neurosci. Res.* 70, 180-189.
- Borregaard N, Cowland JB (1997) Granules of the human neutrophilic polymorphonuclear leukocyte. *Blood* 89:3503-3521.
- Böse CM, Qiu D, Bergamaschi A, Gravante B, Bossi M, Villa A, Rupp F, Malgaroli A. (2000). Agrin controls synaptic differentiation in hippocampal neurons. *J Neurosci* 20: 9086-95
- Bosman, F.T. 1999. The nuclear matrix in pathology. *Virchows Arch.* 435:391-399.
- Bovolenta P, Fernaud-Espinosa I (2000) Nervous system proteoglycans as modulators of neurite outgrowth. *Prog Neurobiol* 61:113-132
- Bradford MM. (1976) A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Annal. Biochem* 72,248-254.
- Bradley PP, Priebat DA, Christensen RD, Rothstein G (1982) Measurement of cutaneous inflammation: estimation of neutrophil content with an enzyme marker. *J Invest Dermatol* 78:206-209.
- Brown, Cattaneo E, Conti L, De-Fraja C. (1999) Signalling through the JAK-STAT pathway in the developing brain. *Trends Neurosci* 22, 365-369.
- Bruce AJ. (1996) Altered neuronal and microglial responses to excitotoxic and ischemic brain injury in mice lacking TNF receptors. *Nature Med.* 2, 788-794.
- Bruno G, Todor R, Lewis I, Chayette D (1998) Vascular extracellular matrix remodeling in cerebral aneurysms. *J Neurosurg* 8:259-282
- Burgess RW, Skarnes WC, Sanes JR. (2000).Agrin isoforms with distinct amino termini: Differential expression, localization and function. *J Cell Biol* 151: 41-52
- Burgess RW, Dickman DK, Nunez L, Glass DJ, Sanes JR. (2002).Mapping sites responsible for interactions of agrin with neurons. *J Neurochem* 83: 271-84
- Bush TG, Puvanachandra N, Horner CH, Polito A, Ostenfeld T, Svendsen CN, Mucke L, Johnson MH, Sofroniew MV. (1999) Leukocyte infiltration, neuronal degeneration, and neuritic outgrowth after ablation of scar-forming, reactive astrocytes in adult transgenic mice. *Neuron* 23, 297-308.

C

- Canete Soler, R, Gui, Y.H., Linask, K.K., & Muschel, R.J. (1995) MMP-9 (gelatinase B) mRNA is expressed during mouse neurogenesis and may be associated with vascularization. *Dev. Brain Res.* 88, 37-52.

Bibliografia

- Canudas, A.M., Friguls, B., Planas, A.M., Gabriel, C., Escubedo, E., Camarasa, J., Camins, A., & Pallàs, M. (2000) MPP+ injection into rat substantia nigra causes secondary glial activation but not cell death in the ipsilateral striatum. *Neurobiol Dis.* 7, 343-361.
- Cao G, Minami M, Pei W, Yan C, Chen D, O'Horo C, Graham SH, Chen J. (2001) Intracellular Bax translocation after transient cerebral ischemia: implications for a role of the mitochondrial apoptotic signaling pathway in ischemic neuronal death. *J Cereb Blood Flow Metab* 21, 321-333.
- Castagne V, Gautschi M, Lefevre K, Posada A, Clarke PGH. (1999) Relationships between neuronal death and the cellular redox status. Focus on the developing nervous system. *Prog. Neurobiol* 59, 397-423.
- Castellanos M, Leira R, Serena J, Pumar JM, Lizasoain I, Castillo J, Davalos A. (2003). Plasma metalloproteinase-9 concentration predicts hemorrhagic transformation in acute ischemic stroke. *Stroke.* Jan;34(1):40-6.
- Castellanos M, Leira R, Serena J, Blanco M, Pedraza S, Castillo J, Davalos A.(2004). Plasma cellular-fibronectin concentration predicts hemorrhagic transformation after thrombolytic therapy in acute ischemic stroke. *Stroke.* Jul;35(7):1671-6.
- Castillo J, Alvarez Sabín J, Martí-Vilalta J.L, Martínez Vila E, Matías-Guiu J. (1999) *Manual de enfermedades vasculares cerebrales.* En: Díez Tejedor E, Soler R, Concepto y clasificación de las enfermedades cerebrovasculares. *Prous Science* (Barcelona).
- Castillo J. (2001). Luces y sombras de la neuroprotección en la isquemia cerebral. *Revista de Neuro-Psiquiatría*: 64; 354-381.
- Castillo J, Rodriguez I.(2004).Biochemical changes and inflammatory response as markers for brain ischaemia: molecular markers of diagnostic utility and prognosis in human clinical practice. *Cerebrovasc Dis.* 17 Suppl 1:7-18.
- Celio MR, Spreafico R., De Biasi S, Vitellaro-Zuccarello L (1998) Perineuronal nets: past and present. *Trends Neurosci* 21: 520-515
- Clark, A.W., Krekoski, C.A., Bou, S.S., Chapman, K.R., & Edwards, D.R. (1997) Increased gelatinase A (MMP-2) and gelatinase B (MMP-9) activities in human brain after focal ischemia. *Neurosci. Lett.* 238, 53-56.
- Clark, WM. (1997). Cytokines and reperfusion injury. *Neurology* 49: (suppl 4):S10-S14.
- Conant K, St Hillaire C, Nagase H, Visse R, Gary D, Haughey N, Anderson C, Turchan J, Nath A. (2004). Matrix metalloproteinase-1 interacts with neuronal integrins and stimulates dephosphorylation of Akt. *J Biol Chem.* Feb 27;279(9):8056-62. Epub 2003 Dec 15.
- Connolly ES. (1996) Cerebral protection in homozygous null ICAM-1 mice after middle cerebral artery occlusion. Role of neutrophil adhesion in the pathogenesis of stroke. *J. Clin. Invest.* 97, 209-216.
- Cossins, J.A., Clements, J.M., Ford, J., Miller, K.M., Piggot, R., Vos, W., Van Der Valk, P., & De Groot, C.J.A. (1997) Enhanced expression of MMP-7 and MMP-9 in demyelinating multiple sclerosis lesions. *Acta Neuropathol. (Berl)* 94, 590-598.
- Crocker SJ, Pagenstecher A, Campbell IL. (2004).The TIMPs tango with MMPs and more in the central nervous system. *J Neurosci Res.* Jan 75(1):1-11. Review.

Bibliografia

Cross, A.K., & Woodroffe, M.N. (1999) Chemokine modulation of matrix metalloproteinase and TIMP production in adult rat brain microglia and a human microglial cell line in vitro. *Glia* 28, 183-189.

CH

Chamorro. (2000) Immediate anticoagulation in acute focal brain ischemia revisited: gathering the evidence. *Stroke* 32(2), 577-8.

Chamorro A, Planas AM. (2004). Inflammation-mediated damage as a potential therapeutic target in acute ischemic stroke. *Ernst Schering Res Found Workshop*. (47): 185-204. Review.

Chandler S, Coates R, Gearing A, Lury J, Wells G, Bone E. (1995). Matrix metalloproteinases degrade myelin basic protein. *Neurosci Lett* 201:223-6

Chapman GA, Moores K, Harrison D, Campbell CA, Stewart BR, Strijbos PJ. (2000). Fractalkine cleavage from neuronal membranes represents an acute event in the inflammatory response to excitotoxic brain damage. *J Neurosci* 20: RC87.

Chen LC, Noelken ME, Nagase H. (1993). Disruption of the cysteine-75 and zinc ion coordination is not sufficient to activate the precursor of human matrix metalloproteinase 3 (stromelysin 1). *Biochemistry* 32: 10289-95

Choi DW. (1987) Ionic dependence of glutamate neurotoxicity. *J. Neurosci* 7, 369-379.

Choi DW. (1988) Glutamate neurotoxicity and diseases of the nervous system. *Neuron* 1, 623-634.

Choi DW. (1992) Excitotoxic cell death. *J. Neurol* 23, 1261-1276.

Chopp M, Li Y, Jiang N, Zhang RL, Prostak J (1996) Antibodies against adhesion molecules reduce apoptosis after transient middle cerebral artery occlusion in rat brain. *J Cereb Blood Flow Metab* 16:578-584.

D

D'Arcangelo G, Tancredi V, Onofri F, D'Antuono M, Giovedi S, Benfenati F. (2000) Interleukin-6 inhibits neurotransmitter release and the spread of excitation in the rat cerebral cortex. *Eur. J. Neurosci* 12, 1241-1252.

Davies, G.E., & Martin, B.M. (1990) A latent Mr 94,000 gelatin-degrading metalloprotease induced during differentiation of HL-60 promyelocytic leukemia cells: a member of the collagenase family of enzymes. *Cancer Res.* 50, 1113-1120.

Deb S, Gottschall PE. (1996). Increased production of matrix metalloproteinases in enriched astrocyte and mixed hippocampal cultures treated with beta-amyloid peptides. *J Neurochem* 66: 1641-7.

del Zoppo,G.J.(1998).tPA: a neuron buster too? *Nat. Med.* 4: 148-150.

Derynck, R. (1988). Transforming growth factor- ζ . *Cell* 54:593-595.

Dienel GA, Pulsinelli WA, Duffy TE. (1980) Regional protein synthesis in rat brain following acute hemispheric ischemia. *Journal of Neurochemistry* 35, 1216-1226.

Bibliografia

- D'Souza CA, Mak B, Moscarello MA. (2002). The up-regulation of stromelysin-1 (MMP-3) in a spontaneously demyelinating transgenic mouse precedes onset of disease. *J Biol Chem* 277:13589-96
- Duchossoy Y, Horvat JC, Stettler O. (2001). MMP-related gelatinase activity is strongly induced in scar tissue of injured adult spinal cord and forms pathways for ingrowing neurites. *Mol Cell Neurosci*. Jun;17(6):945-56.
- Dykstra KH, Hsiao JK, Morrison PF, Bungay PM, Mefford IN, Scully MM, Dedrick RL (1992) Quantitative examination of tissue concentration profiles associated with microdialysis. *J Neurochem* 58: 931-940
- Dzwonek J, Rylski M, Kaczmarek L.(2004).Matrix metalloproteinases and their endogenous inhibitors in neuronal physiology of the adult brain.*FEBS Lett.* Jun 1;567(1):129-35. Review.

E

- Edvinson L., MacKenzie ET., McCulloch J (1993). Cerebral Blood Flow and Metabolism. Raven Press: New York.
- Edwards DR. (2004).TIMP-3 and endocrine therapy of breast cancer: an apoptosis connection emerges. *J Pathol.* Apr;202(4):391-4.
- Egea J, Espinet C, Comella X. (1998) Calcium influx activates extracellular-regulated kinase/mitogen-activated protein kinase pathway through a calmodulin-sensitive mechanism in PC12 cells. *J Biol Chem* 274,75-85.
- Egeblad M,Werb Z.(2002).New functions for matrix metalloproteinases in cancer progression. *Nature reviews in cancer* 2:161-174.
- Enlimomab Acute Stroke Trial Investigators. (2001) Use of anti-ICAM-1 therapy in ischemic stroke: results of the Enlimomab Acute Stroke Trial. *Neurology* 57, 1428-1434.
- Estus S, Zaks W, Freeman RS, Gruda M, Bravo R, Johnson EM. (1994) Altered gene expression in neurons during programmed cell death: identification of c-jun as necessary for neuronal apoptosis. *J Cell Biol* 127, 1717-1727.
- Ethell DW, Kinloch R, Green DR. (2002). Metalloproteinase shedding of Fas ligand regulates beta-amyloid neurotoxicity. *Curr Biol* 12: 1595-600.

F

- Fassbender K, Mossner R, Motsch L, Kischka U, Grau A, Hennerici M. (1995).Circulating selectin and immunoglobulin type adhesion molecules in acute ischemic stroke. *Stroke* 26: 1361-1364.
- Fauconneau B, Petegnief V, Sanfeliu C, Piriou A, Planas AM. (2002).Induction of heat shock proteins (HSPs) by sodium arsenite in cultured astrocytes and reduction of hydrogen peroxide-induced cell death. *J Neurochem* 83: 1338-48
- Fawcett JW, Asher RA. (1999).The glial scar and the central nervous system. *Brain Res Bull* 49: 277-91.
- Fernández-Patron C, Martinez-Cuesta MA, Salas E, Sawicki G, Wozniak M, Radomski M.W., Davidge S.T. (1999).Differential Regulation of Platelet Aggregation by Matrix Metalloproteinases-9 and -2. *Thromb Haemost* 82: 1730-5.

- Fernández-Patron C, Zouki C, Whittal R, Chan J, Davidge S, Filep JG. (2001). Matrix metalloproteinases regulate neutrophil-endothelial cell adhesion through generation of endotelin-1[1-32]. *The Faseb Journal*. 15 Oct; 2230-2240.
- Ferreira A. (1999). Abnormal synapse formation in agrin-depleted hippocampal neurons. *J Cell Sci* 112: 4729-38
- Ferrer I, Ballabriga J, Pozas E. (1997) transient forebrain ischemia in the adult gerbil is associated with a complex c-Jun response. *Neuroreport* 8, 2483-2487.
- Ferrer I, Blanco R, Carmona M, Puig B, Domínguez I, Viñals F. (2002) Active, phosphorylation-dependent MAP kinases, MAP/ERK, SAPK/JNK and p38, and specific transcription factor substrates are differentially expressed following systemic administration of kainic acid to the adult rat. *Acta Neuropathol* 103, 391-407.
- Ferrer I, Fríguls B, Dalfó E, Justicia C, Planas AM (2003). Caspase-dependent and caspase-independent signalling of apoptosis in the penumbra following middle cerebral artery occlusion in the adult rat. *Neuropathol Appl Neurobiol* 29: 472-481.
- Fiotti N, Zivadinov R, Altamura N, Nasuelli D, Bratina A, Tommasi MA, Bosco A, Locatelli L, Grop A, Cazzato G, Guarnieri G, Giansante C, Zorzon M. (2004). MMP-9 microsatellite polymorphism and multiple sclerosis. *J Neuroimmunol*. Jul;152(1-2):147-53.
- Fosang AJ, Neame PJ, Hardingham TE, Murphy G, Hamilton JA. (1991). Cleavage of cartilage proteoglycan between G1 and G2 domains by stromelysins. *J Biol Chem* 266: 15579-82
- Frijns CJ, Kappelle LJ. (2002) Inflammatory cell adhesion molecules in ischemic cerebrovascular disease. *Stroke* 33, 2115-2122.
- Frisch, S.M., and Morisaki, J.H. (1990) Positive and negative transcriptional elements of the human type IV collagenase gene. *Mol. Cell Biol.* 10, 6524-6432.
- Fujimura M, Morita-Fujimura Y, Murakami K, Kawase M, Chan P.H. (1998) Cytosolic redistribution of Cytochrome c after transient focal cerebral ischemia in rats, *Journal of Cerebral Blood Flow Metabolism* 18, 1239-1247.
- Fujimura, M., Gasche, Y., Morita-Fujimura, Y., Massengale, J., Kawase, M., & Chan, P.H. (1999) Early appearance of activated matrix metalloproteinase-9 and blood-brain barrier disruption in mice after focal cerebral ischemia and reperfusion. *Brain Res.* 842, 92-100.
- Furuya K, Takeda H, Azhar S, McCarron RM, Chen Y, Ruetzler CA, Wolcott KM, DeGraba TJ, Rothlein R, Hugli TE, del Zoppo GJ, Hallenbeck JM (2001) Examination of several potential mechanisms for the negative outcome in a clinical stroke trial of Enlimomab, a murine anti-human intercellular adhesion molecule-1 antibody. *Stroke* 32:2665-2674.
- G**
- Gabriel, C., Justicia, C., Camins, A., and Planas, A.M. (1999) Activation of Nuclear Factor- κ B in the rat brain after transient focal ischemia. *Mol. Brain Res.* 65, 61-69.
- Galko MJ, Tessier-Lavigne M. (2000). Function of an axonal chemoattractant modulated by metalloprotease activity. *Science* 289: 1365-7.

Bibliografia

- Galis Z.S, Khatri J.J. (2002). Matrix Metalloproteinases in Vascular Remodeling and Atherogenesis: The Good, the Bad, and the Ugly. *Circulation Research*, 2 :251-262.
- Garcia JH, Yoshida Y, Chen H, Li Y, Zhang ZG, Lian J, Chen S, Chopp M. (1993). Progression from ischemic injury to infarct following middle cerebral artery occlusion in the rat. *Am J Pathol* 142: 623-35
- Garcia JH, Liu KF, Yoshida Y, Lian J, Chen S, del Zoppo GJ (1994) Influx of leukocytes and platelets in an evolving brain infarct (Wistar rat). *Am J Pathol* 144:188-199
- Garcia JH, Liu KF, Ho KL. (1995) Neuronal Necrosis After Middle Cerebral Artery Occlusion in Wistar Rats Progresses at Different Time Intervals in the Caudoputamen and the Cortex. *Stroke* 26, 636-642.
- Gardner J, Ghorpade A. (2003).Tissue inhibitor of metalloproteinase (TIMP)-1: the TIMPed balance of matrix metalloproteinases in the central nervous system.*J Neurosci Res*. Dec 15;74(6): 801-6. Review.
- Gasche Y, Fujimura M, Morita-Fujimura Y, Copin JC, Kawase M, Massengale J, Chan, PH (1999). Early appearance of activated matrix metalloproteinase-9 after focal cerebral ischemia in mice: a possible role in blood-brain barrier dysfunction. *J Cereb Blood Flow Metab* 19: 1020-1028
- Gasche Y, Copin J-C, Saguwara T, Fujimura M, Chan PH (2001). Matrix metalloproteinase inhibition prevents oxidative stress-associated blood-brain barrier disruption after transient focal cerebral ischemia. *J Cereb Blood Flow Metab* 21:1393-1400.
- Gearing AJH, Beckett P, Christodoulou M, Chruchill M, Clements J, Davidson AH, Drummond AH, Galloway WA, Gibert R, Gordon JL, Leber TM, et al. (1994).Processing of tumour necrosis factor-a precursor by metalloproteinases. *Nature* 370: 555-557.
- Gearing AJH, Thorpe SJ, Miller K, Mangan M, Varley PG, Dudgeon T, Ward G, Turner C, Thorpe R. (2002).Selective cleavage of human IgG by the matrix metalloproteinases, matrylisin and stromelysin. *Immunol Lett* 81:41-48
- Gijbels, K., Proost, P., Masure, S., Carton, H., Billiau, A., & Opdenakker, G. (1993) Gelatinase B is present in the cerebrospinal fluid during experimental autoimmune encephalomyelitis and cleaves myelin basic protein. *J. Neurosci. Res.* 36, 432-440.
- Gingras J, Rassadi S, Cooper E, Ferns M. (2002). Agrin plays an organazing role in the formation of sympathetic synapses. *J Cell Biol.* 158: 1109-18
- Giraudon P, Szymocha R, Buort S, et al. (2000). T lymphocytes activated by persistent viral infection differentially modify the expression of metolloproteinases and their endogenous inhibitors, TIMPs, in human astrocytes:relevance to HTLV-I-induced neurological disease. *J Immunol* 164: 2718-27.
- Giulian D, Vaca K, Corpuz M. (1993) Brain glia release factors with opposing actions upon neuronal survival. *J. Neurosci* 13, 29-37.
- Giulian D. (1993) Reactive glia as rivals in regulating neuronal survival. *Glia* 7, 102-110.
- Godfrey EW. (1991). Comparison of agrin-like proteins from the extracellular matrix of chicken kidney and muscle with neural agrin, a synapse organizing protein. *Exp. Cell Res.* 195: 99-109
- Goldberg, M., A. Harel, and Y. Gruenbaum. (1999). The nuclear lamina: molecular organization and interaction with chromatin. *Crit. Rev. Eukaryot. Gene Expr.* 9:285-293.
- Gonczy P. (2002). Nuclear envelope: torn apart at mitosis. *Curr. Biol.* 12:R242-244.

Bibliografia

- Gottschall, P.E., & Yu, X. (1995) Cytokines regulate gelatinase A and B (matrix metalloproteinase 2 and 9) activity in cultured rat astrocytes. *J. Neurochem.* 64, 1513-1520.
- Gottschall, P.E., Yu, X., & Bing, B. (1995) Increased production of gelatinase B (matrix metalloproteinase-9) and interleukin-6 by activated rat microglia in culture. *J. Neurosci. Res.* 42, 335-342.
- Gottschall P.E. (1996) η -amyloid induction of gelatinase B secretion in cultured microglia: inhibition by dexamethasone and indomethacin. *NeuroReport* 7, 3077-3080.
- Gottschall, P.E., & Deb, S. (1996) Regulation of matrix metalloproteinase expressions in astrocytes, microglia and neurons. *Neuroimmunomodulation* 3, 69-75.
- Gotzmann, J., and R. Foisner. (1999). Lamins and lamin-binding proteins in functional chromatin organization. *Crit. Rev. Eukaryot. Gene Expr.* 9:257-265.
- Graesser D, Mahood S, Madri JA. (2000). Distinct roles for matrix metalloproteinase-2 and alpha4integrin in autoimmune T cell extravasation and residency in brain parenchyma during experimental autoimmune encephalomyelitis. *J Neuroimmunol* 109: 121-31.
- Gruenbaum, Y., K.L. Wilson, A. Harel, M. Goldberg, and M. Cohen. (2000). Review: nuclear lamins-- structural proteins with fundamental functions. *J. Struct. Biol.* 12: 9313-9323.
- Gu Z, Kaul M, Yan B, Kridel SJ, Cui J, Strongin A, Smith JW, Liddington RC, Lipton SA (2002) S-nitrosylation of matrix metalloproteinases: signaling pathway to neuronal cell death. *Science* 297:1186-1190.
- Gum, R., Lengyel, E., Juarez, J., Chen, J.H., Sato, H., Seiki, M., & Boyd, D. (1996) Stimulation of 92-kDa gelatinase B promoter activity by ras is mitogen-activated protein kinase kinase 1-independent and requires multiple transcription factor binding sites including closely spaced PEA3/ets and AP1 sequences. *J. Biol. Chem.* 271, 10672-10680.
- Gursoy-Ozdemir Y, Can A, Dalkara T. (2004). Reperfusion-induced oxidative/nitrative injury to neurovascular unit after focal cerebral ischemia. *Stroke Jun*; 35(6):1449-53. Epub 2004 Apr 08.

H

- Hacke, W. et al.(1999).Thrombolysis in acute ischemic stroke: controlled trials and clinical experience. *Neurology* 53 (suppl.4), S3-S15.
- Halfter W, Schurer B, Yip J, Yip L, Tsen G, Lee JA, Cole GJ. (1997). Distribution and substrate properties of agrin, a heparan sulfate proteoglycan of developing axonal pathways. *J Comp Neurol* 383: 1-17
- Halliwell B. (1992) Reactive oxygen species and the central nervous system. *J. Neurochem* 59, 1609-1623.
- Hamann, G.F., Okada, Y., Fitridge, R., & del Zoppo, G.J. (1995) Microvascular basal lamina antigens disappear during cerebral ischemia and reperfusion. *Stroke* 26, 2120-2126.
- Hata R, Maeda K, Hermann D, Mies G and Hossmann KA. (2000) Evolution of brain infarction after transient focal cerebral ischemia in mice. *J Cereb Blood Flow Metab* 20, 937-946.
- Hattori M, Osterfield M, Flanagan JG. (2000). Regulated cleavage of a contact-mediated axon repellent. *Science* 289: 1360-5.

Bibliografia

- Heo, J.H., Lucero, J., Abumiya, T., Koziol, J.A., Copeland, B.R., & del Zoppo, G.J. (1999) Matrix metalloproteinases increase very early during experimental focal cerebral ischemia. *J. Cereb. Blood Flow Metab.* 19, 624-633.
- Herman M. P., Sukhova G. K., Kisiel W., Foster D., Kehry M. R., Libby P, and Schönbeck U.(2001). Tissue factor pathway inhibitor-2 is a novel inhibitor of matrix metalloproteinases with implications for atherosclerosis. *J.Clin. Invest.* 107: 1117-1126.
- Hermann D.M, Kilic E, Hata R, Hossman K.A, Mies G. (2001) Relationship between metabolic dysfunctions, gene responses and delayed cell death after mild focal cerebral ischemia in mice. *Neuroscience* 104, 947-955.
- Herz,J.,Strickland,D.K.(2001).LRP: a multifunctional scavenger and signaling receptor.*J.Clin. Invest.* 108: 779-784.
- Hilgenberg LGW, Ho KD, Lee D, O'Dowd DK, Smith MA. (2002).Agrin regulates neuronal responses to excitatory neurotransmitters in vitro and in vivo. *Mol Cell Neurosci* 19: 97-110
- Hoch W, Campanelli JT, Harrison S, Scheller RH. Structural domains of agrin required for clustering of nicotinic acetylcholine receptors. *EMBO J.* 13: 2814-21
- Hoover CL, Hilgenberg LGW, Smith MA. (2003). The COOH-terminal domain of agrin signals via a synaptic receptor in central nervous system neurons. *J Cell Biol* 161: 923-32
- Hossmann KA. (1993) Disturbances in protein synthesis and ischemic cell death. En:*Progress in Brain Res* 96, 161-167. Eds K Kogure, KA Hossmann, BK Siesjö. *Elsevier Science Publishers*.
- Hossmann KA. (1994) Viability thresholds and the penumbra of focal ischemia. *Annals of Neurology* 36, 557-565.
- Howard, E.W., & Banda, M.J. (1991) Binding of tissue inhibitor of metalloproteinases 2 to two distinct sites on human 72-kDa gelatinase. Identification of a stabilization site. *J. Biol. Chem.* 266, 17972-17977.
- Humphreys, R.C., and L. Hennighausen. (2000). Transforming growth factor alpha and mouse models of human breast cancer. *Oncogene* 19:1085-1091.

I

- Ianaro A, Ialenti A, Maffia P, Pisano B, DiRosa M.(2001) HSF1/hsp72 pathway as an endogenous anti-inflammatory system. *Febs Lett* 499, 239-244.

J

- Jaworski DM.(2000).Developmental regulation of membrane type-5 matrix metalloproteinase (MT5-MMP) expression in the rat nervous system. *Brain Res* 860: 174-7.
- Jourquin J, Tremblay E, Decanis N, Charton G, Hanessian S, Chollet AM, Le Diguadher T, Khrestchatsky M, Rivera S.(2003).Neuronal activity-dependent increase of net matrix metalloproteinase activity is associated with MMP-9 neurotoxicity after kainate.*Eur J Neurosci.* Sep;18(6):1507-17.

Justicia C, Pérez-Asensio FJ, Burguete MC, Salom JB, Planas AM (2001) Administration of transforming growth factor- ζ reduces infarct volume after transient focal cerebral ischemia in the rat. *J Cereb Blood Flow Metab* 21:1097-1104

K

Kadoglou NP, Liapis CD. (2004). Matrix metalloproteinases: contribution to pathogenesis, diagnosis, surveillance and treatment of abdominal aortic aneurysms. *Curr Med Res Opin.* Apr; 20(4): 419-32. Review.

Kato H, Araki T, Itoyama Y, Kogure K, Kato K. (1995). An immunohistochemical study of heat shock protein-27 in the hippocampus in a gerbil model of cerebral ischemia and ischemic tolerance. *Neuroscience* 68: 65-71.

Kayagaki N, Kawasaki A, Ebata T, Ohmoto H, Ikeda S, Inoue S, Yoshino K, Okumura K, Yagita H. (1996). Metalloproteinase-mediated release of human Fas ligand. *J Exp Med* 182: 1777-1783.

Kleiner, D.E., and Stetler-Stevenson, W.G. (1994) Quantitative zymography: detection of picogram quantities of gelatinases. *Anal. Biochem.* 218, 325-329.

Kieseier, B.C., Seifert, T., Giovannoni, G., and Hartung, H.P. (1999) Matrix metalloproteinases in inflammatory demyelination: targets for treatment. *Neurology* 53, 20-25.

Kim JS. (1996). Cytokines and adhesion molecules in stroke and related diseases. *J Neurol Sci* 137: 69-78.

Kinouchi H, Sharp F.R, Hill M.P, Koistinaho J, Sagar S.M, Chan P.H. (1993) Induction of 70 kDa heat shock protein and hsp70 mRNA following transient focal ischemia in the rat. *J. Cereb. Blood Flow Metab* 13, 105-115.

Kita H.,Shima K.,Tatsumi M.,Chigasaki H. (1995). Cerebral blood flow and glucose metabolism of the ischemic rim in spontaneously hypertensive stroke-prone rats with occlusion of the middle cerebral artery. *J.Cereb. Blood Flow and Metab.* 15, 235-241.

Kjeldsen L, Bjerrum OW, Hovgaard D, Johnsen AH, Sehested M, Borregaard N (1992) Human neutrophil gelatinase: a marker for circulating blood neutrophils. Purification and quantitation by enzyme linked immunosorbent assay. *Eur J Haematol*, 49:180-191.

Kochaneck PM, Hallenbeck JM.(1992). Polymorphonuclear leukocytes and monocytes/macrophages in the pathogenesis of cerebral ischemia and stroke. *Stroke* 23: 1367-1379.

Koizumi J, Yoshida Y, Nakazawa T, Oneddda G. (1986) Experimental studies of ischemic brain edema: A new experimental model of cerebral embolism in which recirculation can be introduced in the ischemic area. *Japanese Journal of Stroke* 8: 1-8.

Kondapaka, S. B., R. Fridman, and K.B. Reddy. (1997). Epidermal growth factor and amphiregulin up-regulate matrix metalloproteinase-9 (MMP-9) in human breast cancer cells. *Int. J. Cancer* 70:722-726.

Kostulas N, Kivisakk P, Huang Y, Matusevicius D, Kostulas V, Link H. (1998). Ischemic stroke is associated with a systemic increase of blood mononuclear cells expressing interleukin-8 mRNA. *Stroke* 29: 462-466.

Koulen P, Honig LS, Fletcher EL, Kroger S. (1999). Expression, distribution and ultrastructural localization of the synapse-organizing molecule agrin in the mature avian retina. *Eur J Neurosci* 11: 4188-96

- Kreutzberg GW. (1996) Microglia: a sensor for pathological events in the CNS. *TINS* 19, 312-318.
- Kroger S, Mann S. (1996). Biochemical and functional characterization of basal lamina-bound agrin in the chick central nervous system. *Eur J Neurosci* 8: 500-9
- L**
- Lambert E, Dasse E, Haye B, Petitfrère E. (2004). TIMPs as multifacial proteins. *Crit Rev Oncol Hematol*. Mar;49(3): 187-98.
- Landis D.M.D. (1994) The early reactions of non-neuronal cells to brain injury. *Annu. Rev. Neurosci* 17, 133-151.
- Lapchak, P.A., Chapman, D.F., & Zivin, J.A. (2000) Metalloproteinase inhibition reduces thrombolytic (tissue plasminogen activator)-induced hemorrhage after thromboembolic stroke. *Stroke* 31: 3034-3040.
- Lapchak PA. (2002). Hemorrhagic transformation following ischemic stroke: significance, causes, and relationship to therapy and treatment. *Curr Neurol Neurosci Rep*. Jan;2(1): 38-43. Review.
- Larsen PH, Wells JE, Stallcup WB, Opdenakker G, Yong VW. (2003). Matrix metalloproteinase-9 facilitates remyelination in part by processing the inhibitory NG2 proteoglycan. *J Neurosci*. Dec 3;23(35): 11127-35.
- Lee JM, Zipfel GJ, Choi DW. (1999) The changing landscape of ischaemic brain injury mechanisms. *Nature* 399, A7-A14.
- Lehrmann E, Christensen T, Zimmer J, Diemer NH, Finsen B. (1997). Microglial and macrophage reactions mark progressive changes and define the penumbra in the rat neocortex and striatum after transient middle cerebral artery occlusion. *J. Comp. Neurol* 386: 461-476.
- Lesuisse C, Qiu D, Böse CM, Nakaso K, Rupp F. (2000). Regulation of agrin expression in hippocampal neurons by cell contact and electrical activity. *Mol Brain Res*: 92-100
- Levine JM, Reynolds R, Fawcett JW. (2001). The oligodendrocyte precursor cell in health and disease. *Trends in Neurosci* 24: 39-47
- Liedtke, W., Cannella, B., Mazzaccaro, R.J., Clements, J.M., Miller, K.M., Wucherpfennig, K.W., Gearing, A.J., & Raine, C.S. (1998) Effective treatment of models of multiple sclerosis by matrix metalloproteinase inhibitors. *Ann. Neurol.* 44, 35-46.
- Lim, G.P., Backstrom, J.R., Cullen, M.J., Miller, C.A., Atkinson, R.D., and Tokes, Z.A. (1996) Matrix metalloproteinases in the neocortex and spinal cord of amyotrophic lateral sclerosis patients. *J. Neurochem*. 67, 251-259.
- Lindsey M, Wedin K, Brown MD, Keller C, Evans AJ, Smolen J, Burns AR, Rossen RD, Michael L, Entman M (2001) Matrix-dependent mechanism of neutrophil-mediated release and activation of matrix metalloproteinase 9 in myocardial ischemia/reperfusion. *Circulation* 103: 2181-2187
- Ling E.A, Wong W.C. (1993) The origin and mature of ramified and amoeboid microglia: a historical review and current concepts. *Glia* 7, 9-18.
- Liu Z, Zhou X, Diaz L, Werb Z (2000). The serpin α1-proteinase inhibitor is a critical substrate for gelatinase B/MMP-9 in vivo. *Cell* 102 Sept.: 647-655.

Bibliografia

- Liuzzi GM, Latronico T, Fasano A, Carbone G, Riccio P.(2004). Interferon-beta inhibits the expression of metalloproteinases in rat glial cell cultures: implications for multiple sclerosis pathogenesis and treatment. *Mult Scler.* Jun;10(3): 290-7.
- Llano E, Pendas AM, Aza-Blanc P, Kornberg TB, Lopez-Otin C. (2000). Dm1-MMP, a matrix metalloproteinase from *Drosophila* with a potential role in extracellular matrix remodeling during neural development. *J. Biol Chem* 275: 35978-85.
- Lo E.H., Dalkara T and Moskowitz M.A.(2003). Mechanisms, challenges and opportunities in stroke. *Nature Reviews in Neuroscience*, 4: 399-415.
- Loidl, P., and A. Eberharter. (1995). Nuclear matrix and the cell cycle. *Int. Rev. Cytol.* 162B:377-403.
- Longa, E.Z., Weinstein, P.R., Carlson, S., & Cummins, R. (1989) Reversible middle cerebral artery occlusion without craniectomy in rats. *Stroke* 20, 84-91.
- Lorenzl S, Albers DS, Relkin N, Ngyuen T, Hilgenberg SL, Chirichigno J, Cudkowicz ME, Beal MF. (2003). Increased plasma levels of matrix metalloproteinase-9 in patients with Alzheimer's disease. *Neurochem Int.* Aug; 43(3): 191-6.
- Lorenzl S, Calingasan N, Yang L, Albers DS, Shugama S, Gregorio J, Krell HW, Chirichigno J, Joh T, Beal MF. (2004). Matrix metalloproteinase-9 is elevated in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced parkinsonism in mice. *Neuromolecular Med.* 5(2):119-32.
- Loy M, Burggraf D, Martens KH, Liebetrau M, Wunderlich N, Bultemeier G, Nemori R, Hamann GF. (2002). A gelatin in situ-overlay technique localizes brain matrix metalloproteinase activity in experimental focal cerebral ischemia. *J Neurosci Methods.* May 15;116(2):125-33.
- Lu A, Tang Y, Ran R, Clark JF, Aronow BJ, Sharp FR. (2003). Genomics of the periinfarction cortex after focal cerebral ischemia. *J Cereb Blood Flow Metab* 23: 786-810
- Lukes A, Mun-Bryce S, Lukes M, Rosenberg GA. (1999). Extracellular matrix degradation by metalloproteinases and central nervous system diseases. *Mol. Neurobiol.* 19: 267-284.
- Luo Y, Bond J.D, Ingram V.M. (1997) Compromised mitochondrial function leads to increased cytosolic calcium and to activation of MAP kinases. *Proc. Natl. Acad. Sci. U.S.A* 94, 9705-9710.

M

- Ma L, Raycroft L, Asa D, Anderson DC, Geng JG (1994) A sialoglycoprotein from human leukocytes functions as a ligand for P-selectin. *J Biol Chem* 269:27739-27746.
- Macrae I. M. (1992) New models of focal cerebral ischemia. *British Journal of Clinical pharmacology* 34, 302-308.
- Magill-Solc C, McMahan UJ. (1988). Motor neurons contain agrin-like molecules. *J Cell Biol* 107: 1825-1833
- Mantych KB, Ferreira, A. (2001). Agrin differentially regulates the rates of axonal and dendritic elongation in cultured hippocampal neurons. *J Neurosci* 21: 6802-9.
- Massa SM, Swanson R, Sharp FR. (1996) The stress gene response in brain. *Cerebrovascular and Brain Metabolism Reviews* 8, 95-158.

Bibliografia

- Massague, J. (1983). Epidermal growth factor-like transforming growth factor. II Interaction with epidermal growth factor receptors in human placenta membranes and A431 cells. *J. Biol. Chem.* 258:13614-13620.
- Matrisian LM. (1990) Metalloproteinases and their inhibitors in matrix remodeling. *Trends Genet.* 6: 121-5.
- Mattson MP. (2000) Apoptosis in neurodegenerative disorders. *Nat. Rev. Mol. Cell. Biol.* 1, 120-129.
- McAuley MA. (1995) Rodent models of focal ischemia. *Cerebrovasc brain metab. Rev.* 7, 153-180.
- McCawley LJ, Matrisian LM (2001). Matrix metalloproteinases: they're not just for matrix anymore! *Current Opinion in cell Biology*,13:534-540.
- McQuibban GA, Gong J-H, Wong JP, Wallace JL, Clark-Lewis I, Overall CM. (2002).Matrix metalloproteinase processing of monocyte chemoattractant proteins generates CC chemokine receptor antagonists with anti-inflammatory properties in vivo. *Blood* 100: 1160-7
- Mehlen P, Rabizadeh S, Snipas SJ, Assa-Munt N, Salvesen GS, Bredesen DE. (1998).The DCC gene product induces apoptosis by a mechanism requiring receptor proteolysis. *Nature* 395:801-4.
- Mengesdorf T, Althausen S, Oberndorfer I and Paschen W. (2001) Response of neurons to an irreversible inhibition of endoplasmic reticulum Ca²⁺-ATPase: relationship between global protein synthesis and expression and translation of individual genes. *Biochem J* 356, 805-812.
- Mercapide J, Lopez de Cicco R, Castresana JS, Klein-Szanto AJ. (2003). Stromelysin-1/matrix metalloproteinase-3 (MMP-3) expression accounts for invasive properties of human astrocytoma cell lines. *Int J Cancer* 106: 676-82
- Mies G, Ishamuru S, Xie Y, Hossmann KA. (1991) Ischemic threshold of cerebral protein synthesis and energy state following middle cerebral artery occlusion in rat. *J. Cereb Blood Flow Metab* 11, 753-761.
- Miettinen, P.J., J.R. Chin, L. Shum, H.C. Slavkin, C.F. Shuler, R. Derynck, and Z. Werb. (1999). Epidermal growth factor receptor function is necessary for normal craniofacial development and palate closure. *Nat. Genet.* 22: 69-73.
- Molina-Holgado E, Khorchid A, Liu H-N, Almazan G. (2003).Regulation of muscarinic receptor function in developing oligodendrocytes by agonist exposure. *Br J Pharmacology* 138: 47-56
- Montaner J, Alvarez-Sabín J, Molina CA, Anglés A, Abilleira S, Arenillas J, and Monasterio J (2001) Matrix metalloproteinase expression is related to hemorrhagic transformation after cardioembolic stroke. *Stroke* 32: 2762-2767.
- Montaner J, Molina CA, Monasterio J, Abilleira S, Arenillas JF, Ribo M, Quintana M, Alvarez-Sabin J. (2003). Matrix metalloproteinase-9 pretreatment level predicts intracranial hemorrhagic complications after thrombolysis in human stroke.*Circulation*. Feb 107(4): 598-603.
- Montaner J.(2003). Cooling Matrix Metalloproteinases to Improve Thrombolysis in Acute Ischemic Stroke . *Stroke*,34: 2171-2172.
- Montaner J, Fernandez-Cadenas I, Molina CA, Monasterio J, Arenillas JF, Ribo M, Quintana M, Chacon P, Andreu AL, Alvarez-Sabin J. (2003). Safety profile of tissue plasminogen activator treatment among stroke patients carrying a common polymorphism (C-1562T) in the promoter region of the matrix metalloproteinase-9 gene.*Stroke*. Dec;34(12):2851-5.

Bibliografia

- Montaner J, Rovira A, Molina CA, Arenillas JF, Ribo M, Chacon P, Monasterio J, Alvarez-Sabin J. (2003). Plasmatic level of neuroinflammatory markers predict the extent of diffusion-weighted image lesions in hyperacute stroke. *J Cereb Blood Flow Metab.* Dec;23(12):1403-7.
- Moon S.K., B.Y. Cha, and C.H. Kim. (2003). In vitro cellular aging is associated with enhanced proliferative capacity, G1 cell cycle modulation, and matrix metalloproteinase-9 regulation in mouse aortic smooth muscle cells. *Arch. Biochem. Biophys.* 418: 39-48.
- Morgan ME, Singhal D, Anderson BD (1996) Quantitative assessment of blood-brain barrier damage during microdialysis. *J Pharmacol Exp Therap* 277:1167-1176
- Morimoto R. (1993) Cells in stress: transcriptional activation of heat shock genes. *Science* 259,140-1410.
- Morita-Fujimura, Y., Fujimura, M., Gasche, Y., Copin, J.C., & Chan, P.H. (2000) Overexpression of copper and zinc superoxide dismutase in transgenic mice prevents the induction and activation of matrix metalloproteinases after cold injury-induced brain trauma. *J. Cereb. Blood Flow Metab.* 20, 130-138.
- Mosser DD, Caron AW, Bourget L, Denis-Larose C, Massie B. (1997) Role of the human heat shock protein HSP70 in protection against stress induced apoptosis. *Mol Cell Biol* 17, 5317-5327.
- Mun-Bryce, S., & Rosenberg, G.A. (1998) Matrix metalloproteinases in cerebrovascular disease. *J. Cereb. Blood Flow Metab.* 18, 1163-1172.
- Mun-Bryce S, Rosenberg GA (1998) Gelatinase B modulates selective opening of the blood-brain barrier during inflammation. *Am J Physiol* 274 (Regulatory Integrative Comp. Physiol. 43): R1203-R1211
- Mun-Bryce S, Lukes A, Wallace J, Lukes-Marx M, Rosenberg G (2002) Stromelysin-1 and gelatinase A are upregulated before TNF- ζ in LPS-stimulated neuroinflammation. *Brain Res* 933:42-49
- Murawaki, Y., Yamada, S., Ikuta, Y., and Kawasaki, H. (1999) Clinical usefulness of serum matrix metalloproteinase-2 concentration in patients with chronic viral liver disease. *J. Hepathol.* 30, 1090-1098.
- Murphy G, Cockett MI, Ward RV, Docherty AJ. (1991) Matrix metalloproteinase degradation of elastin, type IV collagen and proteoglycan. A quantitative comparison of the activities of 95 kDa and 72 kDa gelatinases, stromelysins-1 and -2 and punctuated metalloproteinase (PUMP). *Biochem J.* 277: 277-9.
- Murphy G. (1995).Matrix metalloproteinases and their inhibitors. *Acta Orthop Scand*; 66 (suppl 256): 55-60.

N

- Nagase H, Woessner JF Jr.(1997) Matrix metalloproteinases. *J Biol. Chem.* 274: 21491-4
- Nasmyth, K. (1999). Separating sister chromatids. *Trends Biochem. Sci.* 24: 98-104.
- Nasmyth K (2002). Segregating sister genomes: the molecular biology of chromosome separation. *Science* 297: 559-565.
- Nelson, R.B., and Siman, R. (1989) Identification and characterization of calcium-dependent metalloproteases in rat brain. *J. Neurochem.* 53, 641-647.
- Neri, L.M., Y. Raymond, A. Giordano, P. Borgatti, M. Marchisio, S. Capitani, and A.M. Martelli. (1999). Spatial distribution of lamin A and B1 in the K562 cell nuclear matrix stabilized with metal ions. *J. Cell Biochem.* 75: 36-45.

Bibliografia

- Neumann FR, Bittcher G, Annies M, Schumacher B, Kröger S, Ruegg MA. (2001). An Alternative amino-terminus expressed in the central nervous system converts agrin to a type II transmembrane protein. *Mol Cell Neurosci* 17: 208-25
- Nickerson, J.A. (1998). Nuclear dreams: the malignant alteration of nuclear architecture. *J. Cell. Biochem.* 70: 172-180.
- Nichols i Attwell. (1990) The release and uptake of excitatory amino acids. *Trends Pharmacol. Science* 11, 462-468.
- Nishizawa Y. (2001) Glutamate release and neuronal damage in ischemia . *Life Sciences* 69, 369-381.
- Noble LJ, Donovan F, Igarashi T, Goussov 5, Werb Z. (2002). Matrix metalloproteinases limit functional recovery after spinal cord injury by modulation of early vascular events. *J.Neurosci* 22: 7526-35.
- Noel A, Maillard C, Rocks N, Jost M, Chabotiaux V, Sounni NE, Maquoi E, Cataldo D, Foidart JM. (2004). Membrane associated proteases and their inhibitors in tumour angiogenesis. *J Clin Pathol.* Jun;57(6):577-84. Review.
- Nowak TS Jr, Fried RL, Lust WD, Passonneau JV. (1985) Changes in brain energy metabolism and protein synthesis following transient bilateral ischemia in the gerbil. *J Neurochem* 44, 487-494.

O

- Obrenovitch.(1995) The ischemic penumbra: twenty years on. *Cerebrovascular and brain metabolism reviews* 7: 267-323.
- O'Connor LT, Lauterborn JC, Gall CM, Smith MA. Localization and alternative splicing of agrin mRNA in adult rat brain: Transcripts encoding isoforms that aggregate acetylcholine receptors are not restricted to cholinergic regions. *J Neurosci* 1994; 14: 1141-52.
- O-charoenrat, P., P. Rhys-Evans, W.J. Court, G.M. Box, and S.A. Eccles. (1999). Differential modulation of proliferation, matrix metalloproteinase expression and invasion of human head and neck squamous carcinoma cells by c-erb B ligands. *Clin. Exp. Metastasis*, 17: 631-639.
- O-charoenrat, P., H. Modjtahedi, Rhys-Evans, W.J. Court, G.M. Box, and S.A. Eccles. (2000). Epidermal growth factor-like ligands differentially up-regulate matrix metalloproteinase 9 in head and neck squamous carcinoma cells. *Cancer Res.* 60: 1121-1128.
- Ogata, Y., Itoh, Y., & Nagase, H. (1995) Steps involved in activation of the pro-matrix metalloproteinase 9 (progelatinase B)-tissue inhibitor of metalloproteinases-1 complex by 4-aminophenylmercuric acetate and proteinases. *J. Biol. Chem.* 277, 18506-18511.
- Oh, L.Y.S., Larsen, P.H., Krekoski, C.A., Edwards, D.R., Donovan, F., Werb, Z., & Yong, V.W. (1999) Matrix metalloproteinase-9/Gelatinase B is required for process outgrowth by oligodendrocytes. *J. Neurosci.* 19, 8464-8475.
- Oh J.,Takahashi R, Kondo S,Mizoguchi A,Adachi E,Sasahara R.M.,Nishimura S, Imamura Y, Kitayama H, Alexander D.B., Ide C.,Horan T.P.,Arakawa T,Yoshida H.,Shin-ichi Nishikawa, Itoh Y.,Seiki M,Itohara S, Takahashi C.,and Noda . (2001). The Membrane-Anchored MMP Inhibitor RECK Is a Key Regulator of Extracellular Matrix Integrity and Angiogenesis. *Cell.* 107: 789-800.

Bibliografia

- Oliff HS., Weber E., Eilon G., Marek P. (1995). The role of strain-vendor differences on the outcome of focal cerebral ischemia induced by intraluminal middle cerebral artery occlusion in the rat. *Brain Res.* 675, 20-26.
- Olson, M.W., Bernardo, M.M., Pietila, M., Gervasi, D.C., Toth, M., Kotra, L.P., Massova, I., Mobashery, S., & Fridman, R. (2000) Characterization of the monomeric and dimeric forms of latent and active matrix metalloproteinase-9. *J. Biol. Chem.* 275, 2661-2668.
- O'Neill L.A.J, Kaltschmidt C. (1997) NF- κ B: a crucial transcription factor for glial and neuronal cell function. *Trends Neurosci* 20, 252-258.
- Opdenakker G, Van den Steen PE, Van Damme J. (2001). Gelatinase B: a tuner and amplifier of immune functions. *Trends Immunol* 22: 571-9.
- Opdenakker G, Van den Steen PE, Dubois B, Nelissen I, Masure S, Proost P & Van Damme J. (2001). Gelatinase B functions as regulator and effector in leukocyte biology. *J. Leuk. Biol.* 69: 851-859.
- Orr-Weaver, T.L. (1999). The ties that bind: localization of the sister-chromatid cohesin complex on yeast chromosomes. *Cell* 99: 1-4.
- Ottaviano, Y., and L. Gerace. (1985). Phosphorylation of the nuclear lamins during interphase and mitosis. *J. Biol. Chem.* 260: 624-632.
- Overall CM, López-Otin C. (2002). Strategies for MMP inhibition in cancer: innovations for the post-trial era. *Nature reviews in cancer*, 2: 657-672.
- Owen C.AI, Hu Z, Barrick B, and Shapiro S.D.(2003) .Inducible expression of TIMP-resistant matrix metalloproteinase-9 on the cell surface of neutrophils. AJRCMB Articles in Press. Published on March 27, as doi:10.1165/rcmb.2003-0034 OC

P

- Pagenstecher, A., Stalder, A.K., Kincaid, C.L., Shapiro, S.D., & Campbell, I.L. (1998) Differential expression of matrix metalloproteinase and tissue inhibitor of matrix metalloproteinase genes in the mouse central nervous system in normal and inflammatory states. *Am. J. Pathol.* 152, 729-741.
- Panes J, Perry MA, Anderson DC, Manning AA, Leone B, Cepinskas G, Rosenbloom CL, Miyasaka M, Kviety PR, Granger DN (1995) Regional differences in constitutive and induced ICAM-1 expression in vivo. *Am J Physiol* 269: H1955-H1964
- Paschen W. (2000) Role of calcium in neuronal cell injury: Which subcellular compartment is involved?. *Brain Res Bull* 53, 409-413.
- Paxinos G, Watson C. (1986) The rat brain in stereotaxic coordinates. *Academic Press, New York*.
- Planas A.M., Soriano M.A., Beruezo M., Estrada A., Justicia C., Pitarch S., and Ferrer I. (1996) Induction of Stat3, a signal transducer and transcription factor, in reactive microglia following transient focal cerebral ischemia. *Eur. J. Neurosci.* 8, 2612-2618.
- Planas AM, Soriano M, Estrada A, Sanz O, Martin F, Ferrer I. (1997) The heat shock stress response after brain lesions: induction of 72 kDa heat shock protein (cell types involved, axonal transport, transcriptional regulation) and protein synthesis inhibition. *Prog Neurobiol* 51, 607-636.

Bibliografia

- Planas A.M., Justicia C., Soriano M.A., & Ferrer I. (1998) Epidermal growth factor receptor in proliferating reactive glia following transient focal ischemia in the rat brain. *Glia* 23, 120-129.
- Petegnief V, Friguls B, Sanfeliu C, Suñol C, Planas AM. Transforming growth factor- ζ attenuates NMDA toxicity in cortical cultures by preventing protein synthesis inhibition through an Erk1/2-dependent mechanism. *J Biol Chem* (in press) Published 'on line' on the 27/5/2003 M300661200
- Pfefferkorn T, Rosenberg GA.(2003). Closure of the blood-brain barrier by matrix metalloproteinase inhibition reduces rtPA-mediated mortality in cerebral ischemia with delayed reperfusion. *Stroke Aug*;34(8):2025-30. Epub 2003 Jul 10.
- Price, A., Q. Shi, D. Morris, M.E. Wilcox, P.M. Brasher, N.B. Rewcastle, D. Shalinsky, H. Zou, K. Appelt, R.N. Johnston, V.W. Yong, D. Edwards, and P. Forsyth. (1999). Marked inhibition of tumor growth in a malignant glioma tumor model by a novel synthetic matrix metalloproteinase inhibitor AG3340. *Clin. Cancer Res.* 5:845-854.
- Pugin J, Widmer M-C, Kossodo S, Liang C-M, Preas II HL, Suffredini AF (1999) Human neutrophils secrete gelatinase B in vitro and in vivo in response to endotoxin and proinflammatory mediators. *Am J Respir Cell Mol Biol* 20:458-464
- R**
- Rabbani, S.A., P. Harakidas, Y. Guo, D. Steinman, S.K. Davidsen, and D.W. Morgan. (2000). Synthetic inhibitor of matrix metalloproteinases decreases tumor growth and metastases in a synergic model of rat prostate cancer *in vivo*. *Int. J. Cancer* 87: 276-282.
- Ramos-DeSimone N, Hahn-Dantonav E, Sipley J, Nagase H, French DL, Quigley J P. (1999). Activation of Matrix Metalloproteinase-9 (MMP-9) via a Converging Plasmin/Stromelysin-1 Cascade Enhances Tumor Cell Invasion. *J Biol Chem* 274: 13066-76
- Rao R, Dogan A, Todd K, Bowen K, Kim BT, Rothsein J, Dempsey RJ. (2001) Antisense knockdown of the glial glutamate transporter GLT-1, but not the neuronal glutamate transporter EAAC1, exacerbates transient focal cerebral ischemia-induced neuronal damage in rat brain. *The Journal of Neuroscience* 21, 1876-1883.
- Rao C.N., Lakka S.S., Kin Y., Konduri S.D., Fuller G.N., Mohanam S, and Rao J.S (2001). Expression of Tissue Factor Pathway Inhibitor 2 Inversely Correlates during the Progression of Human Gliomas. *Clinical Cancer Research* 570 Vol. 7, 570-576.
- Reddy, K.B., J.S. Krueger, S.B. Kondapaka, and C.A. Diglio. (1999). Mitogen-activated protein kinase (MAPK) regulates the expression of progelatinase B (MMP-9) in breast epithelial cells. *Int. J. Cancer* 82:268-273.
- Reist NE, Magill C, McMahan UJ. (1987). Agrin-like molecules at synaptic sites in normal, denervated, and damaged skeletal muscles. *J Cell Biol.* 105: 2457-69
- Reist NE, Werle, MJ, McMahan UJ.(1992) Agrin released by motor neurons induces the aggregation of acetylcholine receptors at neuromuscular junctions. *Neuron* 8: 865-8.
- Reynolds F.H., G.J. Todaro, C. Fryling, and J.R. Stephenson.(1983). Human transforming growth factors induce tyrosine phosphorylation of EGF receptors. *Nature* 292:259-262.

Bibliografia

- Reynolds MA, Kirchick HJ, Dahlen JR, Anderberg JM, McPherson PH, Nakamura KK, Laskowitz DT, Valkirs GE, Buechler KF.(2003) Early biomarkers of stroke. *Clin Chem.* Oct;49(10):1733-9.
- Rivera S, Tremblay F, Timsit S, Canals O, Ben-Ari y, Khrestchotisky M.(1997). Tissue inhibitor of metalloproteinases-1 (TIMP-1) is differentially induced in neurons and astrocytes after seizures: evidence for developmental, immediate early gene, and lesion response. *J.Neurosci* 17: 4223-35,
- Rivera S, Khrestchatsky M.(1999). Matrix metalloproteinases and tissue inhibitors of metalloproteinases in neuronal plasticity and pathology. In: Baudry M, Thomsom RF, Davis JL, eds. *Advances in synaptic plasticity*. Cambridge, MA: The MIT Press: 53-86.
- Rivera S, Ogier C, Jourquin J, Timsit S, Szklarczyk AW, Miller K, Gearing AJ, Kaczmarek L, Khrestchatsky M.(2002). Gelatinase B and TIMP-1 are regulated in a cell- and time-dependent manner in association with neuronal death and glial reactivity after global forebrain ischemia. *Eur J Neurosci.* Jan;15(1):19-32.
- Rivera S, Jourquin J, Ogier C, Bernard A, Charton G, Tremblay E, Khrestchatsky M.(2004). The MMP/TIMP system in the pathophysiology of the nervous system. *Med Sci (Paris)* Jan; 20(1):55-60. French.
- Robertson J, Nowak T.(1998). Frontiers in cerebrovascular disease: mechanisms diagnosis and treatment Ed Futura Publishing Company, New York.
- Roher, A.E., Kasunic, T.C., Woods, A.S., Cotter, R.J., Ball, M.J., & Fridman, R. (1994) Proteolysis of a η -peptide from Alzheimer disease brain by gelatinase A. *Biochem. Biophys. Res. Commun.* 205, 1755-1761.
- Romanic, A.M., and Madri, J.A. (1994) Extracellular matrix-degrading proteinases in the nervous system. *Brain Pathol.* 4, 145-156.
- Romanic, A.M., White, R.F., Arleth, A.J., Ohlstein, E.H., and Barone, F.C. (1998) Matrix metalloproteinase expression increases after cerebral focal ischemia in rats. Inhibition of matrix metalloproteinase-9 reduces infarct size. *Stroke* 29, 1020-1030.
- Rooprai, H.K., G.J. Ruckridge, C. Panou, and G.J. Pilkington. (2000). The effects of exogenous growth factors on matrix metalloproteinase secretion by human brain tumour cells. *Br. J. Cancer* 82:52-55.
- Rosenberg GA, Kornfeld M, Estrada E, Kelley RO, Liotta LA, Stetler-Stevenson WG (1992) TIMP-2 reduces proteolytic opening of the blood-brain barrier by type IV collagenase. *Brain Res* 576:203-207
- Rosenberg GA, Dencoff JE, McGuire PG, Liotta LA, Stetler-Stevenson WG (1994) Injury-induced 92-kDa gelatinase and urokinase expression in rat brain. *Lab Invest* 71:417-422
- Rosenberg GA, Estrada EY, Dencoff JE, Stetler-Stevenson WG (1995) Tumor necrosis factor-alpha-induced gelatinase B causes delayed opening of the blood-brain barrier: an expanded therapeutic window. *Brain Res* 703:151-155
- Rosenberg, G.A., Navratil, M., Barone, F.C., & Feuerstein G.Z. (1996) Proteolytic cascade enzymes increase in focal cerebral ischemia in rat. *J. Cereb. Blood Flow Metab.* 16, 360-363.
- Rosenberg, G.A., Estrada, E.Y., and Dencoff, J.E. (1998) Matrix metalloproteinases and TIMPs are associated with blood-brain-barrier opening after reperfusion in rat brain. *Stroke* 29, 2189-2195.
- Rosenberg GA, Cunningham LA, Wallace J, Alexander S, Estrada EY, Grosssetete M, Razhani A, Miller K, Gearing A (2001) Immunohistochemistry of matrix metalloproteinases in reperfusion injury to rat brain: activation of MMP-9 linked to stromelysin-1 and microglia in cell cultures. *Brain Res* 893:104-112

- Rosenberg GA, Sullivan N, Esiri MM. (2001). White matter damage is associated with matrix metalloproteinases in vascular dementia. *Stroke* 32:1162-8
- Rosenberg GA. (2002) Matrix metalloproteinases in neuroinflammation. *Glia*. Sep;39(3):279-91. Review.
- Rossi D.J, Oshima T, Attwell D.(2000) Glutamate release in severe brain ischemia is mainly by reversed uptake. *Nature* 404, 316-321.
- Royo NC, Wahl F, Stutzmann JM (1999) Kinetics of polymorphonuclear neutrophil infiltration after a traumatic brain injury in rat. *Neuroreport* 10:1363-1367
- Rupp F, Payan DG, Magill-Solc C, Cowan DM, Scheller RH. (1991). Structure and expression of a rat agrin. *Neuron* 6: 811-23.

S

- Sage EH, Reed M, Funk SE, Truong T, Steadale M, Puolakkainen P, Maurice DH, Bassuk JA.(2003). Cleavage of the matricellular protein SPARC by matrix metalloproteinase 3 produces polypeptides that influence angiogenesis. *J Biol Chem* (online access M302946200v1 ahead of print)
- Salminen, A., Liu, P.K., and Hsu, C.Y. (1995) Alteration of transcription factor binding activities in the ischemic rat brain. *Biochem. Biophys. Res. Commun.* 212,: 939-944.
- Sans M, Panes J, Ardite E, Elizalde JI, Arce Y, Elena M, Palacin A, Fernandez-Checa JC, Anderson DC, Lobb R, Pique JM (1999) VCAM-1 and ICAM-1 mediate leukocyte-endothelial cell adhesion in rat experimental colitis. *Gastroenterology* 116:874-883
- Sastray PS, Rao KS. (2000) Apoptosis and the nervous system. *J. Neurochem* 74, 1-20.
- Sato, H., and Seiki, M. (1993) Regulatory mechanism of 92 kDa type IV collagenase gene expression which is associated with invasiveness of tumor cells. *Oncogene* 8, 395-405.
- Saura J, Petegnief V, Wu X, Liang Y, Paul SM.(2003) Microglial apolipoprotein E and astroglial apolipoprotein J expression *in vitro*: opposite effects of lipopolysaccharide. *J Neurochem* 85:1455-67
- Schneider, A., Martin-Villalba, A., Weih, F., Vogel, J., Wirth, T., and Schwaninger, M. (1999) NF-kappaB is activated and promotes cell death in focal cerebral ischemia. *Nat. Med.* 5, 554-559.
- Schönbeck U, Mach F, Libby P.(1998). Generation of biologically active IL-1 β by matrix metalloproteinases: a novel caspase-1-independent pathway of IL-1 β processing. *The Journal of Immunology* 161: 3340-3346.
- Seiki M (2002). The cell surface: the stage for matrix metalloproteinase regulation of migration. *Current Opinion in Cell Biology*,14: 624-632.
- Severin, F., A.A. Hyman, and S. Piatti. (2001). Correct spindle elongation at the metaphase/anaphase transition is an APC-dependent event in budding yeast. *J. Cell Biol.* 155:711-718.
- Shamamian P., Schwartz J.D., Pocock B.J.Z., Monea S.Whiting D., Marcus S.G., and Mignatti P. (2001). Activation of Progelatinase A (MMP-2) by Neutrophil Elastase, Cathepsin G and Proteinase-3: A Role for Inflammatory Cells in Tumor Invasion and Angiogenesis. *Journal of Cellular Physiology* 189: 197-206.
- Sharp FR, Massa SM, Swanson RA (1999). Heat shock protein protection. *Trends in Neurosci* 22, 97-99.
- Sharp FR, Lu A, Tang Y, Millhorn DE. (2000) Multiple molecular penumbrae after focal cerebral ischemia. *J. Cereb.Blood Flow Metab* 20, 1011-1032.

Bibliografia

- Shaw A.S. and Allen P.M (2001). Kissing cousins: immunological and neurological synapses. *Nature Immunology* 2 (7): 575-576.
- Shubayev VI, Myers RR.(2004). Matrix metalloproteinase-9 promotes nerve growth factor-induced neurite elongation but not new sprout formation in vitro. *J Neurosci Res*. Jul 15; 77(2):229-39.
- Siwik DA, Colucci WS.(2004). Regulation of matrix metalloproteinases by cytokines and reactive oxygen/nitrogen species in the myocardium. *Heart Fail Rev*. Jan;9(1):43-51. Review.
- Smith MA, Hilgenberg LGW.(2002) Agrin in the CNS: a protein in search of a function? *NeuroReport* 13: 485-95
- Soriano, M.A., Sanz, O., Ferrer, I., and Planas, A.M. (1997) Cortical infarct volume is dependent on the ischemic reduction of perifocal cerebral blood flow in a three-vessel intraluminal MCA occlusion/reperfusion model in the rat. *Brain Res*. 747, 273-278.
- Springman, E.B., E.L. Angleton, H. Birkedal-Hansen, and H.E. Van Wart. (1990). Multiple modes of activation of latent human fibroblast collagenase: evidence for the role of a Cys⁷³ active-site zinc complex in latency and a "cysteine switch" mechanism for activation. *Proc. Natl. Acad. Sci. U.S.A.* 87: 364-368.
- Starckx S.,Van den Steen P.E.,Verbeek R, Van Noort J.M, Opdenakker G(2003). A novel rationale for inhibition of gelatinase B in multiple sclerosis: MMP-9 destroys $\alpha\beta$ -crystallin and generates a promiscuous T cell epitope. *Journal of Neuroimmunology* 141 : 47- 57.
- Stephenson D,(2000) Transcription factor Nuclear Factor-Kappa B is activated in neurons after focal cerebral ischemia. *J. Cereb. Blood Flow Metab* 20, 592-603.
- Stetler-Stevenson, W.G. (1990). Type IV collagenases in tumor invasion and metastasis. *Cancer Metastasis Rev*. 9:289-303.
- Stone D, Nikolics K. (1995).Tissue- and age-specific expression patterns of alternatively spliced agrin mRNA transcripts in embryonic rat suggest novel developmental roles. *J Neurosci* 15: 6767-78
- Sumii T, Lo EH (2002) Involvement of matrix metalloproteinase in thrombolysis-associated hemorrhagic transformation after embolic focal ischemia in rats. *Stroke* 33:831-836
- Suzuki M, Raab G, Moses MA, Fernandez CA, Klagsbrun M.(1997).Matrix metalloproteinase-3 releases active heparin-binding EGF-like growth factor by cleavage at a specific juxtamembrane site. *J Biol Chem* 272: 31730-31737.
- Symon L, Taylor D.L, Obrenovitch T. P. (1994) Aspects of acid-base homeostasis in Cerebral ischemia and basic mecanisms. *Berlin: Springer-Verlag* 1994, 51-57.
- Szklarczyk A,(2002). Matrix metalloproteinase-9 undergoes expression and activation during dendritic remodeling in adult hippocampus. *J Neuroscience* 22: 920-30.

T

Takahashi C.,Sheng Z., Horan T.P, Kitayama H., Makai M,Hitomi K., Kitaura Y,Takai S,Sasahara R.M., Horimoto A,Ikawa Y, Ratzkin B.J.,Arakawa T, and Noda M.(1998). Regulation of matrix metalloproteinase-9 and inhibition of tumor invasion by the membrane-anchored glycoprotein RECK. *Proc. Natl. Acad. Sci. USA* ,95: 13221-13226.

Bibliografia

- Tamura A, Graham DI, McCulloch J, Teasdale G.M. (1981) Focal cerebral ischemia in the rat: Description of technique and early neuropathological consequences following middle cerebral artery occlusion. *J. Cereb Blood Flow Metab* 1, 53-60.
- Taraboletti, G., Sonzogni, L., Vergani, V., Hosseini, G., Ceruti, R., Ghilardi, C., Bastone, A., Toschi, E., Borsotti, P., Scanziani, E., Giavazzi, R., Pepper, M.S., Stetler-Stevenson, W.G., & Bani, M.R. (2000) Posttranscriptional stimulation of endothelial cell matrix metalloproteinases 2 and 1 by endothelioma cells. *Exp. Cell Res.* 258, 384-394.
- Tarkowski E, Rosengren L, Blomstrand C, Wikkelso C, Jensen C, Ekholm S, Tarkowski A. (1995). Early intrathecal production of interleukin-6 predicts the size of brain lesion in stroke. *Stroke* 26: 1393-1398.
- Taylor C.P, Burke S.P, Weber M.L. (1995) Hippocampal slices: glutamate overflow and cellular damage from ischemia are reduced by sodium channel blockade. *J. Neurosci. Methods* 59, 1121-128.
- Terasaki T, Deguchi Y, Kasama Y, Pardridge WM, Tsuji A (1992) Determination of in vivo steady state unbound drug concentration in the brain interstitial fluid by microdialysis. *Int J Pharmacol* 81:143-152.
- The Enlimomab Acute Stroke Trial Investigators (1997). The Enlimomab Acute Stroke Trial. *Cerebrovasc Dis.* 7 (suppl 4): 18
- Thilmann R, Xie Y, Kleihues P, Kiessling M. (1986) Persistent inhibition of protein synthesis precedes delayed neuronal death in postischemic gerbil hippocampus. *Acta Neuropatol* 71, 88-93.
- Tonn, J.-C., S. Kerkau, A. Hanke, H. Bouterfa, J.G. Mueller, S. Wagner, G.H. Vince, and K. Roosen (1999). Effect of synthetic matrix-metalloproteinase inhibitors of invasive capacity and proliferation of human malignant gliomas in vitro. *Int. J. Cancer* 80: 764-772.
- Tsen G, Halfer W, Kroger S, Cole GJ.(1995) Agrin is a heparan sulfate proteoglycan. *J Biol Chem* 270: 3392-9

U

Ueda, M., M. Ueki, Y. Terai, A. Morimoto, H. Fujii, K. Yoshizawa, and T. Yanagihara.(1997). Stimulatory effects of EGF and TGF- ζ on invasive activity and 5'-deoxy-5-fluorouridine sensitivity in uterine cervical-carcinoma SKG-IIIb cells. *Int. J. Cancer* 72:1027-1033.

Uhlmann, F., F. Lottspeich, K. Nasmyth. (1999). Sister-chromatid separation at anaphase onset is promoted by cleavage of the cohesin subunit Scc1. *Nature* 400:37-42.

Uhm, J.H., Dooley, N.P., OH, L.Y.S., & Yong, V.W. (1998) Oligodendrocytes utilize a matrix metalloproteinase, MMP-9 to extend their processes along an astrocyte extracellular matrix. *Glia* 22, 53-63.

V

Vaillant, C., Didier-Bazes, M., Hutter, A., Belin, M.F., & Thomasset, N. (1999) Spatiotemporal expression patterns of metalloproteinases and their inhibitors in the postnatal developing rat cerebellum. *J. Neurosci.* 19, 4994-5004.

Bibliografia

- Vaillant C, Meissirel C, Mutin M, Belin MF, Lund LR, Thomasset N(2003).MMP-9 deficiency affects axonal outgrowth, migration, and apoptosis in the developing cerebellum.*Mol Cell Neurosci*. Oct; 24(2):395-408.
- Valencia A i Moran J. (2001) Role of oxidative stress in the apoptotic cell death of cultured cerebellar granule neurons. *J. Neurosci. Res.* 64, 284-297.
- VanSaun M, Werle, MJ. Matrix metalloproteinase-3 removes agrin from synaptic basal lamina (2000). *J. Neurobiol.* 43:140-9
- Vecil, G.G., Larsen, P.H., Corley, S.M., Herx, L.M., Besson, A., Goodyer, C.G., & Yong, V.W. (2000) Interleukin-1 is a key regulator of matrix metalloproteinase-9 expression in human neurons in culture and following mouse brain trauma in vivo. *J. Neurosci. Res.* 61, 212-224.
- Visscher, D.W., F.H. Sarkar, T.C: Kasunic, and K.B. Reddy. 1997. Clinicopathologic analysis of amphiregulin and heuregulin immunostaining in breast neoplasia. *Breast Cancer Res. Treat.* 45:75-80.
- Vos CM, Sjulson L, Nath A, et al. (2000).Cytotoxicity by matrix metalloprotease-1 in organotypic spinal cord and dissociated neuronal cultures. *Exp Neurol* 163: 324-30.

W

- Wang X, Lee SR, Arai K, Lee SR, Tsuji K, Rebeck GW, Lo EH.(2003)Lipoprotein receptor-mediated induction of matrix metalloproteinase by tissue plasminogen activator.*Nat Med.* Sep 7 [Epub ahead of print]
- Warner RL, Bless NM, Lewis CS, Younkin E, Beltran L, Guo R, Johnson KJ, Varani J. *Free Radic Biol Med* 29: 8-16
- Waubant, E., Goodkin, D.E., Gee, L., Bacchetti, P., Sloan, R., Stewart, T., Andersson, P.-B., Stabler, G., and Miller, K. (1999) Serum MMP-9 and TIMP-1 levels are related to MRI activity in relapsing multiple sclerosis. *Neurology* 53, 1397-1401.
- Webber CA, Hocking IC, yong VW, Stange CL, McFarlane S. (2002). Metalloproteases and guidance of retinal axons in the developing visual system. *J.Neurosci* 22: 8091-100.
- Wetzel M., Rosenberg G.A. and Cunningham L.A. (2003).Tissue inhibitor of metalloproteinases-3 and matrix metalloproteinase-3 regulate neuronal sensitivity to doxorubicin-induced apoptosis. *European Journal of Neuroscience* 18: 1050 -1060.
- White BC, Sullivan JM, DeGracia DJ, O'Neil BJ, Neumar RW, Grossman LI, Rafols JA and Krause GS. (2000) Brain ischemia and reperfusion: molecular mechanisms of neuronal death. *J Neurol Sci* 179, 1-33.
- Wilhelm, S.M., Collier, I.E., Marmer, B.L., Eisen, A.Z., Grant, G.A., & Goldberg, G.I. (1989) SV40-transformed human lung fibroblasts secrete a 92-kDa typeIV collagenase which is identical to that secreted by normal human macrophages. *J. Biol. Chem.* 264, 17213-17221.
- Witte OW, Bidmon HJ, Schiene K, Redecker C, Hagemann G.(2000). Functional differentiation of multiple perilesional zones after focal cerebral ischemia. *J Cereb Blood Flow Metab* 20:1149-65.
- Woessner, Jr.J.F.(1991). Matrix metalloproteinases and their inhibitors in connective tissue remodeling. *FASEB J.* 5:2145-2154.
- Wolfe C. (2000) Impacto del accidente cerebrovascular. *British Medical Bulletin* Vol 56.

Bibliografia

Wright J, Yoshimoto S, Offner GD, Blanchard RA, Troxler R, Tauber AI (1987) Structural characterization of the isoenzymatic forms of human myeloperoxidase. *Biochim Biophys Acta* 915:68-76

Y

Yamaguchi Y (2000) Lectins: organizers of the brain extracellular matrix. *Cell Mol Life Sci* 57:276-289

Yamashita, T., M. Fujii, T. Tomita, R. Ishiguro, M. Tashiro, Y. Tokumaru, Y. Imanishi, M. Kanke, K. Ogawa, K. Kameyama, and Y. Otani. (2003). The inhibitory effect of matrix metalloproteinase inhibitor ONO-4817 on lymph node metastasis in tongue carcinoma. *Anticancer Res.* 23:2297-2302.

Yanagida, M. (1995). Frontier question about sister chromatid separation in anaphase. *Bioessays* 17:519-526.

Yang Y, Li Q, Shuaib A. (2000) Neuroprotection by 2-h Postischemia Administration of Two Free Radical Scavengers, alpha -phenyl-n-tert-butyl-nitrone (PBN) and N-tert-butyl-(2-sulfophenyl)-nitrone (S-PBN), in Rats Subjected to Focal Embolic Cerebral Ischemia. *Experimental Neurology* 163, 39-45.

Yao H, Takasawa R, Fukuda K, Shiokawa D, Sadanaga-Akiyoshi F, Ibayashi S, Tanuma S, Uchimura H. (2001) DNA fragmentation in ischemic core and penumbra in focal cerebral ischemia in rats. *Mol Brain Res* 91, 112-118.

Yepes M, Sandkvist M, Moore EG, Bugge TH, Strickland DK, Lawrence DA.(2003) Tissue-type plasminogen activator induces opening of the blood-brain barrier via the LDL receptor-related protein. *J Clin Invest.* Nov. 112(10):1533-40.

Yong, V.W., C.A. Krekoski, P.A. Forsyth, R. Bell, and D.R. Edwards. (1998). Matrix metalloproteinases and diseases of the CNS. *Trends Neurosci.* 21:75-80.

Yong VW, Power C, Forsyth PA, Edwards DR (2001) Metalloproteinases in biology and pathology of the nervous system. *Nature Neurosci* 2:502-511

Yoshizaki, T., Sato, H., Furukawa, M., & Pagano, J.S. (1998) The expression of matrix metalloproteinase 9 is enhanced by Epstein-Barr virus latent membrane protein 1. *Proc. Natl. Acad. Sci. U.S.A.* 95, 3621-3626.

Yurchenco PD, Schittny JC (1990) Molecular architecture of basement membranes. *FASEB J* 4:1577-1590

Z

Zalewska T, Ziemka-Nalecz M, Sarnowska A, Domanska-Janik K. (2002).Involvement of MMPs in delayed neuronal death after global ischemia. *Acta Neurobiol Exp (Wars)* 62 (2):53-61.

Zalewska T, Ziemka-Nalecz M, Sarnowska A, Domanska-Janik K.(2003). Transient forebrain ischemia modulates signal transduction from extracellular matrix in gerbil hippocampus. *Brain Res.* Jul 4;977(1):62-9.

Zhang JW, Gottschall PE (1997) Zymographic measurement of gelatinase activity in brain tissue after detergent extraction and affinity-support purification. *J Neurosci Meth* 76:15-20.

Zhang RL, Chopp M, Li Y, Zaloga C, Jiang N, Jones ML, Miyasaka M, Ward PA (1994) Anti-ICAM-1 antibody reduces ischemic cell damage after transient middle cerebral artery occlusion in the rat. *Neurology* 44:1747-1751

Bibliografia

- Zhang RL, Chopp M, Jiang N, Tang WX, Prostak J, Manning AM, Anderson DC (1995) Anti-intercellular adhesion molecule-1 antibody reduces ischemic cell damage after transient but not permanent middle cerebral artery occlusion in the Wistar rat. *Stroke* 26:1438-1443
- Zhuo ,M. et al.(2000). Role of tPA receptor LRP in hippocampal long-term potentiation. *J. Neurosci.* 21: 542-549.
- Zou, H., O. Stemman, J.S. Anderson, M. Mann, and M.W. Kirschner. (2002). Anaphase specific auto-cleavage of separase. *FEBS Lett.* 528:246-250.

