



UNIVERSITAT DE BARCELONA



**FOTOSÍNTESIS, FOTOPROTECCIÓN, PRODUCTIVIDAD Y  
ESTRÉS ABIÓTICO: ALGUNOS CASOS DE ESTUDIO**

**Eduardo Alberto Tambussi**

**Departament de Biologia Vegetal  
Universitat de Barcelona**

## **12. Referencias**

## *Referencias*

---

## 12. Referencias <sup>12</sup>

- Acevedo E** (1993) Potential of carbon isotope discrimination as a selection criterion in barley breeding. In ‘*Stable Isotopes and Plant Carbon/Water Relations*’. (JR Ehleringer, AE Hall, and GD Farquhar eds.). Academic Press, New York, pp. 399-417.
- Acevedo EH, Silva PC, Silva HR, Solar BR** (1999) Wheat production in Mediterranean environments. In ‘*Wheat: ecology and physiology of yield determination*’ (Eds Satorre EH and Slafer GA). Food Products Press, New York, pp. 295-323.
- Agati G, Cerovic Z, Moya I** (2000) The effect of decreasing temperature up to chilling values on the in vivo F685/F735 chlorophyll fluorescence ratio in *Phaseolus vulgaris* and *Pisum sativum*: the role of the photosystem I contribution to the 735 nm fluorescence band. *Photochemistry and Photobiology* **72**: 75-84.
- Ali Dib T, Monneveux P, Araus JL** (1990) Breeding durum wheat for drought tolerance. Analytical, synthetical approaches, and their connections. In ‘Symposium on Wheat breeding. Prospects and future approaches’ Varna, Bulgaria, pp. 1-33.
- Allen DJ, McKee IF, Farage PK, Baker NR** (1997) Analysis of limitations to CO<sub>2</sub> assimilation on exposure of leaves of two *Brassica napus* cultivars to UV-B. *Plant, Cell and Environment* **20**: 633-640.
- Allen DJ, Ort DR** (2001) Impacts of chilling temperatures on photosynthesis in warm-climate plants. *Trends in Plant Science* **6**: 36-42.
- Ananyev G, Renger G, Wacker U, Klimov V** (1994) The photoproduction of superoxide radicals and the superoxide dismutase activity of the Photosystem II. The possible involvement of cytochrome b559. *Photosynthesis Research* **41**: 327-338.
- Anderson JM, Park YI, Chow WS** (1997) Photoinactivation and photoprotection of photosystem II in the nature. *Physiologia Plantarum* **100**: 214-223.
- Andersson B, Barber J** (1996) Mechanisms of photodamage and protein degradation during photoinhibition of photosystem II. In ‘*Photosynthesis and the environment*’ (Baker NR, ed.). Kluwer Academic Publishers: New York. pp. 101-121.
- Andrews JR, Bredenkamp GJ, Baker NR** (1993) Evaluation of the role of state transitions in determining the efficiency of light utilization for CO<sub>2</sub> assimilation in leaves. *Photosynthesis Research* **38**: 15-26.

<sup>12</sup> Se incluye la totalidad de las citas bibliográficas de la tesis

- Aoyagi K, Bassham JA** (1984) Pyruvate orthophosphate dikinase of C<sub>3</sub> seeds and leaves as compared to the enzyme from maize. *Plant Physiology* **75**: 387-392.
- Araus JL, Buxó R, Febrero A, Camalich MD, Martín D, Rodríguez-Ariza MO, Molina F, Romagosa I** (1997) Changes in carbon isotope discrimination in grain cereals from different regions of the western Mediterranean Basin during the past seven millennia. Palaeoenvironmental evidence of a differential change in aridity during the late Holocene, *Global Change Biology* **3**: 107-118.
- Araus JL, Febrero A, Bort J, Santiveri P, Romagosa I** (1992a) Carbon isotope discrimination, water use efficiency and yield in cereals: some cases study. In 'Tolérance à la sécheresse des céréales en zone méditerranéenne. Diversité génétique et amélioration variétale'. (Ed. INRA), Paris, *Les Colloques* **64**: 47-59.
- Araus JL, Santiveri P, Bosch-Serra D, Royo C, Romagosa I** (1992b) Carbon isotope ratios in ear parts of Triticale. *Plant Physiology* **100**: 1033-1035.
- Araus JL, Alegre L, Tapia L, Calafell R** (1986) Relationship between leaf structure and gas exchange in wheat leaves at different insertion leaves. *Journal of Experimental Botany* **37** (182): 1323-1333.
- Araus JL, Tapia L** (1987) Photosynthetic gas exchange characteristics of wheat flag leaf blades and sheaths during grain filling. *Plant Physiology* **85**: 667-673.
- Araus JL, Brown HR, Febrero A, Bort J, Serret MD** (1993a) Ear photosynthesis, carbon isotope discrimination and the contribution of respiratory CO<sub>2</sub> to differences in grain mass in durum wheat. *Plant Cell and Environment* **16**: 383-392.
- Araus JL, Bort J, Brown HR, Basset C, Cortadellas N** (1993b) Immunocytochemical localization of phosphoenolpyruvate carboxylase and photosynthetic gas exchange characteristics in ears of *Triticum durum* Desf. *Planta* **191**: 507-514.
- Araus JL, Amaro T, Voltas J, Nakkoul H, Nachit MM** (1998) Chlorophyll fluorescence as a selection criterion for grain yield in durum wheat under Mediterranean conditions. *Field Crop Research* **55**: 209-223.
- Araus JL** (2002) Physiological basis of the process determining barley yield under potential and stress conditions: current research trends on carbon assimilation. In 'Barley Science: recent advances from molecular biology to agronomy yield and quality'. (Slafer GA, Molina-Cano JL, Savin R, Araus JL and Romagosa I. eds.) New York: Food Product Press, pp. 269-306.

- Araus JL , Slafer GA, Reynolds MP, Royo C** (2002a) Plant breeding and drought in C<sub>3</sub> cereals: what should we breed for? *Annals of Botany* **89**: 925-940.
- Araus JL Casadesus J, Asbati A, Nachit MM** (2002b) Basis of the relationship between ash content in the flag leaf and carbon isotope discrimination in kernels of durum wheat. *Photosynthetica* **39**: 591-596.
- Araus JL, Villegas D, Aparicio N, García Del Moral LF, El Hani S, Rharrabti Y, Ferrio JP, Royo C** (2003) Environmental Factors Determining Carbon Isotope Discrimination and Yield in Durum Wheat Under Mediterranean Conditions. *Crop Science* **43**: 170-180.
- Arrigoni O, Degara N, Paciolla C, Evidente A, Depinto MC, Liso R** (1997) Lycorine: A powerful inhibitor of L-galactono-gamma-lactone dehydrogenase activity. *Journal of Plant Physiology* **150**: 362-364.
- Asada K** (1999) The water-water cycle in chloroplasts: scavenging of active oxygen and dissipation of excess photons. *Annual Review of Plant Physiology and Plant Molecular Biology* **50**: 601-637.
- Austin RB** (1999) Yield of wheat in the United Kingdom: recent advances and prospects. *Crop Science* **39**: 1604-1610.
- Azcón-Bieto J, Talón M** (2000) Fundamentos de Fisiología Vegetal. McGraw-Hill-Interamericana, Madrid, 522pp.
- Babu RC, Pathan MS, Blum A, Nguyen HT** (1999) Comparison of measurement methods of osmotic adjustment in rice cultivars. *Crop Science* **39**: 150-158.
- Barclay LR, Artz JD, Mowat JJ** (1995) Partitioning and antioxidant action of the water-soluble antioxidant, Trolox, between the aqueous and lipid phases of phosphatidylcholine membranes: <sup>14</sup>C tracer and product studies. *Biochimica and Biophysica Acta* **1237**: 77-85.
- Bartoli CG, Simontacchi M, Tambussi EA, Beltrano J, Montaldi E, Puntarulo S** (1999) Drought and watering-dependent oxidative stress: effect on antioxidant content in *Triticum aestivum* L. leaves. *Journal of Experimental Botany* **50**: 375-383.
- Bartoli CG, Gómez F, Martínez D, Guamet JJ** (2004) Mitochondria are the main target for oxidative damage in leaves of wheat (*Triticum aestivum* L.). *Journal of Experimental Botany*. En prensa.
- Berlett BS, Stadtman ER** (1997) Protein oxidation in aging, disease, and oxidative stress. *Journal of Biological Chemistry* **272**: 20313-20316.

- Bilger W, Björkman O** (1990) Role of the xanthophyll cycle in the photoprotection elucidated by measurements of light-induced absorbance changes, fluorescence and photosynthesis in leaves of *Hedera canariensis*. *Photosynthesis Research* **25**: 173-185.
- Bilger W, Björkman O, Thayer SS** (1989) Light-induced spectral absorbance changes in relation to photosynthesis and epoxidation state of xanthophyll cycle components in cotton leaves. *Plant Physiology* **91**: 542-551.
- Bilger W, Björkman O** (1990) Role of the xanthophyll cycle in photoprotection elucidated by measurements of light-induced absorbance changes, fluorescence and photosynthesis in leaves of *Hedera canariensis*. *Photosynthesis Research* **25**: 173-185.
- Bilger W, Schreiber U, Bock M** (1995) Determination of the quantum efficiency of photosystem II and of non-photochemical quenching of chlorophyll fluorescence in the field.. *Oecologia* **102**: 425-432.
- Blum A** (1996a) Yield potential and drought resistance: are they mutually exclusive? In ‘Yield potential in wheat: breaking the barriers (Reynolds MPS, Rajaram, Mc Nab A eds.). Mexico DF CIMMYT, pp. 90-100.
- Blum A** (1996b) Crop responses to drought and the interpretation of adaptation. *Plant Growth Regulation* **20**: 135-148.
- Blum A, Zhang J, Nguyen HT** (1999) Consistent differences among wheat cultivars in osmotic adjustment and their relationship to plant production. *Field Crop Research* **64**: 287-291.
- Bolhár-Nordenkampf HR, Öquist G** (1993) Chlorophyll fluorescence as a tool in photosynthesis research. In ‘Photosynthesis and Production in a Changing Environment: a field and laboratory manual’ (Eds DO Hall, JMO Scurlock, HR Bolhár-Nordenkampf, RC Leegood, SP Long) pp. 193-206. (Chapman & Hall: London).
- Boo YC, Jung J** (1999) Water deficit–induced oxidative stress and antioxidative defenses in rice plants. *Journal of Plant Physiology* **155**: 255-261.
- Bort J, Febrero A, Amaro T, Araus JL** (1994) Role of awns in ear water-use efficiency and grain weight in barley. *Agronomie* **2**: 133-139.
- Bort J, Brown HR, Araus JL** (1995) Lack of C<sub>4</sub> photosynthetic metabolism in ears of C<sub>3</sub> cereals. *Plant Cell and Environment* **18** : 897-702.
- Bort J, Brown HR, Araus JL** (1996) Refixation of respiratory CO<sub>2</sub> in the ears of C<sub>3</sub> cereals. *Journal of Experimental Botany* **47**: 1567-1575.

- Bray E A** (1997) Plants responses to water deficit. *Trends in Plant Science* **2** (2): 48-54.
- Bray E A** (2002) Classification of genes differentially expressed during water-deficit stress in *Arabidopsis thaliana*: an analysis using microarray and differential expression data. *Annals of Botany* **89**: 803-811.
- Brestic M, Cornic G, Fryer MJ, Baker NR** (1995) Does photorespiration protect the photosynthetic apparatus in French bean leaves from photoinhibition during drought stress? *Planta* **196**: 450-457.
- Briscoe RD** (1984) Thermocouple psychrometers for water potential measurements. In 'Advanced Agricultural Instrumentation', *Proceedings of the NATO Advanced Study Institute*, Pisa (Italy) May 27- June 9, 1984.
- Britt SG, Chiu VW, Redpath GT, Vandenberg SR** (1992) Elimination of ascorbic acid-induced membrane lipid peroxidation and serotonin receptor loss by Trolox-C, a water soluble analogue of vitamin E. *Journal of Receptor Research* **12**: 181-200.
- Buettner GR** (1993) The pecking order of free radicals and antioxidants: lipid peroxidation,  $\alpha$ -tocopherol and ascorbate. *Archives of Biochemistry and Biophysics* **300**: 535-543.
- Buettner GR, Jurkiewicz BA** (1996) Chemistry and biochemistry of ascorbic acid. In (E Cadenas, L Parker eds.) *Handbook of antioxidants*. Marcel Dekker: New York pp. 91-115.
- Bukhov NG, Kopecky J, Pfündel EE, Klughammer C, Heber U** (2001) A few molecules of zeaxanthin per reaction centre of photosystem II permit effective thermal dissipation of light energy in photosystem II of a poikilohydric moss. *Planta* **212**: 739-748.
- Calderini DF, Dreccer MF, Slafer GA** (1995) Genetic improvement in wheat yield and associated traits. A re-examination of previous results and the latest trends. *Plant Breeding* **114**: 108-112.
- Caley CY, Duffus CM, Jeffcoat B** (1990) Photosynthesis in the pericarp of developing wheat grains. *Journal of Experimental Botany* **41**: 303-307.
- Camm EL, Green BR** (1980) Fractionation of thylakoid membranes with the nonionic detergent octyl- $\beta$ -glucopyranoside. Resolution of chlorophyll-protein complex II into two chlorophyll-protein complexes. *Plant Physiology* **66**: 428-432.
- Carlemalm E, Garavito RM, Villiger W** (1982) Resin development for electron microscopy and an analysis of embedding at low temperature. *Journal of Microscopy* **126**:123-143.



- Carr DJ, Wardlaw IF** (1965) The supply of photosynthetic assimilates to the grain from the flag and ear of wheat. *Australian Journal of Biological Science* **18**: 711-719.
- Casadesus J, Tambussi EA, Araus JL** (2000) Growth assessment of individual plants by an adapted remote sensing technique - *Options Méditerranéennes Nro. 40 Durum wheat improvement in the Mediterranean region: New challenges* Zaragoza, Abril del 2000.
- Ceccarelli S, Grando S** (1991) Selection environment and environmental sensitivity in barley. *Euphytica* **57**: 157-167.
- Ceccarelli S, Grando S** (1996) Drought as a challenge for the plant breeder. *Plant Growth Regulation* **20**: 149-155.
- Ceccarelli S, Grando S, Impiglia A** (1998) Choice of selection strategy in breeding barley for stress environments. *Euphytica* **103**: 307-318.
- Chaves M M, Pereira J S, Maroco J, Rodrigues M L, Ricardo C P P, Osório M L, Carvalho I, Faria T, Pinheiro C** (2002) How plants cope with water stress in the field. Photosynthesis and Growth. *Annals of Botany* **89**: 907-916.
- Chollet R, Vidal J, O'Leary** (1996) Phosphoenolpyruvate carboxylase: a ubiquitous, highly regulated enzyme in plants. *Annual Review of Plant Physiology* **47**: 273-298.
- Chool Boo Y, Jung J** (1999) Water deficit-induced oxidative stress and antioxidative defenses in rice plants. *Journal of Plant Physiology* **155**: 255-261.
- Clarke JM** (1987) Use of physiological and morphological traits in breeding programmes to improve drought resistance of cereals. In 'Drought tolerance in winter cereals' (Eds. Srivastava JP, Porceddu E, Acevedo E, Varma S). ICARDA. John Wiley & Sons Ltd.
- Clarke JE, Johnson GN** (2001) In vivo temperature dependence of cyclic and pseudocyclic electron transport in barley. *Planta* **212**: 808-816.
- Conklin PL, Norris SR, Wheeler GL, Williams EH, Smirnoff N, Last RL** (1999) Genetic evidence for the role of GDP-mannose in plant ascorbic acid (vitamin C) biosynthesis. *Proceedings of National Academy of Sciences USA* **96**: 4198-4203.
- Cornic G, Massacci A** (1996) Leaf photosynthesis under drought stress. In 'Photosynthesis and the environment' (NR Baker Ed.) Kluwer Academic Publishers: Netherlands, pp. 347-366.
- Cornic G** (2000) Drought stress inhibits photosynthesis by decreasing stomatal aperture- not by affecting ATP synthesis. *Trends in Plant Science* **5**: 187-188.

- Cornic G, Fresneau C** (2002) Photosynthetic carbon reduction and carbon oxidation cycles are the main electron sinks for photosystem II activity during a mild drought. *Annals of Botany* **89**: 887-894.
- Craufurd, PQ, RB Austin, E Acevedo, and MA Hall** (1991) Carbon isotope discrimination and grain yield in barley. *Field Crops Research* **27**: 301-313.
- CSIRO** (2002) New wheat gives bigger yields-even in drought. [www.csiro.au](http://www.csiro.au)
- Davies WJ, Gowing DJG** (1999) Plant responses to small perturbations in soil water status. In 'Physiological plant ecology' (Press MC, Scholes JD, Barker MG eds.) Blackwell Science.
- Demmig-Adams B, Adams III WW** (1992) Photoprotection and other responses of plants to high light stress. *Annual Review of Plant Physiology and Plant Molecular Biology* **43**: 599-626.
- Dijkstra P** (1990) Cause and effect of differences in specific leaf area. In 'Causes and consequences of variation in growth rate of higher plants' (Lambers H, Cambridge ML, Konings H Pons TL eds.), The Hague: SPB Academic Publishing, pp. 125-140.
- Dodd IC, Chritchley C, Woodall GS, Stewart GR** (1998) Photoinhibition in differently coloured juvenile leaves of *Syzygium* species. *Journal of Experimental Botany* **49** (325): 1437-1445.
- Drake BG, Gonzàlez-Meler MA, Long SP** (1997) More efficient plants: a consequence of rising atmospheric CO<sub>2</sub>? *Annual Review of Plant Physiology and Plant Molecular Biology* **48**: 609-639.
- Escalona JM, Flexas J, Medrano H** (1999) Stomatal and non-stomatal limitations of photosynthesis under water stress in field-grown grapevines. *Australian Journal of Plant Physiology* **26**: 421-433.
- Evans LT, Bingham J, Jackson P, Sutherland J** (1972) Effect of awns and drought on the supply of photosynthate and its distribution within wheat ears. *Annals of Applied Biology* **70**: 67-76.
- Evans JR** (1983) Nitrogen and photosynthesis in the flag leaf of wheat (*Triticum aestivum* L.). *Plant Physiology* **72**: 297-302.
- Evans LT, Wardlaw IF, Fischer RA** (1980) Wheat. En 'Crop Physiology; some case histories' (ed Evans LT), pp 101-149. Cambridge University Press, Cambridge.

- Evans JR, Poorter H** (2001) Photosynthetic acclimation of plants to growth irradiance: the relative importance of specific leaf area and nitrogen partitioning in maximizing carbon gain. *Plant, Cell and Environment* **24**: 755-767.
- Fadzillah NM, Gill V, Finch RP, Burdon RH** (1996) Chilling, oxidative stress and antioxidant responses in shoot cultures of rice. *Planta* **199**: 552-556.
- Farquhar GD, Sharkey TD** (1982) Stomatal conductance and photosynthesis. *Annual Review of Plant Physiology* **33**: 317-345.
- Farquhar GD, Ehleriner RA, Hubick KT** (1989) Carbon isotope discrimination and photosynthesis. *Annual Review of Plant Physiology and Plant Molecular Biology* **40**: 503-537.
- Farquhar GD, Richards RA** (1984) Isotopic composition of plant carbon correlates with water-use-efficiency of wheat genotypes. *Australian Journal of Plant Physiology* **11**: 539-552.
- Filella I, Amaro T, Araus JL, Peñuelas J** (1996) Relationship between photosynthetic radiation-use efficiency of barley canopies and the photochemical reflectance index (PRI). *Physiologia Plantarum* **96**: 211-216.
- Finley KW, Wilkinson GN** (1963) The analysis of adaptation in a plant-breeding programme. *Australian Journal of Agricultural Research* **14**: 342-354.
- Fischer RA** (1993) Cereal breeding in developing countries: progress and prospects. In *'International Crop Science I'* (Buxton, D.R., Shibles, R., Forsberg, R.A., Blad, B.L., Asay, K.H., Paulsen, G.M., Wilson, R.F. Eds.), Crop Science Society of America Inc., Madison, pp. 201-209.
- Fischer RA, Rees D, Sayre KD, Lu ZM, Condon AG, Larque-Saavedra A** (1998) Wheat yield progress associated with higher stomatal conductance and photosynthetic rate, and cooler canopies. *Crop Science* **38**: 1467-1475.
- Flagella Z, Campanile RG, Stoppelli MC, De Caro A, Di Fonzo N** (1998) Drought tolerance of photosynthetic electron transport under CO<sub>2</sub>-enriched and normal air in cereal species. *Physiologia Plantarum* **104**: 753-759.
- Fleck I, Hogan K P, Llorens L, Abadía A, Aranda X** (1998) Photosynthesis and photoprotection in *Quercus ilex* resprouts after fire. *Tree Physiology* **18**: 607-614.
- Flexas J, Escalona JM, Medrano H** (1998) Down-regulation of photosynthesis by drought under field conditions in grapevine leaves. *Australian Journal of Plant Physiology* **25**: 893-900.

- Flexas J, Bota J, Escalona JM, Sampol B, Medrano H** (2002) Effects of drought on photosynthesis in grapevines under field conditions: an evaluation of stomatal and mesophyll limitations. *Functional Plant Biology* **29**: 461-471.
- Flexas J, Medrano H** (2002) Photosynthetic responses of C<sub>3</sub> plants to drought. In 'Advances in Plant Physiology IV' (Hemantaranjan A Ed.), Scientific Publishers: Jodhpur.
- Foyer CH, Lelandais M, Kunert KJ** (1994) Photooxidative stress in plants. *Physiologia Plantarum* **92**: 696-717.
- Gamon JA, Field CB, Bilger W, Björkman O, Fredeen AL, Peñuelas J** (1990) Remote sensing of xanthophyll cycle and chlorophyll fluorescence in sunflower leaves and canopies. *Oecologia* **85**: 1-7.
- Gamon JA, Peñuelas J, Field CB** (1992) A narrow-waveband spectral index that tracks diurnal changes in photosynthetic efficiency. *Remote Sensing of Environment* **41**: 35-44.
- Gamon JA, Serrano L, Surfus JS** (1997) The photochemical reflectance index: an optical indicator of photosynthetic radiation use efficiency across species, functional types, and nutrient levels. *Oecologia* **112**: 492-501.
- Gebbing T, Schnyder H** (1999) Pre-anthesis reserve utilization for protein and carbohydrate synthesis in grains of wheat. *Plant Physiology* **121**: 871-878.
- Gebbing T, Schnyder H** (2001) <sup>13</sup>C labeling kinetics of sucrose in glumes indicates significant refixation of respiratory CO<sub>2</sub> in the wheat ear. *Australian Journal of Plant Physiology* **28**: 1047-1053.
- Genty B, Briantais JM, Baker NR** (1989) The relationship between the quantum yield of photosynthetic electron transport and quenching of chlorophyll fluorescence. *Biochimica and Biophysica Acta* **990**: 87-92.
- Gilmore AM** (1997) Mechanistic aspects of xanthophyll cycle-dependent photoprotection in higher plant chloroplasts and leaves. *Physiologia Plantarum* **99**: 197-209.
- Gilmore AM, Yamamoto HY** (1991) Zeaxanthin formation and energy-dependent fluorescence quenching in pea chloroplasts under artificially mediated linear and cyclic electron transport. *Plant Physiology* **96**: 635-643.
- Gilmore AM, Yamamoto HY** (1993) Linear models relating xanthophylls and lumen acidity to non-photochemical fluorescence quenching. Evidence that antheraxanthin explains zeaxanthin-independent quenching. *Photosynthesis Research* **35**: 67-78.

- Gilmore AM, Shinkarev VP, Hazlett TL, Govindjee** (1998) Quantitative analysis of the effects of intrathylacoidal pH and xanthophyll cycle pigments on chlorophyll a fluorescence life time distributions and intensity in thylakoids. *Biochemistry* **37**: 13582-13593.
- Gilmore AM, Itoh-S, Govindjee** (2000) Global spectral-kinetic analysis of room temperature chlorophyll a fluorescence from light-harvesting antenna mutants of barley. *Philosophical Transaction of the Royal Society of London -B- Biological Sciences* **355**: 1371-1384.
- Goss R, Böhme K, Wilhelm C** (1998) The xanthophyll cycle of *Mantoniella squamata* converts violaxanthin into antheraxanthin but not to zeaxanthin: consequences for the mechanism of enhanced non-photochemical energy dissipation. *Planta* **205**: 613-621.
- Götz T, Windhövel U, Böger P, Sandmann G** (1999) Protection of photosynthesis against ultraviolet-B radiation by carotenoids in transformants of the cyanobacterium *Synechococcus* PCC7942. *Plant Physiology* **120**: 599-604.
- Green BR, Durnford DG** (1996) The chlorophyll-carotenoid proteins of oxygenic photosynthesis. *Annual Review of Plant Physiology and Plant Molecular Biology* **47**: 685-714.
- Greer DH** (1998) Photoinhibition of photosynthesis in dwarf bean (*Phaseolus vulgaris* L.) leaves: effect of sink-limitations induced by changes in daily photon receipt. *Planta* **205**: 189-196.
- Grundbacher FJ** (1957) The physiological function of the cereal awn. *Botanical Review* **29**: 366-81.
- Guamét JJ, Tyystjärvi E, Tyystjärvi T, John I, Kairavuo M, Pichersky E, Noodén LD** (2002) Photoinhibition and loss of photosystem II reaction center proteins during senescence of soybean leaves. Enhancement of photoinhibition by the “stay-green” mutation *cytG*. *Physiologia Plantarum* **115**: 468-478.
- Haldimann P, Fracheboud Y, Stamp P** (1996) Photosynthetic performance and resistance to photoinhibition of *Zea mays* L. leaves grown at sub-optimal temperature. *Plant Cell and Environment* **19**: 85-92.
- Hanson AD, Hitz WD** (1983) Metabolic responses of mesophytes to plant water deficits. *Annual Review of Plant Physiology* **33**: 163-203.

- Havaux M, Tardy F** (1999). Loss of chlorophyll with limited reduction of photosynthesis as an adaptative response of Syrian barley landraces to high-light and heat stress. *Australian Journal of Plant Physiology* **26**: 569-578.
- Havaux M, Bonfils JP, Lütz C, Niyogi KK** (2000) Photodamage of the photosynthetic apparatus and its dependence on the leaf developmental stage in the *npq1 Arabidopsis* mutant deficient in the xanthophyll cycle enzyme violaxanthin de-epoxidase. *Plant Physiology* **124**: 273-284.
- Havir EA, Tausta SL, Peterson RB** (1997) Purification and properties of violaxanthin de-epoxidase from spinach. *Plant Science* **123**: 57-66.
- Hay RKM** (1999) Physiological control of growth and yield in wheat: analysis and synthesis. In 'Crop yield, Physiology and Processes' (DL Smith, Hamel C eds.), Springer-Verlag, Berlin. pp 1-38.
- He JX, Wang J, Liang HG** (1995) Effects of water stress on photochemical function and protein metabolism of photosystem II in wheat leaves. *Physiologia Plantarum* **93**: 771-777.
- Hideg E, Kálai T, Hideg K, Vass I** (1998) Photoinhibition of photosynthesis in vivo results in singlet oxygen production detection via nitroxide-induced fluorescence quenching in broad bean leaves. *Biochemistry* **37**: 11405-11411.
- Hideg E, Ogawa K, Kálai T, Hideg K** (2001) Singlet oxygen imaging in *Arabidopsis thaliana* leaves under photoinhibition by excess photosynthetically active radiation. *Physiologia Plantarum* **112**: 10-14.
- Hoagland DR** (1937) Some aspects of the salt nutrition of higher plants. *Botanical Review* **3**: 307-334.
- Hodgson RAJ, Raison JK** (1991) Lipid peroxidation and superoxide dismutase activity in relation to photoinhibition induced by chilling in moderate light. *Planta* **185**: 215-219l.
- Holloway PJ, Maclean DJ & Scott KJ** (1983) Rate-limiting steps in electron transport in chloroplasts during ontogeny and senescence of barley. *Plant Physiology* **72**: 795-801.
- Horton P, Ruban AV, Walters RG** (1996) Regulation of light harvesting in green plants. *Annual Review of Plant Physiology and Plant Molecular Biology* **47**: 655-684.
- Horton P** (2000) Prospects for crop improvement through the genetic manipulation of photosynthesis: morphological and biochemical aspects of light capture. *Journal of Experimental Botany* **51**: 475-485.

- Hsiao TC** (1973) Plant responses to water stress. *Annual Review of Plant Physiology* **24**: 519-570.
- Hubick K, Farquhar G** (1989) Carbon isotope discrimination and the ratio of carbon gained to water lost in barley cultivars. *Plant, Cell and Environment* **12**: 795-804.
- Hull M R, Long S P, Jahnke L S** (1997) Instantaneous and developmental effects of low temperature on the catalytic properties of antioxidant enzymes in two *Zea* species. *Australian Journal of Plant Physiology* **24**: 337-343.
- Hurry V, Anderson JM, Chow WS, Osmond CB** (1997) Accumulation of zeaxanthin in abscisic acid-deficient mutants of *Arabidopsis* does not affect chlorophyll fluorescence quenching or sensitivity to photoinhibition in vivo. *Plant Physiology* **113**: 639-648.
- Iannelli MA, Van Breusegem F, Van Montagu MV, Inze D, Massacci A** (1999) Tolerance to low temperature and paraquat-mediated oxidative stress in two maize genotypes. *Journal of Experimental Botany* **50** (333): 523-532.
- Ike IF, Thurtell GW** (1981) Osmotic adjustment in indoor grown casava in response to water stress. *Physiologia Plantarum* **52**: 257-262.
- Imaizumi N, Usuda H, Nakamoto H, Ishihara K** (1990) Changes in the rate of photosynthesis during grain filling and the enzymatic activities associated with the photosynthetic carbon metabolism in rice panicles. *Plant Cell Physiology* **31**: 835-843.
- Inskeep W, Bloom PR** (1985) Extinction coefficients of chlorophyll a and b in N,N-dimethylformamide and 80% acetone. *Plant Physiology* **77**: 483-485.
- Iturbe-Ormaetxe I, Escuredo PR, Arrese-Igor C, Becana M** (1998) Oxidative damage in pea plants exposed to water deficit or paraquat. *Plant Physiology* **116**: 173-181.
- Janowiak F, Dörffling K** (1996) Chilling of maize seedlings: changes in water status and abscisic acid content in ten genotypes differing in chilling tolerance. *Journal of Plant Physiology* **147**: 582-588.
- Janero DR** (1990) Malondialdehyde and thiobarbituric acid-reactivity as diagnostic indices of lipid peroxidation and peroxidative tissue injury. *Free Radical Biology and Medicine* **9**: 515-540.
- Johnson RR, Frey NM, Moss DN** (1974) Effect of water stress on photosynthesis and transpiration of flag leaves and spikes of barley and wheat. *Crop Science* **14**: 728-731.
- Kang HM, Saltveit ME** (2002) Effect of chilling on antioxidant enzymes and DPPH-radical scavenging activity of high- and low-vigour cucumber seedling radicles. *Plant, Cell and Environment* **25**: 1233-1238.

- Kenis JD, Rouby MB, Edelman MO, Silvente ST** (1994) Inhibition of nitrate reductase by water stress and oxygen in detached oat leaves: A possible mechanism of action. *Journal of Plant Physiology* **144**: 735-739.
- Kingston-Smith AH, Harbinson J, Foyer CH** (1999) Acclimation of photosynthesis, H<sub>2</sub>O<sub>2</sub> content and antioxidant in maize (*Zea mays*) grown at sub-optimal temperatures. *Plant, Cell and Environment* **22**: 1071-1083.
- Kingston-Smith AH, Foyer CH** (2000) Bundle sheath proteins are more sensitive to oxidative damage than those of the mesophyll in maize leaves exposed to paraquat or low temperatures. *Journal of Experimental Botany* **51**: 123-130.
- Kikuta SB, Richter H** (1986) Graphical evaluation and partitioning of turgor responses to drought in leaves of durum wheat. *Planta* **168**: 36-42.
- Kozaki A, Takeba G** (1996) Photorespiration protects C<sub>3</sub> plants from photooxidation. *Nature* **384**: 557-560.
- Kratsch HA, Wise RR** (2000) The ultrastructure of chilling stress. *Plant Cell and Environment* **23**: 337-350.
- Krause GH, Weis E** (1991) Chlorophyll fluorescence and photosynthesis: the basics. *Annual Review of Plant Physiology and Plant Molecular Biology* **42**: 313-349.
- Kriedemann P** (1966) The photosynthetic activity of the wheat ear. *Annals of Botany* **30**: 349-363.
- Laing DR, Fischer RA** (1977) Adaptation of semidwarf wheat cultivars to rainfed conditions. *Euphytica* **26**: 129-139.
- Lambers H, Stuart Chapin III F, Pons TL** (1998) *Plant Physiological Ecology*. Springer-Verlag, New York.
- Law MY, Charles SA, Halliwell B** (1983) Glutathione and ascorbic acid in spinach (*Spinacea oleracea*) chloroplasts. The effect of hydrogen peroxide and of paraquat. *Biochemistry Journal* **210**: 899-903.
- Lawlor DW** (2002) Limitation to photosynthesis in water-stressed leaves: stomata vs. metabolism and the role of ATP. *Annals of Botany* **89**: 871-885.
- Lawlor DW, Cornic G** (2002) Photosynthetic carbon assimilation and associated metabolism in relation to water deficit in higher plants. *Plant, Cell and Environment* **25**: 275-294.
- Lawson T, Oxborough K, Morison JIL, Baker NR** (2002) Responses of photosynthetic electron transport in stomatal guard cells and mesophyll cells in intact leaves to light, CO<sub>2</sub> and humidity. *Plant Physiology* **128**: 52-62.



- Lee TM, Lur HS, Chu C** (1997) Role of abscisic acid in chilling tolerance of rice (*Oryza sativa* L.) seedlings. II. Modulation of free polyamine levels. *Plant Science* **126**:1-10.
- Lee DH, Lee CB** (2000) Chilling stress-induced changes of antioxidant enzymes in the leaves of cucumber: in gel enzyme activity assays. *Plant Science* **159**:75-85.
- Leegood RC** (1989) Biochemical studies of photosynthesis: from CO<sub>2</sub> to sucrose. In 'Plant Biology' vol. 8 'Photosynthesis' (Ed. W. R. Briggs) Alan R Liss Inc. , New York.
- Leipner J, Stamp P, Fracheboud Y** (2000) Artificially increased ascorbate content affects zeaxanthin formation but not thermal energy dissipation or degradation of antioxidants during cold-induced photooxidative stress in maize leaves. *Planta* **210**: 964-969.
- Leitsch J, Schnettger B, Critchley C, Krause GH** (1994) Two mechanisms of recovery from photoinhibition in vivo: Reactivation of photosystem II related and unrelated to D1-protein turnover. *Planta* **194**: 15-21.
- Levine RL, Williams JA, Stadtman ER, Shacter E** (1994) Carbonyl assays for determination of oxidatively modified proteins. *Methods in Enzymology* **233**: 346-357.
- Li XP, Björkman O, Shih C, Grossman AR, Rosenquist M, Jansson S, Niyogi K** (2000) A pigment-binding protein essential for regulation of photosynthetic light harvesting. *Nature* **403**: 391-395.
- Lichtenthaler HK** (1996) Vegetation Stress: an Introduction to the Stress Concept in Plants. *Journal of Plant Physiology* **148**: 4-14.
- Little RC, Freund RJ, Spector PC** (1991) SAS® System for Linear Models, 3<sup>rd</sup> Edition, Cary, NC, USA.
- Logan BA, Demmig-Adams B, Adams WW, Grace SC** (1998) Antioxidants and xanthophyll cycle-dependent energy dissipation in *Cucurbita pepo* L. and *Vinca major* L. acclimated to four growth PFDs in the field. *Journal of Experimental Botany* **49**: 1869-1879.
- López-Castañeda C, Richards RA, Farquhar GD** (1995) Variation in early vigour between wheat and barley. *Crop Science* **35**: 472-479.
- López-Castañeda C, Richards RA, Farquhar GD, Williamson RE** (1996) Seed and seedling characteristics contributing to variation in early vigor among temperate cereals. *Crop Science* **36**: 1257-1266.
- Lu C, Zhang J** (1998) Effects of water stress on photosynthesis, chlorophyll fluorescence and photoinhibition in wheat plants. *Australian Journal of Plant Physiology* **25**: 883-892.

- Ludlow MM, Santamaría JM, Fukai S** (1990) Contribution of osmotic adjust to grain yield in *Sorghum bicolor* (L.) Moench under water-limited conditions. II. Water stress after anthesis. *Australian Journal of Agricultural Research* **41**: 67-78.
- Mae T** (2004) Leaf senescence and nitrogen metabolism. In ‘*Plant cell death processes*’ (Noodén LD ed.) Elsevier Science, San Diego, USA, pp. 157-168.
- Manske GGB, Ortiz-Monasterio JI, Vlek PLG** (2001) Techniques for measuring genetic diversity in roots. In ‘*Application of physiology in wheat breeding*’ (Reynolds MP, Ortiz-Monasterio JI, McNab A eds.), CIMMYT, México DF. pp. 208-218.
- Massacci A, Iannelli MA, Pietrini F, Loreto F** (1995) The effect of growth at low temperature on photosynthetic characteristics and mechanisms of photoprotection of maize leaves. *Journal of Experimental Botany* **46**: 119-127.
- Maxwell K, Johnson GN** (2000) Chlorophyll fluorescence- a practical guide. *Journal of Experimental Botany* **51**: 659-668.
- McKersie BD, Bowley SR, Harjanto E, Leprince O** (1996). Water-deficit tolerance and field performance of transgenic alfalfa overexpressing superoxide dismutase. *Plant Physiology* **111**: 1177-1181.
- McMurtrie RE, Wang YP** (1993) Mathematical models of the photosynthetic responses of tree stands to rising CO<sub>2</sub> concentrations and temperatures. *Plant Cell and Environment* **16**: 1-3.
- Medrano H, Escalona JM, Bota J, Gulías J, Flexas J** (2002) Regulation of photosynthesis of C<sub>3</sub> plants in response to progressive drought: stomatal conductance as a reference parameter. *Annals of Botany* **89**: 895-905.
- Menconi M, Sgherri CLM, Pinzino C, Navari-Izzo F** (1995) Activated oxygen production and detoxification in wheat plants subjected to a water deficit programme. *Journal of Experimental Botany* **46**: 1123-1130.
- Miralles DJ, Slafer GA** (1999) Wheat development. In ‘*Wheat: ecology and physiology of yield determination*’ (Satorre EH, and Slafer GA, eds.), New York: Food Products Press, pp.13-43.
- Mittler R** (2002) Oxidative stress, antioxidants and stress tolerance. *Trends in Plant Science* **7**: 405-410.
- Mohanty N, Gilmore A, Yamamoto H** (1995) Mechanism of non-photochemical chlorophyll fluorescence quenching. II. Resolution of rapidly reversible absorbance

- changes at 530 nm and fluorescence quenching by the effects of antimycin, dibucaine and cation exchanger, A23187. *Australian Journal of Plant Physiology* **22**: 239-247.
- Moran JF, Becana M, Iturbe-Ormaetxe I, Frechilla S, Klucas RV, Aparicio-Trejo P** (1994) Drought induces oxidative stress in pea plants. *Planta* **194**: 346-352.
- Morgan JM** (1980) Osmotic adjustment in the spikelets and leaves of wheat. *Journal of Experimental Botany* **31** (121): 655-665.
- Morgan JM** (1984) Osmoregulation and water stress in higher plants. *Annual Review of Plant Physiology* **35**: 299-319.
- Morgan JM, Condon AG** (1986) Water use, grain yield and osmoregulation in wheat. *Australian Journal of Plant Physiology* **13**: 523-532.
- Müller P, Li XP, Niyogi KK** (2001) Non-Photochemical quenching. A response to excess light energy. *Plant Physiology* **125**: 1558-1566.
- Müller-Moulé P, Conklin P L, Niyogi KK** (2002) Ascorbate deficiency can limit violaxanthin de-epoxidase activity in vivo. *Plant Physiology* **128**: 970-977.
- Mullet JE, Whitsitt MS** (1996) Plant cellular responses to water deficit. *Plant Growth Regulation* **20**: 41-46.
- Munné-Bosch S, Alegre L** (2000a) The xanthophyll cycle is induced by light irrespective of water status in field-grown lavender (*Lavandula stoechas*) plants. *Physiologia Plantarum* **108**: 147-151.
- Munné-Bosch S, Alegre L** (2000b) The significance of  $\beta$ -carotene,  $\alpha$ -tocopherol and the xanthophyll cycle in droughted *Melissa officinalis* plants. *Australian Journal of Plant Physiology* **27**: 139-146.
- Munné-Bosch S, Alegre L** (2000c) Changes in carotenoids, tocopherols and diterpenes during drought and recovery, and the biological significance of chlorophyll loss in *Rosmarinus officinalis* plants. *Planta* **210**: 925-931.
- Munné-Bosch S, Alegre L** (2002) The function of tocopherols and tocotrienols in plants. *Critical Reviews in Plant Sciences* **21**(1): 31-57.
- Murchie EH, Chen Y, Hubbart S, Peng S, Horton P** (1999) Interaction between senescence and leaf orientation determine *in situ* patterns of photosynthesis and photoinhibition in field-grown rice. *Plant Physiology* **119**: 553-563.
- Navari-Izzo F, Quartacci MF, Sgherri CLM** (1996) Superoxide generation in relation to dehydration and rehydration. *Biochem. Soc Trans* **24**: 447-451.

- Neubauer C** (1993) Multiple effects of dithiothreitol on non-photochemical fluorescence quenching in intact chloroplasts. *Plant Physiology* **103**: 575-583.
- Nilsen ET, Orcutt DM** (1996) Physiology of plants under stress. Abiotic factors. John Wiley & Sons, INC, New York.
- Nishida I, Murata N** (1996) Chilling sensitivity in plants and cyanobacteria: the crucial contribution of membrane lipids. *Annual Review of Plant Physiology and Plant Molecular Biology* **47**: 541-568.
- Niyogi KK, Grossman AR, Björkman O** (1998) *Arabidopsis* mutants define a central role for the xanthophyll cycle in the regulation of photosynthetic energy conversion. *Plant Cell* **10**: 1121-1134.
- Niyogi KK** (1999) Photoprotection revisited: genetic, and molecular approaches. *Annual Review of Plant Physiology and Plant Molecular Biology* **50**: 333-359.
- Noctor G, Veljovic-Jovanovic S, Driscoll S, Novitskaya L, Foyer C** (2002) Drought and oxidative load in the leaves of C<sub>3</sub> plants: a predominant role for photorespiration. *Annals of Botany* **89**: 841-850.
- Nogués S, Alegre L** (2002) An increase in water deficit has no impact on the photosynthetic capacity of field-grown Mediterranean plants. *Functional Plant Biology* **29**: 621-630.
- Nogués S, Allen DA, Morison JIL, Baker NR** (1998) Ultraviolet-B radiation effects on water relations, leaf development, and photosynthesis in droughted pea plants. *Plant Physiology* **117**: 173-181.
- Nogués S, Baker NR** (2000) Effects of drought on photosynthesis in Mediterranean plants grown under enhanced UV-B radiation. *Journal of Experimental Botany* **51**: 1309-1317.
- Nogués S, Cotxarrera L, Alegre L, Trillas MA** (2002) Limitations to photosynthesis in tomato leaves induced by *Fusarium* wilt. *New Phytologist* **154**: 461-470.
- Nutbeam A, Duffus C** (1976) Evidence for C<sub>4</sub> photosynthesis in barley pericarp tissue. *Biochemical and Biophysical Research Communications* **70** (4): 1198-1203.
- O.E.V.V.** (2001) Results of the official series of barley trials in Spain, year 2000. Working document. Oficina Española de Variedades Vegetales (OEVV). Ministerio de Agricultura, Pesca y Alimentación, Spain.
- Oliver MJ** (1996) Desiccation tolerance in vegetative plant cells. *Physiologia Plantarum* **97**: 779-787.
- Ort DR** (2001) When there is too much light. *Plant Physiology* **125**: 29-32.

- Ort DR, Baker NR** (2002) A photoprotective role for O<sub>2</sub> as an alternative electron sink in photosynthesis? *Current Opinion in Plant Biology* **5**: 193-198.
- Osmond CB, Grace SC** (1995) Perspectives on photoinhibition and photorespiration in the field: quintessential inefficiencies of the light and dark reactions of photosynthesis? *Journal Experimental Botany* **46**: 1351-1362.
- Osmond CB, Anderson JM, Ball MC, Egerton JJG** (1999) Compromising efficiency: the molecular ecology of light-resource utilization in plants. In '*Physiological Plant Ecology*' (Press MC, Scholes JD eds.) Blackwell Science.
- Oxborough K, Baker NR** (1997) Resolving chlorophyll *a* fluorescence images of photosynthetic efficiency into photochemical and non-photochemical components-calculation of *qP* and *Fv'/Fm'* without measuring *Fo'*. *Photosynthesis Research* **54**: 135-142.
- Owens TG** (1996) Processing of excitation energy by antenna pigments. In 'Photosynthesis and environment' (Ed NR Baker) pp 1-23. (Kluwer Academic Publishers: Netherlands).
- Parry MAJ, Andralojc PJ, Khan S, Lea PJ, Keys AJ** (2002) Rubisco activity: effects of drought stress. *Annals of Botany* **89**: 833-839.
- Park Y-I, Chow WS, Anderson JM** (1996) Chloroplast movement in the shade plant *Tradescantia albiflora* helps protect photosystem II against light stress. *Plant Physiology* **111**: 867-875.
- Passioura JB** (1994) The yield of crops in relation to drought. In '*Physiology and determination of crop yield*' American Society of Agronomy, Madison, USA.
- Passioura JB** (1996) Drought and drought tolerance. *Plant Growth Regulation* **20**: 79-83.
- Passioura JB** (2002) Soil conditions and plant growth. *Plant Cell and Environment* **25**: 311-318.
- Pastori GM, Trippi VS** (1993) Antioxidative protection in a drought-resistant maize strain during leaf senescence. *Physiologia Plantarum* **87**: 227-231.
- Pate JS** (2001) Carbon isotope discrimination and plant water-use efficiency. In '*Stable isotope techniques in the study of biological processes and functioning of ecosystems*' (Unkovich et al. Eds.), Kluwer Academic Publishers, Netherlands, pp. 19-36.
- Payton P, Webb R, Korniyev D, Allen R, Holaday AS** (2001) Protecting cotton photosynthesis during moderate chilling at high light intensity by increasing

- chloroplastic antioxidant enzyme activity. *Journal of Experimental Botany* **52** (365): 2345-2354.
- Peñuelas J, Filella I, Gamon JA** (1995) Assessment of photosynthetic radiation-use efficiency with spectral reflectance. *New Phytology* **131**: 291-296.
- Peñuelas J, Filella I, Llusà J, Siscart D, Piñol J** (1998) Comparative field study of spring and summer leaf gas exchange and photobiology of the Mediterranean trees *Quercus ilex* and *Phillyrea latifolia*. *Journal of Experimental Botany* **49**: 229-238.
- Perera NH, Hartmann E, Holoday AS** (1995) Regulation of cotton photosynthesis during moderate chilling. *Plant Science* **111**: 33-143.
- Pérez de Juan J, Irigoyen JJ, Sánchez-Díaz M** (1997) Chilling of drought-hardened and non-hardened plants of different chilling-sensitive maize lines. Changes in water relations and ABA contents. *Plant Science* **122**: 71-79.
- Perry MW, D'Antuono MF** (1989) Yield improvement and associated characteristics of some Australian spring wheat cultivars introduced between 1860 and 1982. *Australian Journal of Agricultural Research* **40**: 457-472.
- Peterson RB, Havir EA** (2000) A nonphotochemical-quenching-deficient mutant of *Arabidopsis thaliana* possessing normal pigment composition and xanthophyll-cycle activity. *Planta* **210**: 205-214.
- Pons TL, Schieving F, Hirose T, Werger MJA** (1990) Optimization of leaf nitrogen allocation for canopy photosynthesis in *Lysimachia vulgaris*. In 'Causes and consequences of variation in growth rate of higher plants' (Lambers H, Cambridge ML, Konings H Pons TL, eds.), The Hague: SPB Academic Publishing, pp.175-186.
- Porter H** (1990) Interspecific variation in relative growth rate: on ecological causes and physiological consequences. In 'Causes and consequences of variation in growth rate of higher plants' (Lambers H, Cambridge ML, Konings H Pons TL, eds.), The Hague: SPB Academic Publishing, pp. 45-68.
- Prasad TK, Anderson MD, Martin BA, Stewart CR** (1994a) Evidence for chilling-induced oxidative stress in maize seedlings and a regulatory role for hydrogen peroxide. *The Plant Cell* **6**: 65-74.
- Prasad TK, Anderson MD, Stewart CR** (1994b) Acclimation, hydrogen peroxide, and abscisic acid protect mitochondria against irreversible chilling injury in maize seedlings. *Plant Physiology* **105**: 619-627.

- Prasad TK** (1996) Mechanisms of chilling-induced oxidative stress injury and tolerance in developing maize seedlings: changes in antioxidant system, oxidation of proteins and lipids, and protease activities. *The Plant Journal* **10**: 1017-1026.
- Quick WP, Chaves MM, Wendler R, David M, Rodrigues ML, Passaharinho JA, Pereira JS, Adcock MD, Leegood RC, Stitt M** (1992) The effects of water stress on photosynthesis carbon metabolism in four species grown under field conditions. *Plant, Cell and Environment* **15**: 25-35.
- Reynolds MP, Rajaram S, Sayre KD** (1999) Physiological and genetic changes of irrigated wheat in the post-green revolution period and approaches for meeting projected global demand. *Crop Science* **39**: 1611-1621.
- Reynolds MP, van Ginkel M, Ribaut JM** (2000) Avenues for genetic modification of radiation use efficiency in wheat. *Journal of Experimental Botany* **51**: 459-473.
- Richards RA** (2000) Selectable traits to increase crop photosynthesis and yield of grain crops. *Journal of Experimental Botany* **51**: 447-458.
- Richards RA, Condon AG, Rebetzke** (2001) Traits to improve yield in dry environments. In *'Application of physiology in wheat breeding'* (Reynolds MP, Ortiz-Monasterio JI, McNab A eds.), CIMMYT, México DF. pp. 88-100.
- Richards RA, Rebetzke GJ, Condon AG, van Herwaarden AF** (2002) Breeding opportunities for increasing the efficiency of water use and crop yield in temperate Cereals. *Crop Science* **42**: 111-121.
- Roberts DR, Kristie DN, Thompson JE, Dumbroff EB, Gepstein S** (1991) In vitro evidence for the involvement of activated oxygen species in light-induced aggregation of thylakoid proteins. *Physiologia Plantarum* **82**: 389-396.
- Rosenqvist E, van Kooten O** (2003) Chlorophyll fluorescence: a general description and nomenclature. In *'Practical Applications of Chlorophyll Fluorescence in Plant Biology'* (DeEll JR, Toivonen PMA Eds.), Kluwer Academic Publishers, Dordrecht, Netherlands.
- Royo C, Michelena A, Carrillo JM, García P, Juan-Aracil J, Soler C** (1998) Spanish durum wheat breeding program. In *'SEWANA (South Europe, West Asia and North Africa) Durum Research Network. Proceedings of the SEWANA Durum Network Workshop, 20-23 March 1995'* (Eds Nachit MM, Baum M, Porceddu, Monneveux, Picard E (ICARDA: Aleppo, Syria), ) pp. 80-87.

- Sage RF** (2002) C<sub>4</sub> photosynthesis in terrestrial plants does not require Kranz anatomy. *Trends in Plant Science* **7** (7): 283-285.
- Samad A, Meisner CA, Saifuzzaman M, van Ginkel M** (2001) Waterlogging tolerance. In 'Application of physiology in wheat breeding' (Reynolds MP, Ortiz-Monasterio JI, McNab A eds.), CIMMYT, México DF. pp. 136-144.
- Sánchez-Díaz M, García JL, Antolín MC, Araus JL** (2002) Effects of soil drought and atmospheric humidity on yield, gas exchange, and stable carbon composition of barley. *Photosynthetica* **40** (3): 415-421.
- Sarry JE, Montillet JL, Sauvaire Y, Havaux M** (1994) The protective function of the xanthophyll cycle in photosynthesis. *FEBS Letters* **353**:147-150.
- Săulescu NN, Braun HJ** (2001) Cold tolerance. In 'Application of physiology in wheat breeding' (Reynolds MP, Ortiz-Monasterio JI, McNab A eds.), CIMMYT, México DF. pp. 111-123.
- Sen Gupta A, Berkowitz GA** (1987) Osmotic adjustment, symplast volume, and nonstomatically mediated water stress inhibition of photosynthesis in wheat. *Plant Physiology* **85**: 1040-1047.
- Sen Gupta A, Heinen JL, Holaday AS, Burke JJ, Allen RD** (1993) Increased resistance to oxidative stress in transgenic plants that overexpress chloroplastic Cu/Zn superoxide dismutase. *Proceedings National Academic Science USA* **90**: 1629-1633.
- Serraj R, Sinclair TR** (2002) Osmolyte accumulation: can it really help increase crop yield under drought conditions? *Plant, Cell and Environment* **25**: 333-341.
- Schulte PJ** (1992) The units of currency for plant water status. *Plant, Cell and Environment* **15**: 7-10.
- Sgherri CLM, Navari-Izzo F** (1995) Sunflower seedlings subjected to increasing water deficit stress: Oxidative stress and defence mechanisms. *Physiologia Plantarum* **93**: 25-30.
- Sgherri CLM, Pinzino C, Navari-Izzo F.** (1993) Chemical changes and O<sub>2</sub><sup>-</sup> production in thylakoid membranes under water stress. *Physiologia Plantarum* **87**: 211-216.
- Sgherri CLM, Navari-Izzo F** (1995) Sunflower seedlings subjected to increasing water deficit stress: oxidative stress and defence mechanisms. *Physiologia Plantarum* **93**: 25-30.



- Sgherri CLM, Pinzino C, Navari-Izzo F** (1996) Sunflower seedlings subjected to increasing water stress by water deficit: Changes in O<sub>2</sub> production in thylakoid membranes. *Physiologia Plantarum* **96**: 446-452.
- Sgherri CLM, Salvateci P, Menconi M, Raschi A, Navari-Izzo** (2000) Interaction between drought and elevated CO<sub>2</sub> in the response of alfalfa plants to oxidative stress. *Journal of Plant Physiology* **156**: 360-366.
- Shangguan Z, Shao M, Dyckmans J** (2000) Effects of nitrogen nutrition and water deficit on net photosynthetic rate and chlorophyll fluorescence in winter wheat. *Journal of Plant Physiology* **156**: 46-51.
- Sharkey TD** (1985) O<sub>2</sub>-insensitive photosynthesis in C<sub>3</sub> plants. Its occurrence and a possible explanation. *Plant Physiology* **78**: 71-75.
- Siefermann-Harms D, Angerhofer A** (1998) Evidence for an O<sub>2</sub>-barrier in the light-harvesting chlorophyll-*a/b*-protein complex LHCII. *Photosynthesis Research* **55**:83-94.
- Simmons SR** (1987) Growth, development and physiology. In 'Wheat and wheat improvement' (Heyne EG ed.). American Society of Agronomy Inc., Madison, pp. 77-113.
- Singal HR, Sheoran IS, Singh R** (1986) In vitro enzyme activities and products of <sup>14</sup>CO<sub>2</sub> assimilation in flag leaf and ear parts of wheat (*Triticum aestivum* L.) *Photosynthesis Research* **8**: 113-122.
- Slafer GA, Andrade FH** (1993) Physiological attributes related to the generation of grain yield in bread wheat cultivars released at different eras. *Field Crops Research* **31**: 351-367.
- Slafer GA, Araus JL, Richards RA** (1999) Physiological traits that increase the yield potential of wheat. In 'Wheat: ecology and physiology of yield determination' (Satorre, E.H., Slafer, G.A. Eds.). Food Products Press, New York, pp. 379- 415.
- Slafer GA, Satorre EH, Andrade FH** (1994) Increases in grain in bread wheat from breeding and associated physiological changes. In 'Genetic improvement of field crops' (Slafer GA ed.). New York: pp.1-68.
- Slafer GA, Whitechurch EM** (2001) Manipulating wheat development to improve adaptation. In 'Application of physiology in wheat breeding' (Reynolds MP, Ortiz-Monasterio JI, McNab A eds.), CIMMYT, México DF. pp. 160-170.

- Smirnoff N, Colombe SV** (1988) Drought influences the activity of enzymes of the chloroplast hydrogen peroxide scavenging system. *Journal. of Experimental. Botany* **39**: 1097-1108.
- Smirnoff N** (1993). The role of active oxygen in the response of plants to water deficit and desiccation. ) Tansley Review No. 52. *New Phytology* **125**: 27-58.
- Smirnoff N** (1996) The function and metabolism of ascorbic acid in plants. *Annals of Botany* **78**: 661-669.
- Smirnoff N** (2000) Ascorbate biosynthesis and function in photoprotection. *Philosophical Transactions Royal Society of London* **355**: 1455-1464.
- Smirnoff N, Conklin PL, Loewus FA** (2001) Biosynthesis of ascorbic acid in plants: a renaissance. *Annual Review of Plant Physiology and Plant Molecular Biology* **52**: 437-467.
- Smith DL, Dijak M, Bulman P, Ma BL, Hamel C** (1999) Barley: Physiology of Yield. In ‘Crop Yield, Physiology and Processes Smith’ (D.L., Hamel, C. Eds.). Springer-Verlag, Berlin, pp. 67-107.
- Sonoike K** (1998) Various aspects of inhibition of photosynthesis under light / chilling stress: “Photoinhibition at chilling temperatures” versus “Chilling damage in the light”. *Journal of Plant Research* **111**: 121-129.
- Streb P, Feierabend J** (1999) Significance of antioxidants and electron sinks for the cold-hardening-induced resistance of winter rye leaves to photo-oxidative stress. *Plant, Cell and Environment* **22**: 1225-1237.
- Streb P, Shang W, Feierabend J** (1999) Resistance of cold-hardened winter rye leaves (*Secale cereale* L.) to photo-oxidative stress. *Plant Cell and Environment* **22**: 1211-1223.
- Tambussi EA, Bartoli CG, Beltrano J, Guamet JJ, Araus JL** (2000) Oxidative damage to thylakoid proteins in water-stressed leaves of wheat (*Triticum aestivum*). *Physiologia Plantarum* **108**: 398-404.
- Tambussi EA, Casadesus J, Munné-Bosch S, Araus JL** (2002) Photoprotection in water-stressed plants of durum wheat (*Triticum turgidum* var. *durum*): changes in chlorophyll fluorescence, spectral signature and photosynthetic pigments. *Functional Plant Biology* **29**: 35-44.

- Tambussi EA, Bartoli CG, Guamet JJ, Beltrano J, Araus JL** (2004a) Oxidative stress and photodamage at low temperatures in soybean (*Glycine max* L. Meer.) leaves. *Plant Science* **167**: 19-26.
- Tambussi EA, Nogués S, Ferrio P, Voltas J, Araus JL** (2004b) Does a higher yield potential improve barley performance under Mediterranean conditions?: a case study. *Field Crops Research* (en prensa).
- Tang A C, Kawamitsu Y, Kanechi M, Boyer JS** (2002). Photosynthetic oxygen evolution at low water potential in leaf discs lacking an epidermis. *Annals of Botany* **89**: 861-870.
- Tardieu F** (1997) Drought perception by plants. Do cells of droughted plants experience water stress? In 'Drought tolerance in higher plants. Genetical, physiological and molecular biological analysis' (Belhassen E. Ed.), Kluwer Academic Publishers, Dordrecht, pp. 15-26.
- Tardieu F, Simonneau** (1998) Variability among species of stomatal control under fluctuating soil water status and evaporative demand: modelling isohydric and anisohydric behaviours. *Journal of Experimental Botany* **49**: 419-432.
- Templar J, Kon SP, Milligan TP, Newman DJ, Raftery MJ** (1999) Increased plasma malondialdehyde levels in glomerular disease as determined by a fully validated HPLC method. *Nephrology Dialysis Transplantation* **14**: 946-951.
- Tezara W, Mitchell VJ, Driscoll SD, Lawlor DW** (1999) Water stress inhibits plant photosynthesis by decreasing coupling factor and ATP. *Nature* **401**: 914-917.
- Thayer SS, Björkman O** (1990) Leaf xanthophyll content and composition in sun and shade determined by HPLC. *Photosynthesis Research* **23**: 331-343.
- Tsonev T, Velikova V, Georgieva K, Hyde PF, Jones HG** (2003) Low temperature enhances photosynthetic down-regulation in French Bean (*Phaseolus vulgaris* L.) plants. *Annals of Botany* **91**: 343-352.
- Turner NC** (1988) Measurement of plant water status by the pressure chamber technique. *Irrig Science* **9**: 289-308.
- Tyystjärvi E, Riikonen M, Arisi A-C M, Kettunen R, Jouanin L, Foyer CH** (1999) Photoinhibition of photosystem II in tobacco plants overexpressing glutathione reductase and poplars overexpressing superoxide dismutase. *Physiologia Plantarum* **105**: 409-416.
- Tyystjärvi E** (2004) Phototoxicity. In 'Plant cell death processes' (Noodén LD ed.) Elsevier Science, San Diego, USA, pp. 271-283.

- Van Breusegem F, Slooten L, Stassart JM, Botterman J, Moens T, Van Montagu M, Inze D** (1999) Effects of overproduction of tobacco MnSOD in maize chloroplasts on foliar tolerance to cold and oxidative stress. *Journal of Experimental Botany* **50**: 71-78.
- Van Camp W, Capiou K, Van Montagu M, Inze D, Slooten L** (1996) Enhancement of oxidative stress tolerance in transgenic tobacco plants overproducing Fe-superoxide dismutase in chloroplasts. *Plant Physiology* **112**: 1703-1714.
- Van Wijk KJ, van Hasselt PR** (1993) Photoinhibition of photosystem II is preceded by down-regulation through light-induced acidification of the lumen: Consequences for the mechanism of photoinhibition in vivo. *Planta* **189**: 359-368.
- Vassey TL, Quick P, Sharkey TD, Stitt M** (1991) Water stress, carbon dioxide, and light effects on sucrose-phosphate synthase activity in *Phaseolus vulgaris*. *Physiologia Plantarum* **81**: 37-44.
- Venema JH, Posthumus F, de Vries M, van Hasselt PR** (1999) Differential response of domestic and wild *Lycopersicon* species to chilling under low light: growth, carbohydrate content, photosynthesis and the xanthophyll cycle. *Physiologia Plantarum* **105**: 81-88.
- Venema JH, Villerius L, van Hasselt PR** (2000) Effect of acclimation to suboptimal temperature on chilling-induced photodamage: comparison between a domestic and a high-altitude wild *Lycopersicon* species. *Plant Science* **152**: 153-163.
- Verhoeven AS, Adams III WW, Demmig-Adams B, Croce R, Bassi R** (1999) Xanthophyll cycle pigment localisation and dynamics during exposure to low temperatures and light stress in *Vinca major*. *Plant Physiology* **120**: 727-737.
- Vermaas WFJ, Ikeuchi M** (1991) Photosystem II. In *The Photosynthetic Apparatus. Molecular Biology and Operation* (ed. L. Bogorad & I.K. Vasil), pp. 25-111, Academic Press, San Diego, CA, USA.
- Vernieri P, Lenzi A, Figaro M, Tognoni F, Pardossi A** (2001) How the roots contribute to the ability of *Phaseolus vulgaris* L. to cope with chilling-induced water stress. *Journal of Experimental Botany* **52** (364): 2199-2206.
- Veselova TV, Veselovsky VA, Rubin AB** (2001) Post hypoxic oxidative stress during imbibition of low vigour pea seeds. In. *Abstract Book of the Fifth Conference on Oxygen, free radicals and oxidative stress in plants*, Nice, France, November 19-21, 2001.

- Voltas J, Romagosa I, Lafarga A, Armesto AP, Sombrero A, Araus JL** (1999). Genotype by environment interaction for grain yield and carbon isotope discrimination of barley in Mediterranean Spain. *Australian Journal Agricultural Research* **50**: 1263-1271.
- von Caemmerer S, Farquhar GD** (1981) Some relationships between the biochemistry of photosynthesis and the gas exchange of leaves. *Planta* **153**: 376-387.
- Voznesenskaya E, Franceschi VR, Kiirats O, Freitag H, Edwards GE** (2001) Kranz anatomy is not essential for terrestrial C<sub>4</sub> plant photosynthesis. *Nature* **414**: 543-546.
- Wardlaw IF** (2002) Interaction between drought and chronic high temperature during kernel filling in wheat in a controlled environment. *Annals of Botany* **90**: 469-476.
- Wheeler GL, Jones MA, Smirnoff N** (1998) The biosynthesis pathway of vitamin C in higher plants. *Nature* **393**: 365-369.
- White MJ, Green BR** (1987) Antibodies to the photosystem I chlorophyll *a* + *b* antenna cross-react with polypeptides of CP29 and LHCII. *European Journal of Biochemistry* **163**: 545-551.
- Wingler A, Quick WP, Bungard RA, Bailey KJ, Lea PJ & Leegood** (1999) The role of photorespiration during drought stress: an analysis utilizing barley mutants with reduced activities of photorespiratory enzymes. *Plant, Cell and Environment* **22**: 361-373.
- Wirth E, Kelly GJ, Fischbeck G, Latzko E** (1976) Enzyme activities and products of CO<sub>2</sub> fixation in various photosynthetic organs of wheat and oat. *Zeitschrift für Pflanzenphysiologie* **82**: 78-87.
- Wise RR** (1995) Chilling-enhanced photooxidation: The production, action and study of reactive oxygen species produced during chilling in the light. *Photosynthesis Research* **45**: 79-97.
- Yamamoto HY** (1979) Biochemistry of violaxanthin cycle in higher plants. *Pure and Applied Chemistry* **51**: 639-648.
- Yamamoto HY, Nakayama TOM, Chichester CO** (1962) Studies on the light and dark interconversions of leaf xanthophylls. *Archives of Biochemistry and Biophysics* **97**: 168-173.
- Young AJ** (1991) The photoprotective role of carotenoids in higher plants. *Physiologia Plantarum* **83**: 702-708.

- Young AJ, Britton G** (1990) Carotenoids and stress. In ‘*Stress responses in plants: adaptation and acclimation mechanisms*’ (Eds. RG Alscher, JR Cummings) (Wiley-Liss: New York, USA), pp. 87-112.
- Yu CW, Murphy TM, Sung WW, Lin CH** (2002) H<sub>2</sub>O<sub>2</sub> treatment induces glutathione accumulation and chilling tolerance in mung bean. *Functional Plant Biology* **29**: 1081-1087.
- Xin Z, Li PH** (1992) Abscisic acid-induced chilling tolerance in maize suspension-cultured cells. *Plant Physiology* **99**: 707-711.
- Xu HL, Ishii R** (1990) Effects of water deficit on photosynthesis in wheat plants. V. Difference among plant parts in water relations. *Japanese Journal of Crop Science* **59** (2): 384-389.
- Xu HL, Ishii R, Yamagishi T, Kumura A** (1990) Effects of water deficit on photosynthesis in wheat plants.III. Effect on non-stomatal mediated photosynthesis and RuBP carboxylase content in different plant parts. *Japanese Journal of Crop Science* **59** (1): 153-157.
- Young AJ** (1991) The photoprotective role of carotenoids in higher plants. *Physiologia Plantarum* **83**: 702-708.
- Yu CW, Murphy TM, Sung WW, Lin CH** (2002) H<sub>2</sub>O<sub>2</sub> treatment induces glutathione accumulation and chilling tolerance in mung bean. *Functional Plant Biology* **29**: 1081-1087.
- Zadoks JC, Chang TT, Konzak CF** (1974) A decimal code for the growth stages of cereals. *Weed Research* **14**: 415-421.
- Zhang J, Kirkham MB** (1996) Enzymatic responses of the ascorbate-glutathione cycle to drought in sorghum and sunflower plants. *Plant Science* **113**: 139-147.
- Ziegler-Jöns A** (1989) Gas-exchange of ears of cereals in response to carbon dioxide and light. II. Occurrence of a C<sub>3</sub>-C<sub>4</sub> intermediate type of photosynthesis. *Planta* **178**: 164-175.