

## Fe de errata

Posterior al acto de Defensa de Tesis el tribunal pide la corrección de las referencias bibliográficas. A continuación se adjuntan las referencias bibliográficas que faltó incorporar en el documento final de tesis.

- Armelius, K., y Granberg, A. (2000). Self-image and perception of mother and father in psychotic and borderline patients. *Psychotherapy Research*, 10, 147-158.
- Bateson, G., Jackson, D., Haley, J., y Weakland, J. (1956). Toward a theory of schizophrenia. *Behavioral Science*, 1(4), 251-264.
- Bateson, G., Jackson, D., Haley, J., y Weakland, J. (1963). A note on the double bind—1962. *Family Process*, 2(1), 154-161.
- Bartholomew, K. y Horowitz, L. (1991). Attachment styles among young adults: a test of a four category model. *Journal of Personality and Social Psychology*, 61, 226-244.
- Bell, L., Bell, D., y Nakata, Y. (2001). Triangulation and adolescent development in the U.S. and Japan. *Family Process*, 40(2), 173-86.
- Berry, K., Wearden, A., y Barrowclough, C. (2007). Adult attachment styles and psychosis: an investigation of associations between general attachment styles and attachment relationships with specific others. *Social Psychiatry and Psychiatric Epidemiology*, 42(12), 972-6.
- Berry, K., Barrowclough, C., y Wearden, A. (2009). Adult attachment, perceived earlier experiences of care giving and trauma in people with psychosis. *Journal of Mental Health*, 18(4), 280.
- Brennan, K. A., Clark, C. L., y Shaver, P. R. (1998). Self-report measurement of adult attachment: An integrative overview. In J. A. Simpson y W. S. Rholes (Eds.), *Attachment theory and close relationships* (pp. 46-76). New York: Guilford Press.
- Brown, G.W., Birley, J.L.T., y Wing, J.K. (1972). Influence of family life on the course of schizophrenic disorders: A replication. *British Journal of Psychiatry*, 121, 241-258.
- Brown, M., Monck, E., Carstairs, G. y Wing, J. (1962). Influence of family life on the course of schizophrenic illness. *British Journal of Preventive and Social Medicine*, 16, 55-67.
- Birchwood, M., y Tarrier, N. (1995). *El tratamiento psicológico de la esquizofrenia*. Barcelona: Ariel.

- Matta, D. y Knudson-Martin, C. (2006). Father Responsivity: Couple Processes and the Coconstruction of Fatherhood. *Family Process*, 45(1), 19-37.
- Miklowitz, D. J. (1994). Family risk indicators in schizophrenia. *Schizophrenia Bulletin*, 20, 137-149.
- Miklowitz, D. J., Goldstein, M. J., Nuechterlein, K. H., Snyder, K. S. y Doane, J. A. (1987). The family and the course of recent-onset mania. New York: Family Process Press.
- Mikulincer, M., Shaver, P. R., y Pereg, D. (2003). Attachment theory and affect regulation: The dynamics, development, and cognitive consequences of attachment-related strategies. *Motivation and Emotion*, 27, 77-102.
- Miller, J.F. y Powers, M.J. (1988). Development of an instrument to measure hope. *Nursing Research*, 37, 6-10.
- Pitschel-Walz, G., Leucht, S., Bäuml, J., Kissling, W., Engel, R. (2001). The effect of family intervention in schizophrenia – a meta-analysis. *Schizophrenia Bulletin* 27 (1): 73-92.
- Karancı, N. A., y Inandilar, H. (2002). Predictors of components of expressed emotion in major caregivers of Turkish patients with schizophrenia. *Social Psychiatry and Psychiatric Epidemiology*, 37(2), 80-88.
- Kennedy, M. G., Schepp, K. G., y O'Connor, F. W. (2000). Symptom self-management and relapse in schizophrenia. *Archives of Psychiatric Nursing*, 14(6), 266-275.
- Quaglia R., La madre, mediatrice della relazione figlio-padre, in R. Quaglia (a cura di), *Il "valore" del padre. Il ruolo paterno nello sviluppo del bambino*, UTET, Torino, 2001.
- Mottaghipour, Y., Pourmand, D., Maleki, H. y Davidian, L. (2001). Expressed emotion and the course of schizophrenia in Iran. *Soc. Psychiatry & Psych. Epidemiol.* 36(4), 195-199.
- Pilling, S., Bebbington, P., Kuipers, E., y cols. (2002) Psychological treatments in schizophrenia: I. Meta- analysis of family intervention and cognitive behaviour therapy. *Psychological Medicine*, 32, 763-782.
- Reiss, D. (1971) "Varieties of Consensual Experience", *Family Process* 10 , p p . 1 - 3 5 .
- Scazufca, M. y Kuipers, E. (1996) Links between expressed emotion and burden of care in relatives of patients with schizophrenia. *British Journal of Psychiatry*, 168, 580– 587.
- Scheiber, J., Breier, A., y Plckar, D. (1995). Expressed emotion. Trait or state?. *British Journal of Psychiatry*, 166(5): 647-9.
- Tait, L., Birchwood, M., y Trower, P. (2004). Adapting to the challenge of psychosis: Personal resilience and the use of sealing-over (avoidant) coping strategies. *British Journal of Psychiatry* 185:410-415.
- Thompson, R. A., y Calkins, S. D. (1996). The double-edged sword: Emotional regulation for children at risk. *Development and Psychopathology*, 8, 163-182.

## Fe de errata

Posterior al acto de Defensa de Tesis el tribunal pide la corrección de las referencias bibliográficas. A continuación se adjuntan las referencias bibliográficas que faltó incorporar en el documento final de tesis.

Armelius, K., y Granberg, A. (2000). Self-image and perception of mother and father in psychotic and borderline patients. *Psychotherapy Research*, 10, 147-158.

Bateson, G., Jackson, D., Haley, J., y Weakland, J. (1956). Toward a theory of schizophrenia. *Behavioral Science*, 1(4), 251-264.

Bateson, G., Jackson, D., Haley, J., y Weakland, J. (1963). A note on the double bind—1962. *Family Process*, 2(1), 154-161.

Bartholomew, K. y Horowitz, L. (1991). Attachment styles among young adults: a test of a four category model. *Journal of Personality and Social Psychology*, 61, 226-244.

Bell, L., Bell, D., y Nakata, Y. (2001). Triangulation and adolescent development in the U.S. and Japan. *Family Process*, 40(2), 173-86.

Berry, K., Wearden, A., y Barrowclough, C. (2007). Adult attachment styles and psychosis: an investigation of associations between general attachment styles and attachment relationships with specific others. *Social Psychiatry and Psychiatric Epidemiology*, 42(12), 972-6.

Berry, K., Barrowclough, C., y Wearden, A. (2009). Adult attachment, perceived earlier experiences of care giving and trauma in people with psychosis. *Journal of Mental Health*, 18(4), 280.

Brennan, K. A., Clark, C. L., y Shaver, P. R. (1998). Self-report measurement of adult attachment: An integrative overview. In J. A. Simpson y W. S. Rholes (Eds.), *Attachment theory and close relationships* (pp. 46-76). New York: Guilford Press.

Brown, G.W., Birley, J.L.T., y Wing, J.K. (1972). Influence of family life on the course of schizophrenic disorders: A replication. *British Journal of Psychiatry*, 121, 241-258.

Brown, M., Monck, E., Carstairs, G. y Wing, J. (1962). Influence of family life on the course of schizophrenic illness. *British Journal of Preventive and Social Medicine*, 16, 55-67.

Birchwood, M., y Tarrier, N. (1995). *El tratamiento psicológico de la esquizofrenia*. Barcelona: Ariel.

- Burkett, L.P. (1991). Parenting behaviors of women who were sexually abused as children in their families of origin. *Family Process*, 30, 421-434.
- Davies, P. (2002). Conceptual links between Byng-Hall's theory of parentification and the emotional security hypothesis. *Family Process*, 41(3), 551-5.
- Dozier, M. (1990). Attachment organization and treatment use for adults with serious psychopathological disorders. *Development and Psychopathology*, 2, pp 47-60.
- Dozier, M., Lomax, L., Tyrell, C., & Lee, S. (2001). The challenge treatment for clients with dismissing states of mind. *Attachment and Human Development*, 3, 62-76.
- Dozier, M., Stovall, K. C., y Albus, K. (1999). Attachment and psychopathology in adulthood. En J. Cassidy y P. Shaver (Eds.), *Handbook of attachment* (pp. 497-519). NY: Guilford Press.
- Ford, F. R., y Herrick, J. H. (1974). Family rules: Family life styles. *American Journal of Orthopsychiatry*, 44, 61-69.
- Drayton, M., Birchwood, M., Trower, P. (1998) Early Attachment Experience and Recovery from Psychosis. *British Journal of Clinical Psychology*, 37, 269 -284.
- Gambini, P, y Messina, E. (2007). L'emancipazione dell'adolescente dalla famiglia affettiva. Una ricerca a partire dalle convinzioni di efficacia filiale e genitoriale. *Terapia familiare*, n. 85, 200.
- Giron M, Fernandez-Yanez A, Maná-Alvarenga S, Molina-Habas A, Nolasco A, Gomez-Beneyto M (2010). Efficacy and effectiveness of individual family intervention on social and clinical functioning and family burden in severe schizophrenia: a 2-year randomized controlled study. *Psychological Medicine* 40, 73-84.
- Goldstein, M., Rodnick, E., Evans, J., May, P. y Steinberg, M. (1978). Drug and family therapy in the aftercare of acute schizophrenics. *Archives of General Psychiatry*, 35, 1169-1177.
- González, M. A., Aristegui, M., Oraá, R., & Bustamante, S. (2004). Investigación cualitativa en esquizofrenia. Un estudio con grupos focales para conocer experiencias de discriminación de pacientes y familiares. *Archivos de Psiquiatria*, 67(3), 211-220.
- Haley, J. (1967)."La familia del esquizofrénico: sistema modelo", en Jackson D. (comp.) op.cit. El original publicado en *Journal of Nervous and Mental Disease*, 129.
- Hoffman, L. (1981). Fundamentos de la terapia familiar, un marco conceptual para el cambio de sistemas. Mexico: Fondo de Cultura Económica.
- Hooley, M., Rosen, L., y Richters, J. (1995) Expressed emotion: Toward clarification of a critical construct. The behavioral high risk paradigm in psychopathology G Miller (Ed.), New York , pp. 88-120.
- Mari, J.D.J., and Streiner, D.L. An overview of family interventions and relapse on schizophrenia: Meta-analysis of research findings. *Psychological Medicine*, 24:565-578, 1994.

- Matta, D. y Knudson-Martin, C. (2006). Father Responsivity: Couple Processes and the Coconstruction of Fatherhood. *Family Process*, 45(1), 19-37.
- Miklowitz, D. J. (1994). Family risk indicators in schizophrenia. *Schizophrenia Bulletin*, 20, 137-149.
- Miklowitz, D. J., Goldstein, M. J., Nuechterlein, K. H., Snyder, K. S. y Doane, J. A. (1987). The family and the course of recent-onset mania. New York: Family Process Press.
- Mikulincer, M., Shaver, P. R., y Pereg, D. (2003). Attachment theory and affect regulation: The dynamics, development, and cognitive consequences of attachment-related strategies. *Motivation and Emotion*, 27, 77-102.
- Miller, J.F. y Powers, M.J. (1988). Development of an instrument to measure hope. *Nursing Research*, 37, 6-10.
- Pitschel-Walz, G., Leucht, S., Bäuml, J., Kissling, W., Engel, R. (2001). The effect of family intervention in schizophrenia – a meta-analysis. *Schizophrenia Bulletin* 27 (1): 73-92.
- Karancı, N. A., y Inandilar, H. (2002). Predictors of components of expressed emotion in major caregivers of Turkish patients with schizophrenia. *Social Psychiatry and Psychiatric Epidemiology*, 37(2), 80-88.
- Kennedy, M. G., Schepp, K. G., y O'Connor, F. W. (2000). Symptom self-management and relapse in schizophrenia. *Archives of Psychiatric Nursing*, 14(6), 266-275.
- Quaglia R., La madre, mediatrice della relazione figlio-padre, in R. Quaglia (a cura di), *Il "valore" del padre. Il ruolo paterno nello sviluppo del bambino*, UTET, Torino, 2001.
- Mottaghipour, Y., Pourmand, D., Maleki, H. y Davidian, L. (2001). Expressed emotion and the course of schizophrenia in Iran. *Soc. Psychiatry & Psych. Epidemiol.* 36(4), 195-199.
- Pilling, S., Bebbington, P., Kuipers, E., y cols. (2002) Psychological treatments in schizophrenia: I. Meta- analysis of family intervention and cognitive behaviour therapy. *Psychological Medicine*, 32, 763-782.
- Reiss, D. (1971) "Varieties of Consensual Experience", *Family Process* 10 , p p . 1 - 3 5 .
- Scazufca, M. y Kuipers, E. (1996) Links between expressed emotion and burden of care in relatives of patients with schizophrenia. *British Journal of Psychiatry*, 168, 580– 587.
- Scheiber, J., Breier, A., y Pickar, D. (1995). Expressed emotion. Trait or state?. *British Journal of Psychiatry*, 166(5): 647-9.
- Tait, L., Birchwood, M., y Trower, P. (2004). Adapting to the challenge of psychosis: Personal resilience and the use of sealing-over (avoidant) coping strategies. *British Journal of Psychiatry* 185:410-415.
- Thompson, R. A., y Calkins, S. D. (1996). The double-edged sword: Emotional regulation for children at risk. *Development and Psychopathology*, 8, 163-182.

Ulić, I., y Agius, M. (2007). The patient with schizophrenia and his father the father's role and personality traits in the dynamics of the family with a son suffering from schizophrenia. *Psychiatria Danubina*, 19(3), 154-172.

Vaughn,C., Snyder, K.S., Jones,S. Freeman, W.B. & Fallon I.R.H. (1984). Family factors in schizophrenic relapse: A Californian replication of the British research on expressed emotion. *Archives of General Psychiatry*, 41, 1169-1177.

Vogel, E.F., Bell, N.W. (1960). The Emotionally Disturbed Child as a Family Scapegoat\*. *Psychoanal. Rev.*, 47B: 21-42.

Vuchinich, S., Wood, B. y Vuchinich, R. (1994). Coalitions and Family Problem Solving with Preadolescents in Referred, At-Risk and Comparison Families. *Family Process*, 33, 409-422.

Weakland, J. (1960). The Double-Bind Hypothesis of Schizophrenia & Three-Party Interaction. In D. Jackson (Ed.), *Etiology of Schizophrenia* (pp. 373-388). New York: Basic Books.

Wild, C., Shapiro, L., Goldenberg, L. (1975). Transactional communication disturbances in families of male schizophrenics. *Family Process*; 14, 131-160.

Wood, B., Klebba, K., y Miller, B. (2000). Evolving the Biobehavioral Family Model: The Fit of Attachment. *Family Process*, 39, 319-344.

Zubin, J., y Spring, B. (1977). Vulnerability: A new view of schizophrenia. *Journal of Abnormal Psychology*, 86, 103-126.

Zubin, J., Stuart, R., y Condray, R. (1992). Vulnerability to relapse in Schizophrenia. *British Journal of Psychiatry*, 161, 13-18.