

Impacte Metabòlic de l'Activació de la Glicogen Sintasa Hepàtica

Susana Ros Domínguez

ADVERTIMENT. La consulta d'aquesta tesi queda condicionada a l'acceptació de les següents condicions d'ús: La difusió d'aquesta tesi per mitjà del servei TDX (www.tesisenxarxa.net) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d'investigació i docència. No s'autoritza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d'un lloc aliè al servei TDX. No s'autoritza la presentació del seu contingut en una finestra o marc aliè a TDX (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

ADVERTENCIA. La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR (www.tesisenred.net) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

WARNING. On having consulted this thesis you're accepting the following use conditions: Spreading this thesis by the TDX (www.tesisenxarxa.net) service has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized neither its spreading and availability from a site foreign to the TDX service. Introducing its content in a window or frame foreign to the TDX service is not authorized (framing). This rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it's obliged to indicate the name of the author.

Impacte metabòlic de l'activació de la glicogen sintasa hepàtica

SUSANA ROS DOMÍNGUEZ
Barcelona, Juny del 2009

BIBLIOGRAFIA

- Agius, L. (2008). "Glucokinase and molecular aspects of liver glycogen metabolism." Biochem J **414**(1): 1-18.
- Agius, L. (2009). "Targeting hepatic glucokinase in type 2 diabetes: weighing the benefits and risks." Diabetes **58**(1): 18-20.
- Agius, L. and M. Peak (1997). "Binding and translocation of glucokinase in hepatocytes." Biochem Soc Trans **25**(1): 145-50.
- Agius, L., M. Peak, et al. (1996). "Evidence for a role of glucose-induced translocation of glucokinase in the control of hepatic glycogen synthesis." J Biol Chem **271**(48): 30479-86.
- Aiston, S., B. Andersen, et al. (2003). "Glucose 6-phosphate regulates hepatic glycogenolysis through inactivation of phosphorylase." Diabetes **52**(6): 1333-9.
- Aiston, S., L. Hampson, et al. (2001). "Hepatic glycogen synthesis is highly sensitive to phosphorylase activity: evidence from metabolic control analysis." J Biol Chem **276**(26): 23858-66.
- Aiston, S., K. Y. Trinh, et al. (1999). "Glucose-6-phosphatase overexpression lowers glucose 6-phosphate and inhibits glycogen synthesis and glycolysis in hepatocytes without affecting glucokinase translocation. Evidence against feedback inhibition of glucokinase." J Biol Chem **274**(35): 24559-66.
- Akatsuka, A., T. J. Singh, et al. (1983). "Comparison of the liver glycogen synthase from normal and streptozotocin-induced diabetic rats." Arch Biochem Biophys **220**(2): 426-34.
- Aleman, R. and D. T. Curiel (2001). "CAR-binding ablation does not change biodistribution and toxicity of adenoviral vectors." Gene Ther **8**(17): 1347-53.
- Allen-Jennings, A. E., M. G. Hartman, et al. (2002). "The roles of ATF3 in liver dysfunction and the regulation of phosphoenolpyruvate carboxykinase gene expression." J Biol Chem **277**(22): 20020-5.

- Amherdt, M., V. Harris, et al. (1974). "Hepatic autography in uncontrolled experimental diabetes and its relationships to insulin and glucagon." J Clin Invest **54**(1): 188-93.
- Andrikopoulos, S., G. Rosella, et al. (1993). "Impaired regulation of hepatic fructose-1,6-bisphosphatase in the New Zealand obese mouse model of NIDDM." Diabetes **42**(12): 1731-6.
- Arino, J. and J. J. Guinovart (1986). "Phosphorylation and inactivation of rat hepatocyte glycogen synthase by phorbol esters and mezerein." Biochem Biophys Res Commun **134**(1): 113-9.
- Arino, J., A. Mor, et al. (1984). "Hormonal effects on the phosphorylation of glycogen synthase in rat hepatocytes." FEBS Lett **170**(2): 310-4.
- Arizmendi, C., S. Liu, et al. (1999). "The transcription factor CCAAT/enhancer-binding protein beta regulates gluconeogenesis and phosphoenolpyruvate carboxykinase (GTP) gene transcription during diabetes." J Biol Chem **274**(19): 13033-40.
- Armstrong, C. G., G. J. Browne, et al. (1997). "PPP1R6, a novel member of the family of glycogen-targetting subunits of protein phosphatase 1." FEBS Lett **418**(1-2): 210-4.
- Bahnak, B. R. and A. H. Gold (1982). "Effects of alloxan diabetes on the turnover of rat liver glycogen synthase. Comparison with liver phosphorylase." J Biol Chem **257**(15): 8775-80.
- Bai, G., Z. J. Zhang, et al. (1990). "The primary structure of rat liver glycogen synthase deduced by cDNA cloning. Absence of phosphorylation sites 1a and 1b." J Biol Chem **265**(14): 7843-8.
- Baker, D. J., P. L. Greenhaff, et al. (2006). "The experimental type 2 diabetes therapy glycogen phosphorylase inhibition can impair aerobic muscle function during prolonged contraction." Diabetes **55**(6): 1855-61.
- Baque, S., J. J. Guinovart, et al. (1996). "Overexpression of muscle glycogen phosphorylase in cultured human muscle fibers causes increased glucose consumption and nonoxidative disposal." J Biol Chem **271**(5): 2594-8.
- Barthel, A., D. Schmoll, et al. (2005). "FoxO proteins in insulin action and metabolism." Trends Endocrinol Metab **16**(4): 183-9.

- Bartrons, R., M. Carreras, et al. (1985). "Inhibition of phosphoglucomutase by fructose 2,6-bisphosphate." Biochim Biophys Acta **842**(1): 52-5.
- Bartrons, R., L. Hue, et al. (1983). "Hormonal control of fructose 2,6-bisphosphate concentration in isolated rat hepatocytes." Biochem J **214**(3): 829-37.
- Barzilai, N. and L. Rossetti (1993). "Role of glucokinase and glucose-6-phosphatase in the acute and chronic regulation of hepatic glucose fluxes by insulin." J Biol Chem **268**(33): 25019-25.
- Becard, D., I. Hainault, et al. (2001). "Adenovirus-mediated overexpression of sterol regulatory element binding protein-1c mimics insulin effects on hepatic gene expression and glucose homeostasis in diabetic mice." Diabetes **50**(11): 2425-30.
- Becker, T. C., R. J. Noel, et al. (1994). "Use of recombinant adenovirus for metabolic engineering of mammalian cells." Methods Cell Biol **43 Pt A**: 161-89.
- Bergelson, J. M., J. A. Cunningham, et al. (1997). "Isolation of a common receptor for Coxsackie B viruses and adenoviruses 2 and 5." Science **275**(5304): 1320-3.
- Bergmeyer, H. U. (1974). Methods of Enzymatic Analysis / Methoden der enzymatischen Analyse. New York, Academic Press.
- Berkner, K. L. (1992). "Expression of heterologous sequences in adenoviral vectors." Curr Top Microbiol Immunol **158**: 39-66.
- Berman, H. K., R. M. O'Doherty, et al. (1998). "Overexpression of protein targeting to glycogen (PTG) in rat hepatocytes causes profound activation of glycogen synthesis independent of normal hormone- and substrate-mediated regulatory mechanisms." J Biol Chem **273**(41): 26421-5.
- Berry, M. N. and D. S. Friend (1969). "High-yield preparation of isolated rat liver parenchymal cells: a biochemical and fine structural study." J Cell Biol **43**(3): 506-20.
- Bischof, M. G., M. Krssak, et al. (2001). "Effects of short-term improvement of insulin treatment and glycemia on hepatic glycogen metabolism in type 1 diabetes." Diabetes **50**(2): 392-8.
- Bollen, M. (2001). "Combinatorial control of protein phosphatase-1." Trends Biochem Sci **26**(7): 426-31.

- Bollen, M., S. Keppens, et al. (1998). "Specific features of glycogen metabolism in the liver." Biochem J **336** (Pt 1): 19-31.
- Bosch, F., J. E. Rodriguez-Gil, et al. (1992). "Lithium inhibits hepatic gluconeogenesis and phosphoenolpyruvate carboxykinase gene expression." J Biol Chem **267**(5): 2888-93.
- Bosch, F., J. Sabater, et al. (1995). "Insulin inhibits liver expression of the CCAAT/enhancer-binding protein beta." Diabetes **44**(3): 267-71.
- Bradford, M. M. (1976). "A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding." Anal Biochem **72**: 248-54.
- Brady, M. J., J. A. Printen, et al. (1997). "Role of protein targeting to glycogen (PTG) in the regulation of protein phosphatase-1 activity." J Biol Chem **272**(32): 20198-204.
- Browne, G. J., M. Delibegovic, et al. (2001). "The level of the glycogen targeting regulatory subunit R5 of protein phosphatase 1 is decreased in the livers of insulin-dependent diabetic rats and starved rats." Biochem J **360**(Pt 2): 449-59.
- Browner, M. F. and R. J. Fletterick (1992). "Phosphorylase: a biological transducer." Trends Biochem Sci **17**(2): 66-71.
- Bruder, J. T., T. Jie, et al. (1997). "Expression of gp19K increases the persistence of transgene expression from an adenovirus vector in the mouse lung and liver." J Virol **71**(10): 7623-8.
- Brunet, A., A. Bonni, et al. (1999). "Akt promotes cell survival by phosphorylating and inhibiting a Forkhead transcription factor." Cell **96**(6): 857-68.
- Brunetti-Pierri, N., D. J. Palmer, et al. (2004). "Acute toxicity after high-dose systemic injection of helper-dependent adenoviral vectors into nonhuman primates." Hum Gene Ther **15**(1): 35-46.
- Brunmair, B., K. Staniek, et al. (2004). "Thiazolidinediones, like metformin, inhibit respiratory complex I: a common mechanism contributing to their antidiabetic actions?" Diabetes **53**(4): 1052-9.
- Buleon, A., P. Colonna, et al. (1998). "Starch granules: structure and biosynthesis." Int J Biol Macromol **23**(2): 85-112.

- Burcelin, R., M. Eddouks, et al. (1992). "Evidence that GLUT-2 mRNA and protein concentrations are decreased by hyperinsulinaemia and increased by hyperglycaemia in liver of diabetic rats." Biochem J **288** (Pt 2): 675-9.
- Byrne, M. M., J. Sturis, et al. (1994). "Insulin secretory abnormalities in subjects with hyperglycemia due to glucokinase mutations." J Clin Invest **93**(3): 1120-30.
- Cao, G., Y. Liang, et al. (2003). "Antidiabetic action of a liver x receptor agonist mediated by inhibition of hepatic gluconeogenesis." J Biol Chem **278**(2): 1131-6.
- Cao, Y., A. M. Mahrenholz, et al. (1993). "Characterization of rabbit skeletal muscle glycogenin. Tyrosine 194 is essential for function." J Biol Chem **268**(20): 14687-93.
- Cárdenas, M. L. (1995). Glucokinase : Its regulation and role in liver metabolism. Austin, Texas, R. G. Landes Company, (now Landes Bioscience).
- Carling, D. and D. G. Hardie (1989). "The substrate and sequence specificity of the AMP-activated protein kinase. Phosphorylation of glycogen synthase and phosphorylase kinase." Biochim Biophys Acta **1012**(1): 81-6.
- Casado, M., L. Bosca, et al. (1995). "Differential regulation of the expression of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase and pyruvate kinase by cyclic adenosine 3',5'-monophosphate in fetal and adult hepatocytes." J Cell Physiol **165**(3): 630-8.
- Cid, E., D. Cifuentes, et al. (2005). "Determinants of the nucleocytoplasmic shuttling of muscle glycogen synthase." Febs J **272**(12): 3197-213.
- Cid, E., R. R. Gomis, et al. (2000). "Identification of two essential glutamic acid residues in glycogen synthase." J Biol Chem **275**(43): 33614-21.
- Clark, D. and D. Haynes (1988). "The glycogen storage disease (gsd/gsd) rat." Curr Top Cell Regul **29**: 217-63.
- Cline, G. W., K. Johnson, et al. (2002). "Effects of a novel glycogen synthase kinase-3 inhibitor on insulin-stimulated glucose metabolism in Zucker diabetic fatty (fa/fa) rats." Diabetes **51**(10): 2903-10.
- Cline, G. W., D. L. Rothman, et al. (1994). "¹³C-nuclear magnetic resonance spectroscopy studies of hepatic glucose metabolism in normal subjects and subjects with insulin-dependent diabetes mellitus." J Clin Invest **94**(6): 2369-76.

- Clore, J. N., J. Stillman, et al. (2000). "Glucose-6-phosphatase flux in vitro is increased in type 2 diabetes." Diabetes **49**(6): 969-74.
- Coghlan, M. P., A. A. Culbert, et al. (2000). "Selective small molecule inhibitors of glycogen synthase kinase-3 modulate glycogen metabolism and gene transcription." Chem Biol **7**(10): 793-803.
- Cohen, P. (1978). "The role of cyclic-AMP-dependent protein kinase in the regulation of glycogen metabolism in mammalian skeletal muscle." Curr Top Cell Regul **14**: 117-96.
- Cohen, P. and D. G. Hardie (1991). "The actions of cyclic AMP on biosynthetic processes are mediated indirectly by cyclic AMP-dependent protein kinase." Biochim Biophys Acta **1094**(3): 292-9.
- Collins, G. H., R. R. Cowden, et al. (1968). "Myoclonus epilepsy with Lafora bodies. An ultrastructural and cytochemical study." Arch Pathol **86**(3): 239-54.
- Combs, T. P., A. H. Berg, et al. (2001). "Endogenous glucose production is inhibited by the adipose-derived protein Acrp30." J Clin Invest **108**(12): 1875-81.
- Cori, G. T. and C. F. Cori (1952). "Glucose-6-phosphatase of the liver in glycogen storage disease." J Biol Chem **199**(2): 661-7.
- Croninger, C. M., K. Chakravarty, et al. (2002). "Phosphoenolpyruvate carboxykinase revisited. II Control of PEPCK expression." Biochemistry and molecular biology education **30**(6): 353-362.
- Curnow, R. T. and F. Q. Nuttall (1972). "Effect of prostaglandin E 1 administration on the liver glycogen synthetase and phosphorylase systems." J Biol Chem **247**(6): 1892-8.
- Cha, J. Y. and J. J. Repa (2007). "The liver X receptor (LXR) and hepatic lipogenesis. The carbohydrate-response element-binding protein is a target gene of LXR." J Biol Chem **282**(1): 743-51.
- Chan, T. M. and J. H. Exton (1976). "A rapid method for the determination of glycogen content and radioactivity in small quantities of tissue or isolated hepatocytes." Anal Biochem **71**(1): 96-105.
- Chanda, D., J. H. Park, et al. (2008). "Molecular basis of endocrine regulation by orphan nuclear receptor Small Heterodimer Partner." Endocr J **55**(2): 253-68.

- Cheng, A. and A. R. Saltiel (2006). "More TORC for the gluconeogenic engine." Bioessays **28**(3): 231-4.
- Cheng, A. and A. R. Saltiel (2009). "Von Gierke's disease adopts an orphan (and its partner)." Sci Signal **2**(58): pe8.
- Cheng, A., M. Zhang, et al. (2006). "Regulation of the mouse protein targeting to glycogen (PTG) promoter by the FoxA2 forkhead protein and by 3',5'-cyclic adenosine 5'-monophosphate in H4IIE hepatoma cells." Endocrinology **147**(7): 3606-12.
- Chopra, A. R., J. F. Louet, et al. (2008). "Absence of the SRC-2 coactivator results in a glycogenopathy resembling Von Gierke's disease." Science **322**(5906): 1395-9.
- de la Iglesia, N., M. Mukhtar, et al. (2000). "The role of the regulatory protein of glucokinase in the glucose sensory mechanism of the hepatocyte." J Biol Chem **275**(14): 10597-603.
- de la Iglesia, N., M. Veiga-da-Cunha, et al. (1999). "Glucokinase regulatory protein is essential for the proper subcellular localisation of liver glucokinase." FEBS Lett **456**(2): 332-8.
- De Wulf, H. and H. G. Hers (1967). "The stimulation of glycogen synthesis and of glycogen synthetase in the liver by the administration of glucose." Eur J Biochem **2**(1): 50-6.
- De Wulf, H., W. Stalmans, et al. (1970). "The effect of glucose and of a treatment by glucocorticoids on the activation in vitro of liver glycogen synthetase." Eur J Biochem **15**(1): 1-8.
- Decaux, J. F., B. Antoine, et al. (1989). "Regulation of the expression of the L-type pyruvate kinase gene in adult rat hepatocytes in primary culture." J Biol Chem **264**(20): 11584-90.
- DeFronzo, R. A. (1992). "Pathogenesis of type 2 (non-insulin dependent) diabetes mellitus: a balanced overview." Diabetologia **35**(4): 389-97.
- DeFronzo, R. A. (1999). "Pharmacologic therapy for type 2 diabetes mellitus." Ann Intern Med **131**(4): 281-303.

- DeFronzo, R. A., D. Simonson, et al. (1982). "Hepatic and peripheral insulin resistance: a common feature of type 2 (non-insulin-dependent) and type 1 (insulin-dependent) diabetes mellitus." Diabetologia **23**(4): 313-9.
- Doherty, M. J., J. Cadefau, et al. (1998). "Loss of the hepatic glycogen-binding subunit (GL) of protein phosphatase 1 underlies deficient glycogen synthesis in insulin-dependent diabetic rats and in adrenalectomized starved rats." Biochem J **333** (Pt 2): 253-7.
- Doherty, M. J., G. Moorhead, et al. (1995). "Amino acid sequence and expression of the hepatic glycogen-binding (GL)-subunit of protein phosphatase-1." FEBS Lett **375**(3): 294-8.
- Drochmans, P. (1962). "[Morphology of glycogen. Electron microscopic study of the negative stains of particulate glycogen.]." J Ultrastruct Res **6**: 141-63.
- Ekberg, K., B. R. Landau, et al. (1999). "Contributions by kidney and liver to glucose production in the postabsorptive state and after 60 h of fasting." Diabetes **48**(2): 292-8.
- el-Maghrabi, M. R., J. Pilkis, et al. (1988). "cDNA sequence of rat liver fructose-1,6-bisphosphatase and evidence for down-regulation of its mRNA by insulin." Proc Natl Acad Sci U S A **85**(22): 8430-4.
- Embi, N., P. J. Parker, et al. (1981). "A reinvestigation of the phosphorylation of rabbit skeletal-muscle glycogen synthase by cyclic-AMP-dependent protein kinase. Identification of the third site of phosphorylation as serine-7." Eur J Biochem **115**(2): 405-13.
- Embi, N., D. B. Rylatt, et al. (1979). "Glycogen synthase kinase-2 and phosphorylase kinase are the same enzyme." Eur J Biochem **100**(2): 339-47.
- Farrelly, D., K. S. Brown, et al. (1999). "Mice mutant for glucokinase regulatory protein exhibit decreased liver glucokinase: a sequestration mechanism in metabolic regulation." Proc Natl Acad Sci U S A **96**(25): 14511-6.
- Fernandez-Novell, J. M., D. Bellido, et al. (1997). "Glucose induces the translocation of glycogen synthase to the cell cortex in rat hepatocytes." Biochem J **321** (Pt 1): 227-31.

- Fernandez-Novell, J. M., C. Lopez-Iglesias, et al. (2002). "Zonal distribution of glycogen synthesis in isolated rat hepatocytes." *FEBS Lett* **531**(2): 222-8.
- Fernandez-Novell, J. M., J. E. Rodriguez-Gil, et al. (2007). "Lithium ions increase hepatic glycogen synthase stability through a proteasome-related mechanism." *Arch Biochem Biophys* **457**(1): 29-34.
- Ferrer, J. C., S. Baque, et al. (1997). "Muscle glycogen synthase translocates from the cell nucleus to the cytosol in response to glucose." *FEBS Lett* **415**(3): 249-52.
- Fiol, C. J., A. M. Mahrenholz, et al. (1987). "Formation of protein kinase recognition sites by covalent modification of the substrate. Molecular mechanism for the synergistic action of casein kinase II and glycogen synthase kinase 3." *J Biol Chem* **262**(29): 14042-8.
- Flatt, J. P. (1996). "Carbohydrate balance and body-weight regulation." *Proc Nutr Soc* **55**(1B): 449-65.
- Fleischmann, M. and P. B. Iynedjian (2000). "Regulation of sterol regulatory-element binding protein 1 gene expression in liver: role of insulin and protein kinase B/cAkt." *Biochem J* **349**(Pt 1): 13-7.
- Flotow, H. and P. J. Roach (1989). "Synergistic phosphorylation of rabbit muscle glycogen synthase by cyclic AMP-dependent protein kinase and casein kinase I. Implications for hormonal regulation of glycogen synthase." *J Biol Chem* **264**(16): 9126-8.
- Foulkes, J. G. and L. S. Jefferson (1984). "Protein phosphatase-1 and -2A activities in heart, liver, and skeletal muscle extracts from control and diabetic rats." *Diabetes* **33**(6): 576-9.
- Froguel, P., M. Vaxillaire, et al. (1992). "Close linkage of glucokinase locus on chromosome 7p to early-onset non-insulin-dependent diabetes mellitus." *Nature* **356**(6365): 162-4.
- Gabbay, R. A., C. Sutherland, et al. (1996). "Insulin regulation of phosphoenolpyruvate carboxykinase gene expression does not require activation of the Ras/mitogen-activated protein kinase signaling pathway." *J Biol Chem* **271**(4): 1890-7.

- Gannon, M. C. and F. Q. Nuttall (1997). "Effect of feeding, fasting, and diabetes on liver glycogen synthase activity, protein, and mRNA in rats." Diabetologia **40**(7): 758-63.
- Garcia-Rocha, M., A. Roca, et al. (2001). "Intracellular distribution of glycogen synthase and glycogen in primary cultured rat hepatocytes." Biochem J **357**(Pt 1): 17-24.
- Gasa, R., C. Clark, et al. (2002). "Reversal of diet-induced glucose intolerance by hepatic expression of a variant glycogen-targeting subunit of protein phosphatase-1." J Biol Chem **277**(2): 1524-30.
- Gerin, I., M. Veiga-da-Cunha, et al. (1997). "Sequence of a putative glucose 6-phosphate translocase, mutated in glycogen storage disease type Ib." FEBS Lett **419**(2-3): 235-8.
- Gershoni, J. M. and G. E. Palade (1983). "Protein blotting: principles and applications." Anal Biochem **131**(1): 1-15.
- Gilboe, D. P., K. L. Larson, et al. (1972). "Radioactive method for the assay of glycogen phosphorylases." Anal Biochem **47**(1): 20-7.
- Giles, R. H., J. H. van Es, et al. (2003). "Caught up in a Wnt storm: Wnt signaling in cancer." Biochim Biophys Acta **1653**(1): 1-24.
- Gluzman, Y. and B. Ahrens (1982). "SV40 early mutants that are defective for viral DNA synthesis but competent for transformation of cultured rat and simian cells." Virology **123**(1): 78-92.
- Gold, A. H. (1970). "The effect of diabetes and insulin on liver glycogen synthetase activation." J Biol Chem **245**(4): 903-5.
- Gomis, R. R., E. Cid, et al. (2002). "Liver glycogen synthase but not the muscle isoform differentiates between glucose 6-phosphate produced by glucokinase or hexokinase." J Biol Chem **277**(26): 23246-52.
- Gomis, R. R., C. Favre, et al. (2003). "Glucose 6-phosphate produced by gluconeogenesis and by glucokinase is equally effective in activating hepatic glycogen synthase." J Biol Chem **278**(11): 9740-6.
- Gomis, R. R., J. C. Ferrer, et al. (2000). "Shared control of hepatic glycogen synthesis by glycogen synthase and glucokinase." Biochem J **351 Pt 3**: 811-6.

- Graham, F. L. and L. Prevec (1995). "Methods for construction of adenovirus vectors." Mol Biotechnol **3**(3): 207-20.
- Graham, F. L., J. Smiley, et al. (1977). "Characteristics of a human cell line transformed by DNA from human adenovirus type 5." J Gen Virol **36**(1): 59-74.
- Green, A. R., S. Aiston, et al. (2004). "The glycogenic action of protein targeting to glycogen in hepatocytes involves multiple mechanisms including phosphorylase inactivation and glycogen synthase translocation." J Biol Chem **279**(45): 46474-82.
- Grimsby, J., J. W. Coffey, et al. (2000). "Characterization of glucokinase regulatory protein-deficient mice." J Biol Chem **275**(11): 7826-31.
- Hanashiro, I. and P. J. Roach (2002). "Mutations of muscle glycogen synthase that disable activation by glucose 6-phosphate." Arch Biochem Biophys **397**(2): 286-92.
- Hanson, R. W. and L. Reshef (1997). "Regulation of phosphoenolpyruvate carboxykinase (GTP) gene expression." Annu Rev Biochem **66**: 581-611.
- Hanson, R. W. and L. Reshef (2003). "Glyceroneogenesis revisited." Biochimie **85**(12): 1199-205.
- Hariharan, N., D. Farrelly, et al. (1997). "Expression of human hepatic glucokinase in transgenic mice liver results in decreased glucose levels and reduced body weight." Diabetes **46**(1): 11-6.
- Hellerstein, M. K. and Y. Xie (1993). "The indirect pathway of hepatic glycogen synthesis and reduction of food intake by metabolic inhibitors." Life Sci **53**(24): 1833-45.
- Herz, J. and R. D. Gerard (1993). "Adenovirus-mediated transfer of low density lipoprotein receptor gene acutely accelerates cholesterol clearance in normal mice." Proc Natl Acad Sci U S A **90**(7): 2812-6.
- Herzig, S., F. Long, et al. (2001). "CREB regulates hepatic gluconeogenesis through the coactivator PGC-1." Nature **413**(6852): 179-83.
- Herzog, B., M. Waltner-Law, et al. (2000). "Characterization of the human liver fructose-1,6-bisphosphatase gene promoter." Biochem J **351 Pt 2**: 385-92.

- Hirt, B. (1967). "Selective extraction of polyoma DNA from infected mouse cell cultures." J Mol Biol **26**(2): 365-9.
- Hodges, B. L., K. M. Taylor, et al. (2005). "Local delivery of a viral vector mitigates neutralization by antiviral antibodies and results in efficient transduction of rabbit liver." Mol Ther **12**(6): 1043-51.
- Hornbrook, K. R. (1970). "Synthesis of liver glycogen in starved alloxan diabetic rats." Diabetes **19**(12): 916-23.
- Howard, R. B. and L. A. Pesch (1968). "Respiratory activity of intact, isolated parenchymal cells from rat liver." J Biol Chem **243**(11): 3105-9.
- Huang, T. S. and E. G. Krebs (1977). "Amino acid sequence of a phosphorylation site in skeletal muscle glycogen synthetase." Biochem Biophys Res Commun **75**(3): 643-50.
- Hue, L. and M. H. Rider (1987). "Role of fructose 2,6-bisphosphate in the control of glycolysis in mammalian tissues." Biochem J **245**(2): 313-24.
- Hwang, J. H., G. Perseghin, et al. (1995). "Impaired net hepatic glycogen synthesis in insulin-dependent diabetic subjects during mixed meal ingestion. A ¹³C nuclear magnetic resonance spectroscopy study." J Clin Invest **95**(2): 783-7.
- Iizuka, K., R. K. Bruick, et al. (2004). "Deficiency of carbohydrate response element-binding protein (ChREBP) reduces lipogenesis as well as glycolysis." Proc Natl Acad Sci U S A **101**(19): 7281-6.
- Iynedjian, P. B. (1993). "Mammalian glucokinase and its gene." Biochem J **293** (Pt 1): 1-13.
- Iynedjian, P. B., C. Ucla, et al. (1987). "Molecular cloning of glucokinase cDNA. Developmental and dietary regulation of glucokinase mRNA in rat liver." J Biol Chem **262**(13): 6032-8.
- Jitrapakdee, S. and J. C. Wallace (1999). "Structure, function and regulation of pyruvate carboxylase." Biochem J **340** (Pt 1): 1-16.
- Jope, R. S. and G. V. Johnson (2004). "The glamour and gloom of glycogen synthase kinase-3." Trends Biochem Sci **29**(2): 95-102.

- Kadotani, A., M. Fujimura, et al. (2007). "Metabolic impact of overexpression of liver glycogen synthase with serine-to-alanine substitutions in rat primary hepatocytes." Arch Biochem Biophys **466**(2): 283-9.
- Kalyuzhniy, O., N. C. Di Paolo, et al. (2008). "Adenovirus serotype 5 hexon is critical for virus infection of hepatocytes in vivo." Proc Natl Acad Sci U S A **105**(14): 5483-8.
- Kassel, O., A. Sancono, et al. (2001). "Glucocorticoids inhibit MAP kinase via increased expression and decreased degradation of MKP-1." Embo J **20**(24): 7108-16.
- Katz, J., S. Golden, et al. (1979). "Glycogen synthesis by rat hepatocytes." Biochem J **180**(2): 389-402.
- Katz, J. and J. D. McGarry (1984). "The glucose paradox. Is glucose a substrate for liver metabolism?" J Clin Invest **74**(6): 1901-9.
- Kelsall, I. R., D. Rosenzweig, et al. (2009). "Disruption of the allosteric phosphorylase a regulation of the hepatic glycogen-targeted protein phosphatase 1 improves glucose tolerance in vivo." Cell Signal.
- Kim, J. Y., H. J. Kim, et al. (2004). "Orphan nuclear receptor small heterodimer partner represses hepatocyte nuclear factor 3/Foxa transactivation via inhibition of its DNA binding." Mol Endocrinol **18**(12): 2880-94.
- Kim, Y. D., K. G. Park, et al. (2008). "Metformin inhibits hepatic gluconeogenesis through AMP-activated protein kinase-dependent regulation of the orphan nuclear receptor SHP." Diabetes **57**(2): 306-14.
- Koo, S. H., L. Flechner, et al. (2005). "The CREB coactivator TORC2 is a key regulator of fasting glucose metabolism." Nature **437**(7062): 1109-11.
- Kramer, K. L., B. F. Giffin, et al. (1999). "Insulin replacement therapy in diabetic rats using an osmotic pump normalizes expression of enzymes key to hepatic carbohydrate metabolism." Arch Biochem Biophys **368**(2): 291-7.
- Krisman, C. R. (1962). "A method for the colorimetric estimation of glycogen with iodine." Anal Biochem **4**: 17-23.
- Krssak, M., A. Brehm, et al. (2004). "Alterations in postprandial hepatic glycogen metabolism in type 2 diabetes." Diabetes **53**(12): 3048-56.

- Kuwajima, M., C. B. Newgard, et al. (1986). "The glucose-phosphorylating capacity of liver as measured by three independent assays. Implications for the mechanism of hepatic glycogen synthesis." J Biol Chem **261**(19): 8849-53.
- Laemmli, U. K. (1970). "Cleavage of structural proteins during the assembly of the head of bacteriophage T4." Nature **227**(5259): 680-5.
- Lasa, M., S. M. Abraham, et al. (2002). "Dexamethasone causes sustained expression of mitogen-activated protein kinase (MAPK) phosphatase 1 and phosphatase-mediated inhibition of MAPK p38." Mol Cell Biol **22**(22): 7802-11.
- Leloir, L. F. (1957). "Not Available." Rev Asoc Med Argent **71**(11-12): 450-1.
- Leverence, R. R., E. G. Beale, et al. (1988). "3-Aminobenzamide inhibits poly(ADP ribose) synthetase activity and induces phosphoenolpyruvate carboxykinase (GTP) in H4IIE hepatoma cells." Arch Biochem Biophys **260**(2): 667-73.
- Li, X., B. Monks, et al. (2007). "Akt/PKB regulates hepatic metabolism by directly inhibiting PGC-1alpha transcription coactivator." Nature **447**(7147): 1012-6.
- Lievens, J., J. Snoeys, et al. (2004). "The size of sinusoidal fenestrae is a critical determinant of hepatocyte transduction after adenoviral gene transfer." Gene Ther **11**(20): 1523-31.
- Liu, Q., A. K. Zaiss, et al. (2003). "The role of capsid-endothelial interactions in the innate immune response to adenovirus vectors." Hum Gene Ther **14**(7): 627-43.
- Liu, S., C. Croniger, et al. (1999). "Hypoglycemia and impaired hepatic glucose production in mice with a deletion of the C/EBPbeta gene." J Clin Invest **103**(2): 207-13.
- Ljungstrom, O., L. Berglund, et al. (1974). "Cyclic 3',5'-AMP-stimulated and non-stimulated phosphorylation of protein fractions from rat-liver cell sap on incubation with (gamma-32P)ATP." Ups J Med Sci **79**(3): 129-37.
- Lochhead, P. A., M. Coghlan, et al. (2001). "Inhibition of GSK-3 selectively reduces glucose-6-phosphatase and phosphatase and phosphoenolpyruvate carboxykinase gene expression." Diabetes **50**(5): 937-46.
- Lusky, M., M. Christ, et al. (1998). "In vitro and in vivo biology of recombinant adenovirus vectors with E1, E1/E2A, or E1/E4 deleted." J Virol **72**(3): 2022-32.

- Ma, L., L. N. Robinson, et al. (2006). "ChREBP**Mlx* is the principal mediator of glucose-induced gene expression in the liver." *J Biol Chem* **281**(39): 28721-30.
- Magnuson, M. A. and K. D. Shelton (1989). "An alternate promoter in the glucokinase gene is active in the pancreatic beta cell." *J Biol Chem* **264**(27): 15936-42.
- Magnusson, I., D. L. Rothman, et al. (1992). "Increased rate of gluconeogenesis in type II diabetes mellitus. A ¹³C nuclear magnetic resonance study." *J Clin Invest* **90**(4): 1323-7.
- Manchester, J., A. V. Skurat, et al. (1996). "Increased glycogen accumulation in transgenic mice overexpressing glycogen synthase in skeletal muscle." *Proc Natl Acad Sci U S A* **93**(20): 10707-11.
- Mathews, C. K. and K. E. V. Holde (1996). *Biochemistry*, The Benjamin Cummings Publishing Company, Inc.
- Matschinsky, F. M. (1990). "Glucokinase as glucose sensor and metabolic signal generator in pancreatic beta-cells and hepatocytes." *Diabetes* **39**(6): 647-52.
- Matschinsky, F. M., M. A. Magnuson, et al. (2006). "The network of glucokinase-expressing cells in glucose homeostasis and the potential of glucokinase activators for diabetes therapy." *Diabetes* **55**(1): 1-12.
- Matthaei, S., M. Stumvoll, et al. (2000). "Pathophysiology and pharmacological treatment of insulin resistance." *Endocr Rev* **21**(6): 585-618.
- Mayer, J. (1953). "Glucostatic mechanism of regulation of food intake." *N Engl J Med* **249**(1): 13-6.
- Mayer, J. (1991). "Bulletin of the New England Medical Center, Volume XIV, April-June 1952: The glucostatic theory of regulation of food intake and the problem of obesity (a review)." *Nutr Rev* **49**(2): 46-8.
- Mayr, B. and M. Montminy (2001). "Transcriptional regulation by the phosphorylation-dependent factor CREB." *Nat Rev Mol Cell Biol* **2**(8): 599-609.
- McGrory, W. J., D. S. Bautista, et al. (1988). "A simple technique for the rescue of early region I mutations into infectious human adenovirus type 5." *Virology* **163**(2): 614-7.
- Meier, O. and U. F. Greber (2004). "Adenovirus endocytosis." *J Gene Med* **6 Suppl 1**: S152-63.

- Melendez, R., E. Melendez-Hevia, et al. (1998). "Physical constraints in the synthesis of glycogen that influence its structural homogeneity: a two-dimensional approach." Biophys J **75**(1): 106-14.
- Melton, L. J., 3rd, P. J. Palumbo, et al. (1983). "Incidence of diabetes mellitus by clinical type." Diabetes Care **6**(1): 75-86.
- Meyer, N. and L. Z. Penn (2008). "Reflecting on 25 years with MYC." Nat Rev Cancer **8**(12): 976-90.
- Miller, S. P., G. R. Anand, et al. (1999). "Characterization of glucokinase mutations associated with maturity-onset diabetes of the young type 2 (MODY-2): different glucokinase defects lead to a common phenotype." Diabetes **48**(8): 1645-51.
- Miller, T. B., Jr., J. J. Vicalvi, Jr., et al. (1981). "Alteration of hepatic glycogen synthase phosphatase activity by insulin deficiency." Am J Physiol **240**(5): E539-43.
- Minassian, C., N. Daniele, et al. (1995). "Liver glucose-6 phosphatase activity is inhibited by refeeding in rats." J Nutr **125**(11): 2727-32.
- Mithieux, G., H. Vidal, et al. (1996). "Glucose-6-phosphatase mRNA and activity are increased to the same extent in kidney and liver of diabetic rats." Diabetes **45**(7): 891-6.
- Mitro, N., P. A. Mak, et al. (2007). "The nuclear receptor LXR is a glucose sensor." Nature **445**(7124): 219-23.
- Moore, M. C., A. D. Cherrington, et al. (1991). "Sources of carbon for hepatic glycogen synthesis in the conscious dog." J Clin Invest **88**(2): 578-87.
- Mounier, C. and B. I. Posner (2006). "Transcriptional regulation by insulin: from the receptor to the gene." Can J Physiol Pharmacol **84**(7): 713-24.
- Mourrieras, F., F. Foufelle, et al. (1997). "Induction of fatty acid synthase and S14 gene expression by glucose, xylitol and dihydroxyacetone in cultured rat hepatocytes is closely correlated with glucose 6-phosphate concentrations." Biochem J **326** (Pt 2): 345-9.
- Mukhtar, M. H., V. A. Payne, et al. (2008). "Inhibition of glucokinase translocation by AMP-activated protein kinase is associated with phosphorylation of both GKRP and 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase." Am J Physiol Regul Integr Comp Physiol **294**(3): R766-74.

- Munro, S., H. Ceulemans, et al. (2005). "A novel glycogen-targeting subunit of protein phosphatase 1 that is regulated by insulin and shows differential tissue distribution in humans and rodents." *Febs J* **272**(6): 1478-89.
- Musi, N., M. F. Hirshman, et al. (2002). "Metformin increases AMP-activated protein kinase activity in skeletal muscle of subjects with type 2 diabetes." *Diabetes* **51**(7): 2074-81.
- Newgard, C. B., M. J. Brady, et al. (2000). "Organizing glucose disposal: emerging roles of the glycogen targeting subunits of protein phosphatase-1." *Diabetes* **49**(12): 1967-77.
- Newgard, C. B., D. W. Foster, et al. (1984). "Evidence for suppression of hepatic glucose-6-phosphatase with carbohydrate feeding." *Diabetes* **33**(2): 192-5.
- Newgard, C. B., S. V. Moore, et al. (1984). "Efficient hepatic glycogen synthesis in refeeding rats requires continued carbon flow through the gluconeogenic pathway." *J Biol Chem* **259**(11): 6958-63.
- Ni, S., K. Bernt, et al. (2005). "Evaluation of biodistribution and safety of adenovirus vectors containing group B fibers after intravenous injection into baboons." *Hum Gene Ther* **16**(6): 664-77.
- Niswender, K. D., M. Shiota, et al. (1997). "Effects of increased glucokinase gene copy number on glucose homeostasis and hepatic glucose metabolism." *J Biol Chem* **272**(36): 22570-5.
- Nur, T., I. Sela, et al. (1995). "Starvation and refeeding regulate glycogen synthase gene expression in rat liver at the posttranscriptional level." *J Nutr* **125**(10): 2457-62.
- Nuttall, F. Q. and M. C. Gannon (1989). "An improved assay for hepatic glycogen synthase in liver extracts with emphasis on synthase R." *Anal Biochem* **178**(2): 311-9.
- O'Doherty, R. M., P. B. Jensen, et al. (2000). "Activation of direct and indirect pathways of glycogen synthesis by hepatic overexpression of protein targeting to glycogen." *J Clin Invest* **105**(4): 479-88.
- O'Doherty, R. M., D. L. Lehman, et al. (1999). "Metabolic impact of glucokinase overexpression in liver: lowering of blood glucose in fed rats is accompanied by hyperlipidemia." *Diabetes* **48**(10): 2022-7.

- Ohlson, L. O., B. Larsson, et al. (1985). "The influence of body fat distribution on the incidence of diabetes mellitus. 13.5 years of follow-up of the participants in the study of men born in 1913." Diabetes **34**(10): 1055-8.
- Okar, D. A., A. Manzano, et al. (2001). "PFK-2/FBPase-2: maker and breaker of the essential biofactor fructose-2,6-bisphosphate." Trends Biochem Sci **26**(1): 30-5.
- Parker, A. L., S. N. Waddington, et al. (2006). "Multiple vitamin K-dependent coagulation zymogens promote adenovirus-mediated gene delivery to hepatocytes." Blood **108**(8): 2554-61.
- Patel, Y. M., J. S. Yun, et al. (1994). "An analysis of regulatory elements in the phosphoenolpyruvate carboxykinase (GTP) gene which are responsible for its tissue-specific expression and metabolic control in transgenic mice." J Biol Chem **269**(8): 5619-28.
- Pautsch, A., N. Stadler, et al. (2008). "Molecular recognition of the protein phosphatase 1 glycogen targeting subunit by glycogen phosphorylase." J Biol Chem **283**(14): 8913-8.
- Pederson, B. A., A. G. Csitkovits, et al. (2003). "Overexpression of glycogen synthase in mouse muscle results in less branched glycogen." Biochem Biophys Res Commun **305**(4): 826-30.
- Pehling, G., P. Tessari, et al. (1984). "Abnormal meal carbohydrate disposition in insulin-dependent diabetes. Relative contributions of endogenous glucose production and initial splanchnic uptake and effect of intensive insulin therapy." J Clin Invest **74**(3): 985-91.
- Petersen, K. F., D. Laurent, et al. (1998). "Mechanism by which glucose and insulin inhibit net hepatic glycogenolysis in humans." J Clin Invest **101**(6): 1203-9.
- Petersen, K. F., T. Price, et al. (1996). "Contribution of net hepatic glycogenolysis to glucose production during the early postprandial period." Am J Physiol **270**(1 Pt 1): E186-91.
- Picton, C., A. Aitken, et al. (1982). "Multisite phosphorylation of glycogen synthase from rabbit skeletal muscle. Organisation of the seven sites in the polypeptide chain." Eur J Biochem **124**(1): 37-45.

- Postic, C., M. Shiota, et al. (1999). "Dual roles for glucokinase in glucose homeostasis as determined by liver and pancreatic beta cell-specific gene knock-outs using Cre recombinase." *J Biol Chem* **274**(1): 305-15.
- Printen, J. A., M. J. Brady, et al. (1997). "PTG, a protein phosphatase 1-binding protein with a role in glycogen metabolism." *Science* **275**(5305): 1475-8.
- Printz, R. L., M. A. Magnuson, et al. (1993). "Mammalian glucokinase." *Annu Rev Nutr* **13**: 463-96.
- Prober, J. M., G. L. Trainor, et al. (1987). "A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides." *Science* **238**(4825): 336-41.
- Proud, C. G., D. B. Rylatt, et al. (1977). "Amino acid sequences at the two sites on glycogen synthetase phosphorylated by cyclic AMP-dependent protein kinase and their dephosphorylation by protein phosphatase-III." *FEBS Lett* **80**(2): 435-42.
- Pugazhenti, S. and R. L. Khandelwal (1990). "Insulinlike effects of vanadate on hepatic glycogen metabolism in nondiabetic and streptozocin-induced diabetic rats." *Diabetes* **39**(7): 821-7.
- Puigserver, P., J. Rhee, et al. (2003). "Insulin-regulated hepatic gluconeogenesis through FOXO1-PGC-1alpha interaction." *Nature* **423**(6939): 550-5.
- Raben, N., M. Danon, et al. (2001). "Surprises of genetic engineering: a possible model of polyglucosan body disease." *Neurology* **56**(12): 1739-45.
- Radziuk, J. (1982). "Sources of carbon in hepatic glycogen synthesis during absorption of an oral glucose load in humans." *Fed Proc* **41**(1): 110-6.
- Rao, P. V., S. Pugazhenti, et al. (1995). "The effects of streptozotocin-induced diabetes and insulin supplementation on expression of the glycogen phosphorylase gene in rat liver." *J Biol Chem* **270**(42): 24955-60.
- Rao, P. V., S. Pugazhenti, et al. (1995). "Insulin decreases the glycogen synthase kinase-3 alpha mRNA levels by altering its stability in streptozotocin-induced diabetic rat liver." *Biochem Biophys Res Commun* **217**(1): 250-6.
- Raper, S. E., N. Chirmule, et al. (2003). "Fatal systemic inflammatory response syndrome in a ornithine transcarbamylase deficient patient following adenoviral gene transfer." *Mol Genet Metab* **80**(1-2): 148-58.

- Reaven, G. M. (1995). "Pathophysiology of insulin resistance in human disease." Physiol Rev **75**(3): 473-86.
- Rena, G., S. Guo, et al. (1999). "Phosphorylation of the transcription factor forkhead family member FKHR by protein kinase B." J Biol Chem **274**(24): 17179-83.
- Reyes, A. and M. L. Cardenas (1984). "All hexokinase isoenzymes coexist in rat hepatocytes." Biochem J **221**(2): 303-9.
- Riu, E., F. Bosch, et al. (1996). "Prevention of diabetic alterations in transgenic mice overexpressing Myc in the liver." Proc Natl Acad Sci U S A **93**(5): 2198-202.
- Riu, E., T. Ferre, et al. (2003). "Overexpression of c-myc in the liver prevents obesity and insulin resistance." Faseb J **17**(12): 1715-7.
- Roach, P. J. (1986). Enzymes.
- Roach, P. J. (1990). "Control of glycogen synthase by hierarchal protein phosphorylation." Faseb J **4**(12): 2961-8.
- Roach, P. J., C. Cheng, et al. (1998). "Novel aspects of the regulation of glycogen storage." J Basic Clin Physiol Pharmacol **9**(2-4): 139-51.
- Roach, P. J., A. A. DePaoli-Roach, et al. (1978). "Ca²⁺-stimulated phosphorylation of muscle glycogen synthase by phosphorylase b kinase." J Cyclic Nucleotide Res **4**(4): 245-57.
- Roach, P. J. and J. Larner (1976). "Rabbit skeletal muscle glycogen synthase. II. Enzyme phosphorylation state and effector concentrations as interacting control parameters." J Biol Chem **251**(7): 1920-5.
- Roach, P. J., Y. Takeda, et al. (1976). "Rabbit skeletal muscle glycogen synthase. I. Relationship between phosphorylation state and kinetic properties." J Biol Chem **251**(7): 1913-9.
- Ros-Baro, A., C. Lopez-Iglesias, et al. (2001). "Lipid rafts are required for GLUT4 internalization in adipose cells." Proc Natl Acad Sci U S A **98**(21): 12050-5.
- Russek, M. (1963). "Participation of hepatic glucoreceptors in the control of intake of food." Nature **197**: 79-80.
- Russek, M. (1971). "Hepatic receptors and the neurophysiological mechanisms controlling feeding behavior." Neurosci Res (N Y) **4**: 213-82.

- Salavert, A., P. J. Roach, et al. (1979). "Effect of partial tryptic proteolysis on the kinetic properties of rabbit muscle glycogen synthase." Biochim Biophys Acta **570**(2): 231-8.
- Sambrook, J., Fritsch, E.F., i Maniatis, T. (1989). Molecular Cloning: A laboratory Manual. New York, Cold Spring Harbor Laboratory Press
- Sanger, F. and A. R. Coulson (1975). "A rapid method for determining sequences in DNA by primed synthesis with DNA polymerase." J Mol Biol **94**(3): 441-8.
- Schagen, F. H., M. Ossevoort, et al. (2004). "Immune responses against adenoviral vectors and their transgene products: a review of strategies for evasion." Crit Rev Oncol Hematol **50**(1): 51-70.
- Schilling, M. M., J. K. Oeser, et al. (2006). "Gluconeogenesis: re-evaluating the FOXO1-PGC-1alpha connection." Nature **443**(7111): E10-1.
- Schlamowitz, M. (1951). "On the nature of rabbit liver glycogen. II. Iodine absorption spectrum." J Biol Chem **190**(2): 519-27.
- Schmoll, D., R. Grempler, et al. (2001). "Phorbol ester-induced activation of mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase and extracellular-signal-regulated protein kinase decreases glucose-6-phosphatase gene expression." Biochem J **357**(Pt 3): 867-73.
- Schroeder-Gloeckler, J. M., S. M. Rahman, et al. (2007). "CCAAT/enhancer-binding protein beta deletion reduces adiposity, hepatic steatosis, and diabetes in *Lepr(db/db)* mice." J Biol Chem **282**(21): 15717-29.
- Seglen, P. O. (1972). "Preparation of rat liver cells. I. Effect of Ca²⁺ on enzymatic dispersion of isolated, perfused liver." Exp Cell Res **74**(2): 450-4.
- Seglen, P. O. (1973). "Preparation of rat liver cells. 3. Enzymatic requirements for tissue dispersion." Exp Cell Res **82**(2): 391-8.
- Seglen, P. O. (1973). "Preparation of rat liver cells. II. Effects of ions and chelators on tissue dispersion." Exp Cell Res **76**(1): 25-30.
- Seol, W., H. S. Choi, et al. (1996). "An orphan nuclear hormone receptor that lacks a DNA binding domain and heterodimerizes with other receptors." Science **272**(5266): 1336-9.

- Shayakhmetov, D. M., A. Gaggar, et al. (2005). "Adenovirus binding to blood factors results in liver cell infection and hepatotoxicity." J Virol **79**(12): 7478-91.
- Shikama, H. and M. Ui (1978). "Glucose load diverts hepatic gluconeogenic product from glucose to glycogen in vivo." Am J Physiol **235**(4): E354-60.
- Simonson, D. C., E. Ferrannini, et al. (1984). "Mechanism of improvement in glucose metabolism after chronic glyburide therapy." Diabetes **33**(9): 838-45.
- Sindelar, D. K., P. J. Havel, et al. (1999). "Low plasma leptin levels contribute to diabetic hyperphagia in rats." Diabetes **48**(6): 1275-80.
- Skurat, A. V., A. D. Dietrich, et al. (2000). "Glycogen synthase sensitivity to insulin and glucose-6-phosphate is mediated by both NH₂- and COOH-terminal phosphorylation sites." Diabetes **49**(7): 1096-100.
- Skurat, A. V. and P. J. Roach (1995). "Phosphorylation of sites 3a and 3b (Ser640 and Ser644) in the control of rabbit muscle glycogen synthase." J Biol Chem **270**(21): 12491-7.
- Skurat, A. V. and P. J. Roach (1996). "Multiple mechanisms for the phosphorylation of C-terminal regulatory sites in rabbit muscle glycogen synthase expressed in COS cells." Biochem J **313** (Pt 1): 45-50.
- Skurat, A. V., Y. Wang, et al. (1994). "Rabbit skeletal muscle glycogen synthase expressed in COS cells. Identification of regulatory phosphorylation sites." J Biol Chem **269**(41): 25534-42.
- Smith, T., N. Idamakanti, et al. (2002). "In vivo hepatic adenoviral gene delivery occurs independently of the coxsackievirus-adenovirus receptor." Mol Ther **5**(6): 770-9.
- Smith, T. A., N. Idamakanti, et al. (2003). "Receptor interactions involved in adenoviral-mediated gene delivery after systemic administration in non-human primates." Hum Gene Ther **14**(17): 1595-604.
- Soares, A. F., F. J. Viegas, et al. (2009). "Quantifying hepatic glycogen synthesis by direct and indirect pathways in rats under normal ad libitum feeding conditions." Magn Reson Med **61**(1): 1-5.
- Streeper, R. S., C. A. Svitek, et al. (1997). "A multicomponent insulin response sequence mediates a strong repression of mouse glucose-6-phosphatase gene transcription by insulin." J Biol Chem **272**(18): 11698-701.

- Stulnig, T. M., K. R. Steffensen, et al. (2002). "Novel roles of liver X receptors exposed by gene expression profiling in liver and adipose tissue." Mol Pharmacol **62**(6): 1299-305.
- Stumvoll, M., N. Nurjhan, et al. (1995). "Metabolic effects of metformin in non-insulin-dependent diabetes mellitus." N Engl J Med **333**(9): 550-4.
- Suter, M., U. Riek, et al. (2006). "Dissecting the role of 5'-AMP for allosteric stimulation, activation, and deactivation of AMP-activated protein kinase." J Biol Chem **281**(43): 32207-16.
- Sutherland, C., I. A. Leighton, et al. (1993). "Inactivation of glycogen synthase kinase-3 beta by phosphorylation: new kinase connections in insulin and growth-factor signalling." Biochem J **296** (Pt 1): 15-9.
- Tang, P. M., J. A. Bondor, et al. (1991). "Molecular cloning and expression of the regulatory (RG1) subunit of the glycogen-associated protein phosphatase." J Biol Chem **266**(24): 15782-9.
- Tay, S. K., H. O. Akman, et al. (2004). "Fatal infantile neuromuscular presentation of glycogen storage disease type IV." Neuromuscul Disord **14**(4): 253-60.
- Thomas, J. A., K. K. Schlender, et al. (1968). "A rapid filter paper assay for UDPglucose-glycogen glucosyltransferase, including an improved biosynthesis of UDP-14C-glucose." Anal Biochem **25**(1): 486-99.
- Thorens, B., Z. Q. Cheng, et al. (1990). "Liver glucose transporter: a basolateral protein in hepatocytes and intestine and kidney cells." Am J Physiol **259**(6 Pt 1): C279-85.
- Tomko, R. P., R. Xu, et al. (1997). "HCAR and MCAR: the human and mouse cellular receptors for subgroup C adenoviruses and group B coxsackieviruses." Proc Natl Acad Sci U S A **94**(7): 3352-6.
- Tordoff, M. G. and M. I. Friedman (1988). "Hepatic control of feeding: effect of glucose, fructose, and mannitol infusion." Am J Physiol **254**(6 Pt 2): R969-76.
- Tordoff, M. G., J. P. Tluczek, et al. (1989). "Effect of hepatic portal glucose concentration on food intake and metabolism." Am J Physiol **257**(6 Pt 2): R1474-80.

- Toyoda, Y., I. Miwa, et al. (1994). "Evidence for glucokinase translocation by glucose in rat hepatocytes." Biochem Biophys Res Commun **204**(1): 252-6.
- Treadway, J. L., P. Mendys, et al. (2001). "Glycogen phosphorylase inhibitors for treatment of type 2 diabetes mellitus." Expert Opin Investig Drugs **10**(3): 439-54.
- Trinh, K. Y., R. M. O'Doherty, et al. (1998). "Perturbation of fuel homeostasis caused by overexpression of the glucose-6-phosphatase catalytic subunit in liver of normal rats." J Biol Chem **273**(47): 31615-20.
- Trotman, L. C., N. Mosberger, et al. (2001). "Import of adenovirus DNA involves the nuclear pore complex receptor CAN/Nup214 and histone H1." Nat Cell Biol **3**(12): 1092-100.
- Unger, R. H. (1981). "The milieu interieur and the islets of Langerhans." Diabetologia **20**(1): 1-11.
- Valera, A. and F. Bosch (1994). "Glucokinase expression in rat hepatoma cells induces glucose uptake and is rate limiting in glucose utilization." Eur J Biochem **222**(2): 533-9.
- Valera, A., A. Pujol, et al. (1994). "Transgenic mice overexpressing phosphoenolpyruvate carboxykinase develop non-insulin-dependent diabetes mellitus." Proc Natl Acad Sci U S A **91**(19): 9151-4.
- van de Werve, G. and B. Jeanrenaud (1987). "The onset of liver glycogen synthesis in fasted-refed lean and genetically obese (fa/fa) rats." Diabetologia **30**(3): 169-74.
- Van Schaftingen, E. (1987). Fructose-2,6-bisphosphate, Adv. Enzymol.
- Van Schaftingen, E. (1989). "A protein from rat liver confers to glucokinase the property of being antagonistically regulated by fructose 6-phosphate and fructose 1-phosphate." Eur J Biochem **179**(1): 179-84.
- Van Schaftingen, E., M. Detheux, et al. (1994). "Short-term control of glucokinase activity: role of a regulatory protein." Faseb J **8**(6): 414-9.
- Veiga-da-Cunha, M. and E. Van Schaftingen (2002). "Identification of fructose 6-phosphate- and fructose 1-phosphate-binding residues in the regulatory protein of glucokinase." J Biol Chem **277**(10): 8466-73.
- Velho, G., K. F. Petersen, et al. (1996). "Impaired hepatic glycogen synthesis in glucokinase-deficient (MODY-2) subjects." J Clin Invest **98**(8): 1755-61.

- Vilchez, D., S. Ros, et al. (2007). "Mechanism suppressing glycogen synthesis in neurons and its demise in progressive myoclonus epilepsy." Nat Neurosci **10**(11): 1407-13.
- Villar-Palasi, C. and J. J. Guinovart (1997). "The role of glucose 6-phosphate in the control of glycogen synthase." Faseb J **11**(7): 544-58.
- Wang, H. M., S. Mehta, et al. (2008). "AICAR positively regulate glycogen synthase activity and LDL receptor expression through Raf-1/MEK/p42/44MAPK/p90RSK/GSK-3 signaling cascade." Biochem Pharmacol **75**(2): 457-67.
- Wang, N. D., M. J. Finegold, et al. (1995). "Impaired energy homeostasis in C/EBP alpha knockout mice." Science **269**(5227): 1108-12.
- Watson, R. T. and J. E. Pessin (2001). "Subcellular compartmentalization and trafficking of the insulin-responsive glucose transporter, GLUT4." Exp Cell Res **271**(1): 75-83.
- Wickham, T. J., M. E. Carrion, et al. (1995). "Targeting of adenovirus penton base to new receptors through replacement of its RGD motif with other receptor-specific peptide motifs." Gene Ther **2**(10): 750-6.
- Wilson, J. E. (1998). "Distinguishing the type I and type II isozymes of hexokinase: the need for a reexamination of past practice." Diabetes **47**(10): 1544-8.
- Wilson, W. A., A. V. Skurat, et al. (2005). "Control of mammalian glycogen synthase by PAS kinase." Proc Natl Acad Sci U S A **102**(46): 16596-601.
- Worgall, S., G. Wolff, et al. (1997). "Innate immune mechanisms dominate elimination of adenoviral vectors following in vivo administration." Hum Gene Ther **8**(1): 37-44.
- Xu, J. and Q. Li (2003). "Review of the in vivo functions of the p160 steroid receptor coactivator family." Mol Endocrinol **17**(9): 1681-92.
- Yamagata, K., H. Daitoku, et al. (2004). "Bile acids regulate gluconeogenic gene expression via small heterodimer partner-mediated repression of hepatocyte nuclear factor 4 and Foxo1." J Biol Chem **279**(22): 23158-65.

- Yamamoto, T., H. Shimano, et al. (2004). "SREBP-1 interacts with hepatocyte nuclear factor-4 alpha and interferes with PGC-1 recruitment to suppress hepatic gluconeogenic genes." J Biol Chem **279**(13): 12027-35.
- Yamashita, C., M. Kudo, et al. (2000). "Insulin is the essential factor maintaining the constitutive expression of hepatic sterol 14-demethylase P450 (CYP51)." J Biochem **128**(1): 93-9.
- Yanez, A. J., F. Nualart, et al. (2003). "Broad expression of fructose-1,6-bisphosphatase and phosphoenolpyruvate carboxykinase provide evidence for gluconeogenesis in human tissues other than liver and kidney." J Cell Physiol **197**(2): 189-97.
- Yang, R., L. Cao, et al. (2002). "Glycogen-targeting subunits and glucokinase differentially affect pathways of glycogen metabolism and their regulation in hepatocytes." J Biol Chem **277**(2): 1514-23.
- Yang, R. and C. B. Newgard (2003). "Hepatic expression of a targeting subunit of protein phosphatase-1 in streptozotocin-diabetic rats reverses hyperglycemia and hyperphagia despite depressed glucokinase expression." J Biol Chem **278**(26): 23418-25.
- Yang, Y., F. A. Nunes, et al. (1994). "Cellular immunity to viral antigens limits E1-deleted adenoviruses for gene therapy." Proc Natl Acad Sci U S A **91**(10): 4407-11.
- Zhang, L., N. E. Rubins, et al. (2005). "Foxa2 integrates the transcriptional response of the hepatocyte to fasting." Cell Metab **2**(2): 141-8.
- Zhang, W., A. A. DePaoli-Roach, et al. (1993). "Mechanisms of multisite phosphorylation and inactivation of rabbit muscle glycogen synthase." Arch Biochem Biophys **304**(1): 219-25.
- Zhang, Y., N. Chirmule, et al. (2001). "Acute cytokine response to systemic adenoviral vectors in mice is mediated by dendritic cells and macrophages." Mol Ther **3**(5 Pt 1): 697-707.
- Zibrova, D., R. Grempler, et al. (2008). "Inhibition of the interaction between protein phosphatase 1 glycogen-targeting subunit and glycogen phosphorylase increases glycogen synthesis in primary rat hepatocytes." Biochem J **412**(2): 359-66.

- Zou, M. H., S. S. Kirkpatrick, et al. (2004). "Activation of the AMP-activated protein kinase by the anti-diabetic drug metformin in vivo. Role of mitochondrial reactive nitrogen species." J Biol Chem **279**(42): 43940-51.
- Zvibel, I., A. S. Fiorino, et al. (1998). "Phenotypic characterization of rat hepatoma cell lines and lineage-specific regulation of gene expression by differentiation agents." Differentiation **63**(4): 215-23.